

Shangfeng Du

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4759362/publications.pdf>

Version: 2024-02-01

65
papers

2,830
citations

172457

29
h-index

168389

53
g-index

66
all docs

66
docs citations

66
times ranked

3732
citing authors

#	ARTICLE	IF	CITATIONS
1	Introduction to Materials for PEMFC Electrodes. , 2022, , 242-255.		3
2	Catalyst Electrodes with PtCu Nanowire Arrays In Situ Grown on Gas Diffusion Layers for Direct Formic Acid Fuel Cells. ACS Applied Materials & Interfaces, 2022, 14, 11457-11464.	8.0	18
3	Recent Advances in Electrode Design Based on One-Dimensional Nanostructure Arrays for Proton Exchange Membrane Fuel Cell Applications. Engineering, 2021, 7, 33-49.	6.7	37
4	Au integrated AgPt nanorods for the oxygen reduction reaction in proton exchange membrane fuel cells. Journal of Materials Chemistry A, 2021, 9, 5578-5587.	10.3	14
5	Cathode Design for Proton Exchange Membrane Fuel Cells in Automotive Applications. Automotive Innovation, 2021, 4, 144-164.	5.1	28
6	Patterned Membranes for Proton Exchange Membrane Fuel Cells Working at Low Humidity. Polymers, 2021, 13, 1976.	4.5	2
7	Liquid Fueled Fuel Cells. , 2021, , .		1
8	Thin film electrodes from Pt nanorods supported on aligned N-CNTs for proton exchange membrane fuel cells. Applied Catalysis B: Environmental, 2020, 260, 118031.	20.2	73
9	From waste to waste treatment: Mesoporous magnetic NiFe ₂ O ₄ /ZnCuCr-layered double hydroxide composite for wastewater treatment. Journal of Alloys and Compounds, 2020, 819, 153053.	5.5	29
10	Nanoporous materials for proton exchange membrane fuel cell applications. , 2020, , 441-476.		1
11	Comparative Study of PtNi Nanowire Array Electrodes toward Oxygen Reduction Reaction by Half-Cell Measurement and PEMFC Test. ACS Applied Materials & Interfaces, 2020, 12, 42832-42841.	8.0	35
12	Ultrathin AgPt alloy nanorods as low-cost oxygen reduction reaction electrocatalysts in proton exchange membrane fuel cells. Journal of Materials Chemistry A, 2020, 8, 11874-11883.	10.3	19
13	Ionic Liquid-Modified Microporous ZnCoNC-Based Electrocatalysts for Polymer Electrolyte Fuel Cells. ACS Energy Letters, 2019, 4, 2104-2110.	17.4	48
14	Ionic liquid modified Pt/C electrocatalysts for cathode application in proton exchange membrane fuel cells. Frontiers of Chemical Science and Engineering, 2019, 13, 695-701.	4.4	27
15	Ag-Functionalized CuWO ₄ /WO ₃ nanocomposites for solar water splitting. New Journal of Chemistry, 2019, 43, 2196-2203.	2.8	33
16	First-principles study on ZnV ₂ O ₆ and Zn ₂ V ₂ O ₇ : Two new photoanode candidates for photoelectrochemical water oxidation. Ceramics International, 2018, 44, 6607-6613.	4.8	43
17	Pt nanowire growth induced by Pt nanoparticles in application of the cathodes for Polymer Electrolyte Membrane Fuel Cells (PEMFCs). International Journal of Hydrogen Energy, 2018, 43, 20041-20049.	7.1	23
18	Evaluation of the Scaffolding Effect of Pt Nanowires Supported on Reduced Graphene Oxide in PEMFC Electrodes. Coatings, 2018, 8, 48.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Evolution of gas diffusion layer structures for aligned Pt nanowire electrodes in PEMFC applications. <i>Electrochimica Acta</i> , 2018, 279, 99-107.	5.2	18
20	Visible-enhanced photocatalytic performance of CuWO ₄ /WO ₃ hetero-structures: incorporation of plasmonic Ag nanostructures. <i>New Journal of Chemistry</i> , 2018, 42, 11109-11116.	2.8	23
21	Catalytic performance of Ni-Cu/Al ₂ O ₃ for effective syngas production by methanol steam reforming. <i>Fuel</i> , 2018, 232, 672-683.	6.4	85
22	Annealing Behaviour of Pt and PtNi Nanowires for Proton Exchange Membrane Fuel Cells. <i>Materials</i> , 2018, 11, 1473.	2.9	11
23	An experimental investigation of a micro-tubular SOFC membrane-separated liquid desiccant dehumidification and cooling tri-generation system. <i>Applied Thermal Engineering</i> , 2017, 120, 64-73.	6.0	11
24	Surface modification of 316 stainless steel with platinum for the application of bipolar plates in high performance proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 2338-2348.	7.1	38
25	Electrochemical performance of CeO ₂ nanoparticle-decorated graphene oxide as an electrode material for supercapacitor. <i>Ionics</i> , 2017, 23, 121-129.	2.4	62
26	Monodisperse ZnFe ₂ O ₄ nanospheres synthesized by a nonaqueous route for a highly selective low-ppm-level toluene gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 1231-1236.	7.8	50
27	One-Dimensional Nanostructured Catalysts for Hydrocarbon Oxidation Reaction. , 2017, , 49-65.		0
28	Proton Exchange Membrane Fuel Cell Electrodes From One-Dimensional Nanostructures. , 2017, , 67-75.		0
29	Summary and Perspective. , 2017, , 77-79.		0
30	Materials for Polymer Electrolyte Membrane Fuel Cells (PEMFCs): Electrolyte Membrane, Gas Diffusion Layers, and Bipolar Plates. , 2017, , .		5
31	Materials for PEMFC Electrodes. , 2017, , .		0
32	Three-dimensional catalyst electrodes based on PtPd nanodendrites for oxygen reduction reaction in PEFC applications. <i>Applied Catalysis B: Environmental</i> , 2016, 187, 108-114.	20.2	59
33	One-dimensional nanostructured electrocatalysts for polymer electrolyte membrane fuel cells—A review. <i>Applied Catalysis B: Environmental</i> , 2016, 199, 292-314.	20.2	160
34	The effect of active screen plasma treatment conditions on the growth and performance of Pt nanowire catalyst layer in DMFCs. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 7622-7630.	7.1	26
35	Anode partial flooding modelling of proton exchange membrane fuel cells: Model development and validation. <i>Energy</i> , 2016, 96, 80-95.	8.8	75
36	Reduced graphene oxide (RGO)/Mn ₃ O ₄ nanocomposites for dielectric loss properties and electromagnetic interference shielding effectiveness at high frequency. <i>Ceramics International</i> , 2016, 42, 936-942.	4.8	70

#	ARTICLE	IF	CITATIONS
37	Matrix Material Study for <i>in situ</i> Grown Pt Nanowire Electrocatalyst Layer in Proton Exchange Membrane Fuel Cells (PEMFCs). <i>Fuel Cells</i> , 2015, 15, 449-455.	2.4	13
38	High performance polymer electrolyte membrane fuel cells (PEMFCs) with gradient Pt nanowire cathodes prepared by decal transfer method. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 3068-3074.	7.1	34
39	A facile hydrothermal synthesis of MnO ₂ nanorod/reduced graphene oxide nanocomposites possessing excellent microwave absorption properties. <i>RSC Advances</i> , 2015, 5, 88979-88988.	3.6	113
40	Synthesis of Ba _{0.3} Ca _{0.7} Co _{0.8} Fe _{0.2} O _{3-λ} composite material as novel catalytic cathode for ceria-carbonate electrolyte fuel cells. <i>Electrochimica Acta</i> , 2015, 178, 385-391.	5.2	30
41	Control system design for micro-tubular solid oxide fuel cells. <i>International Journal of Low-Carbon Technologies</i> , 2015, 10, 441-445.	2.6	3
42	Temperature-controlled growth of single-crystal Pt nanowire arrays for high performance catalyst electrodes in polymer electrolyte fuel cells. <i>Applied Catalysis B: Environmental</i> , 2015, 164, 389-395.	20.2	42
43	Ionomer content effects on the electrocatalyst layer with in-situ grown Pt nanowires in PEMFCs. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 3219-3225.	7.1	19
44	Controlling Pt loading and carbon matrix thickness for a high performance Pt-nanowire catalyst layer in PEMFCs. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 3397-3403.	7.1	23
45	A simple approach for PtNi/MWCNT hybrid nanostructures as high performance electrocatalysts for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2014, 2, 692-698.	10.3	59
46	PtPd nanowire arrays supported on reduced graphene oxide as advanced electrocatalysts for methanol oxidation. <i>Carbon</i> , 2014, 79, 346-353.	10.3	71
47	Plasma nitriding induced growth of Pt-nanowire arrays as high performance electrocatalysts for fuel cells. <i>Scientific Reports</i> , 2014, 4, 6439.	3.3	33
48	In situ grown nanoscale platinum on carbon powder as catalyst layer in proton exchange membrane fuel cells (PEMFCs). <i>Journal of Energy Chemistry</i> , 2013, 22, 477-483.	12.9	12
49	Modelling a Methane Fed Solid Oxide Fuel Cell With Anode Recirculation System. <i>ECS Transactions</i> , 2013, 57, 2831-2839.	0.5	3
50	A novel catalyst layer with carbon matrix for Pt nanowire growth in proton exchange membrane fuel cells (PEMFCs). <i>International Journal of Hydrogen Energy</i> , 2013, 38, 12374-12378.	7.1	28
51	High temperature (HT) polymer electrolyte membrane fuel cells (PEMFC) – A review. <i>Journal of Power Sources</i> , 2013, 231, 264-278.	7.8	756
52	Pt-based nanowires as electrocatalysts in proton exchange fuel cells. <i>International Journal of Low-Carbon Technologies</i> , 2012, 7, 44-54.	2.6	31
53	Catalyst loading for Pt-nanowire thin film electrodes in PEMFCs. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 17892-17898.	7.1	41
54	Aggregation and adhesion of gold nanoparticles in phosphate buffered saline. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	1.9	55

#	ARTICLE	IF	CITATIONS
55	The effect of materials on proton exchange membrane fuel cell electrode performance. Journal of Power Sources, 2011, 196, 9013-9017.	7.8	56
56	The effect of Nafion ionomer loading coated on gas diffusion electrodes with in-situ grown Pt nanowires and their durability in proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2011, 36, 4386-4393.	7.1	49
57	Measuring number concentrations of nanoparticles and viruses in liquids online. Journal of Chemical Technology and Biotechnology, 2010, 85, 1223-1228.	3.2	22
58	A Facile Route for Polymer Electrolyte Membrane Fuel Cell Electrodes with in situ Grown Pt Nanowires. Journal of Power Sources, 2010, 195, 289-292.	7.8	63
59	Virus Concentration and Adhesion Measured by Laser Tracking. Journal of Adhesion, 2010, 86, 1029-1040.	3.0	5
60	Large-scale preparation of porous ultrathin Ga-doped ZnO nanoneedles from 3D basic zinc carbonate superstructures. Nanotechnology, 2009, 20, 085611.	2.6	9
61	A new measure of molecular attractions between nanoparticles near kT adhesion energy. Nanotechnology, 2009, 20, 275701.	2.6	16
62	Preparing Mesoporous Carbon and Silica with Rosin-Silica Composite Gel. Journal of Nanoscience and Nanotechnology, 2009, 9, 799-802.	0.9	8
63	Calcination Effects on the Properties of Gallium-Doped Zinc Oxide Powders. Journal of the American Ceramic Society, 2006, 89, 2440-2443.	3.8	52
64	Large-scale preparation of needle-like zinc oxide with high electrical conductivity. Materials Letters, 2006, 60, 3133-3136.	2.6	8
65	Template-free synthesis of NiO hollow microspheres covered with nanoflakes. Materials Letters, 2006, 60, 3601-3604.	2.6	36