

Christophe Dupont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4762123/publications.pdf>

Version: 2024-02-01

62
papers

3,597
citations

218677

26
h-index

133252

59
g-index

63
all docs

63
docs citations

63
times ranked

3334
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of the Cow's Milk-related Symptom Score (CoMiSS) as a diagnostic tool for cow's milk protein allergy: a prospective, multicentre study in China (MOSAIC study). <i>BMJ Open</i> , 2022, 12, e056641.	1.9	10
2	Managing Cow's Milk Protein Allergy with an Extensively Hydrolyzed Formula: Results from a Prospective, Non-Interventional Study in France (EVA Study). <i>Nutrients</i> , 2022, 14, 1203.	4.1	4
3	World Allergy Organization (WAO) Diagnosis and Rationale for Action against Cow's Milk Allergy (DRACMA) Guideline update "XIV" Recommendations on CMA immunotherapy. <i>World Allergy Organization Journal</i> , 2022, 15, 100646.	3.5	18
4	The Cow's Milk-Related Symptom Score (CoMiSS _{2.0}): A Useful Awareness Tool. <i>Nutrients</i> , 2022, 14, 2059.	4.1	10
5	The Cow's Milk Related Symptom Score: The 2022 Update. <i>Nutrients</i> , 2022, 14, 2682.	4.1	13
6	The role of milk feeds and other dietary supplementary interventions in preventing allergic disease in infants: Fact or fiction?. <i>Clinical Nutrition</i> , 2021, 40, 358-371.	5.0	17
7	Religious dietary rules and their potential nutritional and health consequences. <i>International Journal of Epidemiology</i> , 2021, 50, 12-26.	1.9	19
8	Growth in Infants with Cow's Milk Protein Allergy Fed an Amino Acid-Based Formula. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2021, 24, 392.	1.2	7
9	Pollutants in Breast Milk. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, 343-346.	1.8	5
10	Diagnosis and management of Non-IgE gastrointestinal allergies in breastfed infants: An EAACI Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 14-32.	5.7	98
11	Different thickening complexes with pectin in infant anti-regurgitation formula. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 471-480.	1.5	7
12	Magnesium Sulfate-Rich Natural Mineral Waters in the Treatment of Functional Constipation: A Review. <i>Nutrients</i> , 2020, 12, 2052.	4.1	12
13	Hydrolyzed Rice Protein-Based Formulas, a Vegetal Alternative in Cow's Milk Allergy. <i>Nutrients</i> , 2020, 12, 2654.	4.1	33
14	The Role of Young Child Formula in Ensuring a Balanced Diet in Young Children (1-3 Years Old). <i>Nutrients</i> , 2019, 11, 2213.	4.1	19
15	Time to treatment response of a magnesium- and sulphate-rich natural mineral water in functional constipation. <i>Nutrition</i> , 2019, 65, 167-172.	2.4	15
16	Phenotypic changes andIDO over-expression in splenic dendritic cells after epicutaneous immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB232.	2.9	0
17	Epicutaneous immunotherapy with peanut directly targets Langerhans cells in human skin. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB231.	2.9	2
18	Unique epigenetic signature in T cell compartment after epicutaneous immunotherapy in peanut sensitized mice. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB121.	2.9	0

#	ARTICLE	IF	CITATIONS
19	<i>Lactobacillus reuteri</i> to Treat Infant Colic: A Meta-analysis. <i>Pediatrics</i> , 2018, 141, .	2.1	148
20	Food Protein-Induced Enterocolitis Syndrome and Proctocolitis. <i>Annals of Nutrition and Metabolism</i> , 2018, 73, 8-16.	1.9	3
21	Deep analysis of immune response and metabolic signature in children with food protein induced enterocolitis to cow's milk. <i>Clinical and Translational Allergy</i> , 2018, 8, 38.	3.2	30
22	Updated International Consensus Diagnostic Criteria for Eosinophilic Esophagitis: Proceedings of the AGREE Conference. <i>Gastroenterology</i> , 2018, 155, 1022-1033.e10.	1.3	712
23	Protocol for the validation of sensitivity and specificity of the Cow's Milk-related Symptom Score (CoMiSS) against open food challenge in a single-blinded, prospective, multicentre trial in infants. <i>BMJ Open</i> , 2018, 8, e019968.	1.9	18
24	Epithelial barrier dysfunction in desmoglein-1 deficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 702-706.e7.	2.9	31
25	The global impact of the DRACMA guidelines cow's milk allergy clinical practice. <i>World Allergy Organization Journal</i> , 2018, 11, 2.	3.5	27
26	Antigen Uptake by Langerhans Cells Is Required for the Induction of Regulatory T Cells and the Acquisition of Tolerance During Epicutaneous Immunotherapy in OVA-Sensitized Mice. <i>Frontiers in Immunology</i> , 2018, 9, 1951.	4.8	40
27	Differences in phenotype, homing properties and suppressive activities of regulatory T cells induced by epicutaneous, oral or sublingual immunotherapy in mice sensitized to peanut. <i>Cellular and Molecular Immunology</i> , 2017, 14, 770-782.	10.5	60
28	Eosinophilic esophagitis and colonic mucosal eosinophilia in Netherton syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 2003-2005.e1.	2.9	32
29	A one-step immune-chromatographic <i>Helicobacter pylori</i> stool antigen test for children was quick, consistent, reliable and specific. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 2025-2030.	1.5	15
30	Development of the Brussels Infant and Toddler Stool Scale (BITSS): protocol of the study. <i>BMJ Open</i> , 2017, 7, e014620.	1.9	16
31	Effect of Varying Doses of Epicutaneous Immunotherapy vs Placebo on Reaction to Peanut Protein Exposure Among Patients With Peanut Sensitivity. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1798.	7.4	185
32	Serum biomarkers for allergy in children. <i>Pediatric Allergy and Immunology</i> , 2017, 28, 114-123.	2.6	14
33	Efficacy and Tolerance of a New Anti-Regurgitation Formula. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2016, 19, 104.	1.2	10
34	Cow's milk allergy: towards an update of DRACMA guidelines. <i>World Allergy Organization Journal</i> , 2016, 9, 35.	3.5	71
35	Tolerance and growth in children with cow's milk allergy fed a thickened extensively hydrolyzed casein-based formula. <i>BMC Pediatrics</i> , 2016, 16, 96.	1.7	33
36	Assessment of IgE and IgG4 Binding Capacities of Cow's Milk Proteins Selectively Altered by Proteases. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 3394-3404.	5.2	7

#	ARTICLE	IF	CITATIONS
37	Usefulness of Gastric Biopsyâ€‘Based Realâ€‘Time Polymerase Chain Reaction for the Diagnosis of <i>Helicobacter pylori</i> Infection in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 61, 307-312.	1.8	26
38	Safety of a New Amino Acid Formula in Infants Allergic to Cow's Milk and Intolerant to Hydrolysates. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 61, 456-463.	1.8	34
39	A workshop report on the development of the Cow's Milkâ€‘related Symptom Score awareness tool for young children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 334-339.	1.5	99
40	An extensively hydrolysed casein-based formula for infants with cows' milk protein allergy: tolerance/hypo-allergenicity and growth catch-up. <i>British Journal of Nutrition</i> , 2015, 113, 1102-1112.	2.3	39
41	Specific epicutaneous immunotherapy prevents sensitization to new allergens in a murine model. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1546-1557.e4.	2.9	71
42	A Thickened Amino-Acid Formula in Infants with Cowâ€™s Milk Allergy Failing to Respond to Protein Hydrolysate Formulas: A Randomized Double-Blind Trial. <i>Paediatric Drugs</i> , 2014, 16, 513-522.	3.1	14
43	<i>Lactobacillus reuteri</i> DSM 17938 for managing infant colic: protocol for an individual participant data meta-analysis. <i>BMJ Open</i> , 2014, 4, e006475.	1.9	24
44	Serum immunoglobulin free light chain levels are higher in girls than boys during eosinophilic oesophagitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 766-774.	1.5	5
45	Diagnosis of cow's milk allergy in children: determining the gold standard?. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 257-267.	3.0	21
46	State of the art on food allergen immunotherapy: Oral,â€‘sublingual, and epicutaneous. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 318-323.	2.9	172
47	The Impact of Dietary Therapy on Clinical and Biologic Parameters of Pediatric Patients with Eosinophilic Esophagitis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2014, 2, 587-593.	3.8	35
48	How to reintroduce cowâ€™s milk?. <i>Pediatric Allergy and Immunology</i> , 2013, 24, 627-632.	2.6	13
49	Intestinal permeability and fecal eosinophil-derived neurotoxin are the best diagnosis tools for digestive non-IgE-mediated cowâ€™s milk allergy in toddlers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 351-361.	2.3	40
50	An Î±-lactalbumin-enriched and symbiotic-supplemented v. a standard infant formula: a multicentre, double-blind, randomised trial. <i>British Journal of Nutrition</i> , 2012, 107, 1616-1622.	2.3	53
51	Partially Hydrolysed 100% Whey-Based Infant Formula and the Prevention of Atopic Dermatitis: Comparative Pharmacoeconomic Analyses. <i>Annals of Nutrition and Metabolism</i> , 2011, 59, 44-52.	1.9	13
52	Food Allergy: Recent Advances in Pathophysiology and Diagnosis. <i>Annals of Nutrition and Metabolism</i> , 2011, 59, 8-18.	1.9	26
53	Deeper rectal biopsies and better yield of neuronal structures with Scheyer vs Noblett forcepsâ€‘preliminary results. <i>Journal of Pediatric Surgery</i> , 2011, 46, 478-481.	1.6	6
54	Epicutaneous Immunotherapy Results in Rapid Allergen Uptake by Dendritic Cells through Intact Skin and Downregulates the Allergen-Specific Response in Sensitized Mice. <i>Journal of Immunology</i> , 2011, 186, 5629-5637.	0.8	142

#	ARTICLE	IF	CITATIONS
55	Epicutaneous Immunotherapy Using a New Epicutaneous Delivery System in Mice Sensitized to Peanuts. <i>International Archives of Allergy and Immunology</i> , 2011, 154, 299-309.	2.1	100
56	Cow's milk epicutaneous immunotherapy in children: A pilot trial of safety, acceptability, and impact on allergic reactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1165-1167.	2.9	243
57	Economic evaluation of a 100% whey-based, partially hydrolysed formula in the prevention of atopic dermatitis among French children. <i>Current Medical Research and Opinion</i> , 2010, 26, 2607-2626.	1.9	20
58	Oral Diosmectite Reduces Stool Output and Diarrhea Duration in Children With Acute Watery Diarrhea. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 456-462.	4.4	48
59	Using Macro-Arrays to Study Routes of Infection of <i>Helicobacter pylori</i> in Three Families. <i>PLoS ONE</i> , 2008, 3, e2259.	2.5	24
60	Guidelines for the diagnosis and management of cow's milk protein allergy in infants. <i>Archives of Disease in Childhood</i> , 2007, 92, 902-908.	1.9	340
61	Conditions of Bifidobacterial Colonization in Preterm Infants: A Prospective Analysis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007, 44, 577-582.	1.8	147
62	Effect of oligofructose supplementation on gut microflora and well-being in young children attending a day care centre. <i>International Journal of Food Microbiology</i> , 2007, 113, 108-113.	4.7	100