# Per Bech

## List of Publications by Year
## in descending order

| | | | |
|---|---|---|---|
| 104<br>papers | 6,518<br>citations | 159585<br>30<br>h-index | 74163<br>75<br>g-index |
| 109<br>all docs | 109<br>docs citations | 109<br>times ranked | 7583<br>citing authors |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1 | Transcranial pulsed electromagnetic fields for treatment-resistant depression: A multicenter 8-week single-arm cohort study. European Psychiatry, 2020, 63, e18. | 0.2 | 9 |
| 2 | Extraversion-Introversion (Eysenck's Theory). , 2020, , 1520-1522. | | 0 |
| 3 | Neuroticism (Eysenck's Theory). , 2020, , 3227-3230. | | 0 |
| 4 | The prevalence of psychological distress in Parkinson's disease patients: The brief symptom inventory (BSI-18) versus the Hopkins symptom checklist (SCL-90-R). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 88, 96-101. | 4.8 | 15 |
| 5 | A clinimetric analysis of a BPRS-6 scale for schizophrenia severity. Acta Neuropsychiatrica, 2018, 30, 187-191. | 2.1 | 6 |
| 6 | A confirmative clinimetric analysis of the 36-item Family Assessment Device. Nordic Journal of Psychiatry, 2018, 72, 268-272. | 1.3 | 5 |
| 7 | The Reliable Change Index (RCI) of the WHO-5 in primary prevention of mental disorders. A measurement-based pilot study in positive psychiatry. Nordic Journal of Psychiatry, 2018, 72, 404-408. | 1.3 | 7 |
| 8 | An overview of which health domains to consider and when to apply them in measurement-based care for depression and anxiety disorders. Nordic Journal of Psychiatry, 2018, 72, 367-373. | 1.3 | 11 |
| 9 | Patient reported outcome measures (PROMs): examination of the psychometric properties of two measures for burden of symptoms and quality of life in patients with depression or anxiety. Nordic Journal of Psychiatry, 2018, 72, 251-258. | 1.3 | 22 |
| 10 | The Validity and Sensitivity of PANSS-6 in the Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) Study. Schizophrenia Bulletin, 2018, 44, 453-462. | 4.3 | 25 |
| 11 | Prospective psychometric characterization of hip and knee arthroplasty patients. Nordic Journal of Psychiatry, 2018, 72, 39-44. | 1.3 | 1 |
| 12 | Evaluating psychiatric symptoms in Parkinson's Disease by a clinimetric analysis of the Hopkins Symptom Checklist (SCL-90-R). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 81, 131-137. | 4.8 | 24 |
| 13 | The Hawthorne effect as a pre-placebo expectation in Parkinsons disease patients participating in a randomized placebo-controlled clinical study. Nordic Journal of Psychiatry, 2018, 72, 442-446. | 1.3 | 22 |
| 14 | Test-retest reliability and measurement error of the Danish WHO-5 Well-being Index in outpatients with epilepsy. Health and Quality of Life Outcomes, 2018, 16, 175. | 2.4 | 27 |
| 15 | Effects of Long-Term Treatment with T-PEMF on Forearm Muscle Activation and Motor Function in Parkinson's Disease. Case Reports in Neurology, 2018, 10, 242-251. | 0.7 | 2 |
| 16 | S46. THE VALIDITY AND SENSITIVITY OF PANSS-6 IN TREATMENT-RESISTANT SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S341-S342. | 4.3 | 0 |
| 17 | Inter-rater reliability of ratings on the six-item Positive and Negative Syndrome Scale (PANSS-6) obtained using the Simplified Negative and Positive Symptoms Interview (SNAPSI). Nordic Journal of Psychiatry, 2018, 72, 431-436. | 1.3 | 17 |
| 18 | How to Measure the Personality. , 2018, , 17-32. | | 1 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 19 | Hemodynamic responses to mental stress during salt loading. Clinical Physiology and Functional Imaging, 2017, 37, 688-694. | 1.2 | 5 |
| 20 | A Major Clinimetric Dilemma in Self-Reported Outcome Scales: Mixing Positively and Negatively Worded Items. Psychotherapy and Psychosomatics, 2017, 86, 124-125. | 8.8 | 3 |
| 21 | A Systematic Review of the Clinimetric Properties of the 6-Item Version of the Hamilton Depression Rating Scale (HAM-D<6>). Psychotherapy and Psychosomatics, 2017, 86, 141-149. | 8.8 | 85 |
| 22 | Clinical Pharmacopsychology: Conceptual Foundations and Emerging Tasks. Psychotherapy and Psychosomatics, 2017, 86, 134-140. | 8.8 | 42 |
| 23 | Somatization in Parkinson's Disease: A systematic review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 78, 18-26. | 4.8 | 23 |
| 24 | Preferred Place of Care and Death in Terminally Ill Patients with Lung and Heart Disease Compared to Cancer Patients. Journal of Palliative Medicine, 2017, 20, 1217-1224. | 1.1 | 54 |
| 25 | SCL-90-R emotional distress ratings in substance use and impulse control disorders: One-factor, oblique first-order, higher-order, and bi-factor models compared. Psychiatry Research, 2017, 255, 173-185. | 3.3 | 16 |
| 26 | The construct validity of the Major Depression Inventory: A Rasch analysis of a self-rating scale in primary care. Journal of Psychosomatic Research, 2017, 97, 70-81. | 2.6 | 13 |
| 27 | Response to â€œAn Evolutionary Approach to Clinical Pharmacopsychologyâ€. Psychotherapy and Psychosomatics, 2017, 86, 372-372. | 8.8 | 0 |
| 28 | MYPLAN â€"mobile phone application to manage crisis of persons at risk of suicide: study protocol for a randomized controlled trial. Trials, 2017, 18, 171. | 1.6 | 36 |
| 29 | Effect of supervised exercise in groups on psychological well-being among pregnant women at risk of depression (the EWE Study): study protocol for a randomized controlled trial. Trials, 2017, 18, 210. | 1.6 | 12 |
| 30 | Mental Pain and Suicide: A Systematic Review of the Literature. Frontiers in Psychiatry, 2016, 7, 108. | 2.6 | 169 |
| 31 | Clinimetric Dilemmas in Outcome Scales for Mental Disorders. Psychotherapy and Psychosomatics, 2016, 85, 323-326. | 8.8 | 37 |
| 32 | Family psychoeducation for major depressive disorder â€" study protocol for a randomized controlled trial. Trials, 2016, 17, 427. | 1.6 | 7 |
| 33 | Psychosocial predictors of treatment outcome for trauma-affected refugees. HÃ¶gre Utbildning, 2016, 7, 30907. | 3.0 | 51 |
| 34 | The Concept of Euthymia. Psychotherapy and Psychosomatics, 2016, 85, 1-5. | 8.8 | 158 |
| 35 | Negative Mental Health: The Ordinary Mental Disorders. Categories Versus Dimensions. SpringerBriefs in Psychology, 2016, , 1-7. | 0.2 | 1 |
| 36 | Clinician-Administered Symptom Scales Within the Basic Diagram. SpringerBriefs in Psychology, 2016, , 31-42. | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 37 | Positive Mental Health. SpringerBriefs in Psychology, 2016, , 43-47. | 0.2 | 0 |
| 38 | The Validity of the Different Versions of the Hamilton Depression Scale in Separating Remission Rates of Placebo and Antidepressants in Clinical Trials of Major Depression. Journal of Clinical Psychopharmacology, 2016, 36, 453-456. | 1.4 | 39 |
| 39 | The validity of dysthymia to predict clinical depressive symptoms as measured by the Hamilton Depression Scale at the 5-year follow-up of patients with first episode depression. Nordic Journal of Psychiatry, 2016, 70, 563-566. | 1.3 | 9 |
| 40 | A clinimetric analysis of the Hopkins Symptom Checklist (SCL-90-R) in general population studies (Denmark, Norway, and Italy). Nordic Journal of Psychiatry, 2016, 70, 374-379. | 1.3 | 59 |
| 41 | The construct validity of the Perceived Stress Scale. Journal of Psychosomatic Research, 2016, 84, 22-30. | 2.6 | 114 |
| 42 | The Relationship between Sleep Length and Restorative Sleep in Major Depression: Results from the Danish General Suburban Population Study. Psychotherapy and Psychosomatics, 2016, 85, 45-46. | 8.8 | 7 |
| 43 | The Items Predicting Non-Remission after 6 Months of Treatment of Patients with Generalized Anxiety Disorder Covered the Eysenck Neuroticism Components of Anxiety, Interpersonal Sensitivity and Depression. Psychotherapy and Psychosomatics, 2016, 85, 229-230. | 8.8 | 9 |
| 44 | Treatment of trauma-affected refugees with venlafaxine versus sertraline combined with psychotherapy - a randomised study. BMC Psychiatry, 2016, 16, 383. | 2.6 | 39 |
| 45 | Neuroticism, depression and anxiety in takotsubo cardiomyopathy. BMC Cardiovascular Disorders, 2016, 16, 118. | 1.7 | 16 |
| 46 | Measuring chronic pain. Pain, 2016, 157, 1574-1574. | 4.2 | 1 |
| 47 | The Family Assessment Device: A Clinimetric Analysis. Psychotherapy and Psychosomatics, 2016, 85, 241-243. | 8.8 | 11 |
| 48 | Modern Psychometric Approaches to Analysis of Scales for Health-Related Quality of Life. , 2016, , 103-120. | | 2 |
| 49 | Anxiety in adolescent epilepsy. A clinimetric analysis. Nordic Journal of Psychiatry, 2016, 70, 424-429. | 1.3 | 16 |
| 50 | Establishing the cut-off score for remission and severity-ranges on the Psychotic Depression Assessment Scale (PDAS). Journal of Affective Disorders, 2016, 190, 111-114. | 4.1 | 14 |
| 51 | Fewer study participants needed to demonstrate superior antidepressant efficacy when using the Hamilton melancholia subscale (HAM-D 6 ) as outcome measure. Journal of Affective Disorders, 2016, 190, 842-845. | 4.1 | 31 |
| 52 | Neuroticism (Eysenck's Theory). , 2016, , 1-4. | | 7 |
| 53 | Extraversion-Introversion (Eysenck's Theory). , 2016, , 1-3. | | 4 |
| 54 | The Basic Diagram of Personality Dimensions. SpringerBriefs in Psychology, 2016, , 9-13. | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | The responsiveness of the different versions of the <scp>H</scp>amilton Depression Scale. World Psychiatry, 2015, 14, 309-310. | 10.4 | 25 |
| 56 | A 2-year follow-up study of patients participating in our transcranial pulsating electromagnetic fields augmentation in treatment-resistant depression. Acta Neuropsychiatrica, 2015, 27, 119-125. | 2.1 | 6 |
| 57 | The Diagnostic Apathia Scale predicts a dose–remission relationship of T-PEMF in treatment-resistant depression. Acta Neuropsychiatrica, 2015, 27, 1-7. | 2.1 | 9 |
| 58 | The WHO-5 Well-Being Index: A Systematic Review of the Literature. Psychotherapy and Psychosomatics, 2015, 84, 167-176. | 8.8 | 2,459 |
| 59 | Psychometric evaluation of the Major Depression Inventory (MDI) as depression severity scale using the LEAD (Longitudinal Expert Assessment of All Data) as index of validity. BMC Psychiatry, 2015, 15, 190. | 2.6 | 126 |
| 60 | Clinical and psychometric validation of the psychotic depression assessment scale. Journal of Affective Disorders, 2015, 173, 261-268. | 4.1 | 24 |
| 61 | Rating scales in general practice depression: Psychometric analyses of the Clinical Interview for Depression and the Hamilton Rating Scale. Journal of Affective Disorders, 2015, 171, 68-73. | 4.1 | 22 |
| 62 | Prevalence of depression, quality of life and antidepressant treatment in the Danish General Suburban Population Study. Nordic Journal of Psychiatry, 2014, 68, 507-512. | 1.3 | 60 |
| 63 | Psychometric analysis of the Melancholia Scale in trials with non-pharmacological augmentation of patients with therapy-resistant depression. Acta Neuropsychiatrica, 2014, 26, 155-160. | 2.1 | 8 |
| 64 | Dose-remission of pulsating electromagnetic fields as augmentation in therapy-resistant depression: a randomized, double-blind controlled study. Acta Neuropsychiatrica, 2014, 26, 272-279. | 2.1 | 20 |
| 65 | A short historical review of SCNP with special reference to the UKU. Acta Neuropsychiatrica, 2014, 26, 4-7. | 2.1 | 3 |
| 66 | Karl Rickels: A Tribute on His 90th Birthday. Psychotherapy and Psychosomatics, 2014, 83, 131-135. | 8.8 | 1 |
| 67 | Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: Implications for the Research Domain Criteria (RDoC). Journal of Affective Disorders, 2014, 163, 18-24. | 4.1 | 36 |
| 68 | Measuring treatment response in psychotic depression: The Psychotic Depression Assessment Scale (PDAS) takes both depressive and psychotic symptoms into account. Journal of Affective Disorders, 2014, 160, 68-73. | 4.1 | 29 |
| 69 | The Hamilton Depression Scale (HAM-D) and the Montgomery–Åsberg Depression Scale (MADRS). A psychometric re-analysis of the European Genome-Based Therapeutic Drugs for Depression Study using Rasch analysis. Psychiatry Research, 2014, 217, 226-232. | 3.3 | 27 |
| 70 | Pressure pain sensitivity: A new method of stress measurement in patients with ischemic heart disease. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 373-379. | 1.2 | 20 |
| 71 | The time has come to stop rotations for the identification of structures in the Hamilton Depression Scale (HAM-D17). Revista Brasileira De Psiquiatria, 2013, 35, 360-363. | 1.7 | 4 |
| 72 | The Day-to-Day Acute Effect of Wake Therapy in Patients with Major Depression Using the HAM-D6 as Primary Outcome Measure: Results from a Randomised Controlled Trial. PLoS ONE, 2013, 8, e67264. | 2.5 | 33 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 73 | Eysenck's Two Big Personality Factors and Their Relationship to Depression in Patients with Chronic Idiopathic Pain Disorder: A Clinimetric Validation Analysis. , 2012, 2012, 1-9. | | 13 |
| 74 | Clinimetrics and Clinical Psychometrics: Macro- and Micro-Analysis. Psychotherapy and Psychosomatics, 2012, 81, 333-343. | 8.8 | 100 |
| 75 | The Clinical Interview for Depression: A Comprehensive Review of Studies and Clinimetric Properties. Psychotherapy and Psychosomatics, 2011, 80, 10-27. | 8.8 | 75 |
| 76 | Relapse Prevention and Residual Symptoms. Journal of Clinical Psychiatry, 2010, 71, 121-129. | 2.2 | 16 |
| 77 | The clinical effect of clomipramine in chronic idiopathic pain disorder revisited using the Spielberger State Anxiety Symptom Scale (SSASS) as outcome scale. Journal of Affective Disorders, 2009, 119, 43-51. | 4.1 | 18 |
| 78 | Reliability and validity of the Japanese version of the World Health Organization-Five Well-Being Index in the context of detecting depression in diabetic patients. Psychiatry and Clinical Neurosciences, 2007, 61, 112-119. | 1.8 | 197 |
| 79 | Measuring the mind. Conceptual issues in contemporary psychometrics. Acta Psychiatrica Scandinavica, 2006, 114, 70-70. | 4.5 | 0 |
| 80 | Dose–response relationship of duloxetine in placebo-controlled clinical trials in patients with major depressive disorder. Psychopharmacology, 2006, 188, 273-280. | 3.1 | 50 |
| 81 | Rating scales in depression: limitations and pitfalls. Dialogues in Clinical Neuroscience, 2006, 8, 207-215. | 3.7 | 94 |
| 82 | Switching patients from olanzapine or risperidone to a combination treatment using perphenazine plus buspirone: Evaluation of antipsychotic efficacy and side-effects, including extrapyramidal effects and weight loss. Nordic Journal of Psychiatry, 2005, 59, 205-208. | 1.3 | 7 |
| 83 | Social Functioning. CNS Drugs, 2005, 19, 313-324. | 5.9 | 72 |
| 84 | Modafinil augmentation in depressed patients with partial response to antidepressants: A pilot study on self-reported symptoms covered by the Major Depression Inventory (MDI) and the Symptom Checklist (SCL-92). Nordic Journal of Psychiatry, 2005, 59, 173-178. | 1.3 | 38 |
| 85 | Escitalopram dose–response revisited: an alternative psychometric approach to evaluate clinical effects of escitalopram compared to citalopram and placebo in patients with major depression. International Journal of Neuropsychopharmacology, 2004, 7, 283-290. | 2.1 | 68 |
| 86 | The effect of prandial glucose regulation with repaglinide on treatment satisfaction, wellbeing and health status in patients with pharmacotherapy naïve Type 2 diabetes: a placebo-controlled, multicentre study. Quality of Life Research, 2003, 12, 413-425. | 3.1 | 39 |
| 87 | Measuring well-being rather than the absence of distress symptoms: a comparison of the SF-36 Mental Health subscale and the WHO-Five well-being scale. International Journal of Methods in Psychiatric Research, 2003, 12, 85-91. | 2.1 | 751 |
| 88 | A Double-Blind, Placebo-Controlled Study of Sertraline in the Prevention of Depression in Stroke Patients. Psychosomatics, 2003, 44, 216-221. | 2.5 | 189 |
| 89 | Health of the Nation Outcome Scales (HoNOS): Implementability, subscale structure and responsiveness in the daily psychiatric hospital routine over the first 18 months. Nordic Journal of Psychiatry, 2003, 57, 285-290. | 1.3 | 27 |
| 90 | 18-month maintenance treatment with sertraline may have sustained psychosocial benefits in chronic depression. Evidence-Based Mental Health, 2003, 6, 49-49. | 4.5 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 91 | Pharmacological Treatment of Depressive Disorders: A Review. , 2003, , 89-160. | | 9 |
| 92 | The Bech-Rafaelsen Mania Scale in Clinical Trials of Therapies for Bipolar Disorder. CNS Drugs, 2002, 16, 47-63. | 5.9 | 82 |
| 93 | Pharmacological Treatment of Depressive Disorders: A Review. , 2001, , 89-159. | | 7 |
| 94 | Individual quality of life in schizophrenic patients â€" description and applicability of GRIDQoL in a computer-based version. International Journal of Methods in Psychiatric Research, 2001, 10, 134-139. | 2.1 | 2 |
| 95 | The relationship between self-reported general health and observed depression and anxiety in cancer patients during chemotherapy. Nordic Journal of Psychiatry, 1995, 49, 25-31. | 1.3 | 0 |
| 96 | Quality-of-Life Measurements for Patients Taking Which Drugs?. Pharmacoeconomics, 1995, 7, 141-151. | 3.3 | 15 |
| 97 | Measurement by observations of aggressive behaviour and activities in clinical situations. Criminal Behaviour and Mental Health, 1994, 4, 290-302. | 0.8 | 15 |
| 98 | Health-Related Quality of Life. Annals of Medicine, 1993, 25, 103-104. | 3.8 | 1 |
| 99 | Rating Scales for Psychopathology, Health Status and Quality of Life. , 1993, , . | | 170 |
| 100 | Measuring quality of life: The medical perspective. Nordic Journal of Psychiatry, 1992, 46, 85-89. | 1.3 | 13 |
| 101 | Problems in measuring quality of life in schizophrenia. Nordic Journal of Psychiatry, 1990, 44, 77-79. | 0.1 | 5 |
| 102 | Rating scales for mood disorders: Applicability, Consistency and construct validity. Acta Psychiatrica Scandinavica, 1988, 78, 45-55. | 4.5 | 40 |
| 103 | Concept of Mild Endogenous Depression. British Journal of Psychiatry, 1987, 151, 271-271. | 2.8 | 3 |
| 104 | Multiâ€Axial Classification of Depression: MULTIâ€CLADâ€2 Case Record System. Acta Psychiatrica Scandinavica, 1983, 68, 85-102. | 4.5 | 4 |