

Yifu Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4764964/publications.pdf>

Version: 2024-02-01

50
papers

1,881
citations

236925

25
h-index

254184

43
g-index

50
all docs

50
docs citations

50
times ranked

2658
citing authors

#	ARTICLE	IF	CITATIONS
1	Suppression of Lithium Dendrite Formation by Using LAGP-PEO (LiTFSI) Composite Solid Electrolyte and Lithium Metal Anode Modified by PEO (LiTFSI) in All-Solid-State Lithium Batteries. ACS Applied Materials & Interfaces, 2017, 9, 13694-13702.	8.0	331
2	Co-polymerization and blending based PEO/PMMA/P(VDF-HFP) gel polymer electrolyte for rechargeable lithium metal batteries. Journal of Membrane Science, 2018, 547, 1-10.	8.2	178
3	High capacity ZnFe ₂ O ₄ anode material for lithium ion batteries. Electrochimica Acta, 2011, 56, 9433-9438.	5.2	166
4	Enhanced electrochemical performance of unique morphological cathode material prepared by solvothermal method. Solid State Communications, 2010, 150, 81-85.	1.9	82
5	One-pot synthesis of NiFe ₂ O ₄ /C composite as an anode material for lithium-ion batteries. Journal of Power Sources, 2013, 244, 610-613.	7.8	62
6	Dendrite-free all-solid-state lithium batteries with lithium phosphorous oxynitride-modified lithium metal anode and composite solid electrolytes. Nano Research, 2019, 12, 217-223.	10.4	61
7	Lithiophilic Li-Zn alloy modified 3D Cu foam for dendrite-free lithium metal anode. Journal of Power Sources, 2020, 472, 228520.	7.8	58
8	Electrochemical performance of Ru-doped LiFePO ₄ /C cathode material for lithium-ion batteries. Journal of Alloys and Compounds, 2009, 481, 590-594.	5.5	57
9	Synthesis and characterization of nanostructured CuFe ₂ O ₄ anode material for lithium ion battery. Solid State Ionics, 2012, 217, 27-33.	2.7	54
10	Synthesis of high power type LiMn _{1.5} Ni _{0.5} O ₄ by optimizing its preparation conditions. Journal of Power Sources, 2010, 195, 4322-4326.	7.8	51
11	A dual-layered artificial solid electrolyte interphase formed by controlled electrochemical reduction of LiTFSI/DME-LiNO ₃ for dendrite-free lithium metal anode. Electrochimica Acta, 2019, 306, 407-419.	5.2	48
12	Nano-sized oxide filled composite PEO/PMMA/P(VDF-HFP) gel polymer electrolyte for rechargeable lithium and sodium batteries. Solid State Ionics, 2018, 326, 136-144.	2.7	41
13	Flexible Artificial Solid Electrolyte Interphase Formed by 1,3-Dioxolane Oxidation and Polymerization for Metallic Lithium Anodes. ACS Applied Materials & Interfaces, 2019, 11, 2479-2489.	8.0	40
14	Synthesis and electrochemical characterization of LiNi _{0.5} Mn _{1.5} O ₄ by one-step precipitation method with ammonium carbonate as precipitating agent. Electrochimica Acta, 2011, 56, 5934-5939.	5.2	37
15	Comparative study of LaNi _{4.7} M _{0.3} LaNi _{4.7} M _{0.3} (M=Ni,Co,Mn,Al) by powder microelectrode technique. International Journal of Hydrogen Energy, 2007, 32, 1905-1910.	7.1	36
16	Carbon-Polytetrahydrofuran Double-Coated Na ₃ V ₂ (PO ₄) ₂ F ₃ Submicron-Composite as High-Energy/Power Cathode Material for Sodium Metal Battery. Journal of the Electrochemical Society, 2018, 165, A746-A756.	2.9	36
17	Electrochemical characterization of LaNi _{5-x} Al _x (x=0.1~0.5) in the absence of additives. Journal of Power Sources, 2006, 161, 1435-1442.	7.8	35
18	Differences in the effects of Co and CoO on the performance of Ni(OH) ₂ electrode in Ni/MH power battery. Journal of Power Sources, 2011, 196, 495-503.	7.8	34

#	ARTICLE	IF	CITATIONS
19	Cation-exchange induced high power electrochemical properties of core-shell Ni(OH) ₂ @CoOOH. <i>Journal of Power Sources</i> , 2011, 196, 488-494.	7.8	34
20	Fabrication of microspherical LiMnPO ₄ cathode material by a facile one-step solvothermal process. <i>Materials Research Bulletin</i> , 2009, 44, 2139-2142.	5.2	33
21	Substrate effects on Li ⁺ electrodeposition in Li secondary batteries with a competitive kinetics model. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 20398-20406.	2.8	33
22	Enhanced cycleability and dendrite-free lithium deposition by adding potassium ion to the electrolyte for lithium metal batteries. <i>Electrochimica Acta</i> , 2016, 212, 758-766.	5.2	31
23	Comparing the anodic reactions of Ni and Ni-P amorphous alloy in alkaline solution. <i>Corrosion Science</i> , 2009, 51, 1907-1913.	6.6	29
24	Surface Modification of Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ Cathode Material with Al ₂ O ₃ /SiO ₂ Composite for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2019, 166, A863-A872.	2.9	29
25	Tunable Electrochemical Properties Brought About by Partial Cation Exchange in Hydrotalcite-Like Ni ²⁺ /Co ²⁺ /Ni Hydroxide Nanosheets. <i>Journal of Physical Chemistry C</i> , 2008, 112, 17471-17477.	3.1	27
26	Understanding the electrochemical mechanism of high sodium selective material Na ₃ V ₂ (PO ₄) ₂ F ₃ in Li ⁺ /Na ⁺ dual-ion batteries. <i>Electrochimica Acta</i> , 2018, 292, 234-246.	5.2	23
27	The performances of La ^x Ce _x Ni ₅ (0 ≤ x ≤ 1) hydrogen storage alloys studied by powder microelectrode. <i>Journal of Alloys and Compounds</i> , 2008, 453, 79-86.	5.5	22
28	Synthesis and electrochemical properties of polyhedron-shaped Li ₃ V ₂ xSn _x (PO ₄) ₃ as cathode material for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2013, 688, 98-102.	3.8	22
29	Enhancement of the lithium cycling capability using Li-Zn alloy substrate for lithium metal batteries. <i>Electrochimica Acta</i> , 2014, 137, 476-483.	5.2	21
30	Enhanced cycleability and dendrite-free lithium deposition by addition of sodium ion in electrolyte for lithium metal batteries. <i>Electrochimica Acta</i> , 2018, 271, 617-623.	5.2	21
31	Solid electrolyte interphase formation by propylene carbonate reduction for lithium anode. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 28772-28780.	2.8	18
32	Rapid evaluation of LaNi ₅ xMnx (x=0.1-0.5) by X-ray diffraction and powder microelectrode (PME) techniques. <i>Journal of Alloys and Compounds</i> , 2007, 429, 285-291.	5.5	14
33	Compatibility of lithium oxalyldifluoroborate with lithium metal anode in rechargeable batteries. <i>Electrochimica Acta</i> , 2018, 259, 534-541.	5.2	13
34	Activation behaviour of the Ni/MH batteries electrodic material Ni(OH) ₂ by single particle microelectrode technique. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 8560-8569.	7.1	11
35	Study on the anodic reaction of Ni in an alkaline solution by transient pH detection based on scanning electrochemical microscopy (SECM). <i>Surface and Interface Analysis</i> , 2007, 39, 877-884.	1.8	10
36	Improvement of the rate performance of hydrogen storage alloys by heat treatments in Ar and H ₂ /Ar atmosphere for high-power nickel-metal hydride batteries. <i>Electrochimica Acta</i> , 2015, 174, 164-171.	5.2	10

#	ARTICLE	IF	CITATIONS
37	A Double-Layer Artificial SEI Film Fabricated by Controlled Electrochemical Reduction of LiODFB-FEC Based Electrolyte for Dendrite-Free Lithium Metal Anode. <i>Journal of the Electrochemical Society</i> , 2020, 167, 160535.	2.9	10
38	In Situ Reconstruction of the Spinel Interface on a Li-Rich Layered Cathode Material with Enhanced Electrochemical Performances through HEPES and Heat Treatment Strategy. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 6165-6180.	6.7	10
39	A study on capacity and power fading characteristics of Li(Ni _{1/3} Co _{1/3} Mn _{1/3})O ₂ -based lithium-ion batteries. <i>Ionics</i> , 2016, 22, 2027-2036.	2.4	7
40	Doping and Coating Synergy to Improve the Rate Capability and Cycling Stability of Lithium-Rich Cathode Materials for Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2022, 126, 2410-2423.	3.1	7
41	Facile synthesis and electrochemical performance of lithium-rich layered oxides with stable hierarchical structure through HEPES-assisted co-precipitation method. <i>Electrochimica Acta</i> , 2022, 401, 139485.	5.2	6
42	Electroreduction-Oxidation and Quantitative Determination of CO ₂ on A New SPE-Based System. <i>Journal of Applied Electrochemistry</i> , 2004, 34, 757-762.	2.9	5
43	Study on the surface reaction of LaNi ₅ alloy during discharge process in KOH solution. <i>Electrochimica Acta</i> , 2006, 52, 68-74.	5.2	5
44	Method for preparing a novel type of Pt-carbon fiber disk ultramicroelectrode. <i>Ionics</i> , 2010, 16, 45-50.	2.4	5
45	Alkyldimethylbetaine-Assisted Development of Hollow Urchinlike CuO Microspheres and Application for High-Performance Battery Anodes. <i>ACS Omega</i> , 2018, 3, 13146-13153.	3.5	5
46	HEPES-Assisted Co-Precipitation Synthesis of LiNi _{0.5} Mn _{1.5} O ₄ : Tuning the Mn ³⁺ Content and Electrochemical Properties by pH Values. <i>Journal of the Electrochemical Society</i> , 2021, 168, 100544.	2.9	5
47	Quantitative study of pH change during LaNi _{5-x} Al _x (x=0, 0.3) discharge process by SECM. <i>Electrochimica Acta</i> , 2007, 52, 4231-4238.	5.2	3
48	Single-particle investigation on the activation process of a hydrogen storage alloy. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 1273-1279.	7.1	3
49	The Application of Graphite in the Preparation of Cathode Material Li ₃ V ₂ (PO ₄) ₃ /C. <i>ChemistrySelect</i> , 2018, 3, 6328-6333.	1.5	1
50	Sodium alginate reinforced 3D lithiophilic Ag-Cu framework for ultrastable Li deposition. <i>Journal of Power Sources</i> , 2022, 543, 231819.	7.8	1