

# Karin C D Van Der Rijt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/476646/publications.pdf>

Version: 2024-02-01

87  
papers

3,069  
citations

147801

31  
h-index

168389

53  
g-index

89  
all docs

89  
docs citations

89  
times ranked

3352  
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors of Mortality in Patients with Advanced Cancer – A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 328.	3.7	10
2	The development of the ADO-SQ model to predict 1-year mortality in patients with COPD. <i>Palliative Medicine</i> , 2022, 36, 821-829.	3.1	2
3	Decisional Conflict after Deciding on Potential Participation in Early Phase Clinical Cancer Trials: Dependent on Global Health Status, Satisfaction with Communication, and Timing. <i>Cancers</i> , 2022, 14, 1500.	3.7	0
4	Predictors of mortality in chronic obstructive pulmonary disease: a systematic review and meta-analysis. <i>BMC Pulmonary Medicine</i> , 2022, 22, 125.	2.0	7
5	Evaluation of centers for information and support combining formal and informal care for patients with cancer: a systematic review of the literature. <i>Supportive Care in Cancer</i> , 2022, 30, 7079-7098.	2.2	9
6	Quality of Life and Quality of Death outcomes of the SILENCE study. <i>Journal of Pain and Symptom Management</i> , 2022, , .	1.2	0
7	Hydration and symptoms in the last days of life. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 335-343.	1.6	31
8	The Value of the Surprise Question to Predict One-Year Mortality in Idiopathic Pulmonary Fibrosis: A Prospective Cohort Study. <i>Respiration</i> , 2021, 100, 780-785.	2.6	9
9	Physicians' views on the usefulness and feasibility of identifying and disclosing patients' last phase of life: a focus group study. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2020-002764.	1.6	7
10	Advance Care Planning in Asia: A Systematic Narrative Review of Healthcare Professionals' Knowledge, Attitude, and Experience. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 349.e1-349.e28.	2.5	59
11	Population Pharmacokinetics of Oxycodone and Metabolites in Patients with Cancer-Related Pain. <i>Cancers</i> , 2021, 13, 2768.	3.7	4
12	Identifying patient values impacting the decision whether to participate in early phase clinical cancer trials: A systematic review. <i>Cancer Treatment Reviews</i> , 2021, 98, 102217.	7.7	6
13	Asian patients' perspectives on advance care planning: A mixed-method systematic review and conceptual framework. <i>Palliative Medicine</i> , 2021, 35, 1776-1792.	3.1	33
14	Effects of Implementation of a Standardized Palliative Care Pathway for Patients with Advanced Cancer in a Hospital: A Prospective Pre- and Postintervention Study. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 451-459.	1.2	7
15	Effect of Prophylactic Subcutaneous Scopolamine Butylbromide on Death Rattle in Patients at the End of Life. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1268.	7.4	24
16	Reflections on Including Patients in a Randomized Placebo-Controlled Multicentre Trial in the Dying Phase – the SILENCE Study. <i>Journal of Pain and Symptom Management</i> , 2021, , .	1.2	0
17	Validation of the Dutch Version of the Breakthrough Pain Assessment Tool in Patients With Cancer. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 709-716.e2.	1.2	4
18	Understanding relatives' experience of death rattle. <i>BMC Psychology</i> , 2020, 8, 62.	2.1	6

#	ARTICLE	IF	CITATIONS
19	Response to "Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later". <i>Journal of Pain and Symptom Management</i> , 2019, 57, e1-e2.	1.2	1
20	Realizing better doctor-patient dialogue about choices in palliative care and early phase clinical trial participation: towards an online value clarification tool (OnVaCT). <i>BMC Palliative Care</i> , 2019, 18, 106.	1.8	9
21	Medication Discontinuation at the End of Life: A Questionnaire Study on Physicians' Experiences and Opinions. <i>Journal of Palliative Medicine</i> , 2018, 21, 1166-1170.	1.1	11
22	Interventions in hospitalised patients with cancer: the importance of impending death awareness. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 278-281.	1.6	7
23	Identifying the subtypes of cancer-related fatigue: results from the population-based PROFILES registry. <i>Journal of Cancer Survivorship</i> , 2018, 12, 38-46.	2.9	31
24	Development and feasibility of a web application to monitor patients' cancer-related pain. <i>Supportive Care in Cancer</i> , 2018, 26, 635-642.	2.2	26
25	Pharmacokinetics of Sublingually Delivered Fentanyl in Head and Neck Cancer Patients Treated with Curatively Aimed Chemo or Bioradiotherapy. <i>Cancers</i> , 2018, 10, 445.	3.7	2
26	Opioid responsiveness of nociceptive versus mixed pain in clinical cancer patients. <i>European Journal of Cancer</i> , 2018, 105, 79-87.	2.8	10
27	Scopolaminebutyl given prophylactically for death rattle: study protocol of a randomized double-blind placebo-controlled trial in a frail patient population (the SILENCE study). <i>BMC Palliative Care</i> , 2018, 17, 105.	1.8	11
28	Palliative care team consultation and quality of death and dying in a university hospital: A secondary analysis of a prospective study. <i>PLoS ONE</i> , 2018, 13, e0201191.	2.5	23
29	Effects of smoking and body mass index on the exposure of fentanyl in patients with cancer. <i>PLoS ONE</i> , 2018, 13, e0198289.	2.5	3
30	Influence of aprepitant and localization of the patch on fentanyl exposure in patients with cancer using transdermal fentanyl. <i>Oncotarget</i> , 2018, 9, 18269-18276.	1.8	5
31	A Prospective Population Pharmacokinetic Study on Morphine Metabolism in Cancer Patients. <i>Clinical Pharmacokinetics</i> , 2017, 56, 733-746.	3.5	13
32	Feasibility of assessing patients' acceptable pain in a randomized controlled trial on a patient pain education program. <i>Palliative Medicine</i> , 2017, 31, 553-558.	3.1	9
33	Is there a role for pharmacogenetics in the dosing of fentanyl?. <i>Pharmacogenomics</i> , 2017, 18, 417-419.	1.3	6
34	Neutrophil Recovery in Breast Cancer Patients Receiving Docetaxel-Containing Chemotherapy with and without Granulocyte Colony-Stimulating Factor Prophylaxis. <i>Oncology</i> , 2017, 93, 323-328.	1.9	0
35	Adherence to Analgesics in Oncology Outpatients: Focus on Taking Analgesics on Time. <i>Pain Practice</i> , 2017, 17, 616-624.	1.9	16
36	A review of factors explaining variability in fentanyl pharmacokinetics; focus on implications for cancer patients. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 294-313.	2.4	80

#	ARTICLE	IF	CITATIONS
37	Physician-Reported Symptoms and Interventions in People with Intellectual Disabilities Approaching End of Life. <i>Journal of Palliative Medicine</i> , 2016, 19, 1142-1147.	1.1	13
38	Effect of palliative care nurse champions on the quality of dying in the hospital according to bereaved relatives: A controlled before-and-after study. <i>Palliative Medicine</i> , 2016, 30, 180-188.	3.1	21
39	Treatment with subcutaneous and transdermal fentanyl: results from a population pharmacokinetic study in cancer patients. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 459-467.	1.9	21
40	A Systematic Review of Prospective Studies Reporting Adverse Events of Commonly Used Opioids for Cancer-Related Pain: A Call for the Use of Standardized Outcome Measures. <i>Journal of Pain</i> , 2015, 16, 935-946.	1.4	56
41	Dying in the Hospital: What Happens and What Matters, According to Bereaved Relatives. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 203-213.	1.2	40
42	Problems and Needs in Patients With Incurable Esophageal and Pancreaticobiliary Cancer. <i>Gastroenterology Nursing</i> , 2015, 38, 42-54.	0.4	5
43	Treatment of large low-grade oligodendroglial tumors with upfront procarbazine, lomustine, and vincristine chemotherapy with long follow-up: a retrospective cohort study with growth kinetics. <i>Journal of Neuro-Oncology</i> , 2015, 121, 365-372.	2.9	31
44	Is Physician Awareness of Impending Death in Hospital Related to Better Communication and Medical Care?. <i>Journal of Palliative Medicine</i> , 2014, 17, 1238-1243.	1.1	7
45	Prevalence, Impact, and Treatment of Death Rattle: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 105-122.	1.2	81
46	Nurse-Led Follow-Up at Home vs. Conventional Medical Outpatient Clinic Follow-Up in Patients With Incurable Upper Gastrointestinal Cancer: A Randomized Study. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 518-530.	1.2	27
47	Fentanyl exposure after subcutaneous and transdermal administration: Results from a population pharmacokinetic study in cancer patients.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9540-9540.	1.6	1
48	Improving the quality of palliative and terminal care in the hospital by a network of palliative care nurse champions: the study protocol of the PaTeC-H project. <i>BMC Health Services Research</i> , 2013, 13, 115.	2.2	20
49	The Evidence for Pharmacologic Treatment of Neuropathic Cancer Pain: Beneficial and Adverse Effects. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 581-590.e1.	1.2	54
50	Cut Points on 10 Numeric Rating Scales for Symptoms Included in the Edmonton Symptom Assessment Scale in Cancer Patients: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 1083-1093.	1.2	202
51	Systematic Monitoring and Treatment of Physical Symptoms to Alleviate Fatigue in Patients With Advanced Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 716-723.	1.6	80
52	Can You Help Me Feel Less Exhausted All the Time?. <i>Journal of Clinical Oncology</i> , 2013, 31, 3056-3060.	1.6	5
53	Validation of the rotterdam MOVE2PC questionnaire for assessment of nurses' knowledge and opinions on palliative care. <i>Research in Nursing and Health</i> , 2013, 36, 512-523.	1.6	16
54	Differences in Fatigue Experiences Among Patients With Advanced Cancer, Cancer Survivors, and the General Population. <i>Journal of Pain and Symptom Management</i> , 2012, 44, 823-830.	1.2	34

#	ARTICLE	IF	CITATIONS
55	Inflammation and fatigue dimensions in advanced cancer patients and cancer survivors. <i>Cancer</i> , 2012, 118, 6005-6011.	4.1	57
56	Dose dense 1Âweek on/1Âweek off temozolomide in recurrent glioma: a retrospective study. <i>Journal of Neuro-Oncology</i> , 2012, 108, 195-200.	2.9	34
57	Awareness of dying: it needs words. <i>Supportive Care in Cancer</i> , 2012, 20, 1227-1233.	2.2	34
58	Efficacy of opioid rotation to continuous parenteral hydromorphone in advanced cancer patients failing on other opioids. <i>Supportive Care in Cancer</i> , 2012, 20, 1639-1647.	2.2	10
59	A combined pain consultation and pain education program decreases average and current pain and decreases interference in daily life by pain in oncology outpatients: A randomized controlled trial. <i>Pain</i> , 2011, 152, 2632-2639.	4.2	41
60	Survey on the Prevalence of Pain in Dutch District Nursing Care. <i>Journal of Palliative Medicine</i> , 2011, 14, 696-699.	1.1	4
61	Effectiveness of a multidisciplinary consultation team for cancer pain and palliative care in a large university hospital in the Netherlands. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, 322-328.	1.6	9
62	Clinical priorities, barriers and solutions in end-of-life cancer care research across Europe. Report from a workshop. <i>European Journal of Cancer</i> , 2010, 46, 1815-1822.	2.8	37
63	Exploration of Concerns of Relatives During Continuous Palliative Sedation of Their Family Members with Cancer. <i>Journal of Pain and Symptom Management</i> , 2009, 38, 452-459.	1.2	33
64	A systematic review on barriers hindering adequate cancer pain management and interventions to reduce them: A critical appraisal. <i>European Journal of Cancer</i> , 2009, 45, 1370-1380.	2.8	217
65	Pain prevalence and characteristics in three Dutch residential homes. <i>European Journal of Pain</i> , 2008, 12, 910-916.	2.8	59
66	Palliative Sedation in a Specialized Unit for Acute Palliative Care in a Cancer Hospital: Comparing Patients Dying With and Without Palliative Sedation. <i>Journal of Pain and Symptom Management</i> , 2008, 36, 228-234.	1.2	106
67	Using the LCP: Bereaved Relatives' Assessments of Communication and Bereavement. <i>American Journal of Hospice and Palliative Medicine</i> , 2008, 25, 207-214.	1.4	45
68	The effect of the Liverpool Care Pathway for the dying: a multi-centre study. <i>Palliative Medicine</i> , 2008, 22, 145-151.	3.1	122
69	Patient evaluation of end-of-life care. <i>Palliative Medicine</i> , 2007, 21, 243-248.	3.1	22
70	Changes in and correlates of individual quality of life in advanced cancer patients admitted to an academic unit for palliative care. <i>Palliative Medicine</i> , 2007, 21, 199-205.	3.1	21
71	Prognostic Value of Health-Related Quality-of-Life Data in Predicting Survival in Patients With Anaplastic Oligodendrogliomas, From a Phase III EORTC Brain Cancer Group Study. <i>Journal of Clinical Oncology</i> , 2007, 25, 5731-5737.	1.6	63
72	Multidimensional fatigue and its correlates in hospitalised advanced cancer patients. <i>European Journal of Cancer</i> , 2007, 43, 1030-1036.	2.8	40

#	ARTICLE	IF	CITATIONS
73	The Effects of Analgesic Prescription and Patient Adherence on Pain in a Dutch Outpatient Cancer Population. <i>Journal of Pain and Symptom Management</i> , 2007, 34, 523-531.	1.2	61
74	Analgesic Adherence Measurement in Cancer Patients: Comparison Between Electronic Monitoring and Diary. <i>Journal of Pain and Symptom Management</i> , 2007, 34, 639-647.	1.2	24
75	Dying at home or in an institution: perspectives of Dutch physicians and bereaved relatives. <i>Supportive Care in Cancer</i> , 2007, 15, 1413-1421.	2.2	30
76	Skeletal Retention of Bisphosphonate (Pamidronate) and Its Relation to the Rate of Bone Resorption in Patients With Breast Cancer and Bone Metastases. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 1543-1547.	2.8	43
77	Attitudes of Patients With Incurable Cancer Toward Medical Treatment in the Last Phase of Life. <i>Journal of Clinical Oncology</i> , 2005, 23, 2012-2019.	1.6	148
78	Management of recurrent malignant pleural effusions with a chronic indwelling pleural catheter. <i>Lung Cancer</i> , 2005, 50, 123-127.	2.0	90
79	Considerations of healthcare professionals in medical decision-making about treatment for clinical end-stage cancer patients. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 351-355.	1.2	24
80	Nitrous oxide is not beneficial for breakthrough cancer pain. <i>Palliative Medicine</i> , 2002, 16, 257-259.	3.1	14
81	A prospective study evaluating the response of patients with unrelieved cancer pain to parenteral opioids. <i>Cancer</i> , 2002, 94, 3049-3056.	4.1	67
82	Extracellular brain glutamate during acute liver failure and during acute hyperammonemia simulating acute liver failure. <i>Journal of Hepatology</i> , 1994, 20, 19-26.	3.7	83
83	Quantitative EEG analysis and evoked potentials to measure (latent) hepatic encephalopathy. <i>Journal of Hepatology</i> , 1992, 14, 141-142.	3.7	31
84	Overt hepatic encephalopathy precipitated by zinc deficiency. <i>Gastroenterology</i> , 1991, 100, 1114-1118.	1.3	93
85	Flumazenil does not improve hepatic encephalopathy associated with acute ischemic liver failure in the rabbit. <i>Metabolic Brain Disease</i> , 1990, 5, 131-141.	2.9	32
86	Objective measurement of hepatic encephalopathy in pigs by means of spectral analysis and evoked responses. <i>Brain Research</i> , 1985, 360, 298-303.	2.2	7
87	Objective measurement of hepatic encephalopathy by means of automated EEG analysis. <i>Electroencephalography and Clinical Neurophysiology</i> , 1984, 57, 423-426.	0.3	138