
Francis Creed

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4766952/publications.pdf Version: 2024-02-01



FDANCIS COFED

#	Article	IF	CITATIONS
1	A controlled trial of psychological treatment for the irritable bowel syndrome. Gastroenterology, 1991, 100, 450-457.	1.3	446
2	The cost-effectiveness of psychotherapy and paroxetine for severe irritable bowel syndrome. Gastroenterology, 2003, 124, 303-317.	1.3	415
3	A systematic review of the epidemiology of somatisation disorder and hypochondriasis. Journal of Psychosomatic Research, 2004, 56, 391-408.	2.6	383
4	Intensive versus standard case management for severe psychotic illness: a randomised trial. Lancet, The, 1999, 353, 2185-2189.	13.7	324
5	Health-Related Quality of Life and Health Care Costs in Severe, Refractory Irritable Bowel Syndrome. Annals of Internal Medicine, 2001, 134, 860.	3.9	207
6	Management of Functional Somatic Syndromes and Bodily Distress. Psychotherapy and Psychosomatics, 2018, 87, 12-31.	8.8	202
7	Is there a better term than "Medically unexplained symptoms�. Journal of Psychosomatic Research, 2010, 68, 5-8.	2.6	172
8	Evaluating models of working at the interface between mental health services and primary care. British Journal of Psychiatry, 1997, 170, 6-11.	2.8	164
9	The proposed diagnosis of somatic symptom disorders in DSM-V to replace somatoform disorders in DSM-IV—a preliminary report. Journal of Psychosomatic Research, 2009, 66, 473-476.	2.6	155
10	Depression and Anxiety Impair Health-Related Quality of Life and Are Associated With Increased Costs in General Medical Inpatient. Psychosomatics, 2002, 43, 302-309.	2.5	143
11	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. BMJ: British Medical Journal, 1998, 316, 831-832.	2.3	140
12	Impact of comorbid personality disorder on violence in psychosis. British Journal of Psychiatry, 2003, 182, 129-134.	2.8	138
13	Reducing violence in severe mental illness: randomised controlled trial of intensive case management compared with standard care. BMJ: British Medical Journal, 2001, 323, 1093-1093.	2.3	127
14	Outcome of anxiety and depressive disorders in primary care. British Journal of Psychiatry, 1997, 171, 427-433.	2.8	116
15	Total somatic symptom score as a predictor of health outcome in somatic symptom disorders. British Journal of Psychiatry, 2013, 203, 373-380.	2.8	107
16	A review of the incidence and risk factors for fibromyalgia and chronic widespread pain in population-based studies. Pain, 2020, 161, 1169-1176.	4.2	81
17	Number of bodily symptoms predicts outcome more accurately than health anxiety in patients attending neurology, cardiology, and gastroenterology clinics. Journal of Psychosomatic Research, 2006, 60, 357-363.	2.6	80
18	Outcome in severe irritable bowel syndrome with and without accompanying depressive, panic and neurasthenic disorders. British Journal of Psychiatry, 2005, 186, 507-515.	2.8	77

#	Article	IF	CITATIONS
19	Cost effectiveness of day and inpatient psychiatric treatment: results of a randomised controlled trial. BMJ: British Medical Journal, 1997, 314, 1381-1381.	2.3	75
20	Social Deprivation and Psychiatric Admission Rates Among Different Diagnostic Groups. British Journal of Psychiatry, 1995, 167, 456-462.	2.8	71
21	Adverse social circumstances and depression in people of Pakistani origin in the UK. British Journal of Psychiatry, 1997, 171, 434-438.	2.8	68
22	The relationship between somatisation and outcome in patients with severe irritable bowel syndrome. Journal of Psychosomatic Research, 2008, 64, 613-620.	2.6	68
23	Persistent depressive disorders and social stress in people of Pakistani origin and white Europeans in UK. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 198-207.	3.1	68
24	Changes in Tolerance to Rectal Distension Correlate With Changes in Psychological State in Patients With Severe Irritable Bowel Syndrome. Psychosomatic Medicine, 2004, 66, 578-582.	2.0	67
25	Childhood adversity and frequent medical consultations. General Hospital Psychiatry, 2004, 26, 367-377.	2.4	64
26	The relationship between psychosocial parameters and outcome in irritable bowel syndrome. American Journal of Medicine, 1999, 107, 74-80.	1.5	59
27	Review article: the incidence and risk factors for irritable bowel syndrome in populationâ€based studies. Alimentary Pharmacology and Therapeutics, 2019, 50, 507-516.	3.7	59
28	Psychodynamic interpersonal therapy and improvement in interpersonal difficulties in people with severe irritable bowel syndrome. Pain, 2009, 145, 196-203.	4.2	57
29	Reported Sexual Abuse Predicts Impaired Functioning but a Good Response to Psychological Treatments in Patients With Severe Irritable Bowel Syndrome. Psychosomatic Medicine, 2005, 67, 490-499.	2.0	56
30	Life Events and the Onset of Mania. British Journal of Psychiatry, 1990, 156, 508-514.	2.8	55
31	Social intervention for British Pakistani women with depression: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 227-233.	2.8	55
32	Does Psychological Treatment Help Only Those Patients with Severe Irritable Bowel Syndrome Who Also Have a Concurrent Psychiatric Disorder?. Australian and New Zealand Journal of Psychiatry, 2005, 39, 807-815.	2.3	54
33	Negative illness perceptions are associated with new-onset depression following myocardial infarction. General Hospital Psychiatry, 2008, 30, 414-420.	2.4	53
34	Depression in rheumatoid arthritis: aetiology and treatment. International Review of Psychiatry, 1992, 4, 23-33.	2.8	52
35	Can DSM-V facilitate productive research into the somatoform disorders?. Journal of Psychosomatic Research, 2006, 60, 331-334.	2.6	46
36	Life Events and Miscarriage. British Journal of Psychiatry, 1995, 167, 799-805.	2.8	45

#	Article	IF	CITATIONS
37	Randomised Controlled Trial of Day and In-patient Psychiatric Treatment. 2: Comparison of Two Hospitals. British Journal of Psychiatry, 1991, 158, 183-189.	2.8	43
38	Treatment of Severe Psychiatric Illness in a Day Hospital. British Journal of Psychiatry, 1989, 154, 341-347.	2.8	37
39	Stressful Life Events and Graves' Disease. British Journal of Psychiatry, 1992, 161, 535-541.	2.8	36
40	Psychological Distress, Somatization, and Defense Mechanisms Associated with Quality of Life in Inflammatory Bowel Disease Patients. Digestive Diseases and Sciences, 2010, 55, 724-732.	2.3	36
41	Somatization is associated with physical health-related quality of life independent of anxiety and depression in cancer, glaucoma and rheumatological disorders. Quality of Life Research, 2009, 18, 1029-1042.	3.1	30
42	Psychiatric Referrals within the General Hospital: Comparison with Referrals to General Practitioners. British Journal of Psychiatry, 1993, 162, 204-211.	2.8	29
43	The Relationship Between Somatic Symptoms, Health Anxiety, and Outcome in Medical Out-Patients. Psychiatric Clinics of North America, 2011, 34, 545-564.	1.3	27
44	Techniques for Interviewing the Somatising Patient. British Journal of Psychiatry, 1993, 162, 467-471.	2.8	26
45	Relatives of patients with severe psychotic disorders: Factors that influence contact frequency. British Journal of Psychiatry, 2001, 178, 248-254.	2.8	25
46	A screening questionnaire for the detection of serious mental illness in the criminal justice system. Journal of Forensic Psychiatry and Psychology, 2003, 14, 138-150.	1.0	25
47	Violence in psychosis: Estimating the predictive validity of readily accessible clinical information in a community sample. Schizophrenia Research, 2008, 101, 176-184.	2.0	25
48	Life Events and Hostility in Self-Poisoning. British Journal of Psychiatry, 1989, 154, 390-395.	2.8	24
49	Should general psychiatry ignore somatization and hypochondriasis?. World Psychiatry, 2006, 5, 146-50.	10.4	24
50	Emerging themes in the revision of the classification of somatoform disorders. International Review of Psychiatry, 2012, 24, 556-567.	2.8	23
51	Exploding myths about medically unexplained symptoms. Journal of Psychosomatic Research, 2016, 85, 91-93.	2.6	21
52	Do Childhood Adversity and Recent Social Stress Predict Health Care Use in Patients Presenting With Upper Abdominal or Chest Pain?. Psychosomatic Medicine, 2003, 65, 1020-1028.	2.0	19
53	Development and pilot testing of a social intervention for depressed women of Pakistani family origin in the UK. Journal of Mental Health, 2009, 18, 504-509.	1.9	19
54	The associated features of multiple somatic symptom complexes. Journal of Psychosomatic Research, 2018, 112, 1-8.	2.6	18

#	Article	IF	CITATIONS
55	Epidemiology: prevalence, causes and consequences. , 2011, , 1-42.		16
56	Hostility and deliberate self-poisoning. The British Journal of Medical Psychology, 1986, 59, 311-316.	0.5	15
57	Medically unexplained symptoms—blurring the line between "mental―and "physical―in somatoform disorders. Journal of Psychosomatic Research, 2009, 67, 185-187.	2.6	15
58	Open all hours: extending the role of the psychiatric day hospital. Psychiatric Bulletin, 1999, 23, 400-404.	0.3	15
59	Evidence-based treatment. , 0, , 69-96.		14
60	The genetic, physiological and psychological mechanisms underlying disabling medically unexplained symptoms and somatisation. Journal of Psychosomatic Research, 2010, 68, 395-397.	2.6	13
61	Terminology, classification and concepts. , 0, , 43-68.		13
62	Predictors of new onsets of irritable bowel syndrome, chronic fatigue syndrome and fibromyalgia: the lifelines study. Psychological Medicine, 2022, 52, 112-120.	4.5	13
63	Differences between out-patients with physical disease and those with medically unexplained symptoms with respect to patient satisfaction, emotional distress and illness perception. British Journal of Health Psychology, 2004, 9, 433-446.	3.5	12
64	Depression in the medically ill. , 2006, , 3-18.		12
65	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. Journal of Mental Health, 2002, 11, 223-230.	1.9	10
66	Cognitive behavioural model of irritable bowel syndrome. Gut, 2007, 56, 1039-1041.	12.1	10
67	Barriers to improving treatment. , 2011, , 124-131.		10
68	Gender, lifespan and cultural aspects. , 2011, , 132-157.		10
69	The risk factors for self-reported fibromyalgia with and without multiple somatic symptoms: The Lifelines cohort study. Journal of Psychosomatic Research, 2022, 155, 110745.	2.6	10
70	Associations between antenatal depression and neonatal outcomes in Malawi. Maternal and Child Nutrition, 2019, 15, e12709.	3.0	9
71	England: University of Manchester. British Journal of Psychiatry, 1983, 142, 350-357.	2.8	7
72	New research on medically unexplained symptoms—much remains to be done before DSM V and ICD-10 can provide a satisfactory new classification. Journal of Psychosomatic Research, 2009, 66, 359-361.	2.6	6

#	Article	IF	CITATIONS
73	Current state of management and organisation of care. , 2011, , 97-123.		6
74	Does psychological treatment help only those patients with severe irritable bowel syndrome who also have a concurrent psychiatric disorder?. Australian and New Zealand Journal of Psychiatry, 2005, 39, 807-815.	2.3	6
75	Risk Factors for Self-reported Irritable Bowel Syndrome With Prior Psychiatric Disorder: The Lifelines Cohort Study. Journal of Neurogastroenterology and Motility, 2022, 28, 442-453.	2.4	6
76	Medically unexplained symptoms, illness perception and childhood experience in neurology outpatients. Irish Journal of Psychological Medicine, 2001, 18, 16-20.	1.0	5
77	Somatisation in functional dyspepsia: integrating gastric physiology with psychological state. Gut, 2008, 57, 1642-1643.	12.1	5
78	The outcome of medically unexplained symptoms—Will DSM-V improve on DSM-IV somatoform disorders?. Journal of Psychosomatic Research, 2009, 66, 379-381.	2.6	5
79	Hospital management and costs of antidepressant overdose: multicentre comparison of tricyclic antidepressants and selective serotonin reuptake inhibitors. Journal of Medical Economics, 2001, 4, 193-197.	2.1	4
80	Depressive disorder and social stress in Pakistan compared to people of Pakistani origin in the UK. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1153-1159.	3.1	4
81	The future of liaison psychiatry in the UK. International Review of Psychiatry, 1992, 4, 99-107.	2.8	3
82	Costing day hospital and in-patient care for acute psychiatric illness. Epidemiologia E Psichiatria Sociale Monograph Supplement, 1997, 6, 167-176.	0.0	1
83	Authors' reply. British Journal of Psychiatry, 2014, 204, 322-323.	2.8	0
84	Reply to the Letter by Van Den Eede and Van der Feltz-Cornelis Related to Our Paper "Management of Functional Somatic Syndromes and Bodily Distress― Psychotherapy and Psychosomatics, 2018, 87, 236-236.	8.8	0