

# Christoph Stampfer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4769512/publications.pdf>

Version: 2024-02-01

219  
papers

13,289  
citations

30070

54  
h-index

23533

111  
g-index

223  
all docs

223  
docs citations

223  
times ranked

14748  
citing authors

#	ARTICLE	IF	CITATIONS
1	Spatially Resolved Raman Spectroscopy of Single- and Few-Layer Graphene. Nano Letters, 2007, 7, 238-242.	9.1	2,363
2	Ultrahigh-mobility graphene devices from chemical vapor deposition on reusable copper. Science Advances, 2015, 1, e1500222.	10.3	635
3	Energy Gaps in Etched Graphene Nanoribbons. Physical Review Letters, 2009, 102, 056403.	7.8	383
4	Tunable Graphene Single Electron Transistor. Nano Letters, 2008, 8, 2378-2383.	9.1	352
5	Raman spectroscopy as probe of nanometre-scale strain variations in graphene. Nature Communications, 2015, 6, 8429.	12.8	341
6	Fabrication of Single-Walled Carbon-Nanotube-Based Pressure Sensors. Nano Letters, 2006, 6, 233-237.	9.1	335
7	Production and processing of graphene and related materials. 2D Materials, 2020, 7, 022001.	4.4	333
8	Nano-Electromechanical Displacement Sensing Based on Single-Walled Carbon Nanotubes. Nano Letters, 2006, 6, 1449-1453.	9.1	288
9	Franck-Condon blockade in suspended carbon nanotube quantum dots. Nature Physics, 2009, 5, 327-331.	16.7	267
10	Tunable Coulomb blockade in nanostructured graphene. Applied Physics Letters, 2008, 92, .	3.3	248
11	Graphene spintronics: the European Flagship perspective. 2D Materials, 2015, 2, 030202.	4.4	243
12	Ballistic Transport Exceeding 28 $\mu\text{m}$ in CVD Grown Graphene. Nano Letters, 2016, 16, 1387-1391.	9.1	240
13	Nano electromechanical sensors based on carbon nanotubes. Sensors and Actuators A: Physical, 2007, 136, 51-61.	4.1	238
14	Spin Lifetimes Exceeding 12 ns in Graphene Nonlocal Spin Valve Devices. Nano Letters, 2016, 16, 3533-3539.	9.1	214
15	Raman imaging of doping domains in graphene on SiO <sub>2</sub> . Applied Physics Letters, 2007, 91, .	3.3	201
16	Selective Chemical Modification of Graphene Surfaces: Distinction Between Single- and Bilayer Graphene. Small, 2010, 6, 1125-1130.	10.0	176
17	Advanced tools for smartphone-based experiments: phyphox. Physics Education, 2018, 53, 045009.	0.5	175
18	2D materials for future heterogeneous electronics. Nature Communications, 2022, 13, 1392.	12.8	174

#	ARTICLE	IF	CITATIONS
19	Graphene quantum dots: Beyond a Dirac billiard. <i>Physical Review B</i> , 2009, 79, .	3.2	170
20	Variations in the work function of doped single- and few-layer graphene assessed by Kelvin probe force microscopy and density functional theory. <i>Physical Review B</i> , 2011, 83, .	3.2	170
21	The mechanical properties of atomic layer deposited alumina for use in micro- and nano-electromechanical systems. <i>Sensors and Actuators A: Physical</i> , 2006, 130-131, 419-429.	4.1	169
22	Nanosecond Spin Lifetimes in Single- and Few-Layer Graphene-hBN Heterostructures at Room Temperature. <i>Nano Letters</i> , 2014, 14, 6050-6055.	9.1	149
23	Observation of excited states in a graphene quantum dot. <i>Applied Physics Letters</i> , 2009, 94, .	3.3	148
24	Transport through graphene quantum dots. <i>Reports on Progress in Physics</i> , 2012, 75, 126502.	20.1	143
25	Transport gap in side-gated graphene constrictions. <i>Physical Review B</i> , 2009, 79, .	3.2	139
26	Quantum capacitance and density of states of graphene. <i>Applied Physics Letters</i> , 2010, 96, .	3.3	131
27	Out-of-plane heat transfer in van der Waals stacks through electron-hyperbolic phonon coupling. <i>Nature Nanotechnology</i> , 2018, 13, 41-46.	31.5	128
28	Ultra-sensitive Hall sensors based on graphene encapsulated in hexagonal boron nitride. <i>Applied Physics Letters</i> , 2015, 106, .	3.3	127
29	Electron-Hole Crossover in Graphene Quantum Dots. <i>Physical Review Letters</i> , 2009, 103, 046810.	7.8	125
30	Raman imaging of graphene. <i>Solid State Communications</i> , 2007, 143, 44-46.	1.9	124
31	Spin States in Graphene Quantum Dots. <i>Physical Review Letters</i> , 2010, 105, 116801.	7.8	119
32	Graphene single-electron transistors. <i>Materials Today</i> , 2010, 13, 44-50.	14.2	116
33	Charge detection in graphene quantum dots. <i>Applied Physics Letters</i> , 2008, 93, 212102.	3.3	111
34	Random Strain Fluctuations as Dominant Disorder Source for High-Quality On-Substrate Graphene Devices. <i>Physical Review X</i> , 2014, 4, .	8.9	102
35	SWNT growth by CVD on Ferritin-based iron catalyst nanoparticles towards CNT sensors. <i>Sensors and Actuators B: Chemical</i> , 2008, 132, 485-490.	7.8	93
36	Electronic properties of graphene nanostructures. <i>Journal of Physics Condensed Matter</i> , 2011, 23, 243201.	1.8	88

#	ARTICLE	IF	CITATIONS
37	Identifying suitable substrates for high-quality graphene-based heterostructures. 2D Materials, 2017, 4, 025030.	4.4	83
38	Transport through graphene double dots. Applied Physics Letters, 2009, 94, .	3.3	79
39	Imaging localized states in graphene nanostructures. Physical Review B, 2010, 82, .	3.2	77
40	Probing relaxation times in graphene quantum dots. Nature Communications, 2013, 4, 1753.	12.8	77
41	The Aharonovâ€“Bohm effect in a side-gated graphene ring. New Journal of Physics, 2010, 12, 043054.	2.9	76
42	High Quality Factor Graphene-Based Two-Dimensional Heterostructure Mechanical Resonator. Nano Letters, 2017, 17, 5950-5955.	9.1	75
43	A two-dimensional Dirac fermion microscope. Nature Communications, 2017, 8, 15783.	12.8	72
44	Investigation of the Aharonovâ€“Bohm effect in a gated graphene ring. Physica Status Solidi (B): Basic Research, 2009, 246, 2756-2759.	1.5	69
45	Size quantization of Dirac fermions in graphene constrictions. Nature Communications, 2016, 7, 11528.	12.8	69
46	Sensing NO2 with individual suspended single-walled carbon nanotubes. Sensors and Actuators B: Chemical, 2008, 132, 491-497.	7.8	67
47	Observation of excited states in a graphene double quantum dot. Europhysics Letters, 2010, 89, 67005.	2.0	66
48	Metavalent Bonding in Crystalline Solids: How Does It Collapse?. Advanced Materials, 2021, 33, e2102356.	21.0	65
49	Dielectric screening of the Kohn anomaly of graphene on hexagonal boron nitride. Physical Review B, 2013, 88, .	3.2	63
50	Transport in graphene nanostructures. Frontiers of Physics, 2011, 6, 271-293.	5.0	61
51	Raman spectroscopy on etched graphene nanoribbons. Journal of Applied Physics, 2011, 109, .	2.5	60
52	Local gating of a graphene Hall bar by graphene side gates. Physical Review B, 2007, 76, .	3.2	58
53	Tailoring Mechanically Tunable Strain Fields in Graphene. Nano Letters, 2018, 18, 1707-1713.	9.1	58
54	Energy and transport gaps in etched graphene nanoribbons. Semiconductor Science and Technology, 2010, 25, 034002.	2.0	56

#	ARTICLE	IF	CITATIONS
55	Limitations to Carrier Mobility and Phase-Coherent Transport in Bilayer Graphene. <i>Physical Review Letters</i> , 2014, 113, 126801.	7.8	55
56	Fabrication of discrete nanoscaled force sensors based on single-walled carbon nanotubes. <i>IEEE Sensors Journal</i> , 2006, 6, 613-617.	4.7	51
57	Time-resolved charge detection in graphene quantum dots. <i>Physical Review B</i> , 2011, 83, .	3.2	49
58	Gate-Defined Electron-Hole Double Dots in Bilayer Graphene. <i>Nano Letters</i> , 2018, 18, 4785-4790.	9.1	48
59	Single-Electron Double Quantum Dots in Bilayer Graphene. <i>Nano Letters</i> , 2020, 20, 2005-2011.	9.1	44
60	Hot-Carrier Cooling in High-Quality Graphene Is Intrinsically Limited by Optical Phonons. <i>ACS Nano</i> , 2021, 15, 11285-11295.	14.6	43
61	High mobility dry-transferred CVD bilayer graphene. <i>Applied Physics Letters</i> , 2017, 110, .	3.3	42
62	Electron-Hole Crossover in Gate-Controlled Bilayer Graphene Quantum Dots. <i>Nano Letters</i> , 2020, 20, 7709-7715.	9.1	42
63	Growth, characterization, and transport properties of ternary (Bi <sub>1-x</sub> Sb <sub>x</sub> ) <sub>2</sub> Te <sub>3</sub> topological insulator layers. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 495501.	1.8	41
64	Transition to Landau levels in graphene quantum dots. <i>Physical Review B</i> , 2010, 81, .	3.2	40
65	Etched graphene quantum dots on hexagonal boron nitride. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	40
66	Intervalley dark trion states with spin lifetimes of 150 ns in $WSe_2$ . <i>Physical Review B</i> , 2017, 95, .	3.2	40
67	Asymmetric Franck-Condon factors in suspended carbon nanotube quantum dots. <i>Physical Review B</i> , 2010, 81, .	3.2	39
68	Electronic Excited States in Bilayer Graphene Double Quantum Dots. <i>Nano Letters</i> , 2011, 11, 3581-3586.	9.1	39
69	Observation of the Spin-Orbit Gap in Bilayer Graphene by One-Dimensional Ballistic Transport. <i>Physical Review Letters</i> , 2020, 124, 177701.	7.8	39
70	Disorder induced Coulomb gaps in graphene constrictions with different aspect ratios. <i>Applied Physics Letters</i> , 2011, 98, 032109.	3.3	36
71	Detecting Ultrasound Vibrations with Graphene Resonators. <i>Nano Letters</i> , 2018, 18, 5132-5137.	9.1	36
72	Electrothermal effects at the microscale and their consequences on system design. <i>Journal of Micromechanics and Microengineering</i> , 2006, 16, 1633-1638.	2.6	35

#	ARTICLE	IF	CITATIONS
73	Suppression of contact-induced spin dephasing in graphene/MgO/Co spin-valve devices by successive oxygen treatments. <i>Physical Review B</i> , 2014, 90, .	3.2	35
74	Uniformity of the pseudomagnetic field in strained graphene. <i>Physical Review B</i> , 2015, 92, .	3.2	35
75	Graphene Field-Effect Transistors With High Extrinsic $\mu_{\text{T}}$ and $\mu_{\text{max}}$ . <i>IEEE Electron Device Letters</i> , 2019, 40, 131-134.	3.9	35
76	Readout of carbon nanotube vibrations based on spin-phonon coupling. <i>Applied Physics Letters</i> , 2012, 100, .	3.3	34
77	Graphene quantum dots in perpendicular magnetic fields. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2553-2557.	1.5	33
78	$\text{CO}_2$ Hydrogenation to Higher Alcohols over K-Promoted Bimetallic Fe <sup>In</sup> Catalysts on a Ce <sup>ZrO<sub>2</sub></sup> Support. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 6235-6249.	6.7	32
79	Process integration of carbon nanotubes into microelectromechanical systems. <i>Sensors and Actuators A: Physical</i> , 2006, 130-131, 588-594.	4.1	31
80	Imaging Dirac fermions flow through a circular Veselago lens. <i>Physical Review B</i> , 2019, 100, .	3.2	31
81	Large-area MoS <sub>2</sub> deposition via MOVPE. <i>Journal of Crystal Growth</i> , 2017, 464, 100-104.	1.5	30
82	Synthesis of individual single-walled carbon nanotube bridges controlled by support micromachining. <i>Journal of Micromechanics and Microengineering</i> , 2007, 17, 603-608.	2.6	29
83	Charge detection in a bilayer graphene quantum dot. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2684-2687.	1.5	29
84	Spin-valley coupling in single-electron bilayer graphene quantum dots. <i>Nature Communications</i> , 2021, 12, 5250.	12.8	29
85	Contact-induced charge contributions to non-local spin transport measurements in Co/MgO/graphene devices. <i>2D Materials</i> , 2015, 2, 024001.	4.4	28
86	A lab in the pocket. <i>Nature Reviews Materials</i> , 2020, 5, 169-170.	48.7	28
87	Quantum capacitance and density of states of graphene. <i>Physica Scripta</i> , 2012, T146, 014009.	2.5	27
88	Spin States Protected from Intrinsic Electron-Phonon Coupling Reaching 100 ns Lifetime at Room Temperature in MoSe <sub>2</sub> . <i>Nano Letters</i> , 2019, 19, 4083-4090.	9.1	27
89	Unveiling Valley Lifetimes of Free Charge Carriers in Monolayer WSe <sub>2</sub> . <i>Nano Letters</i> , 2020, 20, 3147-3154.	9.1	27
90	Direct wiring of carbon nanotubes for integration in nanoelectromechanical systems. <i>Journal of Vacuum Science &amp; Technology B</i> , 2006, 24, 3144.	1.3	26

#	ARTICLE	IF	CITATIONS
91	Raman mapping of a single-layer to double-layer graphene transition. <i>European Physical Journal: Special Topics</i> , 2007, 148, 171-176.	2.6	26
92	Low B Field Magneto-Phonon Resonances in Single-Layer and Bilayer Graphene. <i>Nano Letters</i> , 2015, 15, 1547-1552.	9.1	26
93	Enhanced C3+ alcohol synthesis from syngas using KCoMoSx catalysts: effect of the Co-Mo ratio on catalyst performance. <i>Applied Catalysis B: Environmental</i> , 2020, 272, 118950.	20.2	26
94	Thermography on a suspended microbridge using confocal Raman scattering. <i>Applied Physics Letters</i> , 2006, 88, 191901.	3.3	23
95	Raman intensity mapping of single-walled carbon nanotubes. <i>Physical Review B</i> , 2007, 75, .	3.2	23
96	Coulomb oscillations in three-layer graphene nanostructures. <i>New Journal of Physics</i> , 2008, 10, 125029.	2.9	23
97	Local transport measurements on epitaxial graphene. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	23
98	Graphene-based charge sensors. <i>Nanotechnology</i> , 2013, 24, 444001.	2.6	23
99	Excellent electronic transport in heterostructures of graphene and monoisotopic boron-nitride grown at atmospheric pressure. <i>2D Materials</i> , 2020, 7, 031009.	4.4	23
100	Fractional quantum Hall effect in CVD-grown graphene. <i>2D Materials</i> , 2020, 7, 041007.	4.4	22
101	Piezoresponse force microscopy on doubly clamped KNbO3 nanowires. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	21
102	Encapsulated graphene-based Hall sensors on foil with increased sensitivity. <i>Physica Status Solidi (B): Basic Research</i> , 2016, 253, 2316-2320.	1.5	21
103	Simple Time-of-Flight Measurement of the Speed of Sound Using Smartphones. <i>Physics Teacher</i> , 2019, 57, 112-113.	0.3	21
104	Semiclassical theory for transmission through open billiards: Convergence towards quantum transport. <i>Physical Review E</i> , 2003, 67, 016206.	2.1	20
105	Spatial Control of Laser-Induced Doping Profiles in Graphene on Hexagonal Boron Nitride. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 9377-9383.	8.0	20
106	Amorphous carbon contamination monitoring and process optimization for single-walled carbon nanotube integration. <i>Nanotechnology</i> , 2007, 18, 075603.	2.6	19
107	Gauge Factor Tuning, Long-Term Stability, and Miniaturization of Nanoelectromechanical Carbon-Nanotube Sensors. <i>IEEE Transactions on Electron Devices</i> , 2011, 58, 4053-4060.	3.0	19
108	Impact of Many-Body Effects on Landau Levels in Graphene. <i>Physical Review Letters</i> , 2018, 120, 187701.	7.8	18

#	ARTICLE	IF	CITATIONS
109	The relevance of electrostatics for scanning-gate microscopy. <i>New Journal of Physics</i> , 2011, 13, 053013.	2.9	17
110	Dry-transferred CVD graphene for inverted spin valve devices. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	17
111	Aharonov-Bohm oscillations and magnetic focusing in ballistic graphene rings. <i>Physical Review B</i> , 2017, 96, .	3.2	17
112	Quantum transport through MoS <sub>2</sub> constrictions defined by photodoping. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 205001.	1.8	17
113	Ultra-long wavelength Dirac plasmons in graphene capacitors. <i>JPhys Materials</i> , 2018, 1, 01LT02.	4.2	17
114	Tunable s-SNOM for Nanoscale Infrared Optical Measurement of Electronic Properties of Bilayer Graphene. <i>ACS Photonics</i> , 2021, 8, 418-423.	6.6	17
115	Transport through a strongly coupled graphene quantum dot in perpendicular magnetic field. <i>Nanoscale Research Letters</i> , 2011, 6, 253.	5.7	16
116	Laser induced non-thermal deposition of ultrathin graphite. <i>Applied Physics Letters</i> , 2012, 100, .	3.3	16
117	Spin relaxation in a single-electron graphene quantum dot. <i>Nature Communications</i> , 2022, 13, .	12.8	16
118	Fabrication of coupled graphene–nanotube quantum devices. <i>Nanotechnology</i> , 2013, 24, 035204.	2.6	15
119	Reducing disorder in graphene nanoribbons by chemical edge modification. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	15
120	Tunable mechanical coupling between driven microelectromechanical resonators. <i>Applied Physics Letters</i> , 2016, 109, .	3.3	15
121	Upstream modes and antidots poison graphene quantum Hall effect. <i>Nature Communications</i> , 2021, 12, 4265.	12.8	15
122	Probing Two-Electron Multiplets in Bilayer Graphene Quantum Dots. <i>Physical Review Letters</i> , 2021, 127, 256802.	7.8	15
123	Fabrication of discrete carbon nanotube based nano-scaled force sensors. , 0, , .		14
124	Phase-coherent transport in catalyst-free vapor phase deposited Bi <sub>2</sub> Se <sub>3</sub> crystals. <i>Physical Review B</i> , 2015, 92, .	3.2	14
125	Switchable Coupling of Vibrations to Two-Electron Carbon-Nanotube Quantum Dot States. <i>Nano Letters</i> , 2015, 15, 4417-4422.	9.1	14
126	The Dependence of the High-Frequency Performance of Graphene Field-Effect Transistors on Channel Transport Properties. <i>IEEE Journal of the Electron Devices Society</i> , 2020, 8, 457-464.	2.1	14



#	ARTICLE	IF	CITATIONS
127	Pulsed-gate spectroscopy of single-electron spin states in bilayer graphene quantum dots. Physical Review B, 2021, 103, .	3.2	14
128	Pseudopath semiclassical approximation to transport through open quantum billiards: Dyson equation for diffractive scattering. Physical Review E, 2005, 72, 036223.	2.1	13
129	Diffractive paths for weak localization in quantum billiards. Physical Review B, 2008, 77, .	3.2	13
130	Negative quantum capacitance in graphene nanoribbons with lateral gates. Physical Review B, 2014, 89, .	3.2	13
131	Impact of thermal annealing on graphene devices encapsulated in hexagonal boron nitride. Physica Status Solidi (B): Basic Research, 2014, 251, 2545-2550.	1.5	13
132	From Diffusive to Ballistic Transport in Etched Graphene Constrictions and Nanoribbons. Annalen Der Physik, 2017, 529, 1700082.	2.4	13
133	Proximity-induced spin-orbit coupling in graphene/ $\text{Bi}_2\text{Te}_3$ heterostructures. Physical Review B, 2018, 98, .	1.5	11
134	Piezoresistance of Single-Walled Carbon Nanotubes. , 2007, , .		11
135	Transport through open quantum dots: Making semiclassics quantitative. Physical Review B, 2010, 81, .	3.2	11
136	Buried triple-gate structures for advanced field-effect transistor devices. Microelectronic Engineering, 2014, 119, 95-99.	2.4	11
137	Line shape of the Raman 2D peak of graphene in van der Waals heterostructures. Physica Status Solidi (B): Basic Research, 2016, 253, 2326-2330.	1.5	11
138	Mesoporous manganese phthalocyanine-based materials for electrochemical water oxidation via tailored templating. Catalysis Science and Technology, 2018, 8, 1517-1521.	4.1	11
139	Fabrication of comb-drive actuators for straining nanostructured suspended graphene. Nanotechnology, 2018, 29, 375301.	2.6	11
140	Dispersive sensing of charge states in a bilayer graphene quantum dot. Applied Physics Letters, 2021, 118, .	3.3	11
141	Etched graphene single electron transistors on hexagonal boron nitride in high magnetic fields. Physica Status Solidi (B): Basic Research, 2013, 250, 2692-2696.	1.5	10
142	Spin and charge transport in graphene-based spin transport devices with Co/MgO spin injection and spin detection electrodes. Synthetic Metals, 2015, 210, 42-55.	3.9	10
143	Use of the Indirect Photoluminescence Peak as an Optical Probe of Interface Defectivity in MoS <sub>2</sub> . Advanced Materials Interfaces, 2020, 7, 2000413.	3.7	10
144	Radially polarized light beams from spin-forbidden dark excitons and trions in monolayer WSe <sub>2</sub> . Optical Materials Express, 2020, 10, 1273.	3.0	10

#	ARTICLE	IF	CITATIONS
145	Micromachined pressure sensors for electromechanical characterization of carbon nanotubes. Physica Status Solidi (B): Basic Research, 2006, 243, 3537-3541.	1.5	9
146	Flying and Crawling Modes during Surface-Bound Single Wall Carbon Nanotube Growth. Journal of Physical Chemistry C, 2007, 111, 17249-17253.	3.1	9
147	Raman imaging for processing and process monitoring for nanotube devices. Physica Status Solidi (B): Basic Research, 2007, 244, 4341-4345.	1.5	9
148	CNT Based Sensors. Advances in Science and Technology, 0, , .	0.2	9
149	Tunable capacitive interdot coupling in a bilayer graphene double quantum dot. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 169-174.	0.8	9
150	Electrical Control over Phonon Polarization in Strained Graphene. Nano Letters, 2021, 21, 2898-2904.	9.1	9
151	CNT based nano electro mechanical systems (NEMS). , 2005, , .		8
152	Back action of graphene charge detectors on graphene and carbon nanotube quantum dots. Physica Status Solidi (B): Basic Research, 2015, 252, 2461-2465.	1.5	8
153	Interplay between nanometer-scale strain variations and externally applied strain in graphene. Physical Review B, 2016, 93, .	3.2	8
154	Electrostatic Detection of Shubnikovâ€de Haas Oscillations in Bilayer Graphene by Coulomb Resonances in Gateâ€Defined Quantum Dots. Physica Status Solidi (B): Basic Research, 2020, 257, 2000333.	1.5	8
155	Metal free-covalent triazine frameworks as oxygen reduction reaction catalysts â€structureâ€electrochemical activity relationship. Catalysis Science and Technology, 2021, 11, 6191-6204.	4.1	8
156	Tunable interdot coupling in few-electron bilayer graphene double quantum dots. Applied Physics Letters, 2021, 118, .	3.3	8
157	How to solve problems in micro- and nanofabrication caused by the emission of electrons and charged metal atoms during e-beam evaporation. Journal Physics D: Applied Physics, 2021, 54, 225304.	2.8	8
158	Tunable coupling of two mechanical resonators by a graphene membrane. 2D Materials, 2021, 8, 035039.	4.4	8
159	Raman imaging of twist angle variations in twisted bilayer graphene at intermediate angles. 2D Materials, 2022, 9, 045009.	4.4	8
160	TRANSPARENCY OF NARROW CONSTRICTIONS IN A GRAPHENE SINGLE ELECTRON TRANSISTOR. International Journal of Modern Physics B, 2009, 23, 2647-2654.	2.0	7
161	Low-frequency noise in individual carbon nanotube field-effect transistors with top, side and back gate configurations: effect of gamma irradiation. Nanotechnology, 2014, 25, 035703.	2.6	7
162	A corner reflector of graphene Dirac fermions as a phonon-scattering sensor. Nature Communications, 2019, 10, 2428.	12.8	7

#	ARTICLE	IF	CITATIONS
163	Optimizing Dirac fermions quasi-confinement by potential smoothness engineering. 2D Materials, 2020, 7, 025037.	4.4	7
164	Effects of Self-Heating on $f_{T}$ and $f_{max}$ Performance of Graphene Field-Effect Transistors. IEEE Transactions on Electron Devices, 2020, 67, 1277-1284.	3.0	7
165	CVD Bilayer Graphene Spin Valves with 26 $\mu$ m Spin Diffusion Length at Room Temperature. Nano Letters, 2022, 22, 4949-4955.	9.1	7
166	A MEMS Actuator for Integrated Carbon Nanotube Strain Sensing. , 0, , .		6
167	Probing electronic lifetimes and phonon anharmonicities in high-quality chemical vapor deposited graphene by magneto-Raman spectroscopy. Applied Physics Letters, 2015, 107, 233105.	3.3	6
168	Dry transfer of CVD graphene using MoS <sub>2</sub> -based stamps. Physica Status Solidi - Rapid Research Letters, 2017, 11, 1700136.	2.4	6
169	Simulations on the Influence of Spatially Varying Spin Transport Parameters on the Measured Spin Lifetime in Graphene Non-Local Spin Valves. Physica Status Solidi (B): Basic Research, 2017, 254, 1700293.	1.5	6
170	Graphene Field-Effect Transistors for Millimeter Wave Amplifiers. , 2019, , .		6
171	Graphene Whisperitronics: Transducing Whispering Gallery Modes into Electronic Transport. Nano Letters, 2022, 22, 128-134.	9.1	6
172	NO <sub>2</sub> Gas Sensors Based on Individual Suspended Single-Walled Carbon Nanotubes. , 2007, , .		5
173	Electron Shuttle Instability for Nano Electromechanical Mass Sensing. Nano Letters, 2007, 7, 2747-2752.	9.1	5
174	Nanosecond spin lifetimes in bottom-up fabricated bilayer graphene spin-valves with atomic layer deposited Al <sub>2</sub> O <sub>3</sub> spin injection and detection barriers. Physica Status Solidi (B): Basic Research, 2015, 252, 2395-2400.	1.5	5
175	Raman Spectroscopy of Lithographically Defined Graphene Nanoribbons – Influence of Size and Defects. Annalen Der Physik, 2017, 529, 1700167.	2.4	5
176	Reducing the Impact of Bulk Doping on Transport Properties of Bi-Based 3D Topological Insulators. Physica Status Solidi (B): Basic Research, 2021, 258, 2000021.	1.5	5
177	A method for enhanced analysis of specific as-grown carbon nanotubes. Physica Status Solidi (B): Basic Research, 2006, 243, 3138-3141.	1.5	4
178	Comment on ‘‘Dynamic range of nanotube- and nanowire-based electromechanical systems’’ [Appl. Phys. Lett. 86, 223105 (2005)]. Applied Physics Letters, 2006, 88, 036101.	3.3	4
179	Nanoscale Straining of Individual Carbon Nanotubes by Micromachined Transducers. , 2007, , .		4
180	Insulating State in Low-Disorder Graphene Nanoribbons. Physica Status Solidi (B): Basic Research, 2019, 256, 1900269.	1.5	4

#	ARTICLE	IF	CITATIONS
181	Does carrier velocity saturation help to enhance $v_{max}$ in graphene field-effect transistors?. <i>Nanoscale Advances</i> , 2020, 2, 4179-4186.	4.6	4
182	Raman Imaging and Electronic Properties of Graphene. , 2008, , 171-176.		4
183	Nano electromechanical transducer based on single walled carbon nanotubes. , 0, , .		3
184	Phase-coherent transport in a mesoscopic few-layer graphite wire. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008, 40, 1851-1854.	2.7	3
185	Low-temperature compatible electrostatic comb-drive actuators with integrated graphene. , 2014, , .		3
186	Raman spectroscopy on mechanically exfoliated pristine graphene ribbons. <i>Physica Status Solidi (B): Basic Research</i> , 2014, 251, 2551-2555.	1.5	3
187	Integrated impedance bridge for absolute capacitance measurements at cryogenic temperatures and finite magnetic fields. <i>Review of Scientific Instruments</i> , 2019, 90, 084706.	1.3	3
188	How Photoinduced Gate Screening and Leakage Currents Dynamically Change the Fermi Level in 2D Materials. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 2000298.	2.4	3
189	Charge-Induced Artifacts in Nonlocal Spin-Transport Measurements: How to Prevent Spurious Voltage Signals. <i>Physical Review Applied</i> , 2022, 18, .	3.8	3
190	Low stress atomic layer deposited alumina for nano electro mechanical systems. , 0, , .		2
191	Novel process flow for the integration of carbon nanotubes into mems. , 0, , .		2
192	NANO ELECTRO MECHANICAL SYSTEMS WITH SINGLE WALLED CARBON NANOTUBES AS FUNCTIONAL ELEMENTS. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2006, 39, 97-101.	0.4	2
193	SWNT Growth by LPCVD on Ferritin-Based Iron Catalyst Nanoparticles Towards CNT Sensors. , 2007, , .		2
194	Encapsulating graphene by ultra-thin alumina for reducing process contaminations. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2526-2529.	1.5	2
195	Electronic transport in graphene nanostructures on SiO <sub>2</sub> . <i>Solid State Communications</i> , 2012, 152, 1306-1310.	1.9	2
196	Dynamics of ultrashort pulsed laser radiation induced non-thermal ablation of graphite. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 117, 1873-1878.	2.3	2
197	Correspondence: On the nature of strong piezoelectricity in graphene on SiO <sub>2</sub> . <i>Nature Communications</i> , 2016, 7, 11570.	12.8	2
198	Modeling charge relaxation in graphene quantum dots induced by electron-phonon interaction. <i>Physical Review B</i> , 2016, 93, .	3.2	2

#	ARTICLE	IF	CITATIONS
199	Low-frequency Noise Characterization of Graphene FET THz Detectors. , 2018, , .		2
200	Phosphate-assisted efficient oxygen evolution over finely dispersed cobalt particles supported on graphene. Catalysis Science and Technology, 2021, 11, 1039-1048.	4.1	2
201	Contacts and upstream modes explain the electron-hole asymmetry in the graphene quantum Hall regime. Physical Review B, 2021, 104, .	3.2	2
202	Single Walled Carbon Nanotubes as Active Elements in Nanotransducers. AIP Conference Proceedings, 2005, , .	0.4	1
203	Raman spectroscopy on single- and few-layer graphene. AIP Conference Proceedings, 2007, , .	0.4	1
204	Progress in carbon nanotube based nanoelectromechanical systems synthesis. Physica Status Solidi (B): Basic Research, 2007, 244, 4323-4326.	1.5	1
205	Temperature-dependent properties of an individual memsintegrated single-walled carbon nanotube. Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS), 2008, , .	0.0	1
206	Local Franckâ€“Condon factors in suspended carbon nanotube quantum dots. Journal of Physics: Conference Series, 2010, 248, 012019.	0.4	1
207	Characterization of Graphene by Confocal Raman Spectroscopy. Springer Series in Surface Sciences, 2018, , 177-194.	0.3	1
208	Using a Smartphone Pressure Sensor as Pitot Tube Speedometer. Physics Teacher, 2022, 60, 273-275.	0.3	1
209	Electromechanical transducers based on single-walled carbon nanotubes. , 2008, , .		0
210	Carbon Nanomaterials: from Nano Electromechanical Systems to Quantum Dots - Invited. ECS Meeting Abstracts, 2009, , .	0.0	0
211	Inside Back Cover (Phys. Status Solidi B 11â€“12/2009). Physica Status Solidi (B): Basic Research, 2009, 246, .	1.5	0
212	Non-thermal ablation of graphite by ultrashort pulsed fs-laser radiation. , 2011, , .		0
213	Graphene quantum dots: transport experiments and local imaging. , 0, , 296-316.		0
214	Graphen auf dem Weg zur Anwendung. Physik in Unserer Zeit, 2015, 46, 269-270.	0.0	0
215	Graphene Quantum Dots. , 2016, , 29-65.		0
216	Non-equilibrium optical properties of encapsulated graphene. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
217	Analysis of a Plasmonic Graphene Antenna for Microelectronic Applications. , 2018, , .		0
218	Engineering Tunable Strain Fields in Suspended Graphene by Microelectromechanical Systems. , 2019, , .		0
219	Wide bandwidth terahertz mixers based on graphene FETs. , 2019, , .		0