Thomas M Atkinson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4772743/publications.pdf

Version: 2024-02-01

201674 138484 6,261 62 27 citations h-index g-index papers

65 65 65 8683 docs citations times ranked citing authors all docs

58

#	Article	IF	CITATIONS
1	Comparison of Depressive Symptom Outcomes in Hospitalized Adult Cancer Patients Receiving Music Therapy or Massage Therapy. Journal of Pain and Symptom Management, 2022, 63, e155-e159.	1.2	7
2	Interventions to Improve Prognostic Understanding in Advanced Stages of Life-Limiting Illness: A Systematic Review. Journal of Pain and Symptom Management, 2022, 63, e212-e223.	1.2	13
3	Health-related Quality of Life for Patients Undergoing Radical Cystectomy: Results of a Large Prospective Cohort. European Urology, 2022, 81, 294-304.	1.9	33
4	Developing a Mobile Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Administration System to Capture Postradiation Toxicity in Oncology: Usability and Feasibility Study. JMIR Formative Research, 2022, 6, e27775.	1.4	2
5	Psychosocial Needs and Preferences for Care among Adolescent and Young Adult Cancer Patients (Ages 15–39): A Qualitative Study. Cancers, 2022, 14, 710.	3.7	14
6	Reconciling the prospect of disease progression with goals and expectations: Development and validation of a measurement model in advanced cancer. Psycho-Oncology, 2022, , .	2.3	0
7	Cancerâ€related inflammation and depressive symptoms: Systematic review and metaâ€analysis. Cancer, 2022, 128, 2504-2519.	4.1	16
8	Developing a Technology Acceptability and Usage Survey (TAUS) for mHealth Intervention Planning and Evaluation in Nigeria: Pilot Study. JMIR Formative Research, 2022, 6, e34035.	1.4	0
9	Treatment of Anal High-Grade Squamous Intraepithelial Lesions to Prevent Anal Cancer. New England Journal of Medicine, 2022, 386, 2273-2282.	27.0	164
10	Composite grading algorithm for the National Cancer Institute's Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). Clinical Trials, 2021, 18, 104-114.	1.6	80
11	Designing Participatory Needs Assessments to Support Global Health Interventions in Time-Limited Settings: A Case Study From Nigeria. International Journal of Qualitative Methods, The, 2021, 20, 160940692110024.	2.8	1
12	The Head and Neck Survivorship Tool (HN-STAR) Trial (WF-1805CD): A protocol for a cluster-randomized, hybrid effectiveness-implementation, pragmatic trial to improve the follow-up care of head and neck cancer survivors. Contemporary Clinical Trials, 2021, 107, 106448.	1.8	6
13	Nonâ€"Small Cell Lung Cancer Symptom Assessment Questionnaire: Psychometric Performance and Regulatory Qualification of a Novel Patient-Reported Symptom Measure. Current Therapeutic Research, 2021, 95, 100642.	1.2	4
14	Virtual Mind-Body Programming for Patients With Cancer During the COVID-19 Pandemic: Qualitative Study. JMIR Cancer, 2021, 7, e27384.	2.4	13
15	Sexual and Gender Minority Persons' Perception of the Female Sexual Function Index. Journal of Sexual Medicine, 2021, 18, 2020-2027.	0.6	8
16	Prospective development of a patientâ€reported outcomes instrument for desmoid tumors or aggressive fibromatosis. Cancer, 2020, 126, 531-539.	4.1	35
17	Multistakeholder Needs Assessment to Inform the Development of an mHealth-Based Ultrasound-Guided Breast Biopsy Training Program in Nigeria. JCO Global Oncology, 2020, 6, 1813-1823.	1.8	2
18	ThyroidEx: Development and Preliminary Validation of a Thyroid Surgery Expectations Measure. Otolaryngology - Head and Neck Surgery, 2020, 165, 019459982097631.	1.9	2

#	Article	IF	Citations
19	Association Between Music Therapy Techniques and Patient-Reported Moderate to Severe Fatigue in Hospitalized Adults With Cancer. JCO Oncology Practice, 2020, 16, e1553-e1557.	2.9	10
20	The unique burden of rare cancer caregiving: caregivers of patients with Erdheim–Chester disease. Leukemia and Lymphoma, 2020, 61, 1406-1417.	1.3	8
21	Propensity-matched analysis of patient-reported outcomes for neoadjuvant chemotherapy prior to radical cystectomy. World Journal of Urology, 2019, 37, 2401-2407.	2.2	7
22	Leveraging Latent Dirichlet Allocation in processing free-text personal goals among patients undergoing bladder cancer surgery. Quality of Life Research, 2019, 28, 1441-1455.	3.1	34
23	Lung cancer stigma and depression: Validation of the Lung Cancer Stigma Inventory. Psycho-Oncology, 2019, 28, 1011-1017.	2.3	30
24	Reliability and between-group stability of a health-related quality of life symptom index for persons with anal high-grade squamous intraepithelial lesions: an AIDS Malignancy Consortium Study (AMC-A03). Quality of Life Research, 2019, 28, 1265-1269.	3.1	4
25	Perceptions of Response Burden Associated with Completion of Patient-Reported Outcome Assessments in Oncology. Value in Health, 2019, 22, 225-230.	0.3	38
26	What Do "None,―"Mild,―"Moderate,―"Severe,―and "Very Severe―Mean to Patients Witl Content Validity of PRO-CTCAEâ,,¢ Response Scales. Journal of Pain and Symptom Management, 2018, 55, e3-e6.	h Cancer? 1.2	22
27	Reply to E. Younger et al. Journal of Clinical Oncology, 2018, 36, 1643-1644.	1.6	1
28	Application of a Bayesian graded response model to characterize areas of disagreement between clinician and patient grading of symptomatic adverse events. Journal of Patient-Reported Outcomes, 2018, 2, 56.	1.9	4
29	Initial Development and Content Validation of a Health-Related Symptom Index for Persons either Treated or Monitored for Anal High-Grade Squamous Intraepithelial Lesions. Value in Health, 2018, 21, 984-992.	0.3	8
30	Exploring differences in adverse symptom event grading thresholds between clinicians and patients in the clinical trial setting. Journal of Cancer Research and Clinical Oncology, 2017, 143, 735-743.	2.5	36
31	Relationship between physician-adjudicated adverse events and patient-reported health-related quality of life in a phase II clinical trial (NCT01143402) of patients with metastatic uveal melanoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 439-445.	2.5	10
32	Promoting patient participation in healthcare interactions through communication skills training: A systematic review. Patient Education and Counseling, 2017, 100, 1247-1257.	2.2	82
33	Patient-Reported Physical Function Measures in Cancer Clinical Trials. Epidemiologic Reviews, 2017, 39, 59-70.	3.5	29
34	Evaluation of different recall periods for the US National Cancer Institute's PRO-CTCAE. Clinical Trials, 2017, 14, 255-263.	1.6	58
35	Trustworthiness of Patient-Reported Outcomes in Unblinded Cancer Clinical Trials. JAMA Oncology, 2017, 3, 738.	7.1	53
36	Qualitative Development and Content Validity of the Non–small Cell Lung Cancer Symptom Assessment Questionnaire (NSCLC-SAQ), A Patient-reported Outcome Instrument. Clinical Therapeutics, 2016, 38, 794-810.	2.5	23

#	Article	IF	CITATIONS
37	Examining the Association between Patient-Reported Symptoms of Attention and Memory Dysfunction with Objective Cognitive Performance: A Latent Regression Rasch Model Approach. Archives of Clinical Neuropsychology, 2016, 31, 365-377.	0.5	14
38	Reliable change in neuropsychological assessment of breast cancer survivors. Psycho-Oncology, 2016, 25, 43-50.	2.3	34
39	Psychosocial outcomes and interventions among cancer survivors diagnosed during adolescence and young adulthood (AYA): a systematic review. Journal of Cancer Survivorship, 2016, 10, 814-831.	2.9	187
40	Mode equivalence and acceptability of tablet computer-, interactive voice response system-, and paper-based administration of the U.S. National Cancer Institute's Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). Health and Quality of Life Outcomes, 2016, 14, 24.	2.4	91
41	The association between clinician-based common terminology criteria for adverse events (CTCAE) and patient-reported outcomes (PRO): a systematic review. Supportive Care in Cancer, 2016, 24, 3669-3676.	2.2	249
42	Conflating Colorectal Cancer Screening and Diagnostic Testing—Letter. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 425-425.	2.5	0
43	Symptom Monitoring With Patient-Reported Outcomes During Routine Cancer Treatment: A Randomized Controlled Trial. Journal of Clinical Oncology, 2016, 34, 557-565.	1.6	1,746
44	The level of association between functional performance status measures and patient-reported outcomes in cancer patients: a systematic review. Supportive Care in Cancer, 2015, 23, 3645-3652.	2.2	44
45	Does colorectal cancer risk perception predict screening behavior? A systematic review and meta-analysis. Journal of Behavioral Medicine, 2015, 38, 837-850.	2.1	42
46	Validity and Reliability of the US National Cancer Institute's Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). JAMA Oncology, 2015, 1, 1051.	7.1	581
47	Patient-Reported Outcome Performance Measures in Oncology. Journal of Oncology Practice, 2014, 10, 209-211.	2.5	79
48	Development of the National Cancer Institute's Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). Journal of the National Cancer Institute, 2014, 106, dju244-dju244.	6.3	689
49	Cognitive interviewing of the US National Cancer Institute's Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). Quality of Life Research, 2014, 23, 257-269.	3.1	117
50	Development and Preliminary Evaluation of a Training Workshop for the Collection of Patient-Reported Outcome (PRO) Interview Data by Research Support Staff. Journal of Cancer Education, 2013, 28, 33-37.	1.3	1
51	Illness-Related Distress in Women with Clinically Localized Cutaneous Melanoma. Annals of Surgical Oncology, 2013, 20, 675-679.	1.5	27
52	Reliability of adverse symptom event reporting by clinicians. Quality of Life Research, 2012, 21, 1159-1164.	3.1	186
53	Measurement of Affective and Activity Pain Interference Using the Brief Pain Inventory (BPI): Cancer and Leukemia Group B 70903. Pain Medicine, 2012, 13, 1417-1424.	1.9	17
54	Using Confirmatory Factor Analysis to Evaluate Construct Validity of the Brief Pain Inventory (BPI). Journal of Pain and Symptom Management, 2011, 41, 558-565.	1.2	217

#	ARTICLE	IF	CITATION
55	Using Versions of the Trail Making Test as Alternate Forms. Clinical Neuropsychologist, 2011, 25, 1193-1206.	2.3	7
56	The Brief Pain Inventory and Its "Pain At Its Worst in the Last 24 Hours―Item: Clinical Trial Endpoint Considerations. Pain Medicine, 2010, 11, 337-346.	1.9	161
57	Three trail making tests for use in neuropsychological assessments with brief intertest intervals. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 151-158.	1.3	5
58	Evidence of practice effects in variants of the Trail Making Test during serial assessment. Journal of Clinical and Experimental Neuropsychology, 2008, 30, 312-318.	1.3	47
59	The Use of Variants of the Trail Making Test in Serial Assessment. Journal of Psychoeducational Assessment, 2008, 26, 42-53.	1.5	23
60	Patterns of memory: A normative taxonomy of the Wide Range Assessment of Memory and Learning $\hat{a}\in$ Second Edition (WRAML-2). Journal of the International Neuropsychological Society, 2008, 14, 869-877.	1.8	24
61	Sports-Related and Gender Differences on Neuropsychological Measures of Frontal Lobe Functioning. Clinical Journal of Sport Medicine, 2004, 14, 18-24.	1.8	25
62	Executive Functioning as a Potential Mediator of Age-Related Cognitive Decline in Normal Adults Journal of Experimental Psychology: General, 2003, 132, 566-594.	2.1	790