

Greg P Rubin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4773519/publications.pdf>

Version: 2024-02-01

79
papers

4,096
citations

136950

32
h-index

118850

62
g-index

79
all docs

79
docs citations

79
times ranked

4376
citing authors

#	ARTICLE	IF	CITATIONS
1	The Aarhus statement: improving design and reporting of studies on early cancer diagnosis. British Journal of Cancer, 2012, 106, 1262-1267.	6.4	573
2	The expanding role of primary care in cancer control. Lancet Oncology, The, 2015, 16, 1231-1272.	10.7	399
3	Comparison of cancer diagnostic intervals before and after implementation of NICE guidelines: analysis of data from the UK General Practice Research Database. British Journal of Cancer, 2014, 110, 584-592.	6.4	166
4	Symptoms and other factors associated with time to diagnosis and stage of lung cancer: a prospective cohort study. British Journal of Cancer, 2015, 112, S6-S13.	6.4	162
5	Cytosponge-trefoil factor 3 versus usual care to identify Barrett's oesophagus in a primary care setting: a multicentre, pragmatic, randomised controlled trial. Lancet, The, 2020, 396, 333-344.	13.7	143
6	Rethinking diagnostic delay in cancer: how difficult is the diagnosis?. BMJ, The, 2014, 349, g7400-g7400.	6.0	129
7	Presenting symptoms of cancer and stage at diagnosis: evidence from a cross-sectional, population-based study. Lancet Oncology, The, 2020, 21, 73-79.	10.7	123
8	Symptoms and patient factors associated with diagnostic intervals for pancreatic cancer (SYMPTOM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 298-306.	8.1	114
9	Diagnosing cancer in primary care: results from the National Cancer Diagnosis Audit. British Journal of General Practice, 2018, 68, e63-e72.	1.4	110
10	Symptom Signatures and Diagnostic Timeliness in Cancer Patients: A Review of Current Evidence. Neoplasia, 2018, 20, 165-174.	5.3	105
11	Improving early diagnosis of symptomatic cancer. Nature Reviews Clinical Oncology, 2016, 13, 740-749.	27.6	102
12	Age and Gender Variations in Cancer Diagnostic Intervals in 15 Cancers: Analysis of Data from the UK Clinical Practice Research Datalink. PLoS ONE, 2015, 10, e0127717.	2.5	98
13	Explaining variation in cancer survival between 11 jurisdictions in the International Cancer Benchmarking Partnership: a primary care vignette survey. BMJ Open, 2015, 5, e007212-e007212.	1.9	93
14	Typical and atypical presenting symptoms of breast cancer and their associations with diagnostic intervals: Evidence from a national audit of cancer diagnosis. Cancer Epidemiology, 2017, 48, 140-146.	1.9	92
15	Comorbid chronic diseases and cancer diagnosis: disease-specific effects and underlying mechanisms. Nature Reviews Clinical Oncology, 2019, 16, 746-761.	27.6	90
16	Evaluation of risk assessment tools for suspected cancer in general practice: a cohort study. British Journal of General Practice, 2013, 63, e30-e36.	1.4	86
17	How might healthcare systems influence speed of cancer diagnosis: A narrative review. Social Science and Medicine, 2014, 116, 56-63.	3.8	85
18	Use of the English urgent referral pathway for suspected cancer and mortality in patients with cancer: cohort study. BMJ, The, 2015, 351, h5102.	6.0	81

#	ARTICLE	IF	CITATIONS
19	Evidence of advanced stage colorectal cancer with longer diagnostic intervals: a pooled analysis of seven primary care cohorts comprising 11%720 patients in five countries. <i>British Journal of Cancer</i> , 2017, 117, 888-897.	6.4	77
20	Variation in use of the 2-week referral pathway for suspected cancer: A cross-sectional analysis. <i>British Journal of General Practice</i> , 2012, 62, e590-e597.	1.4	69
21	Symptoms and patient factors associated with longer time to diagnosis for colorectal cancer: results from a prospective cohort study. <i>British Journal of Cancer</i> , 2016, 115, 533-541.	6.4	69
22	Attitudes and beliefs of non- participants in a population- based screening programme for colorectal cancer. <i>Health Expectations</i> , 2015, 18, 1645-1657.	2.6	66
23	The role of receipt and timeliness of treatment in socioeconomic inequalities in lung cancer survival: population-based, data-linkage study. <i>Thorax</i> , 2015, 70, 138-145.	5.6	66
24	Socio-economic inequalities in stage at diagnosis, and in time intervals on the lung cancer pathway from first symptom to treatment: systematic review and meta-analysis. <i>Thorax</i> , 2017, 72, 430-436.	5.6	59
25	Understanding diagnosis of lung cancer in primary care: qualitative synthesis of significant event audit reports. <i>British Journal of General Practice</i> , 2013, 63, e37-e46.	1.4	56
26	Cancer has not gone away: A primary care perspective to support a balanced approach for timely cancer diagnosis during COVID-19. <i>European Journal of Cancer Care</i> , 2020, 29, e13290.	1.5	54
27	Rethinking patient satisfaction: patient experiences of an open access flexible sigmoidoscopy service. <i>Social Science and Medicine</i> , 2000, 50, 53-62.	3.8	53
28	Factors associated with timeliness of post-primary care referral, diagnosis and treatment for lung cancer: population-based, data-linkage study. <i>British Journal of Cancer</i> , 2014, 111, 1843-1851.	6.4	50
29	First results from five multidisciplinary diagnostic centre (MDC) projects for non-specific but concerning symptoms, possibly indicative of cancer. <i>British Journal of Cancer</i> , 2020, 123, 722-729.	6.4	41
30	The role of primary care in cancer diagnosis via emergency presentation: qualitative synthesis of significant event reports. <i>British Journal of Cancer</i> , 2015, 112, S50-S56.	6.4	38
31	Patient-derived measures of GI endoscopy: a meta-narrative review of the literature. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 1130-1140.e9.	1.0	38
32	Barrett's oesophagus trial 3 (BEST3): study protocol for a randomised controlled trial comparing the Cytosponge-TFF3 test with usual care to facilitate the diagnosis of oesophageal pre-cancer in primary care patients with chronic acid reflux. <i>BMC Cancer</i> , 2018, 18, 784.	2.6	37
33	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. <i>BMC Cancer</i> , 2019, 19, 586.	2.6	34
34	Clinical features of bowel disease in patients aged <50 years in primary care: a large case-control study. <i>British Journal of General Practice</i> , 2017, 67, e336-e344.	1.4	32
35	Exploring GPs' experiences of using diagnostic tools for cancer: a qualitative study in primary care. <i>Family Practice</i> , 2015, 32, 101-105.	1.9	28
36	Cross-sectional study using primary care and cancer registration data to investigate patients with cancer presenting with non-specific symptoms. <i>BMJ Open</i> , 2020, 10, e033008.	1.9	27

#	ARTICLE	IF	CITATIONS
37	The nature and frequency of abdominal symptoms in cancer patients and their associations with time to help-seeking: evidence from a national audit of cancer diagnosis. <i>Journal of Public Health</i> , 2018, 40, e388-e395.	1.8	26
38	The Aarhus statement on cancer diagnostic research: turning recommendations into new survey instruments. <i>BMC Health Services Research</i> , 2018, 18, 677.	2.2	26
39	The influence of health literacy on the timely diagnosis of symptomatic cancer: A systematic review. <i>European Journal of Cancer Care</i> , 2019, 28, e12920.	1.5	26
40	Understanding symptom appraisal and help-seeking in people with symptoms suggestive of pancreatic cancer: a qualitative study. <i>BMJ Open</i> , 2017, 7, e015682.	1.9	25
41	Irritable bowel syndrome: an integrated explanatory model for clinical practice. <i>Neurogastroenterology and Motility</i> , 2015, 27, 750-763.	3.0	22
42	Concerns, perceived need and competing priorities: a qualitative exploration of decision-making and non-participation in a population-based flexible sigmoidoscopy screening programme to prevent colorectal cancer. <i>BMJ Open</i> , 2016, 6, e012304.	1.9	22
43	Conceptual Framework to Guide Early Diagnosis Programs for Symptomatic Cancer as Part of Global Cancer Control. <i>JCO Global Oncology</i> , 2021, 7, 35-45.	1.8	20
44	The frequency, nature and impact of GP-assessed avoidable delays in a population-based cohort of cancer patients. <i>Cancer Epidemiology</i> , 2020, 64, 101617.	1.9	19
45	Incidentally diagnosed cancer and commonly preceding clinical scenarios: a cross-sectional descriptive analysis of English audit data. <i>BMJ Open</i> , 2019, 9, e028362.	1.9	18
46	Implementing a national flexible sigmoidoscopy screening program: results of the English early pilot. <i>Endoscopy</i> , 2015, 47, 225-231.	1.8	17
47	The role of social context in symptom appraisal and help-seeking among people with lung or colorectal symptoms: A qualitative interview study. <i>European Journal of Cancer Care</i> , 2018, 27, e12815.	1.5	17
48	For which cancers might patients benefit most from expedited symptomatic diagnosis? Construction of a ranking order by a modified Delphi technique. <i>BMC Cancer</i> , 2015, 15, 820.	2.6	16
49	Reimagining the diagnostic pathway for gastrointestinal cancer. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 181-188.	17.8	16
50	The role of patient, tumour and system factors in socioeconomic inequalities in lung cancer treatment: population-based study. <i>British Journal of Cancer</i> , 2014, 111, 608-618.	6.4	15
51	Patient symptom experience prior to a diagnosis of oesophageal or gastric cancer: a multi-methods study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101001.	1.8	15
52	Non-neoplastic findings at colonoscopy after positive faecal occult blood testing: Data from the English Bowel Cancer Screening Programme. <i>Journal of Medical Screening</i> , 2014, 21, 89-94.	2.3	13
53	Risk of Ischaemic Heart Disease in Patients with Inflammatory Bowel Disease: Cohort Study Using the General Practice Research Database. <i>PLoS ONE</i> , 2015, 10, e0139745.	2.5	13
54	Assessing the impact of an English national initiative for early cancer diagnosis in primary care. <i>British Journal of Cancer</i> , 2015, 112, S57-S64.	6.4	12

#	ARTICLE	IF	CITATIONS
55	Associations between general practice characteristics with use of urgent referrals for suspected cancer and endoscopies: a cross-sectional ecological study. <i>Family Practice</i> , 2019, 36, 573-580.	1.9	12
56	Associations between diagnostic activity and measures of patient experience in primary care: a cross-sectional ecological study of English general practices. <i>British Journal of General Practice</i> , 2018, 68, e9-e17.	1.4	10
57	The prevalence of chronic conditions in patients diagnosed with one of 29 common and rarer cancers: A cross-sectional study using primary care data. <i>Cancer Epidemiology</i> , 2020, 69, 101845.	1.9	10
58	Process evaluation of infertility management in primary care: has open access HSG been normalized?. <i>Primary Health Care Research and Development</i> , 2009, 10, 290.	1.2	9
59	Research into practice: prompt diagnosis of cancer in primary care. <i>British Journal of General Practice</i> , 2014, 64, 428-430.	1.4	9
60	Reconceptualising Rural Cancer Inequalities: Time for a New Research Agenda. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1455.	2.6	9
61	Evaluating a computer aid for assessing stomach symptoms (ECASS): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 184.	1.6	8
62	Patient-reported experiences and views on the Cytosponge test: a mixed-methods analysis from the BEST3 trial. <i>BMJ Open</i> , 2022, 12, e054258.	1.9	6
63	A model of roles and responsibilities in oral health promotion based on perspectives of a community-based initiative for pre-school children in the UK. <i>British Dental Journal</i> , 2014, 216, E11-E11.	0.6	5
64	Measuring patient experience of diagnostic care and acceptability of testing. <i>Diagnosis</i> , 2021, 8, 317-321.	1.9	5
65	Electronic clinical decision support tool for assessing stomach symptoms in primary care (ECASS): a feasibility study. <i>BMJ Open</i> , 2021, 11, e041795.	1.9	5
66	Development of an intervention to expedite cancer diagnosis through primary care: a protocol. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101595.	1.8	4
67	The researchers' role in knowledge translation: a realist evaluation of the development and implementation of diagnostic pathways for cancer in two United Kingdom localities. <i>Health Research Policy and Systems</i> , 2017, 15, 103.	2.8	3
68	High-pressure injection injuries of the fingers: Long-term follow-up in patients after extensive debridement. <i>Hand Surgery and Rehabilitation</i> , 2019, 38, 312-316.	0.4	3
69	Diagnostic errors and harms in primary care: insights to action. <i>BMJ Quality and Safety</i> , 2021, 30, bmjqs-2020-012423.	3.7	3
70	OC-070...Perceived Delay among Patients with Colorectal, Stomach and Oesophageal Cancer: Analysis of Data from a National GP Audit. <i>Gut</i> , 2013, 62, A30.2-A30.	12.1	2
71	Molten metal high pressure injection injury of the hand. <i>Hand Surgery and Rehabilitation</i> , 2020, 39, 328-331.	0.4	2
72	Usefulness of prophylactic antibiotics in preventing infection after internal fixation of closed hand fractures. <i>Hand Surgery and Rehabilitation</i> , 2021, 40, 167-170.	0.4	2

#	ARTICLE	IF	CITATIONS
73	Recruitment to a large scale randomised controlled clinical trial in primary care: the Helicobacter Eradication Aspirin Trial (HEAT). <i>Trials</i> , 2022, 23, 140.	1.6	2
74	PWE-077â€¦Pilot of flexible sigmoidoscopy screening to prevent colorectal cancer. <i>Gut</i> , 2012, 61, A328.2-A329.	12.1	1
75	Unscheduled care following attendance at Minor Illness and Injury Units (MIU): cross-sectional survey. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 100-103.	1.8	1
76	Public & private accounts of help-seeking: The implications of research methods on the presentation of narratives. <i>International Journal of Social Research Methodology: Theory and Practice</i> , 2022, 25, 483-493.	4.4	1
77	Morbidity and measures of the diagnostic process in primary care for patients subsequently diagnosed with cancer. <i>Family Practice</i> , 2022, 39, 623-632.	1.9	1
78	Authors' reply to Taylor. <i>BMJ, The</i> , 2015, 350, h433-h433.	6.0	0
79	Factors determining development of researchers within a research network on cancer diagnosis in primary care (CanTest): an interview study. <i>BMJ Open</i> , 2022, 12, e046321.	1.9	0