

Bryan R Williams

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4774509/publications.pdf>

Version: 2024-02-01

286
papers

34,617
citations

3721

89
h-index

3815

178
g-index

288
all docs

288
docs citations

288
times ranked

29135
citing authors

#	ARTICLE	IF	CITATIONS
1	HOW CELLS RESPOND TO INTERFERONS. Annual Review of Biochemistry, 1998, 67, 227-264.	5.0	3,630
2	Interferon-inducible antiviral effectors. Nature Reviews Immunology, 2008, 8, 559-568.	10.6	1,855
3	Identification of genes differentially regulated by interferon α , β , or γ using oligonucleotide arrays. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 15623-15628.	3.3	1,676
4	Activation of the interferon system by short-interfering RNAs. Nature Cell Biology, 2003, 5, 834-839.	4.6	1,354
5	Molecular cloning and characterization of the human double-stranded RNA-activated protein kinase induced by interferon. Cell, 1990, 62, 379-390.	13.5	989
6	PKR; a sentinel kinase for cellular stress. Oncogene, 1999, 18, 6112-6120.	2.6	763
7	TLR4, but not TLR2, mediates IFN- γ -induced STAT1 β -dependent gene expression in macrophages. Nature Immunology, 2002, 3, 392-398.	7.0	753
8	Apoptosis and interferons: role of interferon-stimulated genes as mediators of apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2003, 8, 237-249.	2.2	719
9	Double-stranded RNA-dependent protein kinase activates transcription factor NF-kappa B by phosphorylating I kappa B.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 6288-6292.	3.3	548
10	Inhibition of cell-free protein synthesis by pppA2 ϵ p5 ϵ A2 ϵ p5 ϵ A: a novel oligonucleotide synthesized by interferon-treated L cell extracts. Cell, 1978, 13, 565-572.	13.5	453
11	A double-stranded RNA-activated protein kinase-dependent pathway mediating stress-induced apoptosis. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 3279-3283.	3.3	380
12	JNK2 and IKK β Are Required for Activating the Innate Response to Viral Infection. Immunity, 1999, 11, 721-731.	6.6	362
13	Analysis of microRNA turnover in mammalian cells following Dicer1 ablation. Nucleic Acids Research, 2011, 39, 5692-5703.	6.5	361
14	ARED: human AU-rich element-containing mRNA database reveals an unexpectedly diverse functional repertoire of encoded proteins. Nucleic Acids Research, 2001, 29, 246-254.	6.5	352
15	NF- β Activation by Double-Stranded-RNA-Activated Protein Kinase (PKR) Is Mediated through NF- β -Inducing Kinase and I β Kinase. Molecular and Cellular Biology, 2000, 20, 1278-1290.	1.1	350
16	p38 MAP kinase is required for STAT1 serine phosphorylation and transcriptional activation induced by interferons. EMBO Journal, 1999, 18, 5601-5608.	3.5	349
17	A structural basis for discriminating between self and nonself double-stranded RNAs in mammalian cells. Nature Biotechnology, 2006, 24, 559-565.	9.4	343
18	High-density lipoprotein mediates anti-inflammatory reprogramming of macrophages via the transcriptional regulator ATF3. Nature Immunology, 2014, 15, 152-160.	7.0	337

#	ARTICLE	IF	CITATIONS
19	Deficient cytokine signaling in mouse embryo fibroblasts with a targeted deletion in the PKR gene: role of IRF-1 and NF-kappa B. <i>EMBO Journal</i> , 1997, 16, 406-416.	3.5	336
20	Activation of the mammalian immune system by siRNAs. <i>Nature Biotechnology</i> , 2005, 23, 1399-1405.	9.4	321
21	Signal Integration via PKR. <i>Science Signaling</i> , 2001, 2001, re2-re2.	1.6	318
22	Structure of the double-stranded RNA-binding domain of the protein kinase PKR reveals the molecular basis of its dsRNA-mediated activation. <i>EMBO Journal</i> , 1998, 17, 5458-5465.	3.5	298
23	ATF3 transcription factor and its emerging roles in immunity and cancer. <i>Journal of Molecular Medicine</i> , 2009, 87, 1053-1060.	1.7	295
24	ARED 3.0: the large and diverse AU-rich transcriptome. <i>Nucleic Acids Research</i> , 2006, 34, D111-D114.	6.5	293
25	Regulation of c-myc expression by IFN- β through Stat1-dependent and -independent pathways. <i>EMBO Journal</i> , 2000, 19, 263-272.	3.5	281
26	Poly(dI \cdot dC)-induced Toll-like Receptor 3 (TLR3)-mediated Activation of NF κ B and MAP Kinase Is through an Interleukin-1 Receptor-associated Kinase (IRAK)-independent Pathway Employing the Signaling Components TLR3-TRAF6-TAK1-TAB2-PKR. <i>Journal of Biological Chemistry</i> , 2003, 278, 16713-16719.	1.6	271
27	p38 Mitogen-Activated Protein Kinase-Dependent and -Independent Signaling of mRNA Stability of AU-Rich Element-Containing Transcripts. <i>Molecular and Cellular Biology</i> , 2003, 23, 425-436.	1.1	269
28	Natural occurrence of 2-5A in interferon-treated EMC virus-infected L cells. <i>Nature</i> , 1979, 282, 582-586.	13.7	265
29	Alphavirus-based DNA vaccine breaks immunological tolerance by activating innate antiviral pathways. <i>Nature Medicine</i> , 2003, 9, 33-39.	15.2	260
30	The protein kinase PKR is required for p38 MAPK activation and the innate immune response to bacterial endotoxin. <i>EMBO Journal</i> , 2000, 19, 4292-4297.	3.5	257
31	Blockage of NF-kappa B signaling by selective ablation of an mRNA target by 2-5A antisense chimeras. <i>Science</i> , 1994, 265, 789-792.	6.0	241
32	Constitutive expression of human double-stranded RNA-activated p68 kinase in murine cells mediates phosphorylation of eukaryotic initiation factor 2 and partial resistance to encephalomyocarditis virus growth. <i>Journal of Virology</i> , 1992, 66, 5805-5814.	1.5	232
33	Interferon Action in Triply Deficient Mice Reveals the Existence of Alternative Antiviral Pathways. <i>Virology</i> , 1999, 258, 435-440.	1.1	230
34	Specific phenotypic restoration of an attenuated virus by knockout of a host resistance gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 6097-6101.	3.3	224
35	Viral apoptosis is induced by IRF-3-mediated activation of Bax. <i>EMBO Journal</i> , 2010, 29, 1762-1773.	3.5	224
36	PKR and RNase L Contribute to Protection against Lethal West Nile Virus Infection by Controlling Early Viral Spread in the Periphery and Replication in Neurons. <i>Journal of Virology</i> , 2006, 80, 7009-7019.	1.5	220

#	ARTICLE	IF	CITATIONS
37	The response of mammalian cells to double-stranded RNA. Cytokine and Growth Factor Reviews, 2007, 18, 363-371.	3.2	217
38	Inhibition of protein synthesis by 2'5' linked adenine oligonucleotides in intact cells. Nature, 1978, 276, 88-90.	13.7	203
39	Potential Alu Function: Regulation of the Activity of Double-Stranded RNA-Activated Kinase PKR. Molecular and Cellular Biology, 1998, 18, 58-68.	1.1	194
40	Induction of interferon-stimulated gene expression and antiviral responses require protein deacetylase activity. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 9578-9583.	3.3	194
41	Activation of p38 Mitogen-Activated Protein Kinase and c-Jun NH 2 -Terminal Kinase by Double-Stranded RNA and Encephalomyocarditis Virus: Involvement of RNase L, Protein Kinase R, and Alternative Pathways. Molecular and Cellular Biology, 2000, 20, 617-627.	1.1	193
42	Negative Regulation of TLR-Signaling Pathways by Activating Transcription Factor-3. Journal of Immunology, 2007, 179, 3622-3630.	0.4	189
43	ISG20, a New Interferon-induced RNase Specific for Single-stranded RNA, Defines an Alternative Antiviral Pathway against RNA Genomic Viruses. Journal of Biological Chemistry, 2003, 278, 16151-16158.	1.6	188
44	Transcriptional regulation of interferon-stimulated genes. FEBS Journal, 1991, 200, 1-11.	0.2	181
45	Identification of double-stranded RNA-binding domains in the interferon-induced double-stranded RNA-activated p68 kinase.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 5447-5451.	3.3	178
46	A miR-19 regulon that controls NF- κ B signaling. Nucleic Acids Research, 2012, 40, 8048-8058.	6.5	167
47	Synergistic Activation of Innate Immunity by Double-Stranded RNA and CpG DNA Promotes Enhanced Antitumor Activity. Cancer Research, 2004, 64, 5850-5860.	0.4	166
48	Blockade of Interferon Induction and Action by the E3L Double-Stranded RNA Binding Proteins of Vaccinia Virus. Journal of Virology, 2002, 76, 5251-5259.	1.5	162
49	Interferon gamma and interleukin 4 stimulate prolonged expression of inducible nitric oxide synthase in human airway epithelium through synthesis of soluble mediators.. Journal of Clinical Investigation, 1997, 100, 829-838.	3.9	161
50	Tissue, developmental, and tumor-specific expression of divergent transcripts in Wilms tumor. Science, 1990, 250, 991-994.	6.0	160
51	Early Immune Response in Healthy and Immunocompromised Subjects with Primary Varicella-Zoster Virus Infection. Journal of Infectious Diseases, 1986, 154, 422-429.	1.9	158
52	Protein-tyrosine Phosphatase Shp-1 Is a Negative Regulator of IL-4- and IL-13-dependent Signal Transduction. Journal of Biological Chemistry, 1998, 273, 33893-33896.	1.6	158
53	Role of the double-stranded RNA-activated protein kinase (PKR) in cell regulation. Biochemical Society Transactions, 1997, 25, 509-513.	1.6	157
54	HIV-1 Tat Directly Interacts with the Interferon-Induced, Double-Stranded RNA-Dependent Kinase, PKR. Virology, 1995, 213, 413-424.	1.1	156

#	ARTICLE	IF	CITATIONS
55	Signal transduction by interferon-alpha through arachidonic acid metabolism. <i>Science</i> , 1991, 251, 204-207.	6.0	154
56	HIV-1 TAR RNA Has an Intrinsic Ability to Activate Interferon-Inducible Enzymes. <i>Virology</i> , 1994, 204, 823-827.	1.1	154
57	The interferon-inducible double-stranded RNA-activated protein kinase self-associates in vitro and in vivo.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 8283-8287.	3.3	151
58	A dynamically tuned double-stranded RNA binding mechanism for the activation of antiviral kinase PKR. <i>EMBO Journal</i> , 2000, 19, 5567-5574.	3.5	151
59	ARED 2.0: an update of AU-rich element mRNA database. <i>Nucleic Acids Research</i> , 2003, 31, 421-423.	6.5	149
60	TLR7 Is Involved in Sequence-Specific Sensing of Single-Stranded RNAs in Human Macrophages. <i>Journal of Immunology</i> , 2008, 180, 2117-2124.	0.4	145
61	Synthesis and Breakdown of pppA2'p5'A2'p5'A and Transient Inhibition of Protein Synthesis in Extracts from Interferon-Treated and Control Cells. <i>FEBS Journal</i> , 1978, 92, 455-462.	0.2	141
62	Wilms tumor locus on 11p13 defined by multiple CpG island-associated transcripts. <i>Science</i> , 1990, 250, 994-997.	6.0	138
63	Tumor Cell Response to Synchrotron Microbeam Radiation Therapy Differs Markedly From Cells in Normal Tissues. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 886-894.	0.4	136
64	RNA interference in biology and disease. <i>Blood</i> , 2005, 106, 787-794.	0.6	135
65	Constitutive Expression of a 2â€²,5â€²-Oligoadenylate Synthetase cDNA Results in Increased Antiviral Activity and Growth Suppression. <i>Journal of Interferon Research</i> , 1989, 9, 649-657.	1.2	134
66	A systematic search for downstream mediators of tumor suppressor function of p53 reveals a major role of BTG2 in suppression of Ras-induced transformation. <i>Genes and Development</i> , 2006, 20, 236-252.	2.7	120
67	The B56Î± Regulatory Subunit of Protein Phosphatase 2A Is a Target for Regulation by Double-Stranded RNA-Dependent Protein Kinase PKR. <i>Molecular and Cellular Biology</i> , 2000, 20, 5285-5299.	1.1	119
68	Impaired Innate Host Defense Causes Susceptibility to Respiratory Virus Infections in Cystic Fibrosis. <i>Immunity</i> , 2003, 18, 619-630.	6.6	119
69	PKR-Dependent and -Independent Mechanisms Are Involved in Translational Shutoff during Sindbis Virus Infection. <i>Journal of Virology</i> , 2004, 78, 8455-8467.	1.5	119
70	DRBP76, a Double-stranded RNA-binding Nuclear Protein, Is Phosphorylated by the Interferon-induced Protein Kinase, PKR. <i>Journal of Biological Chemistry</i> , 1999, 274, 20432-20437.	1.6	116
71	Characterization of the Solution Complex between the Interferon-induced, Double-stranded RNA-activated Protein Kinase and HIV-I Trans-activating Region RNA. <i>Journal of Biological Chemistry</i> , 1997, 272, 9510-9516.	1.6	115
72	ATF3 Suppresses Metastasis of Bladder Cancer by Regulating Gelsolin-Mediated Remodeling of the Actin Cytoskeleton. <i>Cancer Research</i> , 2013, 73, 3625-3637.	0.4	114

#	ARTICLE	IF	CITATIONS
73	Interferon-Regulated Pathways That Control Hepatitis B Virus Replication in Transgenic Mice. <i>Journal of Virology</i> , 2002, 76, 2617-2621.	1.5	112
74	Novel Growth and Death Related Interferon-Stimulated Genes (ISGs) in Melanoma: Greater Potency of IFN- β Compared with IFN- α 2. <i>Journal of Interferon and Cytokine Research</i> , 2003, 23, 745-756.	0.5	111
75	RNA-Dependent Protein Kinase PKR Is Required for Activation of NF- κ B by IFN- β in a STAT1-Independent Pathway. <i>Journal of Immunology</i> , 2001, 166, 6170-6180.	0.4	110
76	Heterogeneity in Control of mRNA Stability by AU-rich Elements. <i>Journal of Biological Chemistry</i> , 2003, 278, 12085-12093.	1.6	110
77	Activation of a nuclease by pppA α p5 β A α p5 β A in intact cells. <i>FEBS Letters</i> , 1979, 105, 47-52.	1.3	109
78	Phospholipid Scramblase 1 Potentiates the Antiviral Activity of Interferon. <i>Journal of Virology</i> , 2004, 78, 8983-8993.	1.5	107
79	Molecular characterization of cytogenetic alterations associated with the Beckwith-Wiedemann syndrome (BWS) phenotype refines the localization and suggests the gene for BWS is imprinted. <i>Human Molecular Genetics</i> , 1993, 2, 549-556.	1.4	104
80	Fine tuning type I interferon responses. <i>Cytokine and Growth Factor Reviews</i> , 2013, 24, 217-225.	3.2	103
81	RNA interference and double-stranded-RNA-activated pathways. <i>Biochemical Society Transactions</i> , 2004, 32, 952-956.	1.6	102
82	A transcriptional signaling pathway in the IFN system mediated by 2'-5'-oligoadenylate activation of RNase L. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 14533-14538.	3.3	99
83	Fine-tuning of the innate immune response by microRNAs. <i>Immunology and Cell Biology</i> , 2007, 85, 458-462.	1.0	99
84	Type I Interferon Induction Pathway, but Not Released Interferon, Participates in the Maturation of Dendritic Cells Induced by Negative-strand RNA Viruses. <i>Journal of Infectious Diseases</i> , 2003, 187, 1126-1136.	1.9	98
85	The Role of Ets2 Transcription Factor in the Induction of MicroRNA-155 (miR-155) by Lipopolysaccharide and Its Targeting by Interleukin-10. <i>Journal of Biological Chemistry</i> , 2014, 289, 4316-4325.	1.6	98
86	Protein Kinase R (PKR) Interacts with and Activates Mitogen-activated Protein Kinase Kinase 6 (MKK6) in Response to Double-stranded RNA Stimulation. <i>Journal of Biological Chemistry</i> , 2004, 279, 37670-37676.	1.6	97
87	Analysis of Genes Induced by Sendai Virus Infection of Mutant Cell Lines Reveals Essential Roles of Interferon Regulatory Factor 3, NF- κ B, and Interferon but Not Toll-Like Receptor 3. <i>Journal of Virology</i> , 2005, 79, 3920-3929.	1.5	97
88	Functional Replacement of the Carboxy-Terminal Two-Thirds of the Influenza A Virus NS1 Protein with Short Heterologous Dimerization Domains. <i>Journal of Virology</i> , 2002, 76, 12951-12962.	1.5	94
89	The Promyelocytic Leukemia Zinc Finger Protein: Two Decades of Molecular Oncology. <i>Frontiers in Oncology</i> , 2012, 2, 74.	1.3	93
90	Roles of Protein-tyrosine Phosphatases in Stat1-mediated Cell Signaling. <i>Journal of Biological Chemistry</i> , 1995, 270, 25709-25714.	1.6	92

#	ARTICLE	IF	CITATIONS
91	Quercetin Ingestion Does Not Alter Cytokine Changes in Athletes Competing in the Western States Endurance Run. <i>Journal of Interferon and Cytokine Research</i> , 2007, 27, 1003-1012.	0.5	92
92	Central Role of Double-Stranded RNA-Activated Protein Kinase in Microbial Induction of Nitric Oxide Synthase. <i>Journal of Immunology</i> , 2000, 165, 988-996.	0.4	91
93	RNase L and Double-Stranded RNA-Dependent Protein Kinase Exert Complementary Roles in Islet Cell Defense during Coxsackievirus Infection. <i>Journal of Immunology</i> , 2005, 174, 1171-1177.	0.4	91
94	Replication of Hepatitis C Virus (HCV) RNA in Mouse Embryonic Fibroblasts: Protein Kinase R (PKR)-Dependent and PKR-Independent Mechanisms for Controlling HCV RNA Replication and Mediating Interferon Activities. <i>Journal of Virology</i> , 2006, 80, 7364-7374.	1.5	91
95	Promyelocytic Leukemia Zinc Finger Protein Regulates Interferon-Mediated Innate Immunity. <i>Immunity</i> , 2009, 30, 802-816.	6.6	88
96	Role for the Wilms tumor gene in genital development?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 5383-5386.	3.3	86
97	Interferons induce an antiviral state in human pancreatic islet cells. <i>Virology</i> , 2007, 367, 92-101.	1.1	85
98	Endogenous adjuvant activity of the RNA components of lupus autoantigens Sm/RNP and Ro 60. <i>Arthritis and Rheumatism</i> , 2006, 54, 1557-1567.	6.7	82
99	HIV-1 TAT Inhibits PKR Activity by Both RNA-Dependent and RNA-Independent Mechanisms. <i>Archives of Biochemistry and Biophysics</i> , 2000, 373, 361-367.	1.4	80
100	Developmental expression of the endogenous TIMP gene and a TIMP-lacZ fusion gene in transgenic mice.. <i>Genes and Development</i> , 1990, 4, 1094-1106.	2.7	79
101	Mutational Analysis of the Double-stranded RNA (dsRNA) Binding Domain of the dsRNA-activated Protein Kinase, PKR. <i>Journal of Biological Chemistry</i> , 1995, 270, 2601-2606.	1.6	77
102	Type I Interferon Inhibits Antibody Responses Induced by a Chimpanzee Adenovirus Vector. <i>Molecular Therapy</i> , 2007, 15, 393-403.	3.7	76
103	Mitochondrial arginase-2 is essential for IL-10 metabolic reprogramming of inflammatory macrophages. <i>Nature Communications</i> , 2021, 12, 1460.	5.8	74
104	The role of the dsRNA-activated kinase, PKR, in signal transduction. <i>Seminars in Virology</i> , 1995, 6, 191-202.	4.1	73
105	A non-canonical function of Ezh2 preserves immune homeostasis. <i>EMBO Reports</i> , 2017, 18, 619-631.	2.0	73
106	Homozygous somatic Wt1 point mutations in sporadic unilateral Wilms tumor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 1416-1419.	3.3	72
107	Telomerase Deficiency Causes Alveolar Stem Cell Senescence-associated Low-grade Inflammation in Lungs. <i>Journal of Biological Chemistry</i> , 2015, 290, 30813-30829.	1.6	72
108	Loss of heterozygosity mapping in Wilms tumor indicates the involvement of three distinct regions and a limited role for nondisjunction or mitotic recombination. <i>Genes Chromosomes and Cancer</i> , 1992, 5, 326-334.	1.5	67

#	ARTICLE	IF	CITATIONS
109	p53, bcl-2, and Bax Expression in Renal Cell Carcinoma. <i>Urology</i> , 1998, 51, 1057-1061.	0.5	67
110	Genetic modulation of TLR8 response following bacterial phagocytosis. <i>Human Mutation</i> , 2010, 31, 1069-1079.	1.1	67
111	Rational Design of Immunostimulatory siRNAs. <i>Molecular Therapy</i> , 2010, 18, 785-795.	3.7	66
112	Regulation of interferon receptor expression in human blood lymphocytes in vitro and during interferon therapy. <i>Journal of Clinical Investigation</i> , 1986, 77, 1632-1638.	3.9	66
113	Cell cycle regulation of the double stranded RNA activated protein kinase, PKR. <i>Oncogene</i> , 1999, 18, 315-326.	2.6	65
114	Protein kinase PKR is required for platelet-derived growth factor signaling of c-fos gene expression via Erks and Stat3. <i>EMBO Journal</i> , 2001, 20, 2487-2496.	3.5	65
115	Involvement of the Interferon-Regulated Antiviral Proteins PKR and RNase L in Reovirus-Induced Shutoff of Cellular Translation. <i>Journal of Virology</i> , 2005, 79, 2240-2250.	1.5	65
116	Distinct roles of protein kinase R and toll-like receptor 3 in the activation of astrocytes by viral stimuli. <i>Glia</i> , 2007, 55, 239-252.	2.5	65
117	Differential Effect of Murine Alpha/Beta Interferon Transgenes on Antagonization of Herpes Simplex Virus Type 1 Replication. <i>Journal of Virology</i> , 2002, 76, 6558-6567.	1.5	64
118	Receptor-associated constitutive protein tyrosine phosphatase activity controls the kinase function of JAK1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 8563-8568.	3.3	63
119	Two distinct tumor suppressor loci within chromosome 11p15 implicated in breast cancer progression and metastasis. <i>Human Molecular Genetics</i> , 1998, 7, 895-903.	1.4	62
120	Human Immunodeficiency Virus-1/Surface Glycoprotein 120 Induces Apoptosis through RNA-Activated Protein Kinase Signaling in Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 11047-11055.	1.7	62
121	Tissue-Specific and Inducer-Specific Differential Induction of ISG56 and ISG54 in Mice. <i>Journal of Virology</i> , 2007, 81, 8656-8665.	1.5	62
122	The acetyltransferase HAT1 moderates the NF- κ B response by regulating the transcription factor PLZF. <i>Nature Communications</i> , 2015, 6, 6795.	5.8	62
123	The Interferon-Induced Double-Stranded RNA-Activated Human p68 Protein Kinase Potently Inhibits Protein Synthesis in Cultured Cells. <i>Virology</i> , 1993, 192, 380-385.	1.1	61
124	Involvement of Double-stranded RNA-activated Protein Kinase in the Synergistic Activation of Nuclear Factor- κ B by Tumor Necrosis Factor- α and β -Interferon in Preneuronal Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 4801-4806.	1.6	61
125	Effect of Deficiency of the Double-Stranded RNA-Dependent Protein Kinase, PKR, on Antiviral Resistance in the Presence or Absence of Ribonuclease L: HSV-1 Replication Is Particularly Sensitive to Deficiency of the Major IFN-Mediated Enzymes. <i>Journal of Interferon and Cytokine Research</i> , 2000, 20, 653-659.	0.5	61
126	Identification of Critical Residues Required for Suppressor of Cytokine Signaling-specific Regulation of Interleukin-4 Signaling. <i>Journal of Biological Chemistry</i> , 2000, 275, 26500-26506.	1.6	61

#	ARTICLE	IF	CITATIONS
127	Constitutive expression of the Wilms tumor suppressor gene (WT1) in renal cell carcinoma. , 1998, 78, 182-188.		60
128	Lysophosphatidic acid downregulates tissue inhibitor of metalloproteinases, which are negatively involved in lysophosphatidic acid-induced cell invasion. <i>Oncogene</i> , 2007, 26, 2894-2901.	2.6	60
129	Derivation and characterization of a Wilms' tumour cell line, WiT 49. <i>International Journal of Cancer</i> , 2003, 107, 365-374.	2.3	59
130	Different modes of interaction by TIAR and HuR with target RNA and DNA. <i>Nucleic Acids Research</i> , 2011, 39, 1117-1130.	6.5	59
131	Identification of a histone family gene signature for predicting the prognosis of cervical cancer patients. <i>Scientific Reports</i> , 2017, 7, 16495.	1.6	58
132	The respective roles of the protein kinase and pppA2â€² p5â€² A2â€² p5â€² A-activated endonuclease in the inhibition of protein synthesis by double stranded RNA in rabbit reticulocyte lysates. <i>Nucleic Acids Research</i> , 1979, 6, 1335-1350.	6.5	57
133	Differential binding of human interferon-Î± subtypes to receptors on lymphoblastoid cells. <i>Biochemical and Biophysical Research Communications</i> , 1983, 110, 537-544.	1.0	57
134	Patterns of coordinate down-regulation of ARE-containing transcripts following immune cell activation. <i>Genomics</i> , 2004, 84, 1002-1013.	1.3	57
135	Down-Regulation of p53 by Double-Stranded RNA Modulates the Antiviral Response. <i>Journal of Virology</i> , 2005, 79, 11105-11114.	1.5	57
136	The 2â€²5A (pppA2â€² p5â€² A2â€² p5â€² A) system in interferon-treated and control cells. <i>Trends in Biochemical Sciences</i> , 1980, 5, 138-140.	3.7	56
137	X chromosome inactivation of the human TIMP gene. <i>Nucleic Acids Research</i> , 1990, 18, 4191-4195.	6.5	56
138	A Gene Expression Signature for Relapse of Primary Wilms Tumors. <i>Cancer Research</i> , 2005, 65, 2592-2601.	0.4	56
139	The p59 oligoadenylate synthetase-like protein possesses antiviral activity that requires the C-terminal ubiquitin-like domain. <i>Journal of General Virology</i> , 2008, 89, 2767-2772.	1.3	56
140	An Antiviral Response Directed by PKR Phosphorylation of the RNA Helicase A. <i>PLoS Pathogens</i> , 2009, 5, e1000311.	2.1	54
141	Regulation of Actin Dynamics by Protein Kinase R Control of Gelsolin Enforces Basal Innate Immune Defense. <i>Immunity</i> , 2012, 36, 795-806.	6.6	54
142	BTB-ZF transcriptional regulator PLZF modifies chromatin to restrain inflammatory signaling programs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1535-1540.	3.3	54
143	The antiviral enzymes PKR and RNase L suppress gene expression from viral and non-viral based vectors. <i>Nucleic Acids Research</i> , 1999, 27, 4369-4375.	6.5	52
144	RNase L Mediates Transient Control of the Interferon Response through Modulation of the Double-stranded RNA-dependent Protein Kinase PKR. <i>Journal of Biological Chemistry</i> , 2003, 278, 20124-20132.	1.6	52

#	ARTICLE	IF	CITATIONS
145	The use of miRNA microarrays for the analysis of cancer samples with global miRNA decrease. <i>Rna</i> , 2013, 19, 876-888.	1.6	52
146	Molecular cloning of partial cDNA copies of two distinct mouse IFN- β mRNAs. <i>Nucleic Acids Research</i> , 1982, 10, 3069-3084.	6.5	50
147	The murine double-stranded RNA-dependent protein kinase PKR and the murine 2',5'-oligoadenylate synthetase-dependent RNase L are required for IFN- β -mediated resistance against herpes simplex virus type 1 in primary trigeminal ganglion culture. <i>Virology</i> , 2003, 313, 126-135.	1.1	50
148	Determinants of Cytokine Induction by Small Interfering RNA in Human Peripheral Blood Mononuclear Cells. <i>Journal of Interferon and Cytokine Research</i> , 2008, 28, 221-233.	0.5	50
149	Interferon-Stimulated Genes and Their Protein Products: What and How?. <i>Journal of Interferon and Cytokine Research</i> , 2011, 31, 1-4.	0.5	50
150	Integrin-linked Kinase Modulates Lipopolysaccharide- and Helicobacter pylori-induced Nuclear Factor κ B-activated Tumor Necrosis Factor- α Production via Regulation of p65 Serine 536 Phosphorylation. <i>Journal of Biological Chemistry</i> , 2014, 289, 27776-27793.	1.6	50
151	The kinase activity of PKR represses inflammasome activity. <i>Cell Research</i> , 2016, 26, 367-379.	5.7	49
152	Transcriptional Activation of Inflammatory Genes: Mechanistic Insight into Selectivity and Diversity. <i>Biomolecules</i> , 2015, 5, 3087-3111.	1.8	46
153	ATF3 Repression of BCL-XL Determines Apoptotic Sensitivity to HDAC Inhibitors across Tumor Types. <i>Clinical Cancer Research</i> , 2017, 23, 5573-5584.	3.2	46
154	PKR: Proposed Nomenclature for the RNA-Dependent Protein Kinase Induced by Interferon. <i>Journal of Interferon Research</i> , 1993, 13, 241-241.	1.2	45
155	Direct pulsed field gel electrophoresis of Wilms' tumors shows that dna deletions in 11 p 13 are rare. <i>Genes Chromosomes and Cancer</i> , 1991, 3, 89-100.	1.5	44
156	Novel interferon- β -induced gene expression in peripheral blood cells. <i>Journal of Leukocyte Biology</i> , 2007, 82, 1353-1360.	1.5	44
157	siRNA-induced immunostimulation through TLR7 promotes antitumoral activity against HPV-driven tumors in vivo. <i>Immunology and Cell Biology</i> , 2012, 90, 187-196.	1.0	44
158	Efficient suppression of secretory clusterin levels by polymer-siRNA nanocomplexes enhances ionizing radiation lethality in human MCF-7 breast cancer cells in vitro. <i>International Journal of Nanomedicine</i> , 2006, 1, 155-162.	3.3	44
159	Transcript profiling of Wilms tumors reveals connections to kidney morphogenesis and expression patterns associated with anaplasia. <i>Oncogene</i> , 2005, 24, 457-468.	2.6	43
160	Cellular Retinoic Acid-Binding Protein II Is a Direct Transcriptional Target of MycN in Neuroblastoma. <i>Cancer Research</i> , 2006, 66, 8100-8108.	0.4	43
161	Elevated Levels of Interferon-Induced 2'-5' Oligoadenylate Synthetase in Generalized Persistent Lymphadenopathy and the Acquired Immunodeficiency Syndrome. <i>Journal of Infectious Diseases</i> , 1985, 152, 466-472.	1.9	42
162	Loss of heterozygosity at chromosome 11p15 in Wilms tumors: identification of two independent regions. <i>Oncogene</i> , 1998, 17, 237-240.	2.6	41

#	ARTICLE	IF	CITATIONS
163	Detection of foreign RNA: Implications for RNAi. <i>Immunology and Cell Biology</i> , 2005, 83, 224-228.	1.0	41
164	Protein Kinase R and the Inflammasome. <i>Journal of Interferon and Cytokine Research</i> , 2014, 34, 447-454.	0.5	41
165	Downregulation of interferon alpha but not gamma receptor expression in vivo in the acquired immunodeficiency syndrome.. <i>Journal of Clinical Investigation</i> , 1988, 82, 1415-1421.	3.9	41
166	The murine 2-5A synthetase locus: three distinct transcripts from two linked genes. <i>Nucleic Acids Research</i> , 1991, 19, 1917-1924.	6.5	39
167	Alphavirus Minus-Strand Synthesis and Persistence in Mouse Embryo Fibroblasts Derived from Mice Lacking RNase L and Protein Kinase R. <i>Journal of Virology</i> , 2003, 77, 1801-1811.	1.5	39
168	Sequence-dependent off-target inhibition of TLR7/8 sensing by synthetic microRNA inhibitors. <i>Nucleic Acids Research</i> , 2015, 43, 1177-1188.	6.5	39
169	Human Toll-Like Receptor 8 Can Be Cool Too: Implications for Foreign RNA Sensing. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 350-361.	0.5	38
170	HDACi: molecular mechanisms and therapeutic implications in the innate immune system. <i>Immunology and Cell Biology</i> , 2012, 90, 23-32.	1.0	38
171	Identification of Connective Tissue Growth Factor as a Target of WT1 Transcriptional Regulation. <i>Journal of Biological Chemistry</i> , 2000, 275, 38139-38150.	1.6	36
172	The Wilms Tumor Suppressor-1 Target Gene Podocalyxin Is Transcriptionally Repressed by p53. <i>Journal of Biological Chemistry</i> , 2004, 279, 33575-33585.	1.6	36
173	Reduced expression of autotaxin predicts survival in uveal melanoma. <i>British Journal of Ophthalmology</i> , 2007, 91, 1385-1392.	2.1	36
174	Activation of cGAS-dependent antiviral responses by DNA intercalating agents. <i>Nucleic Acids Research</i> , 2017, 45, 198-205.	6.5	36
175	Expressed Gene Clusters Associated with Cellular Sensitivity and Resistance Towards Anti-viral and Anti-proliferative Actions of Interferon. <i>Journal of Molecular Biology</i> , 2004, 342, 833-846.	2.0	35
176	Cystic Fibrosis and Normal Human Airway Epithelial Cell Response to Influenza A Viral Infection.. <i>Journal of Interferon and Cytokine Research</i> , 2006, 26, 609-627.	0.5	35
177	Role of PKR and Type I IFNs in Viral Control during Primary and Secondary Infection. <i>PLoS Pathogens</i> , 2010, 6, e1000966.	2.1	35
178	Definition of the limits of the Wilms tumor locus on human chromosome 11p13. <i>Genomics</i> , 1990, 6, 309-315.	1.3	34
179	Protein Kinase R-dependent Regulation of Interleukin-10 in Response to Double-stranded RNA. <i>Journal of Biological Chemistry</i> , 2008, 283, 25132-25139.	1.6	34
180	Specific Binding of the ETS-Domain Protein to the Interferon-Stimulated Response Element. <i>Journal of Interferon and Cytokine Research</i> , 1997, 17, 1-10.	0.5	33

#	ARTICLE	IF	CITATIONS
181	Subcellular localization of the von Hippel-Lindau disease gene product is cell cycle-dependent. , 1998, 78, 62-69.		33
182	Expression of IFITM1 in chronic myeloid leukemia patients. <i>Leukemia Research</i> , 2005, 29, 283-286.	0.4	33
183	The Role of PACT in Mediating Gene Induction, PKR Activation, and Apoptosis in Response to Diverse Stimuli. <i>Journal of Interferon and Cytokine Research</i> , 2008, 28, 469-476.	0.5	33
184	Limited role of N-terminal phosphoserine residues in the activation of transcription by p53. <i>Oncogene</i> , 2004, 23, 4477-4487.	2.6	32
185	Interferon-induced 2-5A synthetase activity in human peripheral blood mononuclear cells after immunization with influenza virus and rubella virus vaccines. <i>Journal of Virology</i> , 1984, 49, 748-753.	1.5	30
186	Mutations in the Double-stranded RNA-activated Protein Kinase Insert Region That Uncouple Catalysis from eIF2 γ Binding. <i>Journal of Biological Chemistry</i> , 1998, 273, 11274-11280.	1.6	29
187	Characterization of the Gene Encoding the 100-kDa Form of Human 2 β ,5 β Oligoadenylate Synthetase. <i>Genomics</i> , 2000, 70, 232-240.	1.3	29
188	Salicylates Trigger Protein Synthesis Inhibition in a Protein Kinase R-like Endoplasmic Reticulum Kinase-dependent Manner. <i>Journal of Biological Chemistry</i> , 2007, 282, 10164-10171.	1.6	29
189	Review of Recent Developments in the Molecular Characterization of Recombinant Alfa Interferons on the 40th Anniversary of the Discovery of Interferon. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 1998, 13, 143-154.	0.7	28
190	Translational control perks up. <i>Nature</i> , 1999, 397, 209-211.	13.7	28
191	AU-rich transient response transcripts in the human genome: expressed sequence tag clustering and gene discovery approach. <i>Genomics</i> , 2005, 85, 165-175.	1.3	28
192	Topoisomerase 1 Inhibition Promotes Cyclic GMP-AMP Synthase-Dependent Antiviral Responses. <i>MBio</i> , 2017, 8, .	1.8	28
193	Solid phase radioimmunoassays using labelled antibodies: A conceptual framework for designing assays. <i>Journal of Immunological Methods</i> , 1977, 14, 73-84.	0.6	27
194	Differential human interferon alpha receptor expression on proliferating and non-proliferating cells. <i>FEBS Journal</i> , 1986, 157, 187-193.	0.2	27
195	Microsatellite instability at a single locus (D11S988) on chromosome 11p15.5 as a late event in mammary tumorigenesis. <i>Human Molecular Genetics</i> , 1995, 4, 1889-1894.	1.4	27
196	Induction of E-Selectin Expression by Double-Stranded RNA and TNF- α Is Attenuated in Murine Aortic Endothelial Cells Derived from Double-Stranded RNA-Activated Kinase (PKR)-Null Mice. <i>Journal of Immunology</i> , 2000, 164, 2077-2083.	0.4	27
197	X4 and R5 HIV-1 Have Distinct Post-entry Requirements for Uracil DNA Glycosylase during Infection of Primary Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 18603-18614.	1.6	27
198	Inosine-Mediated Modulation of RNA Sensing by Toll-Like Receptor 7 (TLR7) and TLR8. <i>Journal of Virology</i> , 2014, 88, 799-810.	1.5	27

#	ARTICLE	IF	CITATIONS
199	Regulation of CRABP-II expression by MycN in Wilms tumor. <i>Experimental Cell Research</i> , 2008, 314, 3663-3668.	1.2	26
200	Understanding immune phenotypes in human gastric disease tissues by multiplexed immunohistochemistry. <i>Journal of Translational Medicine</i> , 2017, 15, 206.	1.8	26
201	Interferon-regulated human 2'5A synthetase gene maps to chromosome 12. <i>Somatic Cell and Molecular Genetics</i> , 1986, 12, 403-408.	0.7	25
202	Constitutional and somatic deletions of two different regions of maternal chromosome 11 in Wilms tumor. <i>Genomics</i> , 1990, 7, 434-438.	1.3	25
203	Negative Regulation of CD8+ T Cell Function by the IFN-Induced and Double-Stranded RNA-Activated Kinase PKR. <i>Journal of Immunology</i> , 2000, 165, 6896-6901.	0.4	25
204	Differential Expression in Clear Cell Renal Cell Carcinoma Identified by Gene Expression Profiling. <i>Journal of Urology</i> , 2009, 181, 849-860.	0.2	25
205	Molecular cloning of cDNAs from androgen-independent mRNA species of DBA/2 mouse sub-maxillary glands. <i>Nucleic Acids Research</i> , 1984, 12, 1361-1376.	6.5	24
206	Localization of the Human Interferon-Induced, ds-RNA Activated p68 Kinase Gene (PRKR) to Chromosome 2p21-p22. <i>Genomics</i> , 1993, 16, 768-770.	1.3	24
207	The innate immune receptor MDA5 limits rotavirus infection but promotes cell death and pancreatic inflammation. <i>EMBO Journal</i> , 2017, 36, 2742-2757.	3.5	24
208	Expression and localization of HGF and met in Wilms' tumours. <i>Journal of Pathology</i> , 2002, 196, 76-84.	2.1	23
209	Distinctive Roles for 2'5' Oligoadenylate Synthetases and Double-Stranded RNA-Dependent Protein Kinase R in the In Vivo Antiviral Effect of an Adenoviral Vector Expressing Murine IFN- β . <i>Journal of Immunology</i> , 2004, 172, 5638-5647.	0.4	23
210	Conformational rearrangements of RIG-I receptor on formation of a multiprotein:dsRNA assembly. <i>Nucleic Acids Research</i> , 2013, 41, 3436-3445.	6.5	23
211	The distal region of 11p13 and associated genetic diseases. <i>Genomics</i> , 1991, 11, 284-293.	1.3	22
212	Regulation of Tumor Necrosis Factor Receptor Expression by Acid-Labile Interferon- β from AIDS Sera. <i>AIDS Research and Human Retroviruses</i> , 1991, 7, 545-552.	0.5	22
213	Differential expression of E-cadherin and β catenin in primary and metastatic Wilms's tumours. <i>Journal of Clinical Pathology</i> , 2003, 56, 218-225.	2.1	22
214	Dynamic Flexibility of Double-stranded RNA Activated PKR in Solution. <i>Journal of Molecular Biology</i> , 2006, 359, 610-623.	2.0	21
215	Signal Transduction and Transcriptional Regulation of Interferon- β -Stimulated Genes. <i>Journal of Interferon Research</i> , 1991, 11, 207-213.	1.2	20
216	IL-10 regulates <i>Aicda</i> expression through miR-155. <i>Journal of Leukocyte Biology</i> , 2015, 97, 71-78.	1.5	20

#	ARTICLE	IF	CITATIONS
217	Molecular characterization of Beckwith-Wiedemann syndrome (BWS) patients with partial duplication of chromosome 11p excludes the gene MYOD1 from the BWS region. <i>Genomics</i> , 1990, 8, 693-698.	1.3	19
218	Human PKR Transfected into Murine Cells Stimulates Expression of Genes under Control of the HIV1 or HTLV-I LTR. <i>Virology</i> , 1995, 214, 653-659.	1.1	19
219	C114 Is a Novel IL-11-inducible Nuclear Double-stranded RNA-binding Protein That Inhibits Protein Kinase R. <i>Journal of Biological Chemistry</i> , 2003, 278, 22838-22845.	1.6	19
220	Stability of CXCL8 and Related AU-rich mRNAs in the Context of Hepatitis C Virus Replication In Vitro. <i>Journal of Infectious Diseases</i> , 2006, 193, 802-811.	1.9	19
221	Modified vaccinia virus Ankara can activate NF- κ B transcription factors through a double-stranded RNA-activated protein kinase (PKR)-dependent pathway during the early phase of virus replication. <i>Virology</i> , 2009, 391, 177-186.	1.1	19
222	Basal expression of the gene (TIMP) encoding the murine tissue inhibitor of metalloproteinases is mediated through AP1- and CCAAT-binding factors. <i>Gene</i> , 1992, 116, 187-194.	1.0	18
223	Targeting Specific Cell Types with Silencing RNA. <i>New England Journal of Medicine</i> , 2005, 353, 1410-1411.	13.9	18
224	An Emergence Framework of Carcinogenesis. <i>Frontiers in Oncology</i> , 2017, 7, 198.	1.3	18
225	¹ H, ¹³ C, ¹⁵ N resonance assignment of the 20 kDa double stranded RNA binding domain of PKR. <i>Journal of Biomolecular NMR</i> , 1998, 12, 349-351.	1.6	17
226	TLR2 and TLR4 agonists stimulate unique repertoires of host resistance genes in murine macrophages: interferon- γ -dependent signaling in TLR4-mediated responses. <i>Journal of Endotoxin Research</i> , 2003, 9, 169-175.	2.5	17
227	RNA-Dependent Protein Kinase Is Required for Alpha-1 Interferon Transgene-Induced Resistance to Genital Herpes Simplex Virus Type 2. <i>Journal of Virology</i> , 2005, 79, 9341-9345.	1.5	17
228	The interaction of interferon- α and - β : Regulation of (2 α -5)A synthetase activity. <i>Virology</i> , 1988, 165, 87-94.	1.1	16
229	Analysis of the wilms tumor suppressor gene WT1 in endometrial carcinoma. <i>Genes Chromosomes and Cancer</i> , 1995, 14, 313-315.	1.5	16
230	Genomic Features of Human PKR: Alternative Splicing and a Polymorphic CCG Repeat in the 5 α -Untranslated Region. <i>Journal of Interferon and Cytokine Research</i> , 1998, 18, 609-616.	0.5	16
231	Absence of PKR Attenuates the Anti-HSV-1 Activity of an Adenoviral Vector Expressing Murine IFN- γ . <i>Journal of Interferon and Cytokine Research</i> , 2002, 22, 861-871.	0.5	16
232	Monitoring Innate Immune Recruitment by siRNAs in Mammalian Cells. <i>Methods in Molecular Biology</i> , 2010, 623, 21-33.	0.4	16
233	The Molecular Genetics of Wilms Tumor. <i>Cancer Investigation</i> , 1994, 12, 57-65.	0.6	15
234	IMMUNOLOGY: A Viral On/Off Switch for Interferon. <i>Science</i> , 2003, 300, 1100-1101.	6.0	15

#	ARTICLE	IF	CITATIONS
235	Vascular Endothelial Growth Factor (VEGF) Is Suppressed in WT1-Transfected LNCaP Cells. <i>Gene Expression</i> , 2006, 13, 1-14.	0.5	15
236	Functional differences in the promoters of the interferon-inducible (2'-5')A oligoadenylate synthetase and 6-16 genes in interferon-resistant Daudi cells. <i>FEBS Journal</i> , 1994, 219, 547-553.	0.2	14
237	Gene Modulatory Effects, Pharmacokinetics, and Clinical Tolerance of Interferon- β 1b: A Second Member of the Interferon- β Family. <i>Clinical Pharmacology and Therapeutics</i> , 2007, 81, 354-361.	2.3	14
238	siRNA delivery not Toll-free. <i>Nature Biotechnology</i> , 2009, 27, 911-912.	9.4	14
239	(α)-Epigallocatechin gallate and EZH2 inhibitor GSK343 have similar inhibitory effects and mechanisms of action on colorectal cancer cells. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018, 45, 58-67.	0.9	14
240	Expression of Intracellular Interferon Constitutively Activates ISGF3 and Confers Resistance to EMC Viral Infection. <i>Journal of Interferon and Cytokine Research</i> , 1996, 16, 507-510.	0.5	13
241	Functional Annotation of IFN- β -Stimulated Gene Expression Profiles from Sensitive and Resistant Renal Cell Carcinoma Cell Lines. <i>Journal of Interferon and Cytokine Research</i> , 2006, 26, 534-547.	0.5	13
242	(α)-Epigallocatechin gallate and atorvastatin treatment downregulates liver fibrosis-related genes in nonalcoholic fatty liver disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017, 44, 1180-1191.	0.9	13
243	PROTEIN KINASE ACTIVITY AND THE NATURAL OCCURRENCE OF 2-5A IN INTERFERON-TREATED EMC VIRUS-INFECTED L-CELLS. <i>Annals of the New York Academy of Sciences</i> , 1980, 350, 448-458.	1.8	12
244	RFLP detected by an X-Linked cDNA encoding erythroid-potentiating activity/tissue inhibitor of metalloproteinase (EPA/TIMP). <i>Nucleic Acids Research</i> , 1986, 14, 9226-9226.	6.5	12
245	In situ expression of the early growth response gene-1 during murine nephrogenesis. <i>Journal of Urology</i> , 1995, 154, 700-705.	0.2	12
246	Integrin-Linked Kinase Expression in Myeloid Cells Promotes Inflammatory Signaling during Experimental Colitis. <i>Journal of Immunology</i> , 2017, 199, 2128-2139.	0.4	12
247	Response and Resistance to Interferons and Interacting Cytokines. <i>Journal of the National Cancer Institute</i> , 1995, 87, 257-264.	3.0	11
248	Activating Transcription Factor 3 Contributes to Toll-Like Receptor-Mediated Macrophage Survival via Repression of <i>Bax</i> and <i>Bak</i> . <i>Journal of Interferon and Cytokine Research</i> , 2013, 33, 682-693.	0.5	11
249	The protein activator of protein kinase R, PACT/RAX, negatively regulates protein kinase R during mouse anterior pituitary development. <i>FEBS Journal</i> , 2015, 282, 4766-4781.	2.2	11
250	Deletion of WT1 and WIT1 Genes and Loss of Heterozygosity on Chromosome 11p in Wilms Tumors in Japan. <i>Japanese Journal of Cancer Research</i> , 1993, 84, 616-624.	1.7	10
251	Characterization of a 500-kb Contig Spanning the Region between c-Ha-Ras and MUC2 on Chromosome 11p15.5. <i>Genomics</i> , 2000, 69, 196-202.	1.3	10
252	Thrombomodulin RNA Is Destabilized Through Its 3'-Untranslated Element in Cells Exposed to IFN- β . <i>Journal of Interferon and Cytokine Research</i> , 2003, 23, 723-728.	0.5	10

#	ARTICLE	IF	CITATIONS
253	Wilms' Tumor as a Model for Cancer Biology. , 2003, 222, 239-248.		10
254	Oligoadenylate Synthetase/Protein Kinase R Pathways and γ TCR+T Cells Are Required for Adenovirus Vector: IFN- β Inhibition of Herpes Simplex Virus-1 in Cornea. Journal of Immunology, 2007, 178, 5166-5172.	0.4	10
255	Making Sense of Viral RNA Sensing. Molecular Therapy, 2011, 19, 1578-1581.	3.7	10
256	Activating Transcription Factor 3 Expression as a Marker of Response to the Histone Deacetylase Inhibitor Pracinostat. Molecular Cancer Therapeutics, 2016, 15, 1726-1739.	1.9	10
257	Mechanisms and consequences of constitutive activation of integrin-linked kinase in acute myeloid leukemia. Cytokine and Growth Factor Reviews, 2018, 43, 1-7.	3.2	10
258	Dicing with siRNA. Nature Biotechnology, 2005, 23, 181-182.	9.4	9
259	Double-stranded RNA-dependent protein kinase (PKR) is downregulated by phorbol ester. FEBS Journal, 2005, 272, 1568-1576.	2.2	9
260	Interferon- γ Activates Binding of Nuclear Factors to a Sequence Element in the c-fos Proto-Oncogene 5'-Flanking Region. Journal of Interferon Research, 1992, 12, 355-361.	1.2	8
261	OAS and PKR Are Not Required for the Antiviral Effect of Ad:IFN- β Against Acute HSV-1 in Primary Trigeminal Ganglia Cultures. Journal of Interferon and Cytokine Research, 2006, 26, 220-225.	0.5	8
262	Dynamiting Viruses with MxA. Immunity, 2011, 35, 491-493.	6.6	8
263	Auto-phosphorylation Represses Protein Kinase R Activity. Scientific Reports, 2017, 7, 44340.	1.6	8
264	Antiviral response in insects?. Journal of Invertebrate Pathology, 1977, 29, 44-49.	1.5	7
265	Production and characterization of a monoclonal antibody to a human interferon-induced double-stranded RNA-binding Mr 68,000 protein kinase.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 4959-4963.	3.3	7
266	Transcriptional activation of human (2'-5')oligoadenylate synthetase gene expression by the phorbol ester 12-O-tetradecanoyl-phorbol 13-acetate in type-I-interferon-treated HL-60 and HeLa cells. FEBS Journal, 1992, 207, 297-304.	0.2	7
267	Tissue-specific regulation of the WT1 locus. , 1996, 27, 456-461.		7
268	The DNA-binding subunit p140 of replication factor C is upregulated in cycling cells and associates with G 1 phase cell cycle regulatory proteins. Journal of Molecular Medicine, 1999, 77, 386-392.	1.7	7
269	Dichotomy between survival and lytic gene expression in RNase L- and PKR-deficient mice transduced with an adenoviral vector expressing murine IFN- β following ocular HSV-1 infection. Experimental Eye Research, 2005, 80, 167-173.	1.2	7
270	The lack of RNA-dependent protein kinase enhances susceptibility of mice to genital herpes simplex virus type 2 infection. Immunology, 2006, 118, 060606080407004-???	2.0	7

#	ARTICLE	IF	CITATIONS
271	The Role of NF- κ B in the Regulation of the Expression of Wilms Tumor Suppressor Gene WT1. <i>Gene Expression</i> , 2001, 9, 103-114.	0.5	7
272	Interferon and phorbol esters down-regulate sIgM expression by independent pathways. <i>Journal of Cellular Physiology</i> , 1988, 134, 245-252.	2.0	6
273	Multiple Tumor Suppressor Genes in Multistep Carcinogenesis.. <i>Tohoku Journal of Experimental Medicine</i> , 1992, 168, 149-152.	0.5	6
274	Testicular cancer in association with developmental renal anomalies and hypospadias. <i>Urology</i> , 1996, 47, 82-87.	0.5	6
275	The effect of interferon on cells deficient in nucleoside transport or lacking thymidine kinase activity. <i>Biochemical and Biophysical Research Communications</i> , 1984, 118, 124-130.	1.0	5
276	Regulation of Double-Stranded RNA Dependent Protein Kinase Expression and Attenuation of Protein Synthesis Induced by Bacterial Toll-Like Receptors Agonists in the Absence of Interferon. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 495-504.	0.5	4
277	Latest advances in innate antiviral defence. <i>F1000 Biology Reports</i> , 2009, 1, 22.	4.0	4
278	Molecular dynamics reveal a novel kinase-substrate interface that regulates protein translation. <i>Journal of Molecular Cell Biology</i> , 2014, 6, 473-485.	1.5	3
279	Detection of Double-Stranded RNA in Semliki Forest Virus-Infected Cells by an Indirect Solid Phase Radioimmunoassay: an Assay for Interferon. <i>Intervirology</i> , 1977, 8, 110-116.	1.2	2
280	Interferon and growth factor modulation of nuclear factors binding to 5' upstream elements of the 2-5A synthetase gene. <i>Journal of Cellular Biochemistry</i> , 1988, 38, 261-267.	1.2	2
281	Editorial. <i>Viral Immunology</i> , 2002, 15, 1-2.	0.6	2
282	Surgical margins in head and neck squamous cell carcinoma: Effect of heat artifact on immunohistochemistry as a future tool for assessment. <i>Head and Neck</i> , 2016, 38, 1401-1406.	0.9	2
283	Targeting RNA for Degradation with a (2', 5')-Oligoadenylate Antisense Chimera. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 1995, 14, 1073-1076.	0.4	1
284	Differentiating the interferon pathway. <i>Cell Cycle</i> , 2010, 9, 3400-3400.	1.3	1
285	Allan S.Y. Lau (1952-2013) A Dedicated Interferon and Cytokine Biologist and Infectious Disease Physician. <i>Journal of Interferon and Cytokine Research</i> , 2013, 33, 403-404.	0.5	0
286	Biochemical Analyses of Multiple Fractions of PKR Purified from <i>Escherichia coli</i> . <i>Journal of Interferon and Cytokine Research</i> , 2004, 24, 522-535.	0.5	0