

Laurent Billot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4777799/publications.pdf>

Version: 2024-02-01

132
papers

29,749
citations

76326
40
h-index

18130
120
g-index

136
all docs

136
docs citations

136
times ranked

24227
citing authors

#	ARTICLE	IF	CITATIONS
1	Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes. New England Journal of Medicine, 2008, 358, 2560-2572.	27.0	6,447
2	Intensive versus Conventional Glucose Control in Critically Ill Patients. New England Journal of Medicine, 2009, 360, 1283-1297.	27.0	6,065
3	Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. Lancet, The, 2007, 370, 829-840.	13.7	1,864
4	CPAP for Prevention of Cardiovascular Events in Obstructive Sleep Apnea. New England Journal of Medicine, 2016, 375, 919-931.	27.0	1,544
5	Hydroxyethyl Starch or Saline for Fluid Resuscitation in Intensive Care. New England Journal of Medicine, 2012, 367, 1901-1911.	27.0	1,460
6	Intensity of Continuous Renal-Replacement Therapy in Critically Ill Patients. New England Journal of Medicine, 2009, 361, 1627-1638.	27.0	1,288
7	Severe Hypoglycemia and Risks of Vascular Events and Death. New England Journal of Medicine, 2010, 363, 1410-1418.	27.0	1,279
8	Rapid Blood-Pressure Lowering in Patients with Acute Intracerebral Hemorrhage. New England Journal of Medicine, 2013, 368, 2355-2365.	27.0	1,269
9	An observational study fluid balance and patient outcomes in the randomized evaluation of normal vs. augmented level of replacement therapy trial*. Critical Care Medicine, 2012, 40, 1753-1760.	0.9	776
10	Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. Lancet Neurology, The, 2008, 7, 391-399.	10.2	732
11	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. New England Journal of Medicine, 2018, 378, 797-808.	27.0	661
12	SGLT2 inhibitors for the prevention of kidney failure in patients with type 2 diabetes: a systematic review and meta-analysis. Lancet Diabetes and Endocrinology, the, 2019, 7, 845-854.	11.4	595
13	Follow-up of Blood-Pressure Lowering and Glucose Control in Type 2 Diabetes. New England Journal of Medicine, 2014, 371, 1392-1406.	27.0	520
14	Effect of Oral Methylprednisolone on Clinical Outcomes in Patients With IgA Nephropathy. JAMA - Journal of the American Medical Association, 2017, 318, 432.	7.4	376
15	Low-Dose versus Standard-Dose Intravenous Alteplase in Acute Ischemic Stroke. New England Journal of Medicine, 2016, 374, 2313-2323.	27.0	352
16	Resuscitation fluid use in critically ill adults: an international cross sectional study in 391 intensive care units. Critical Care, 2010, 14, R185.	5.8	337
17	Effects of a Fixed-Dose Combination Strategy on Adherence and Risk Factors in Patients With or at High Risk of CVD. JAMA - Journal of the American Medical Association, 2013, 310, 918.	7.4	330
18	Impact of albumin compared to saline on organ function and mortality of patients with severe sepsis. Intensive Care Medicine, 2011, 37, 86-96.	8.2	325

#	ARTICLE	IF	CITATIONS
19	Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. <i>Lancet, The</i> , 2019, 393, 877-888.	13.7	178
20	Trial of Pregabalin for Acute and Chronic Sciatica. <i>New England Journal of Medicine</i> , 2017, 376, 1111-1120.	27.0	164
21	Naltrexone Depot for Treatment of Alcohol Dependence: A Multicenter, Randomized, Placebo-Controlled Clinical Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1051-1059.	2.4	156
22	Fluid resuscitation with 6% hydroxyethyl starch (130/0.4 and 130/0.42) in acutely ill patients: systematic review of effects on mortality and treatment with renal replacement therapy. <i>Intensive Care Medicine</i> , 2013, 39, 558-568.	8.2	147
23	Cluster-Randomized, Crossover Trial of Head Positioning in Acute Stroke. <i>New England Journal of Medicine</i> , 2017, 376, 2437-2447.	27.0	143
24	Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2022, 386, 815-826.	27.0	139
25	A pragmatic randomized trial of a polypill-based strategy to improve use of indicated preventive treatments in people at high cardiovascular disease risk. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 920-930.	1.8	136
26	Albumin Resuscitation for Traumatic Brain Injury: Is Intracranial Hypertension the Cause of Increased Mortality?. <i>Journal of Neurotrauma</i> , 2013, 30, 512-518.	3.4	131
27	Fixed Low-Dose Triple Combination Antihypertensive Medication vs Usual Care for Blood Pressure Control in Patients With Mild to Moderate Hypertension in Sri Lanka. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 566.	7.4	122
28	Intensive versus conventional glucose control in critically ill patients with traumatic brain injury: long-term follow-up of a subgroup of patients from the NICE-SUGAR study. <i>Intensive Care Medicine</i> , 2015, 41, 1037-1047.	8.2	118
29	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet, The</i> , 2017, 390, 588-599.	13.7	108
30	Effectiveness of fixed dose combination medication (‘‘polypills’’) compared with usual care in patients with cardiovascular disease or at high risk: A prospective, individual patient data meta-analysis of 3140 patients in six countries. <i>International Journal of Cardiology</i> , 2016, 205, 147-156.	1.7	103
31	Effect of Oral Methylprednisolone on Decline in Kidney Function or Kidney Failure in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1888.	7.4	103
32	A Randomized Trial of Vitamin D Supplementation on Vascular Function in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3100-3108.	6.1	99
33	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0176292.	2.5	95
34	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology, The</i> , 2020, 19, 651-660.	10.2	90
35	Fluid Resuscitation with 6% Hydroxyethyl Starch (130/0.4) in Acutely Ill Patients. <i>Anesthesia and Analgesia</i> , 2012, 114, 159-169.	2.2	85
36	Initial treatment with a single pill containing quadruple combination of quarter doses of blood pressure medicines versus standard dose monotherapy in patients with hypertension (QUARTET): a phase 3, randomised, double-blind, active-controlled trial. <i>Lancet, The</i> , 2021, 398, 1043-1052.	13.7	74

#	ARTICLE	IF	CITATIONS
37	Hidradenitis Suppurativa (HS) prevalence, demographics and management pathways in Australia: A population-based cross-sectional study. PLoS ONE, 2018, 13, e0200683.	2.5	70
38	Research on stored biological samples: Views of African American and White American cancer patients. American Journal of Medical Genetics, Part A, 2006, 140A, 733-739.	1.2	69
39	Cardiovascular magnetic resonanceâ€“GUIDE management of mild to moderate left ventricular systolic dysfunction (<scp>CMR GUIDE</scp>): Study protocol for a randomized controlled trial. Annals of Noninvasive Electrocardiology, 2017, 22, .	1.1	63
40	Hospital Quality Improvement Initiative for Patients With Acute Coronary Syndromes in China. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 217-226.	2.2	46
41	Low- Versus Standard-Dose Alteplase in Patients on Prior Antiplatelet Therapy. Stroke, 2017, 48, 1877-1883.	2.0	42
42	The efficacy of lowering glycated haemoglobin with a gliclazide modified release-based intensive glucose lowering regimen in the ADVANCE trial. Diabetes Research and Clinical Practice, 2010, 89, 126-133.	2.8	39
43	Low-Dose vs Standard-Dose Alteplase for Patients With Acute Ischemic Stroke. JAMA Neurology, 2017, 74, 1328.	9.0	33
44	Hyperkalemia and renin-angiotensin aldosterone system inhibitor therapy in chronic kidney disease: A general practice-based, observational study. PLoS ONE, 2019, 14, e0213192.	2.5	32
45	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. American Journal of Kidney Diseases, 2016, 68, 94-102.	1.9	31
46	Effect of a Quality of Care Improvement Initiative in Patients With Acute Coronary Syndrome in Resource-Constrained Hospitals in China. JAMA Cardiology, 2019, 4, 418.	6.1	31
47	Prospective meta-analysis of trials comparing fixed dose combination based care with usual care in individuals at high cardiovascular risk: The SPACE Collaboration. International Journal of Cardiology, 2013, 170, 30-35.	1.7	29
48	Implementation of an evidence-based model of care for low back pain in emergency departments: protocol for the Sydney Health Partners Emergency Department (SHaPED) trial. BMJ Open, 2018, 8, e019052.	1.9	28
49	Head Position in Stroke Trial (HeadPoST) â€“ sitting-up vs lying-flat positioning of patients with acute stroke: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 256.	1.6	27
50	Reproducibility and sensitivity to change of 5 methods for scoring hand radiographic damage in patients with rheumatoid arthritis. Journal of Rheumatology, 2005, 32, 778-86.	2.0	27
51	The Effect of Paracetamol on Core Body Temperature in Acute Traumatic Brain Injury: A Randomised, Controlled Clinical Trial. PLoS ONE, 2015, 10, e0144740.	2.5	24
52	Rational and design of a stepped-wedge cluster randomized trial evaluating quality improvement initiative for reducing cardiovascular events among patients with acute coronary syndromes in resource-constrained hospitals in China. American Heart Journal, 2015, 169, 349-355.	2.7	24
53	Impact Evaluation of a System-Wide Chronic Disease Management Program on Health Service Utilisation: A Propensity-Matched Cohort Study. PLoS Medicine, 2016, 13, e1002035.	8.4	24
54	Assessing assumptions for statistical analyses in randomised clinical trials. BMJ Evidence-Based Medicine, 2019, 24, 185-189.	3.5	23

#	ARTICLE	IF	CITATIONS
55	Iodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. The Cochrane Library, 2019, 2019, CD010734.	2.8	23
56	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. Intensive Care Medicine, 2020, 46, 1696-1706.	8.2	23
57	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. BMJ Evidence-Based Medicine, 2021, 26, 121-126.	3.5	23
58	Hydroxyethyl Starch or Saline in Intensive Care. New England Journal of Medicine, 2013, 368, 774-775.	27.0	22
59	The prevalence and patient characteristics of chronic obstructive pulmonary disease in non-smokers in Vietnam and Indonesia: An observational survey. Respiriology, 2015, 20, 602-611.	2.3	22
60	Effectiveness of a multifaceted intervention to improve emergency department care of low back pain: a stepped-wedge, cluster-randomised trial. BMJ Quality and Safety, 2021, 30, 825-835.	3.7	21
61	An integrated community and primary healthcare worker intervention to reduce stigma and improve management of common mental disorders in rural India: protocol for the SMART Mental Health programme. Trials, 2021, 22, 179.	1.6	21
62	Long-Term Outcomes of the ADRENAL Trial. New England Journal of Medicine, 2018, 378, 1744-1745.	27.0	20
63	Dysphagia screening and risks of pneumonia and adverse outcomes after acute stroke: An international multicenter study. International Journal of Stroke, 2020, 15, 206-215.	5.9	20
64	PRECISE - pregabalin in addition to usual care for sciatica: study protocol for a randomised controlled trial. Trials, 2013, 14, 213.	1.6	19
65	TEXT messages to improve MEDication adherence and Secondary prevention (TEXTMEDS) after acute coronary syndrome: a randomised clinical trial protocol. BMJ Open, 2018, 8, e019463.	1.9	19
66	Blood pressure variability and outcome in acute ischemic and hemorrhagic stroke: a post hoc analysis of the HeadPoST study. Journal of Human Hypertension, 2019, 33, 411-418.	2.2	19
67	Effects of a Lifestyle Intervention to Prevent Deterioration in Glycemic Status Among South Asian Women With Recent Gestational Diabetes. JAMA Network Open, 2022, 5, e220773.	5.9	19
68	Iodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. The Cochrane Library, 0, , .	2.8	16
69	Reanalysis of the Crystalloid versus Hydroxyethyl Starch Trial (CHEST). New England Journal of Medicine, 2017, 377, 298-300.	27.0	16
70	Association of Low-Dose Triple Combination Therapy With Therapeutic Inertia and Prescribing Patterns in Patients With Hypertension. JAMA Cardiology, 2020, 5, 1219.	6.1	16
71	The Therapeutic Evaluation of Steroids in IgA Nephropathy Global (TESTING) Study: Trial Design and Baseline Characteristics. American Journal of Nephrology, 2021, 52, 827-836.	3.1	15
72	PACE “the first placebo controlled trial of paracetamol for acute low back pain: statistical analysis plan. Trials, 2013, 14, 248.	1.6	14

#	ARTICLE	IF	CITATIONS
73	Regional variation in acute stroke care organisation. Journal of the Neurological Sciences, 2016, 371, 126-130.	0.6	14
74	Ultra-low-dose quadruple combination blood pressureâ€“lowering therapy in patients with hypertension: The QUARTET randomized controlled trial protocol. American Heart Journal, 2021, 231, 56-67.	2.7	14
75	An evaluation of the quality and impact of the global research response to the <scp>COVID</scp> â€“19 pandemic. Medical Journal of Australia, 2020, 213, 380.	1.7	13
76	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria. Anesthesiology, 2019, 131, 1292-1300.	2.5	12
77	A lifestyle intervention programme for the prevention of Type 2 diabetes mellitus among South Asian women with gestational diabetes mellitus [<scp>LIVING</scp> study]: protocol for a randomized trial. Diabetic Medicine, 2019, 36, 243-251.	2.3	11
78	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. Spinal Cord, 2021, 59, 649-658.	1.9	11
79	Reality and Truth. Circulation, 2017, 136, 260-262.	1.6	10
80	Impact of Evidenceâ€“Based Stroke Care on Patient Outcomes: A Multilevel Analysis of an International Study. Journal of the American Heart Association, 2019, 8, e012640.	3.7	10
81	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	2.0	10
82	A protocol for a phase 3 multicentre randomised controlled trial of continuous versus intermittent Î²-lactam antibiotic infusion in critically ill patients with sepsis: BLING III. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2019, 21, 63-68.	0.1	10
83	INTensive care bundle with blood pressure reduction in acute cerebral hemorrhage trial (INTERACT3): study protocol for a pragmatic stepped-wedge cluster-randomized controlled trial. Trials, 2021, 22, 943.	1.6	10
84	Self-reported determinants of health service use by French adolescents. International Journal of Adolescent Medicine and Health, 2001, 13, 115-30.	1.3	9
85	No Relationship of Lipid-Lowering Agents to Hematoma Growth. Stroke, 2015, 46, 857-859.	2.0	9
86	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain. Trial protocol. BMJ Open, 2016, 6, e011278.	1.9	9
87	Effects of a Safe Transportation Educational Program for Older Drivers on Driving Exposure and Community Participation: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2017, 65, 540-549.	2.6	9
88	Does asymmetry in patient recruitment in large critical care trials follow the Pareto principle?. Trials, 2020, 21, 378.	1.6	9
89	QUality improvement in primary care to prevent hospitalisations and improve Effectiveness and efficiency of care for people Living with coronary heart disease (QUEL): protocol for a 24-month cluster randomised controlled trial in primary care. BMC Family Practice, 2020, 21, 36.	2.9	9
90	An international comparison of the cost of fluid resuscitation therapies. Australian Critical Care, 2021, 34, 23-32.	1.3	9

#	ARTICLE	IF	CITATIONS
91	Low blood pressure and adverse outcomes in acute stroke: HeadPoST study explanations. Journal of Hypertension, 2021, 39, 273-279.	0.5	9
92	A Targeted Approach to Improve Asthma Control Using Community Pharmacists. Frontiers in Pharmacology, 2021, 12, 798263.	3.5	9
93	Early development of the Australia and New Zealand Musculoskeletal Clinical Trials Network. Internal Medicine Journal, 2020, 50, 17-23.	0.8	8
94	Managing blood glucose in critically ill patients with or without diabetes. Critical Care, 2013, 17, 134.	5.8	7
95	Healthcare expenditure on Indigenous and non-Indigenous Australians at high risk of cardiovascular disease. International Journal for Equity in Health, 2017, 16, 108.	3.5	7
96	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 700-707.	5.6	7
97	INTensive ambulance-delivered blood pressure Reduction in hyper-ACute stroke Trial (INTERACT4): study protocol for a randomized controlled trial. Trials, 2021, 22, 885.	1.6	7
98	ImProving Outcomes after STroke (POST): Results from the Randomized Clinical Pilot Trial. International Journal of Stroke, 2013, 8, 707-710.	5.9	6
99	SMARThealth Pregnancy: Feasibility and Acceptability of a Complex Intervention for High-Risk Pregnant Women in Rural India: Protocol for a Pilot Cluster Randomised Controlled Trial. Frontiers in Global Women S Health, 2021, 2, 620759.	2.3	6
100	Efficacy and safety of fixed combination of perindopril and indapamide in type 2 diabetes: results from ADVANCE in context of available evidence. Journal of Hypertension, 2008, 26, S21-S27.	0.5	5
101	Paracetamol is ineffective for acute low back pain even for patients who comply with treatment: complier average causal effect analysis of a randomized controlled trial. Pain, 2019, 160, 2848-2854.	4.2	5
102	Protocol for the Stimulating β_3 -Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. BMJ Open, 2021, 11, e049858.	1.9	5
103	Statistical analysis plan for the Sleep Apnea cardioVascular Endpoints study: An international randomised controlled trial to determine whether continuous positive airways pressure treatment for obstructive sleep apnea in patients with CV disease prevents secondary cardiovascular events. International Journal of Stroke, 2016, 11, 148-150.	5.9	4
104	PRECISE " pregabalin in addition to usual care: statistical analysis plan. Trials, 2016, 17, 53.	1.6	4
105	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. International Journal of Stroke, 2017, 12, 208-210.	5.9	4
106	Lipid-Lowering Pretreatment and Outcome Following Intravenous Thrombolysis for Acute Ischaemic Stroke: A Post Hoc Analysis of the Enhanced Control of Hypertension and Thrombolysis Stroke Study Trial. Cerebrovascular Diseases, 2018, 45, 213-220.	1.7	4
107	Optimization of prophylaxis for hemophilia A. PLoS ONE, 2018, 13, e0192783.	2.5	4
108	Quantifying regional variations in components of acute stroke unit (ASU) care in the international HeadPoST study. Journal of the Neurological Sciences, 2020, 419, 117187.	0.6	4

#	ARTICLE	IF	CITATIONS
109	Prognostic significance of early urinary catheterization after acute stroke: Secondary analyses of the international HeadPoST trial. <i>International Journal of Stroke</i> , 2021, 16, 200-206.	5.9	4
110	French adolescent attitudes towards informal care for physical and emotional or relational problems. <i>Acta Paediatrica</i> , <i>International Journal of Paediatrics</i> , 2002, 91, 466-474.	1.5	4
111	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020, 10, e040931.	1.9	3
112	Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress. <i>International Journal of Stroke</i> , 2022, 17, 1156-1162.	5.9	3
113	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain—a statistical analysis plan. <i>Trials</i> , 2022, 23, 212.	1.6	3
114	Statistical analysis plan for the Head Position in Stroke Trial (HeadPoST): An international cluster cross-over randomized trial. <i>International Journal of Stroke</i> , 2017, 12, 667-670.	5.9	2
115	Community-based interventions to prevent serious complications following spinal cord injury in Bangladesh: the CIVIC trial statistical analysis plan. <i>Trials</i> , 2019, 20, 238.	1.6	2
116	Update to the FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical analysis plan for the trials and for the individual patient data meta-analysis. <i>Trials</i> , 2020, 21, 971.	1.6	2
117	Protocol summary and statistical analysis plan for the Selective Decontamination of the Digestive Tract in Intensive Care Unit Patients (SuDDICU) crossover, cluster randomised controlled trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 183-193.	0.1	2
118	The ADVANCE trial —“ Authors' reply. <i>Lancet</i> , The, 2008, 371, 26.	13.7	1
119	85â€¦Evaluating a patient decision aid for people with degenerative knee disease considering arthroscopic surgery: Protocol for a randomised controlled trial. , 2019, , .		1
120	No benefit of flat head positioning in early moderateâ€¦severe acute ischaemic stroke: a HeadPoST study subgroup analysis. <i>Stroke and Vascular Neurology</i> , 2020, 5, 406-409.	3.3	1
121	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021, 59, 833-841.	1.9	1
122	The Plasma-Lyte 148 versus Saline (PLUS) statistical analysis plan: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 24-31.	0.1	1
123	An evaluation of factors that may influence cliniciansâ€™ decisions not to enroll eligible patients into randomized trials in critical care. <i>PLoS ONE</i> , 2021, 16, e0255361.	2.5	1
124	Road to Hierarchical Diabetes Management at Primary Care (ROADMAP) Study in China: Protocol for the Statistical Analysis of a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e18333.	1.0	1
125	A multicentre audit of temperature patterns after traumatic brain injury. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015, 17, 129-34.	0.1	1
126	Statistical analysis plan of the head position in acute ischemic stroke trial pilot (HEADPOST pilot). <i>International Journal of Stroke</i> , 2017, 12, 211-215.	5.9	0

#	ARTICLE	IF	CITATIONS
127	Healthcare expenditure and its predictors in a cohort of Australians living with sciatica. European Spine Journal, 2021, 30, 878-885.	2.2	0
128	Influence of Including Patients with Premorbid Disability in Acute Stroke Trials: The HeadPoST Experience. Cerebrovascular Diseases, 2021, 50, 78-87.	1.7	0
129	Oxygen desaturation and adverse outcomes in acute stroke: Secondary analysis of the HeadPoST study. Clinical Neurology and Neurosurgery, 2021, 207, 106796.	1.4	0
130	Statistical analysis plan for the BLING III study: a phase 3 multicentre randomised controlled trial of continuous versus intermittent β -lactam antibiotic infusion in critically ill patients with sepsis. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 273-284.	0.1	0
131	Individual patient data meta-analysis of hydroxyethyl starch 130/0.4-0.42 versus crystalloid for fluid resuscitation in patients with severe sepsis: a statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 96-103.	0.1	0
132	Individual patient data comparative analysis of hydroxyethyl starch 130/0.4 v 4% albumin for fluid resuscitation in critically ill patients: statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 206-13.	0.1	0