

Laurent Billot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4777799/publications.pdf>

Version: 2024-02-01

132
papers

29,749
citations

87401

40
h-index

20625

120
g-index

136
all docs

136
docs citations

136
times ranked

25702
citing authors

#	ARTICLE	IF	CITATIONS
1	Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2022, 386, 815-826.	13.9	139
2	Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress. <i>International Journal of Stroke</i> , 2022, 17, 1156-1162.	2.9	3
3	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain—a statistical analysis plan. <i>Trials</i> , 2022, 23, 212.	0.7	3
4	Effects of a Lifestyle Intervention to Prevent Deterioration in Glycemic Status Among South Asian Women With Recent Gestational Diabetes. <i>JAMA Network Open</i> , 2022, 5, e220773.	2.8	19
5	Effect of Oral Methylprednisolone on Decline in Kidney Function or Kidney Failure in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1888.	3.8	103
6	Prognostic significance of early urinary catheterization after acute stroke: Secondary analyses of the international HeadPoST trial. <i>International Journal of Stroke</i> , 2021, 16, 200-206.	2.9	4
7	Healthcare expenditure and its predictors in a cohort of Australians living with sciatica. <i>European Spine Journal</i> , 2021, 30, 878-885.	1.0	0
8	Ultra-low-dose quadruple combination blood pressure-lowering therapy in patients with hypertension: The QUARTET randomized controlled trial protocol. <i>American Heart Journal</i> , 2021, 231, 56-67.	1.2	14
9	An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021, 34, 23-32.	0.6	9
10	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. <i>Spinal Cord</i> , 2021, 59, 649-658.	0.9	11
11	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021, 59, 833-841.	0.9	1
12	Influence of Including Patients with Premorbid Disability in Acute Stroke Trials: The HeadPoST Experience. <i>Cerebrovascular Diseases</i> , 2021, 50, 78-87.	0.8	0
13	Effectiveness of a multifaceted intervention to improve emergency department care of low back pain: a stepped-wedge, cluster-randomised trial. <i>BMJ Quality and Safety</i> , 2021, 30, 825-835.	1.8	21
14	The Plasma-Lyte 148 versus Saline (PLUS) statistical analysis plan: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 24-31.	0.0	1
15	An integrated community and primary healthcare worker intervention to reduce stigma and improve management of common mental disorders in rural India: protocol for the SMART Mental Health programme. <i>Trials</i> , 2021, 22, 179.	0.7	21
16	SMARThealth Pregnancy: Feasibility and Acceptability of a Complex Intervention for High-Risk Pregnant Women in Rural India: Protocol for a Pilot Cluster Randomised Controlled Trial. <i>Frontiers in Global Women S Health</i> , 2021, 2, 620759.	1.1	6
17	Protocol summary and statistical analysis plan for the Selective Decontamination of the Digestive Tract in Intensive Care Unit Patients (SuDDICU) crossover, cluster randomised controlled trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 183-193.	0.0	2
18	An evaluation of factors that may influence clinicians' decisions not to enroll eligible patients into randomized trials in critical care. <i>PLoS ONE</i> , 2021, 16, e0255361.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Oxygen desaturation and adverse outcomes in acute stroke: Secondary analysis of the HeadPoST study. <i>Clinical Neurology and Neurosurgery</i> , 2021, 207, 106796.	0.6	0
20	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. <i>Stroke</i> , 2021, 52, 2502-2509.	1.0	10
21	Protocol for the Stimulating β_3 -Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. <i>BMJ Open</i> , 2021, 11, e049858.	0.8	5
22	Initial treatment with a single pill containing quadruple combination of quarter doses of blood pressure medicines versus standard dose monotherapy in patients with hypertension (QUARTET): a phase 3, randomised, double-blind, active-controlled trial. <i>Lancet</i> , The, 2021, 398, 1043-1052.	6.3	74
23	Statistical analysis plan for the BLING III study: a phase 3 multicentre randomised controlled trial of continuous versus intermittent β -lactam antibiotic infusion in critically ill patients with sepsis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 273-284.	0.0	0
24	Low blood pressure and adverse outcomes in acute stroke: HeadPoST study explanations. <i>Journal of Hypertension</i> , 2021, 39, 273-279.	0.3	9
25	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. <i>BMJ Evidence-Based Medicine</i> , 2021, 26, 121-126.	1.7	23
26	The Therapeutic Evaluation of Steroids in IgA Nephropathy Global (TESTING) Study: Trial Design and Baseline Characteristics. <i>American Journal of Nephrology</i> , 2021, 52, 827-836.	1.4	15
27	INTENSive ambulance-delivered blood pressure Reduction in hyper-ACute stroke Trial (INTERACT4): study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 885.	0.7	7
28	A Targeted Approach to Improve Asthma Control Using Community Pharmacists. <i>Frontiers in Pharmacology</i> , 2021, 12, 798263.	1.6	9
29	INTENSive care bundle with blood pressure reduction in acute cerebral hemorrhage trial (INTERACT3): study protocol for a pragmatic stepped-wedge cluster-randomized controlled trial. <i>Trials</i> , 2021, 22, 943.	0.7	10
30	Early development of the Australia and New Zealand Musculoskeletal Clinical Trials Network. <i>Internal Medicine Journal</i> , 2020, 50, 17-23.	0.5	8
31	Dysphagia screening and risks of pneumonia and adverse outcomes after acute stroke: An international multicenter study. <i>International Journal of Stroke</i> , 2020, 15, 206-215.	2.9	20
32	Quantifying regional variations in components of acute stroke unit (ASU) care in the international HeadPoST study. <i>Journal of the Neurological Sciences</i> , 2020, 419, 117187.	0.3	4
33	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <i>Intensive Care Medicine</i> , 2020, 46, 1696-1706.	3.9	23
34	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , The, 2020, 19, 651-660.	4.9	90
35	Update to the FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical analysis plan for the trials and for the individual patient data meta-analysis. <i>Trials</i> , 2020, 21, 971.	0.7	2
36	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020, 10, e040931.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Association of Low-Dose Triple Combination Therapy With Therapeutic Inertia and Prescribing Patterns in Patients With Hypertension. <i>JAMA Cardiology</i> , 2020, 5, 1219.	3.0	16
38	An evaluation of the quality and impact of the global research response to the <scp>COVID</scp> â€“19 pandemic. <i>Medical Journal of Australia</i> , 2020, 213, 380.	0.8	13
39	Does asymmetry in patient recruitment in large critical care trials follow the Pareto principle?. <i>Trials</i> , 2020, 21, 378.	0.7	9
40	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 700-707.	2.5	7
41	No benefit of flat head positioning in early moderateâ€“severe acute ischaemic stroke: a HeadPoST study subgroup analysis. <i>Stroke and Vascular Neurology</i> , 2020, 5, 406-409.	1.5	1
42	Quality improvement in primary care to prevent hospitalisations and improve Effectiveness and efficiency of care for people Living with coronary heart disease (QUEL): protocol for a 24-month cluster randomised controlled trial in primary care. <i>BMC Family Practice</i> , 2020, 21, 36.	2.9	9
43	Road to Hierarchical Diabetes Management at Primary Care (ROADMAP) Study in China: Protocol for the Statistical Analysis of a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e18333.	0.5	1
44	SGLT2 inhibitors for the prevention of kidney failure in patients with type 2 diabetes: a systematic review and meta-analysis. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 845-854.	5.5	595
45	Impact of Evidenceâ€“Based Stroke Care on Patient Outcomes: A Multilevel Analysis of an International Study. <i>Journal of the American Heart Association</i> , 2019, 8, e012640.	1.6	10
46	Community-based interventions to prevent serious complications following spinal cord injury in Bangladesh: the CIVIC trial statistical analysis plan. <i>Trials</i> , 2019, 20, 238.	0.7	2
47	Effect of a Quality of Care Improvement Initiative in Patients With Acute Coronary Syndrome in Resource-Constrained Hospitals in China. <i>JAMA Cardiology</i> , 2019, 4, 418.	3.0	31
48	Blood pressure variability and outcome in acute ischemic and hemorrhagic stroke: a post hoc analysis of the HeadPoST study. <i>Journal of Human Hypertension</i> , 2019, 33, 411-418.	1.0	19
49	Hyperkalemia and renin-angiotensin aldosterone system inhibitor therapy in chronic kidney disease: A general practice-based, observational study. <i>PLoS ONE</i> , 2019, 14, e0213192.	1.1	32
50	Assessing assumptions for statistical analyses in randomised clinical trials. <i>BMJ Evidence-Based Medicine</i> , 2019, 24, 185-189.	1.7	23
51	Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. <i>Lancet</i> , 2019, 393, 877-888.	6.3	178
52	85â€“...Evaluating a patient decision aid for people with degenerative knee disease considering arthroscopic surgery: Protocol for a randomised controlled trial. , 2019, , .		1
53	Iodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. <i>The Cochrane Library</i> , 2019, 2019, CD010734.	1.5	23
54	Paracetamol is ineffective for acute low back pain even for patients who comply with treatment: complier average causal effect analysis of a randomized controlled trial. <i>Pain</i> , 2019, 160, 2848-2854.	2.0	5

#	ARTICLE	IF	CITATIONS
55	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria. <i>Anesthesiology</i> , 2019, 131, 1292-1300.	1.3	12
56	A lifestyle intervention programme for the prevention of Type 2 diabetes mellitus among South Asian women with gestational diabetes mellitus [<i>scp>LIVING</scp></i> study]: protocol for a randomized trial. <i>Diabetic Medicine</i> , 2019, 36, 243-251.	1.2	11
57	A protocol for a phase 3 multicentre randomised controlled trial of continuous versus intermittent β -lactam antibiotic infusion in critically ill patients with sepsis: BLING III. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019, 21, 63-68.	0.0	10
58	Implementation of an evidence-based model of care for low back pain in emergency departments: protocol for the Sydney Health Partners Emergency Department (SHaPED) trial. <i>BMJ Open</i> , 2018, 8, e019052.	0.8	28
59	Long-Term Outcomes of the ADRENAL Trial. <i>New England Journal of Medicine</i> , 2018, 378, 1744-1745.	13.9	20
60	TEXT messages to improve MEDication adherence and Secondary prevention (TEXTMEDS) after acute coronary syndrome: a randomised clinical trial protocol. <i>BMJ Open</i> , 2018, 8, e019463.	0.8	19
61	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2018, 378, 797-808.	13.9	661
62	Lipid-Lowering Pretreatment and Outcome Following Intravenous Thrombolysis for Acute Ischaemic Stroke: A Post Hoc Analysis of the Enhanced Control of Hypertension and Thrombolysis Stroke Study Trial. <i>Cerebrovascular Diseases</i> , 2018, 45, 213-220.	0.8	4
63	Hidradenitis Suppurativa (HS) prevalence, demographics and management pathways in Australia: A population-based cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0200683.	1.1	70
64	Fixed Low-Dose Triple Combination Antihypertensive Medication vs Usual Care for Blood Pressure Control in Patients With Mild to Moderate Hypertension in Sri Lanka. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 566.	3.8	122
65	Optimization of prophylaxis for hemophilia A. <i>PLoS ONE</i> , 2018, 13, e0192783.	1.1	4
66	Cardiovascular magnetic resonanceâ€‹ <i>scp>GUIDE</scp></i> d management of mild to moderate left ventricular systolic dysfunction (<i>scp>CMR GUIDE</scp></i>): Study protocol for a randomized controlled trial. <i>Annals of Noninvasive Electrocardiology</i> , 2017, 22, .	0.5	63
67	Statistical analysis plan for the Head Position in Stroke Trial (HeadPoST): An international cluster cross-over randomized trial. <i>International Journal of Stroke</i> , 2017, 12, 667-670.	2.9	2
68	Low- Versus Standard-Dose Alteplase in Patients on Prior Antiplatelet Therapy. <i>Stroke</i> , 2017, 48, 1877-1883.	1.0	42
69	Cluster-Randomized, Crossover Trial of Head Positioning in Acute Stroke. <i>New England Journal of Medicine</i> , 2017, 376, 2437-2447.	13.9	143
70	Effects of a Safe Transportation Educational Program for Older Drivers on Driving Exposure and Community Participation: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 540-549.	1.3	9
71	Trial of Pregabalin for Acute and Chronic Sciatica. <i>New England Journal of Medicine</i> , 2017, 376, 1111-1120.	13.9	164
72	Low-Dose vs Standard-Dose Alteplase for Patients With Acute Ischemic Stroke. <i>JAMA Neurology</i> , 2017, 74, 1328.	4.5	33

#	ARTICLE	IF	CITATIONS
73	Reanalysis of the Crystalloid versus Hydroxyethyl Starch Trial (CHEST). <i>New England Journal of Medicine</i> , 2017, 377, 298-300.	13.9	16
74	Reality and Truth. <i>Circulation</i> , 2017, 136, 260-262.	1.6	10
75	Effect of Oral Methylprednisolone on Clinical Outcomes in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 432.	3.8	376
76	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet</i> , The, 2017, 390, 588-599.	6.3	108
77	Healthcare expenditure on Indigenous and non-Indigenous Australians at high risk of cardiovascular disease. <i>International Journal for Equity in Health</i> , 2017, 16, 108.	1.5	7
78	A Randomized Trial of Vitamin D Supplementation on Vascular Function in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3100-3108.	3.0	99
79	Statistical analysis plan of the head position in acute ischemic stroke trial pilot (HEADPOST pilot). <i>International Journal of Stroke</i> , 2017, 12, 211-215.	2.9	0
80	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017, 12, 208-210.	2.9	4
81	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0176292.	1.1	95
82	Low-Dose versus Standard-Dose Intravenous Alteplase in Acute Ischemic Stroke. <i>New England Journal of Medicine</i> , 2016, 374, 2313-2323.	13.9	352
83	CPAP for Prevention of Cardiovascular Events in Obstructive Sleep Apnea. <i>New England Journal of Medicine</i> , 2016, 375, 919-931.	13.9	1,544
84	Regional variation in acute stroke care organisation. <i>Journal of the Neurological Sciences</i> , 2016, 371, 126-130.	0.3	14
85	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain. <i>Trial protocol. BMJ Open</i> , 2016, 6, e011278.	0.8	9
86	Statistical analysis plan for the Sleep Apnea cardioVascular Endpoints study: An international randomised controlled trial to determine whether continuous positive airways pressure treatment for obstructive sleep apnea in patients with CV disease prevents secondary cardiovascular events. <i>International Journal of Stroke</i> , 2016, 11, 148-150.	2.9	4
87	PRECISE "pregabalin in addition to usual care: statistical analysis plan. <i>Trials</i> , 2016, 17, 53.	0.7	4
88	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. <i>American Journal of Kidney Diseases</i> , 2016, 68, 94-102.	2.1	31
89	Effectiveness of fixed dose combination medication ("polypills"™) compared with usual care in patients with cardiovascular disease or at high risk: A prospective, individual patient data meta-analysis of 3140 patients in six countries. <i>International Journal of Cardiology</i> , 2016, 205, 147-156.	0.8	103
90	Impact Evaluation of a System-Wide Chronic Disease Management Program on Health Service Utilisation: A Propensity-Matched Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002035.	3.9	24

#	ARTICLE	IF	CITATIONS
91	The Effect of Paracetamol on Core Body Temperature in Acute Traumatic Brain Injury: A Randomised, Controlled Clinical Trial. PLoS ONE, 2015, 10, e0144740.	1.1	24
92	Head Position in Stroke Trial (HeadPoST) – sitting-up vs lying-flat positioning of patients with acute stroke: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 256.	0.7	27
93	Intensive versus conventional glucose control in critically ill patients with traumatic brain injury: long-term follow-up of a subgroup of patients from the NICE-SUGAR study. Intensive Care Medicine, 2015, 41, 1037-1047.	3.9	118
94	Rational and design of a stepped-wedge cluster randomized trial evaluating quality improvement initiative for reducing cardiovascular events among patients with acute coronary syndromes in resource-constrained hospitals in China. American Heart Journal, 2015, 169, 349-355.	1.2	24
95	No Relationship of Lipid-Lowering Agents to Hematoma Growth. Stroke, 2015, 46, 857-859.	1.0	9
96	The prevalence and patient characteristics of chronic obstructive pulmonary disease in non-smokers in Vietnam and Indonesia: An observational survey. Respirology, 2015, 20, 602-611.	1.3	22
97	A pragmatic randomized trial of a polypill-based strategy to improve use of indicated preventive treatments in people at high cardiovascular disease risk. European Journal of Preventive Cardiology, 2015, 22, 920-930.	0.8	136
98	A multicentre audit of temperature patterns after traumatic brain injury. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2015, 17, 129-34.	0.0	1
99	Hospital Quality Improvement Initiative for Patients With Acute Coronary Syndromes in China. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 217-226.	0.9	46
100	Follow-up of Blood-Pressure Lowering and Glucose Control in Type 2 Diabetes. New England Journal of Medicine, 2014, 371, 1392-1406.	13.9	520
101	Individual patient data meta-analysis of hydroxyethyl starch 130/0.4-0.42 versus crystalloid for fluid resuscitation in patients with severe sepsis: a statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 96-103.	0.0	0
102	Individual patient data comparative analysis of hydroxyethyl starch 130/0.4 v 4% albumin for fluid resuscitation in critically ill patients: statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 206-13.	0.0	0
103	PRECISE - pregabalin in addition to usual care for sciatica: study protocol for a randomised controlled trial. Trials, 2013, 14, 213.	0.7	19
104	Prospective meta-analysis of trials comparing fixed dose combination based care with usual care in individuals at high cardiovascular risk: The SPACE Collaboration. International Journal of Cardiology, 2013, 170, 30-35.	0.8	29
105	Fluid resuscitation with 6% hydroxyethyl starch (130/0.4 and 130/0.42) in acutely ill patients: systematic review of effects on mortality and treatment with renal replacement therapy. Intensive Care Medicine, 2013, 39, 558-568.	3.9	147
106	PACE – the first placebo controlled trial of paracetamol for acute low back pain: statistical analysis plan. Trials, 2013, 14, 248.	0.7	14
107	Effects of a Fixed-Dose Combination Strategy on Adherence and Risk Factors in Patients With or at High Risk of CVD. JAMA - Journal of the American Medical Association, 2013, 310, 918.	3.8	330
108	Albumin Resuscitation for Traumatic Brain Injury: Is Intracranial Hypertension the Cause of Increased Mortality?. Journal of Neurotrauma, 2013, 30, 512-518.	1.7	131

#	ARTICLE	IF	CITATIONS
109	Managing blood glucose in critically ill patients with or without diabetes. <i>Critical Care</i> , 2013, 17, 134.	2.5	7
110	Hydroxyethyl Starch or Saline in Intensive Care. <i>New England Journal of Medicine</i> , 2013, 368, 774-775.	13.9	22
111	Rapid Blood-Pressure Lowering in Patients with Acute Intracerebral Hemorrhage. <i>New England Journal of Medicine</i> , 2013, 368, 2355-2365.	13.9	1,269
112	ImProving Outcomes after STroke (POST): Results from the Randomized Clinical Pilot Trial. <i>International Journal of Stroke</i> , 2013, 8, 707-710.	2.9	6
113	Fluid Resuscitation with 6% Hydroxyethyl Starch (130/0.4) in Acutely Ill Patients. <i>Anesthesia and Analgesia</i> , 2012, 114, 159-169.	1.1	85
114	An observational study fluid balance and patient outcomes in the randomized evaluation of normal vs. augmented level of replacement therapy trial*. <i>Critical Care Medicine</i> , 2012, 40, 1753-1760.	0.4	776
115	Hydroxyethyl Starch or Saline for Fluid Resuscitation in Intensive Care. <i>New England Journal of Medicine</i> , 2012, 367, 1901-1911.	13.9	1,460
116	Impact of albumin compared to saline on organ function and mortality of patients with severe sepsis. <i>Intensive Care Medicine</i> , 2011, 37, 86-96.	3.9	325
117	Severe Hypoglycemia and Risks of Vascular Events and Death. <i>New England Journal of Medicine</i> , 2010, 363, 1410-1418.	13.9	1,279
118	Resuscitation fluid use in critically ill adults: an international cross sectional study in 391 intensive care units. <i>Critical Care</i> , 2010, 14, R185.	2.5	337
119	The efficacy of lowering glycated haemoglobin with a gliclazide modified release-based intensive glucose lowering regimen in the ADVANCE trial. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 126-133.	1.1	39
120	Intensive versus Conventional Glucose Control in Critically Ill Patients. <i>New England Journal of Medicine</i> , 2009, 360, 1283-1297.	13.9	6,065
121	Intensity of Continuous Renal-Replacement Therapy in Critically Ill Patients. <i>New England Journal of Medicine</i> , 2009, 361, 1627-1638.	13.9	1,288
122	Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. <i>Lancet Neurology</i> , The, 2008, 7, 391-399.	4.9	732
123	Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2008, 358, 2560-2572.	13.9	6,447
124	The ADVANCE trial – Authors' reply. <i>Lancet</i> , The, 2008, 371, 26.	6.3	1
125	Efficacy and safety of fixed combination of perindopril and indapamide in type 2 diabetes: results from ADVANCE in context of available evidence. <i>Journal of Hypertension</i> , 2008, 26, S21-S27.	0.3	5
126	Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. <i>Lancet</i> , The, 2007, 370, 829-840.	6.3	1,864

#	ARTICLE	IF	CITATIONS
127	Research on stored biological samples: Views of African American and White American cancer patients. <i>American Journal of Medical Genetics, Part A</i> , 2006, 140A, 733-739.	0.7	69
128	Reproducibility and sensitivity to change of 5 methods for scoring hand radiographic damage in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005, 32, 778-86.	1.0	27
129	Naltrexone Depot for Treatment of Alcohol Dependence: A Multicenter, Randomized, Placebo-Controlled Clinical Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1051-1059.	1.4	156
130	French adolescent attitudes towards informal care for physical and emotional or relational problems. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 466-74.	0.7	4
131	Self-reported determinants of health service use by French adolescents. <i>International Journal of Adolescent Medicine and Health</i> , 2001, 13, 115-30.	0.6	9
132	Iodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. <i>The Cochrane Library</i> , 0, , .	1.5	16