
Laurent Billot

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4777799/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults. New England Journal of Medicine, 2022, 386, 815-826.	27.0	139
2	Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress. International Journal of Stroke, 2022, 17, 1156-1162.	5.9	3
3	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain—a statistical analysis plan. Trials, 2022, 23, 212.	1.6	3
4	Effects of a Lifestyle Intervention to Prevent Deterioration in Glycemic Status Among South Asian Women With Recent Gestational Diabetes. JAMA Network Open, 2022, 5, e220773.	5.9	19
5	Effect of Oral Methylprednisolone on Decline in Kidney Function or Kidney Failure in Patients With IgA Nephropathy. JAMA - Journal of the American Medical Association, 2022, 327, 1888.	7.4	103
6	Prognostic significance of early urinary catheterization after acute stroke: Secondary analyses of the international HeadPoST trial. International Journal of Stroke, 2021, 16, 200-206.	5.9	4
7	Healthcare expenditure and its predictors in a cohort of Australians living with sciatica. European Spine Journal, 2021, 30, 878-885.	2.2	0
8	Ultra-low-dose quadruple combination blood pressure–lowering therapy in patients with hypertension: The QUARTET randomized controlled trial protocol. American Heart Journal, 2021, 231, 56-67.	2.7	14
9	An international comparison of the cost of fluid resuscitation therapies. Australian Critical Care, 2021, 34, 23-32.	1.3	9
10	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. Spinal Cord, 2021, 59, 649-658.	1.9	11
11	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. Spinal Cord, 2021, 59, 833-841.	1.9	1
12	Influence of Including Patients with Premorbid Disability in Acute Stroke Trials: The HeadPoST Experience. Cerebrovascular Diseases, 2021, 50, 78-87.	1.7	0
13	Effectiveness of a multifaceted intervention to improve emergency department care of low back pain: a stepped-wedge, cluster-randomised trial. BMJ Quality and Safety, 2021, 30, 825-835.	3.7	21
14	The Plasma-Lyte 148 versus Saline (PLUS) statistical analysis plan: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 24-31.	0.1	1
15	An integrated community and primary healthcare worker intervention to reduce stigma and improve management of common mental disorders in rural India: protocol for the SMART Mental Health programme. Trials, 2021, 22, 179.	1.6	21
16	SMARThealth Pregnancy: Feasibility and Acceptability of a Complex Intervention for High-Risk Pregnant Women in Rural India: Protocol for a Pilot Cluster Randomised Controlled Trial. Frontiers in Global Women S Health, 2021, 2, 620759.	2.3	6
17	Protocol summary and statistical analysis plan for the Selective Decontamination of the Digestive Tract in Intensive Care Unit Patients (SuDDICU) crossover, cluster randomised controlled trial. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23. 183-193.	0.1	2
18	An evaluation of factors that may influence clinicians' decisions not to enroll eligible patients into randomized trials in critical care. PLoS ONE, 2021, 16, e0255361.	2.5	1

#	Article	IF	CITATIONS
19	Oxygen desaturation and adverse outcomes in acute stroke: Secondary analysis of the HeadPoST study. Clinical Neurology and Neurosurgery, 2021, 207, 106796.	1.4	0
20	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	2.0	10
21	Protocol for the Stimulating Î ² ₃ -Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. BMJ Open, 2021, 11, e049858.	1.9	5
22	Initial treatment with a single pill containing quadruple combination of quarter doses of blood pressure medicines versus standard dose monotherapy in patients with hypertension (QUARTET): a phase 3, randomised, double-blind, active-controlled trial. Lancet, The, 2021, 398, 1043-1052.	13.7	74
23	Statistical analysis plan for the BLING III study: a phase 3 multicentre randomised controlled trial of continuous versus intermittent Î ² -lactam antibiotic infusion in critically ill patients with sepsis. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23. 273-284.	0.1	0
24	Low blood pressure and adverse outcomes in acute stroke: HeadPoST study explanations. Journal of Hypertension, 2021, 39, 273-279.	0.5	9
25	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. BMJ Evidence-Based Medicine, 2021, 26, 121-126.	3.5	23
26	The Therapeutic Evaluation of Steroids in IgA Nephropathy Global (TESTING) Study: Trial Design and Baseline Characteristics. American Journal of Nephrology, 2021, 52, 827-836.	3.1	15
27	INTEnsive ambulance-delivered blood pressure Reduction in hyper-ACute stroke Trial (INTERACT4): study protocol for a randomized controlled trial. Trials, 2021, 22, 885.	1.6	7
28	A Targeted Approach to Improve Asthma Control Using Community Pharmacists. Frontiers in Pharmacology, 2021, 12, 798263.	3.5	9
29	INTEnsive care bundle with blood pressure reduction in acute cerebral hemorrhage trial (INTERACT3): study protocol for a pragmatic stepped-wedge cluster-randomized controlled trial. Trials, 2021, 22, 943.	1.6	10
30	Early development of the Australia and New Zealand Musculoskeletal Clinical Trials Network. Internal Medicine Journal, 2020, 50, 17-23.	0.8	8
31	Dysphagia screening and risks of pneumonia and adverse outcomes after acute stroke: An international multicenter study. International Journal of Stroke, 2020, 15, 206-215.	5.9	20
32	Quantifying regional variations in components of acute stroke unit (ASU) care in the international HeadPoST study. Journal of the Neurological Sciences, 2020, 419, 117187.	0.6	4
33	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. Intensive Care Medicine, 2020, 46, 1696-1706.	8.2	23
34	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	10.2	90
35	Update to the FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2020, 21, 971.	1.6	2
36	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. BMJ Open, 2020, 10, e040931.	1.9	3

#	Article	lF	CITATIONS
37	Association of Low-Dose Triple Combination Therapy With Therapeutic Inertia and Prescribing Patterns in Patients With Hypertension. JAMA Cardiology, 2020, 5, 1219.	6.1	16
38	An evaluation of the quality and impact of the global research response to the <scp>COVID</scp> â€19 pandemic. Medical Journal of Australia, 2020, 213, 380.	1.7	13
39	Does asymmetry in patient recruitment in large critical care trials follow the Pareto principle?. Trials, 2020, 21, 378.	1.6	9
40	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 700-707.	5.6	7
41	No benefit of flat head positioning in early moderate–severe acute ischaemic stroke: a HeadPoST study subgroup analysis. Stroke and Vascular Neurology, 2020, 5, 406-409.	3.3	1
42	QUality improvement in primary care to prevent hospitalisations and improve Effectiveness and efficiency of care for people Living with coronary heart disease (QUEL): protocol for a 24-month cluster randomised controlled trial in primary care. BMC Family Practice, 2020, 21, 36.	2.9	9
43	Road to Hierarchical Diabetes Management at Primary Care (ROADMAP) Study in China: Protocol for the Statistical Analysis of a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e18333.	1.0	1
44	SGLT2 inhibitors for the prevention of kidney failure in patients with type 2 diabetes: a systematic review and meta-analysis. Lancet Diabetes and Endocrinology,the, 2019, 7, 845-854.	11.4	595
45	Impact of Evidenceâ€Based Stroke Care on Patient Outcomes: A Multilevel Analysis of an International Study. Journal of the American Heart Association, 2019, 8, e012640.	3.7	10
46	Community-based interventions to prevent serious complications following spinal cord injury in Bangladesh: the CIVIC trial statistical analysis plan. Trials, 2019, 20, 238.	1.6	2
47	Effect of a Quality of Care Improvement Initiative in Patients With Acute Coronary Syndrome in Resource-Constrained Hospitals in China. JAMA Cardiology, 2019, 4, 418.	6.1	31
48	Blood pressure variability and outcome in acute ischemic and hemorrhagic stroke: a post hoc analysis of the HeadPoST study. Journal of Human Hypertension, 2019, 33, 411-418.	2.2	19
49	Hyperkalemia and renin-angiotensin aldosterone system inhibitor therapy in chronic kidney disease: A general practice-based, observational study. PLoS ONE, 2019, 14, e0213192.	2.5	32
50	Assessing assumptions for statistical analyses in randomised clinical trials. BMJ Evidence-Based Medicine, 2019, 24, 185-189.	3.5	23
51	Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. Lancet, The, 2019, 393, 877-888.	13.7	178
52	85â€Evaluating a patient decision aid for people with degenerative knee disease considering arthroscopic surgery: Protocol for a randomised controlled trial. , 2019, , .		1
53	lodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. The Cochrane Library, 2019, 2019, CD010734.	2.8	23
54	Paracetamol is ineffective for acute low back pain even for patients who comply with treatment: complier average causal effect analysis of a randomized controlled trial. Pain, 2019, 160, 2848-2854.	4.2	5

#	Article	IF	CITATIONS
55	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria. Anesthesiology, 2019, 131, 1292-1300.	2.5	12
56	A lifestyle intervention programme for the prevention of Type 2 diabetes mellitus among South Asian women with gestational diabetes mellitus [<scp>LIVING</scp> study]: protocol for a randomized trial. Diabetic Medicine, 2019, 36, 243-251.	2.3	11
57	A protocol for a phase 3 multicentre randomised controlled trial of continuous versus intermittent β-lactam antibiotic infusion in critically ill patients with sepsis: BLING III. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2019, 21, 63-68.	0.1	10
58	Implementation of an evidence-based model of care for low back pain in emergency departments: protocol for the Sydney Health Partners Emergency Department (SHaPED) trial. BMJ Open, 2018, 8, e019052.	1.9	28
59	Long-Term Outcomes of the ADRENAL Trial. New England Journal of Medicine, 2018, 378, 1744-1745.	27.0	20
60	TEXT messages to improve MEDication adherence and Secondary prevention (TEXTMEDS) after acute coronary syndrome: a randomised clinical trial protocol. BMJ Open, 2018, 8, e019463.	1.9	19
61	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. New England Journal of Medicine, 2018, 378, 797-808.	27.0	661
62	Lipid-Lowering Pretreatment and Outcome Following Intravenous Thrombolysis for Acute Ischaemic Stroke: A Post Hoc Analysis of the Enhanced Control of Hypertension and Thrombolysis Stroke Study Trial. Cerebrovascular Diseases, 2018, 45, 213-220.	1.7	4
63	Hidradenitis Suppurativa (HS) prevalence, demographics and management pathways in Australia: A population-based cross-sectional study. PLoS ONE, 2018, 13, e0200683.	2.5	70
64	Fixed Low-Dose Triple Combination Antihypertensive Medication vs Usual Care for Blood Pressure Control in Patients With Mild to Moderate Hypertension in Sri Lanka. JAMA - Journal of the American Medical Association, 2018, 320, 566.	7.4	122
65	Optimization of prophylaxis for hemophilia A. PLoS ONE, 2018, 13, e0192783.	2.5	4
66	Cardiovascular magnetic resonanceâ€ <scp>GUIDE</scp> d management of mild to moderate left ventricular systolic dysfunction (<scp>CMR GUIDE</scp>): Study protocol for a randomized controlled trial. Annals of Noninvasive Electrocardiology, 2017, 22, .	1.1	63
67	Statistical analysis plan for the Head Position in Stroke Trial (HeadPoST): An international cluster cross-over randomized trial. International Journal of Stroke, 2017, 12, 667-670.	5.9	2
68	Low- Versus Standard-Dose Alteplase in Patients on Prior Antiplatelet Therapy. Stroke, 2017, 48, 1877-1883.	2.0	42
69	Cluster-Randomized, Crossover Trial of Head Positioning in Acute Stroke. New England Journal of Medicine, 2017, 376, 2437-2447.	27.0	143
70	Effects of a Safe Transportation Educational Program for Older Drivers on Driving Exposure and Community Participation: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2017, 65, 540-549.	2.6	9
71	Trial of Pregabalin for Acute and Chronic Sciatica. New England Journal of Medicine, 2017, 376, 1111-1120.	27.0	164
72	Low-Dose vs Standard-Dose Alteplase for Patients With Acute Ischemic Stroke. JAMA Neurology, 2017, 74, 1328.	9.0	33

#	Article	lF	CITATIONS
73	Reanalysis of the Crystalloid versus Hydroxyethyl Starch Trial (CHEST). New England Journal of Medicine, 2017, 377, 298-300.	27.0	16
74	Reality and Truth. Circulation, 2017, 136, 260-262.	1.6	10
75	Effect of Oral Methylprednisolone on Clinical Outcomes in Patients With IgA Nephropathy. JAMA - Journal of the American Medical Association, 2017, 318, 432.	7.4	376
76	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. Lancet, The, 2017, 390, 588-599.	13.7	108
77	Healthcare expenditure on Indigenous and non-Indigenous Australians at high risk of cardiovascular disease. International Journal for Equity in Health, 2017, 16, 108.	3.5	7
78	A Randomized Trial of Vitamin D Supplementation on Vascular Function in CKD. Journal of the American Society of Nephrology: JASN, 2017, 28, 3100-3108.	6.1	99
79	Statistical analysis plan of the head position in acute ischemic stroke trial pilot (HEADPOST pilot). International Journal of Stroke, 2017, 12, 211-215.	5.9	0
80	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. International Journal of Stroke, 2017, 12, 208-210.	5.9	4
81	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. PLoS ONE, 2017, 12, e0176292.	2.5	95
82	Low-Dose versus Standard-Dose Intravenous Alteplase in Acute Ischemic Stroke. New England Journal of Medicine, 2016, 374, 2313-2323.	27.0	352
83	CPAP for Prevention of Cardiovascular Events in Obstructive Sleep Apnea. New England Journal of Medicine, 2016, 375, 919-931.	27.0	1,544
84	Regional variation in acute stroke care organisation. Journal of the Neurological Sciences, 2016, 371, 126-130.	0.6	14
85	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain. Trial protocol. BMJ Open, 2016, 6, e011278.	1.9	9
86	Statistical analysis plan for the Sleep Apnea cardioVascular Endpoints study: An international randomised controlled trial to determine whether continuous positive airways pressure treatment for obstructive sleep apnea in patients with CV disease prevents secondary cardiovascular events. International Journal of Stroke, 2016, 11, 148-150.	5.9	4
87	PRECISE — pregabalin in addition to usual care: statistical analysis plan. Trials, 2016, 17, 53.	1.6	4
88	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. American Journal of Kidney Diseases, 2016, 68, 94-102.	1.9	31
89	Effectiveness of fixed dose combination medication (â€~polypills') compared with usual care in patients with cardiovascular disease or at high risk: A prospective, individual patient data meta-analysis of 3140 patients in six countries. International Journal of Cardiology, 2016, 205, 147-156.	1.7	103
90	Impact Evaluation of a System-Wide Chronic Disease Management Program on Health Service Utilisation: A Propensity-Matched Cohort Study. PLoS Medicine, 2016, 13, e1002035.	8.4	24

#	Article	IF	CITATIONS
91	The Effect of Paracetamol on Core Body Temperature in Acute Traumatic Brain Injury: A Randomised, Controlled Clinical Trial. PLoS ONE, 2015, 10, e0144740.	2.5	24
92	Head Position in Stroke Trial (HeadPoST) – sitting-up vs lying-flat positioning of patients with acute stroke: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 256.	1.6	27
93	Intensive versus conventional glucose control in critically ill patients with traumatic brain injury: long-term follow-up of a subgroup of patients from the NICE-SUGAR study. Intensive Care Medicine, 2015, 41, 1037-1047.	8.2	118
94	Rational and design of a stepped-wedge cluster randomized trial evaluating quality improvement initiative for reducing cardiovascular events among patients with acute coronary syndromes in resource-constrained hospitals in China. American Heart Journal, 2015, 169, 349-355.	2.7	24
95	No Relationship of Lipid-Lowering Agents to Hematoma Growth. Stroke, 2015, 46, 857-859.	2.0	9
96	The prevalence and patient characteristics of chronic obstructive pulmonary disease in non-smokers in Vietnam and Indonesia: An observational survey. Respirology, 2015, 20, 602-611.	2.3	22
97	A pragmatic randomized trial of a polypill-based strategy to improve use of indicated preventive treatments in people at high cardiovascular disease risk. European Journal of Preventive Cardiology, 2015, 22, 920-930.	1.8	136
98	A multicentre audit of temperature patterns after traumatic brain injury. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2015, 17, 129-34.	0.1	1
99	Hospital Quality Improvement Initiative for Patients With Acute Coronary Syndromes in China. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 217-226.	2.2	46
100	Follow-up of Blood-Pressure Lowering and Glucose Control in Type 2 Diabetes. New England Journal of Medicine, 2014, 371, 1392-1406.	27.0	520
101	Individual patient data meta-analysis of hydroxyethyl starch 130/0.4-0.42 versus crystalloid for fluid resuscitation in patients with severe sepsis: a statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 96-103.	0.1	0
102	Individual patient data comparative analysis of hydroxyethyl starch 130/0.4 v 4% albumin for fluid resuscitation in critically ill patients: statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2014, 16, 206-13.	0.1	0
103	PRECISE - pregabalin in addition to usual care for sciatica: study protocol for a randomised controlled trial. Trials, 2013, 14, 213.	1.6	19
104	Prospective meta-analysis of trials comparing fixed dose combination based care with usual care in individuals at high cardiovascular risk: The SPACE Collaboration. International Journal of Cardiology, 2013, 170, 30-35.	1.7	29
105	Fluid resuscitation with 6Â% hydroxyethyl starch (130/0.4 and 130/0.42) in acutely ill patients: systematic review of effects on mortality and treatment with renal replacement therapy. Intensive Care Medicine, 2013, 39, 558-568.	8.2	147
106	PACE – the first placebo controlled trial of paracetamol for acute low back pain: statistical analysis plan. Trials, 2013, 14, 248.	1.6	14
107	Effects of a Fixed-Dose Combination Strategy on Adherence and Risk Factors in Patients With or at High Risk of CVD. JAMA - Journal of the American Medical Association, 2013, 310, 918.	7.4	330
108	Albumin Resuscitation for Traumatic Brain Injury: Is Intracranial Hypertension the Cause of Increased Mortality?. Journal of Neurotrauma, 2013, 30, 512-518.	3.4	131

#	Article	IF	CITATIONS
109	Managing blood glucose in critically ill patients with or without diabetes. Critical Care, 2013, 17, 134.	5.8	7
110	Hydroxyethyl Starch or Saline in Intensive Care. New England Journal of Medicine, 2013, 368, 774-775.	27.0	22
111	Rapid Blood-Pressure Lowering in Patients with Acute Intracerebral Hemorrhage. New England Journal of Medicine, 2013, 368, 2355-2365.	27.0	1,269
112	ImProving Outcomes after STroke (POST): Results from the Randomized Clinical Pilot Trial. International Journal of Stroke, 2013, 8, 707-710.	5.9	6
113	Fluid Resuscitation with 6% Hydroxyethyl Starch (130/0.4) in Acutely Ill Patients. Anesthesia and Analgesia, 2012, 114, 159-169.	2.2	85
114	An observational study fluid balance and patient outcomes in the randomized evaluation of normal vs. augmented level of replacement therapy trial*. Critical Care Medicine, 2012, 40, 1753-1760.	0.9	776
115	Hydroxyethyl Starch or Saline for Fluid Resuscitation in Intensive Care. New England Journal of Medicine, 2012, 367, 1901-1911.	27.0	1,460
116	Impact of albumin compared to saline on organ function and mortality of patients with severe sepsis. Intensive Care Medicine, 2011, 37, 86-96.	8.2	325
117	Severe Hypoglycemia and Risks of Vascular Events and Death. New England Journal of Medicine, 2010, 363, 1410-1418.	27.0	1,279
118	Resuscitation fluid use in critically ill adults: an international cross sectional study in 391 intensive care units. Critical Care, 2010, 14, R185.	5.8	337
119	The efficacy of lowering glycated haemoglobin with a gliclazide modified release-based intensive glucose lowering regimen in the ADVANCE trial. Diabetes Research and Clinical Practice, 2010, 89, 126-133.	2.8	39
120	Intensive versus Conventional Glucose Control in Critically Ill Patients. New England Journal of Medicine, 2009, 360, 1283-1297.	27.0	6,065
121	Intensity of Continuous Renal-Replacement Therapy in Critically Ill Patients. New England Journal of Medicine, 2009, 361, 1627-1638.	27.0	1,288
122	Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. Lancet Neurology, The, 2008, 7, 391-399.	10.2	732
123	Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes. New England Journal of Medicine, 2008, 358, 2560-2572.	27.0	6,447
124	The ADVANCE trial – Authors' reply. Lancet, The, 2008, 371, 26.	13.7	1
125	Efficacy and safety of fixed combination of perindopril and indapamide in type 2 diabetes: results from ADVANCE in context of available evidence. Journal of Hypertension, 2008, 26, S21-S27.	0.5	5
126	Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. Lancet, The, 2007, 370, 829-840.	13.7	1,864

#	Article	IF	CITATIONS
127	Research on stored biological samples: Views of African American and White American cancer patients. American Journal of Medical Genetics, Part A, 2006, 140A, 733-739.	1.2	69
128	Reproducibility and sensitivity to change of 5 methods for scoring hand radiographic damage in patients with rheumatoid arthritis. Journal of Rheumatology, 2005, 32, 778-86.	2.0	27
129	Naltrexone Depot for Treatment of Alcohol Dependence: A Multicenter, Randomized, Placeboâ€Controlled Clinical Trial. Alcoholism: Clinical and Experimental Research, 2004, 28, 1051-1059.	2.4	156
130	French adolescent attitudes towards informal care for physical and emotional or relational problems. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 466-474.	1.5	4
131	Self-reported determinants of health service use by French adolescents. International Journal of Adolescent Medicine and Health, 2001, 13, 115-30.	1.3	9
132	lodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. The Cochrane Library, 0, , .	2.8	16