Isabel Josa Mutuberria

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4782440/publications.pdf

Version: 2024-02-01

280 papers 15,692 citations

14655 66 h-index 109 g-index

289 all docs 289 docs citations

times ranked

289

9102 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $q=0.75$ sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
5	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
6	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ \sqrt{s}=7 \$$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
7	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
8	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
9	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at \$sqrt{s} = 0.9 \$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
10	Suppression of non-prompt J/ $\hat{\Gamma}$, prompt J/ $\hat{\Gamma}$, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
11	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
12	Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$, and $s=8$, are shown in the second substitution of $s=8$, and	3.9	191
13	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ mbox TeV . European Physical Journal C, 2012, 72, 1.	3.9	181
14	Search for heavy neutrinos and $\$$ mathrm $\{W\}$ \$ W bosons with right-handed couplings in protonâ \in proton collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179
15			

#	Article	IF	Citations
19	Measurement of the inclusive W and Z production cross sections in pp collisions at sqrt s = 7 TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
20	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	154
21	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm$ T and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	3.9	147
22	Strange particle production in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	139
23	Prompt and non-prompt J/lˆ production in pp collisions at $sqrt{s} = 7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	135
24	A search for a doubly-charged Higgs boson in pp collisions at $sqrt\{s\} = 7 \mod {TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	129
25	Measurement of differential top-quark-pair production cross sections in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	125
26	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
27	Measurements of inclusive W and Z cross sections in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
28	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
29	Searches for long-lived charged particles in pp collisions at sqrt =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
30	Search for a light charged Higgs boson in top quark decays in pp collisions at \$ sqrt {s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
31	Charged particle multiplicities in pp interactions at \$ sqrt $\{s\} = 0.9 \$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	106
32	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
33	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
34	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
35	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{ext}, NN\}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
36	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7 \$ TeV and comparison with $\$ sqrt $\{s\} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97

#	Article	IF	Citations
37	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q = 7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
38	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
39	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015 , 2015 , 1 .	4.7	92
40	Measurements of differential and double-differential Drellâ \in "Yan cross sections in protonâ \in "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
41	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
42	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\$ sqrt{{ $s_{n} = 0.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
43	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
44	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
45	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = $ \$\$ s N N = 5.02 \\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
46	Measurement of the single-top-quark t-channel cross section in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
47	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
48	Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)/(s) $ mathrm{J}}/psi $f(s)/(s)$ production in PbPb collisions at $f(s)/(s)$ =2.76\$\$ s NN = 2.76 \$\$, mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	3.9	82
49	J/i^ and i^(2S) production in pp collisions at \$ sqrt $\{s\} = 7\{ext\{Tev\}\}\$ \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81
50	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
51	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
52	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
53	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q = 2.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
54	Study of exclusive two-photon production of W+W \hat{a} in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75

#	Article	IF	Citations
55	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{y}}{1.00} = 5.02$ s, ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
56	Measurement of the $f(w) ^{+} \$ mathrm $f(w)^{-} \$ W + W - cross section in pp collisions at $f(w) = 8$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
57	Measurement of the X(3872) production cross section via decays to J/Ï = + Ï € â in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
58	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
59	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
60	Measurement of the $\mbox{mathrm}\{t\}$ overline{mathrm} $\{t\}$ } production cross section in the dilepton channel in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
61	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
62	Search for anomalous production of multilepton events in pp collisions at $\$$ sqrt $\{s\}$ = 7,TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
63	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
64	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
65	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
66	Charm hadron properties in 400 GeV/cpp interactions. Zeitschrift Fýr Physik C-Particles and Fields, 1988, 40, 321-346.	1.5	66
67	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
68	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
69	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	3.9	64
70	Search for new physics in same-sign dilepton events in protonâ€"proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
71	Measurement of the W+Wâ^' cross section in pp collisions at $q=7mbox{TeV}$ and limits on anomalous WWγ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
72	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ \$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62

#	Article	lF	Citations
73	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
74	Measurement of prompt J/ \ddot{l} pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
75	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $q=7 \text{ mathrm} $ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
76	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$$ sqrt $\{s\}$ = 7 ; $\{ext\{TeV\}\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
77	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
78	Jet production rates in association with W and Z bosons in pp collisions at $q = 7 $ {ext TeV } \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
79	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
80	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\$$ sqrt{s_{_mathrm {NN}}} =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
81			

#	Article	lF	Citations
91	Measurement of the $\{m t\}$ froduction cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt} \{s\} = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
92	Measurement of prompt and nonprompt $\$$ mathrm{J}/{psi} $\$$ J/ Γ production in $\$$ mathrm {p}mathrm {p}\$\$ p p and $\$$ mathrm {p}mathrm {Pb} $\$$ p Pb collisions at $\$$ qrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
93	Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
94	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ° production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
95	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
96	First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
97	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
98	Search for new physics with jets and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
99	Search for leptonic decays of W′ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
100	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
101	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
102	Observation of Y(1S) pair production in proton-proton collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
103	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $ = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
104	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
105	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
106	Search for disappearing tracks in proton-proton collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
107	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$ i, lepton at $\$ sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
108	Search for heavy bottom-like quarks in 4.9 fb \hat{a} of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45

#	Article	IF	CITATIONS
109	Search for microscopic black holes in pp collisions at $\$ sqrt $\{s\}=8\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
110	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
111	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
112	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
113	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
114	Measurement of the top-quark mass in $mathrm{t}$ overline{mathrm{t}} events with dilepton final states in pp collisions at $q=0.000$ mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	42
115	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
116	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
117	Measurement of the $\frac{t}{\sigma}$ mathrm{t}overline{{mathrm{t}}}\$\$ t t \hat{A}^{-} production cross section in the all-jets final state in pp collisions at $\frac{s}{\sigma}$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
118	Search for same-sign top-quark pair production at $\$$ sqrt $\{\$\}$ = 7 $\$$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
119	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
120	Search for resonances in the dilepton mass distribution in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
121	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
122	Measurement of the Z γ* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
123	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
124	Measurement of the ZZ production cross section and search for anomalous couplings in $2\hat{a}$, " $\hat{a} \in 2$ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
125	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
126	Search for heavy stable charged particles in pp collisions at sqrt s = 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38

#	Article	IF	Citations
127	Measurement of the top-quark mass in $\mbox{mathrm{t}}$ werline{mathrm{t}} events with lepton+jets final states in pp collisions at $\mbox{qrt{s}=7 }$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
128	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
129	Measurement of the $mathrm{tar{t}}\$ production cross section in pp collisions at $q=0$. TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
130	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
131	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 and 8 $\$$,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
132	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
133	Measurement of the Drell-Yan cross section in pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
134	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
135	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
136	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
137	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
138	Search for microscopic black holes in pp collisions at $\$$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
139	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $3\%43$ b-quark jets in 7 TeV pp collisions using the variable $\hat{l}\pm T$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
140	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
141	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t \hat{A}^- production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$\$qrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
142	Measurements of the $\frac{t}{\sigma}$ mathrm{t}overline{mathrm{t}}\$\$ t t \hat{A}^- production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 \hat{A} \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
143	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
144	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33

#	Article	IF	CITATIONS
145	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
146	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s} = 7, \{\text{ext}\{\text{TeV}\}\}\}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
147	Search for supersymmetry in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
148	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
149	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
150	Measurements of the \frac{Z} \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 2 ν channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
151	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
152	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
153	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at sqrts=7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
154	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
155	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
156	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
157	Measurement of Bose-Einstein correlations in pp collisions at sqrt s = 0.9 s and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
158	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $ sqrt $	4.7	30
159	Search for a Higgs boson in the decay channel H \hat{a} † $ZZ(*)$ \hat{a} † \hat{a} overline {ext{q}} \$ \hat{a} ," \hat{a} " \hat{a} " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
160	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}\$ mathrm{t} overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\mbox{sqrt{s}=7 }\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
161	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
162	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," \hat{l} /2 b b \hat{A} final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30

#	Article	IF	CITATIONS
163	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, $2011, 2011, 1.$	4.7	29
164	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\frac{s_{y}}{s_{y}} = 5.02$, mathrm {TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
165	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{NN}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2016 , 2016 , 1 .	4.7	29
166	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ $\$$ \$ \hat{l} \pm T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
167	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
168	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
169	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt $\{s_{mathrm}\}$ = $2.76 \$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
170	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
171	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
172	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
173	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\$ sqrt $\{s\} = 7, \{ext\{TeV\}\}\$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	26
174	Search for resonant $\mbox{mathrm{t}}$ overline{mathrm{t}} $\mbox{production}$ in lepton+jets events in pp collisions at $\mbox{qrt{s}=7 TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
175	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	26
176	Search for the standard model Higgs boson in the H â†' ZZ â†' 2â""2ν channel in pp collisions = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	s at.\$ sqrt 4.7	{ext{s}}
177	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7;TeV \\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
178	Search for W′ â†' tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
179	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
180	Measurement of the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 2.76$,ext $\{TeV\}$ \$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26

#	Article	IF	CITATIONS
181	Measurement of energy flow at large pseudorapidities in pp collisions at sqrt s = 0.9 and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
182	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$\$qrt{s} = 8\$\$ s = 8\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
183	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
184	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the \ddot{u} ,+jets channel in pp collisions at $quarrow{quarrow}$ mbox ${TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	24
185	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
186	Search for third-generation scalar leptoquarks in the $t\ddot{l}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
187	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
188	Inclusive b-hadron production cross section with muons in pp collisions at sqrt s} = 7;extTeV} 8. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
189	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
190	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
191	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
192	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
193	Measurement of the top quark mass using single top quark events in proton-proton collisions at $$$ sqrt ${s}= 8$ \$ $s=8$ ÂTeV. European Physical Journal C, 2017, 77, 354.	3.9	23
194	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
195	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
196	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
197	Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
198	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22

#	Article	IF	CITATIONS
199	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l}_n leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
200	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
201	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
202	Search for supersymmetry in pp collisions at $q=7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
203	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
204	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
205	Search for $\$$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ mathrm $\{H\}$ $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
206	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
207	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
208	Search for quark compositeness in dijet angular distributions from pp collisions at $\$$ sqrt $\{s\} = 7\{\}$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
209	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
210	Search for stopped long-lived particles produced in pp collisions at sqrt s= ext7TeV} 5. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
211	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7$ \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
212	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
213	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ±  → ][广Ï€ /	3.9 Â+	17
214	and B± â†' Jſr̃K ± and ℬ B c ± â†' J / r̃r ï€ Â± ï€ Â± ï€ â-" / ℬ B c ± â†' J / r̃r ï€ Â± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{mathrm{J}/psi {pi}^{pm} {pi}^{pm} Tj ETQq0 0 0 rg		ock 10 Tf 50
215	2015, 1. Electroweak production of two jets in association with a Z boson in protonâ \in "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
216	Bose-Einstein correlations inpp collisions at 400 GeV/c. Zeitschrift FÃ 1 /4r Physik C-Particles and Fields, 1992, 54, 21-32.	1.5	16

#	Article	IF	Citations
217	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	4.7	16
218	Measurement of the $\mbox{mathrm{t}}\$ production cross section in the all-jet final state in pp collisions at $\mbox{qrt{s}=7 }\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
219	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
220	Measurement of jet multiplicity distributions in $\frac{t}{\text{overline}}$ to \hat{A}^- production in pp collisions at $\frac{1}{\text{overline}}$ = 7,ext $\frac{1}{\text{eV}}$ \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
221	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e Î⅓ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
222	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
223	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
224	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
225	Search for a fermiophobic Higgs boson in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
226	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
227	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
228	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
229	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
230	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{l} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
231	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\frac{1}{5}=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
232	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ^{\hat{1}3}$ and $Z^{\hat{1}3}$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	14
233	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
234	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14

#	Article	IF	CITATIONS
235	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	4.7	13
236	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
237	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	13
238	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
239	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
240	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
241	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
242	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
243	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
244	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
245	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
246	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $q=7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	11
247	Search for the standard model Higgs boson in the H \hat{a}^{\dagger} ZZ \hat{a}^{\dagger} \hat{a}^{\dagger} , " \hat{a}^{\dagger} ," + \hat{a}^{\dagger} ," decay channel in pp collisions at $\hat{s} = \{7\}$; {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	S sart 4.7	11
248	Measurement of the $Z^{\hat{1}3}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
249	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
250	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt sqrt TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
251	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
252	Measurement of the $\frac{Z}{gamma ^{*}}$ ightarrow au au $\frac{1}{3}$ â â â â â â â â â â â â â â â â â â â	3.9	10

#	Article	IF	CITATIONS
253	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
254	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13-hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
255	Comparative properties of 400 GeV/c proton-proton interactions with and without charm production. Zeitschrift Fýr Physik C-Particles and Fields, 1988, 41, 191-196.	1.5	7
256	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
257	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
258	Search for high-mass $Z\hat{1}^3$ resonances in e+eâ ⁻ $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â ⁻ $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	^{\$} 4.7	7
259	Measurement of the cross section for production of \$ boverline b X \$ decaying to muons in pp collisions at	4.7	6
260	Comparison of the Z/\hat{i} \hat{a} — + jets to \hat{i} + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
261	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
262	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
263	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
264	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
265	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
266	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
267	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
268	InclusiveD-meson branching ratios. Zeitschrift Für Physik C-Particles and Fields, 1987, 36, 551-558.	1.5	4
269	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
270	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4

#	Article	IF	CITATIONS
271	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
272	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
273	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
274	Search for $W\hat{a}\in 2$ $\hat{a}\uparrow$ to in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
275	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $$$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
276	Measurement of the inclusive $\$\$$ mathrm{t}overline{mathrm{t}} $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt{s} $\$\$$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
277	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
278	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
279	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
280	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1