

Salim Abdool Karim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4782683/publications.pdf>

Version: 2024-02-01

435
papers

28,903
citations

8208

78
h-index

8627

151
g-index

453
all docs

453
docs citations

453
times ranked

25600
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | COVID-19: Impact on the HIV and Tuberculosis Response, Service Delivery, and Research in South Africa. <i>Current HIV/AIDS Reports</i> , 2022, 19, 46-53. | 1.1 | 26 |
| 2 | Safety and Pharmacokinetics of Monoclonal Antibodies VRC07-523LS and PGT121 Administered Subcutaneously for Human Immunodeficiency Virus Prevention. <i>Journal of Infectious Diseases</i> , 2022, 226, 510-520. | 1.9 | 13 |
| 3 | SARS-CoV-2 prolonged infection during advanced HIV disease evolves extensive immune escape. <i>Cell Host and Microbe</i> , 2022, 30, 154-162.e5. | 5.1 | 153 |
| 4 | CAPRISA 018: a phase I/II clinical trial study protocol to assess the safety, acceptability, tolerability and pharmacokinetics of a sustained-release tenofovir alafenamide subdermal implant for HIV prevention in women. <i>BMJ Open</i> , 2022, 12, e052880. | 0.8 | 18 |
| 5 | Mortality in HIV and tuberculosis patients following implementation of integrated HIV-TB treatment: Results from an open-label cluster-randomized trial. <i>EClinicalMedicine</i> , 2022, 44, 101298. | 3.2 | 4 |
| 6 | Genital immune cell activation and tenofovir gel efficacy: a case-control study. <i>Clinical Infectious Diseases</i> , 2022, , . | 2.9 | 2 |
| 7 | Pre-infection plasma cytokines and chemokines as predictors of HIV disease progression. <i>Scientific Reports</i> , 2022, 12, 2437. | 1.6 | 6 |
| 8 | Advancing HIV prevention using tenofovir-based pre-exposure prophylaxis. <i>Antiviral Therapy</i> , 2022, 27, 135965352110675. | 0.6 | 1 |
| 9 | Age-Restriction of a Validated Risk Scoring Tool Better Predicts HIV Acquisition in South African Women: CAPRISA 004. <i>AIDS and Behavior</i> , 2022, , 1. | 1.4 | 0 |
| 10 | COVID-19 vaccine wastage in the midst of vaccine inequity: causes, types and practical steps. <i>BMJ Global Health</i> , 2022, 7, e009010. | 2.0 | 29 |
| 11 | Public understanding of science: Communicating in the midst of a pandemic. <i>Public Understanding of Science</i> , 2022, 31, 282-287. | 1.6 | 5 |
| 12 | Clinical severity of COVID-19 in patients admitted to hospital during the omicron wave in South Africa: a retrospective observational study. <i>The Lancet Global Health</i> , 2022, 10, e961-e969. | 2.9 | 120 |
| 13 | Clinical Trials of Broadly Neutralizing Monoclonal Antibodies for Human Immunodeficiency Virus Prevention: A Review. <i>Journal of Infectious Diseases</i> , 2021, 223, 370-380. | 1.9 | 50 |
| 14 | Betamethasone induces potent immunosuppression and reduces HIV infection in a PBMC in vitro model. <i>Journal of Investigative Medicine</i> , 2021, 69, 28-40. | 0.7 | 4 |
| 15 | Identifying SARS-CoV-2 infections in South Africa: Balancing public health imperatives with saving lives. <i>Biochemical and Biophysical Research Communications</i> , 2021, 538, 221-225. | 1.0 | 12 |
| 16 | Future scenarios for the COVID-19 pandemic. <i>Lancet, The</i> , 2021, 397, 777-778. | 6.3 | 127 |
| 17 | Impact of point-of-care testing and treatment of sexually transmitted infections and bacterial vaginosis on genital tract inflammatory cytokines in a cohort of young South African women. <i>Sexually Transmitted Infections</i> , 2021, 97, 555-565. | 0.8 | 8 |
| 18 | Plasma Biomarkers of Risk of Tuberculosis Recurrence in HIV Co-Infected Patients From South Africa. <i>Frontiers in Immunology</i> , 2021, 12, 631094. | 2.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | SARS-CoV-2 variants and ending the COVID-19 pandemic. <i>Lancet, The</i> , 2021, 397, 952-954. | 6.3 | 462 |
| 20 | Genital and systemic immune effects of the injectable, contraceptive norethisterone enanthate (NET-EN), in South African women. <i>American Journal of Reproductive Immunology</i> , 2021, 86, e13411. | 1.2 | 1 |
| 21 | Priorities for the COVID-19 pandemic at the start of 2021: statement of the Lancet COVID-19 Commission. <i>Lancet, The</i> , 2021, 397, 947-950. | 6.3 | 26 |
| 22 | Engaging young women in Africa for PrEP use and adherence. <i>Lancet HIV,the</i> , 2021, 8, e122-e123. | 2.1 | 2 |
| 23 | Commentary title: COVID-19 research, Africa, and global health. <i>Journal of Virus Eradication</i> , 2021, 7, 100030. | 0.3 | 1 |
| 24 | Appropriate names for COVID-19 variants. <i>Science</i> , 2021, 371, 1215-1215. | 6.0 | 16 |
| 25 | Vaccines and SARS-CoV-2 variants: the urgent need for a correlate of protection. <i>Lancet, The</i> , 2021, 397, 1263-1264. | 6.3 | 49 |
| 26 | Cost-effectiveness of point-of-care testing with task-shifting for HIV care in South Africa: a modelling study. <i>Lancet HIV,the</i> , 2021, 8, e216-e224. | 2.1 | 15 |
| 27 | New SARS-CoV-2 Variants – Clinical, Public Health, and Vaccine Implications. <i>New England Journal of Medicine</i> , 2021, 384, 1866-1868. | 13.9 | 581 |
| 28 | Institutional and behaviour-change interventions to support COVID-19 public health measures: a review by the Lancet Commission Task Force on public health measures to suppress the pandemic. <i>International Health</i> , 2021, 13, 399-409. | 0.8 | 41 |
| 29 | Epigenetic Regulation of BST-2 Expression Levels and the Effect on HIV-1 Pathogenesis. <i>Frontiers in Immunology</i> , 2021, 12, 669241. | 2.2 | 4 |
| 30 | Recent Semen Exposure Impacts the Cytokine Response and Bacterial Vaginosis in Women. <i>Frontiers in Immunology</i> , 2021, 12, 695201. | 2.2 | 7 |
| 31 | Immunological Correlates of the HIV-1 Replication-Competent Reservoir Size. <i>Clinical Infectious Diseases</i> , 2021, 73, 1528-1531. | 2.9 | 4 |
| 32 | Transient association between semen exposure and biomarkers of genital inflammation in South African women at risk of HIV infection. <i>Journal of the International AIDS Society</i> , 2021, 24, e25766. | 1.2 | 5 |
| 33 | HIV incidence trends in Africa: young women at highest risk. <i>Lancet HIV,the</i> , 2021, 8, e389-e390. | 2.1 | 7 |
| 34 | Exploring discrepant knowledge of partner sexual behaviour to inform self-risk assessment in a high HIV burdened district in rural KwaZulu-Natal. <i>Global Public Health</i> , 2021, , 1-16. | 1.0 | 0 |
| 35 | Temporal Changes in Vaginal Microbiota and Genital Tract Cytokines Among South African Women Treated for Bacterial Vaginosis. <i>Frontiers in Immunology</i> , 2021, 12, 730986. | 2.2 | 25 |
| 36 | A cluster-randomized controlled trial to improve the quality of integrated HIV-tuberculosis services in primary healthcare clinics in South Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25803. | 1.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Audio Interview: Covid-19 in South Africa and a New SARS-CoV-2 Variant. <i>New England Journal of Medicine</i> , 2021, 384, e14. | 13.9 | 3 |
| 38 | Simplifying TREATment and Monitoring for HIV (STREAM HIV): protocol for a randomised controlled trial of point-of-care urine tenofovir and viral load testing to improve HIV outcomes. <i>BMJ Open</i> , 2021, 11, e050116. | 0.8 | 7 |
| 39 | COVID-19 in Africa: Catalyzing change for sustainable development. <i>PLoS Medicine</i> , 2021, 18, e1003869. | 3.9 | 2 |
| 40 | ADCC-mediating non-neutralizing antibodies can exert immune pressure in early HIV-1 infection. <i>PLoS Pathogens</i> , 2021, 17, e1010046. | 2.1 | 6 |
| 41 | Omicron SARS-CoV-2 variant: a new chapter in the COVID-19 pandemic. <i>Lancet, The</i> , 2021, 398, 2126-2128. | 6.3 | 1,057 |
| 42 | Higher mucosal antibody concentrations in women with genital tract inflammation. <i>Scientific Reports</i> , 2021, 11, 23514. | 1.6 | 3 |
| 43 | HIV pre-exposure prophylaxis implementation in Africa: some early lessons. <i>The Lancet Global Health</i> , 2021, 9, e1634-e1635. | 2.9 | 3 |
| 44 | Plasma concentration of injectable contraceptive correlates with reduced cervicovaginal growth factor expression in South African women. <i>Mucosal Immunology</i> , 2020, 13, 449-459. | 2.7 | 15 |
| 45 | Antibody Isotype Switching as a Mechanism to Counter HIV Neutralization Escape. <i>Cell Reports</i> , 2020, 33, 108430. | 2.9 | 16 |
| 46 | The Impact of Semen Exposure on the Immune and Microbial Environments of the Female Genital Tract. <i>Frontiers in Reproductive Health</i> , 2020, 2, . | 0.6 | 4 |
| 47 | Topical Tenofovir Pre-exposure Prophylaxis and Mucosal HIV-Specific Fc-Mediated Antibody Activities in Women. <i>Frontiers in Immunology</i> , 2020, 11, 1274. | 2.2 | 1 |
| 48 | COVID-19 affects HIV and tuberculosis care. <i>Science</i> , 2020, 369, 366-368. | 6.0 | 54 |
| 49 | Identification of adolescent girls and young women for targeted HIV prevention: a new risk scoring tool in KwaZulu Natal, South Africa. <i>Scientific Reports</i> , 2020, 10, 13017. | 1.6 | 7 |
| 50 | Lancet COVID-19 Commission Statement on the occasion of the 75th session of the UN General Assembly. <i>Lancet, The</i> , 2020, 396, 1102-1124. | 6.3 | 117 |
| 51 | Development of a prognostic tool exploring female adolescent risk for HIV prevention and PrEP in rural South Africa, a generalised epidemic setting. <i>Sexually Transmitted Infections</i> , 2020, 96, 47-54. | 0.8 | 12 |
| 52 | The South African Response to the Pandemic. <i>New England Journal of Medicine</i> , 2020, 382, e95. | 13.9 | 92 |
| 53 | Point-of-care HIV viral load testing combined with task shifting to improve treatment outcomes (STREAM): findings from an open-label, non-inferiority, randomised controlled trial. <i>Lancet HIV,the</i> , 2020, 7, e229-e237. | 2.1 | 66 |
| 54 | Putting women in the centre of the global HIV response is key to achieving epidemic control!. <i>Journal of the International AIDS Society</i> , 2020, 23, e25473. | 1.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Assessing a diagnosis tool for bacterial vaginosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 1481-1485. | 1.3 | 10 |
| 56 | Integrating and Interpreting Findings from the Latest Treatment as Prevention Trials. <i>Current HIV/AIDS Reports</i> , 2020, 17, 249-258. | 1.1 | 10 |
| 57 | Assessing the safety and pharmacokinetics of the anti-HIV monoclonal antibody CAP256V2LS alone and in combination with VRC07-523LS and PGT121 in South African women: study protocol for the first-in-human CAPRISA 012B phase I clinical trial. <i>BMJ Open</i> , 2020, 10, e042247. | 0.8 | 25 |
| 58 | Acceptability of HIV self-testing among men and women in KwaZulu-Natal, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 186-192. | 0.6 | 50 |
| 59 | Diminished HIV Infection of Target CD4+ T Cells in a Toll-Like Receptor 4 Stimulated in vitro Model. <i>Frontiers in Immunology</i> , 2019, 10, 1705. | 2.2 | 10 |
| 60 | HIV-1 Epidemic Control – Insights from Test-and-Treat Trials. <i>New England Journal of Medicine</i> , 2019, 381, 286-288. | 13.9 | 54 |
| 61 | AAV-Mediated Expression of Broadly Neutralizing and Vaccine-like Antibodies Targeting the HIV-1 Envelope V2 Region. <i>Molecular Therapy - Methods and Clinical Development</i> , 2019, 14, 100-112. | 1.8 | 24 |
| 62 | Frequency of Hepatitis B Virus Resistance Mutations in Women Using Tenofovir Gel as Pre-Exposure Prophylaxis. <i>Viruses</i> , 2019, 11, 569. | 1.5 | 2 |
| 63 | Assessing the safety and pharmacokinetics of the monoclonal antibodies, VRC07-523LS and PGT121 in HIV negative women in South Africa: study protocol for the CAPRISA 012A randomised controlled phase I trial. <i>BMJ Open</i> , 2019, 9, e030283. | 0.8 | 12 |
| 64 | HIV incidence rates in adolescent girls and young women in sub-Saharan Africa. <i>The Lancet Global Health</i> , 2019, 7, e1470-e1471. | 2.9 | 71 |
| 65 | The replication-competent HIV-1 latent reservoir is primarily established near the time of therapy initiation. <i>Science Translational Medicine</i> , 2019, 11, . | 5.8 | 141 |
| 66 | Integrated provision of topical pre-exposure prophylaxis in routine family planning services in South Africa: a non-inferiority randomized controlled trial. <i>Journal of the International AIDS Society</i> , 2019, 22, e25381. | 1.2 | 13 |
| 67 | Trends in HIV Prevention, Treatment, and Incidence in a Hyperendemic Area of KwaZulu-Natal, South Africa. <i>JAMA Network Open</i> , 2019, 2, e1914378. | 2.8 | 33 |
| 68 | Mechanisms of sexually transmitted infection-induced inflammation in women: implications for HIV risk. <i>Journal of the International AIDS Society</i> , 2019, 22, e25346. | 1.2 | 45 |
| 69 | Detection of Tuberculosis Recurrence, Diagnosis and Treatment Response by a Blood Transcriptomic Risk Signature in HIV-Infected Persons on Antiretroviral Therapy. <i>Frontiers in Microbiology</i> , 2019, 10, 1441. | 1.5 | 46 |
| 70 | The genital tract and rectal microbiomes: their role in HIV susceptibility and prevention in women. <i>Journal of the International AIDS Society</i> , 2019, 22, e25300. | 1.2 | 43 |
| 71 | Asymptomatic Bacterial Vaginosis in Pregnancy and Missed Opportunities for Treatment: A Cross-Sectional Observational Study. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2019, 2019, 1-7. | 0.4 | 12 |
| 72 | Who is sexually active? Using a multi-component sexual activity profile (MSAP) to explore, identify and describe sexually-active high-school students in rural KwaZulu-Natal, South Africa. <i>BMC Public Health</i> , 2019, 19, 317. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Trends in Pretreatment HIV-1 Drug Resistance in Antiretroviral Therapy-naive Adults in South Africa, 2000–2016: A Pooled Sequence Analysis. <i>EClinicalMedicine</i> , 2019, 9, 26-34. | 3.2 | 51 |
| 74 | Evidence for both Intermittent and Persistent Compartmentalization of HIV-1 in the Female Genital Tract. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 9 |
| 75 | Antibody-Dependent Cellular Cytotoxicity (ADCC)-Mediating Antibodies Constrain Neutralizing Antibody Escape Pathway. <i>Frontiers in Immunology</i> , 2019, 10, 2875. | 2.2 | 20 |
| 76 | IgG3 enhances neutralization potency and Fc effector function of an HIV V2-specific broadly neutralizing antibody. <i>PLoS Pathogens</i> , 2019, 15, e1008064. | 2.1 | 66 |
| 77 | HPV infection and the genital cytokine milieu in women at high risk of HIV acquisition. <i>Nature Communications</i> , 2019, 10, 5227. | 5.8 | 40 |
| 78 | Positive Selection at Key Residues in the HIV Envelope Distinguishes Broad and Strain-Specific Plasma Neutralizing Antibodies. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 13 |
| 79 | Moderate-to-High Levels of Pretreatment HIV Drug Resistance in KwaZulu-Natal Province, South Africa. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 129-138. | 0.5 | 21 |
| 80 | <i>“Youâ€™ll always stay right”</i> understanding vaginal products and the motivations for use among adolescent and young women in rural KZN. <i>Culture, Health and Sexuality</i> , 2019, 21, 95-107. | 1.0 | 2 |
| 81 | Improving survival with tuberculosis & HIV treatment integration: A mini-review. <i>Indian Journal of Medical Research</i> , 2019, 150, 131. | 0.4 | 6 |
| 82 | Genital inflammation undermines the effectiveness of tenofovir gel in preventing HIV acquisition in women. <i>Nature Medicine</i> , 2018, 24, 491-496. | 15.2 | 123 |
| 83 | Identification and validation of a multi-essay algorithm for cross-sectional HIV incidence estimation in populations with subtype C infection. <i>Journal of the International AIDS Society</i> , 2018, 21, e25082. | 1.2 | 26 |
| 84 | Integrin $\alpha 4 \beta 7$ expression on peripheral blood CD4 ⁺ T cells predicts HIV acquisition and disease progression outcomes. <i>Science Translational Medicine</i> , 2018, 10, . | 5.8 | 85 |
| 85 | Clinic-Based Evaluation of a Point-of-Care Creatinine Assay to Screen for Renal Impairment Among HIV-Positive Patients Receiving Tenofovir Disoproxil Fumarate. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, e36-e39. | 0.9 | 4 |
| 86 | Acceptability of Early Antiretroviral Therapy Among South African Women. <i>AIDS and Behavior</i> , 2018, 22, 1018-1024. | 1.4 | 22 |
| 87 | The microbiome and HIV prevention strategies in women. <i>Current Opinion in HIV and AIDS</i> , 2018, 13, 81-87. | 1.5 | 16 |
| 88 | V2-Directed Vaccine-like Antibodies from HIV-1 Infection Identify an Additional K169-Binding Light Chain Motif with Broad ADCC Activity. <i>Cell Reports</i> , 2018, 25, 3123-3135.e6. | 2.9 | 23 |
| 89 | HIV Superinfection Drives De Novo Antibody Responses and Not Neutralization Breadth. <i>Cell Host and Microbe</i> , 2018, 24, 593-599.e3. | 5.1 | 24 |
| 90 | Exploratory analysis of the ecological variables associated with sexual health profiles in high-risk, sexually-active female learners in rural KwaZulu-Natal. <i>PLoS ONE</i> , 2018, 13, e0195107. | 1.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Sequencing HIV-neutralizing antibody exons and introns reveals detailed aspects of lineage maturation. <i>Nature Communications</i> , 2018, 9, 4136. | 5.8 | 11 |
| 92 | Optimising the accuracy of HIV drug resistance assays. <i>Lancet HIV,the</i> , 2018, 5, e608-e609. | 2.1 | 0 |
| 93 | Beyond syndromic management: Opportunities for diagnosis-based treatment of sexually transmitted infections in low- and middle-income countries. <i>PLoS ONE</i> , 2018, 13, e0196209. | 1.1 | 81 |
| 94 | Expert consensus statement on the science of <scp>HIV</scp> in the context of criminal law. <i>Journal of the International AIDS Society</i> , 2018, 21, e25161. | 1.2 | 59 |
| 95 | Ex vivo HIV entry into blood CD4+ T cells does not predict heterosexual HIV acquisition in women. <i>PLoS ONE</i> , 2018, 13, e0200359. | 1.1 | 5 |
| 96 | Community-based HIV prevalence in KwaZulu-Natal, South Africa: results of a cross-sectional household survey. <i>Lancet HIV,the</i> , 2018, 5, e427-e437. | 2.1 | 60 |
| 97 | Case report: mechanisms of HIV elite control in two African women. <i>BMC Infectious Diseases</i> , 2018, 18, 54. | 1.3 | 82 |
| 98 | Multi-Donor Longitudinal Antibody Repertoire Sequencing Reveals the Existence of Public Antibody Clonotypes in HIV-1 Infection. <i>Cell Host and Microbe</i> , 2018, 23, 845-854.e6. | 5.1 | 100 |
| 99 | Residual T cell activation and skewed CD8+ T cell memory differentiation despite antiretroviral therapy-induced HIV suppression. <i>Clinical Immunology</i> , 2018, 195, 127-138. | 1.4 | 22 |
| 100 | HIVâ€™No time for complacency. <i>Science</i> , 2018, 360, 1153-1153. | 6.0 | 9 |
| 101 | HIV-specific Fc effector function early in infection predicts the development of broadly neutralizing antibodies. <i>PLoS Pathogens</i> , 2018, 14, e1006987. | 2.1 | 71 |
| 102 | Dolutegravir for first-line antiretroviral therapy in low-income and middle-income countries: uncertainties and opportunities for implementation and research. <i>Lancet HIV,the</i> , 2018, 5, e400-e404. | 2.1 | 75 |
| 103 | Prevention Clinical Trials: Highlights of Evidence and Research. , 2018, , 1713-1723. | | 0 |
| 104 | HIV-1 Preexposure Prophylaxis. , 2018, , 886-892. | | 0 |
| 105 | CAPRISA 003: Timing of Antiretroviral Initiation in HIV-TB Co-infected Patientsâ€™The SAPIT Trial. , 2017, , 107-120. | | 0 |
| 106 | Replication Capacity of Viruses from Acute Infection Drives HIV-1 Disease Progression. <i>Journal of Virology</i> , 2017, 91, . | 1.5 | 13 |
| 107 | Secrecy, empowerment and protection: positioning PrEP in KwaZulu-Natal, South Africa. <i>Culture, Health and Sexuality</i> , 2017, 19, 1268-1285. | 1.0 | 18 |
| 108 | Transmission networks and risk of HIV infection in KwaZulu-Natal, South Africa: a community-wide phylogenetic study. <i>Lancet HIV,the</i> , 2017, 4, e41-e50. | 2.1 | 220 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Interleukin 1-Beta (IL-1 β) Production by Innate Cells Following TLR Stimulation Correlates With TB Recurrence in ART-Treated HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 74, 213-220. | 0.9 | 16 |
| 110 | Prevention of HIV in Adolescent Girls and Young Women: Key to an AIDS-Free Generation. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 75, S17-S26. | 0.9 | 80 |
| 111 | Vaginal bacteria modify HIV tenofovir microbicide efficacy in African women. <i>Science</i> , 2017, 356, 938-945. | 6.0 | 348 |
| 112 | Brief Report: Selection of HIV-1 Variants With Higher Transmission Potential by 1% Tenofovir Gel Microbicide. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 76, 43-47. | 0.9 | 5 |
| 113 | Trump's "global gag rule" implications for human rights and global health. <i>The Lancet Global Health</i> , 2017, 5, e387-e389. | 2.9 | 23 |
| 114 | Mimicry of an HIV broadly neutralizing antibody epitope with a synthetic glycopeptide. <i>Science Translational Medicine</i> , 2017, 9, . | 5.8 | 81 |
| 115 | Effect of Antiretroviral Therapy on the Memory and Activation Profiles of B Cells in HIV-Infected African Women. <i>Journal of Immunology</i> , 2017, 198, 1220-1228. | 0.4 | 18 |
| 116 | Serum glycan-binding IgG antibodies in HIV-1 infection and during the development of broadly neutralizing responses. <i>Aids</i> , 2017, 31, 2199-2209. | 1.0 | 13 |
| 117 | Broadly neutralizing antibodies targeting the HIV-1 envelope V2 apex confer protection against a clade C SHIV challenge. <i>Science Translational Medicine</i> , 2017, 9, . | 5.8 | 87 |
| 118 | Early evolution of human leucocyte antigen-associated escape mutations in variable Gag proteins predicts CD4+ decline in HIV-1 subtype C-infected women. <i>Aids</i> , 2017, 31, 191-197. | 1.0 | 2 |
| 119 | Genital "Systemic Chemokine Gradients and the Risk of HIV Acquisition in Women. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 74, 318-325. | 0.9 | 64 |
| 120 | Closing the NIH Fogarty Center threatens US and global health. <i>Lancet, The</i> , 2017, 390, 451. | 6.3 | 2 |
| 121 | Cooperation between Strain-Specific and Broadly Neutralizing Responses Limited Viral Escape and Prolonged the Exposure of the Broadly Neutralizing Epitope. <i>Journal of Virology</i> , 2017, 91, . | 1.5 | 35 |
| 122 | Plasma Cytokine Predictors of Tuberculosis Recurrence in Antiretroviral-Treated Human Immunodeficiency Virus-infected Individuals from Durban, South Africa. <i>Clinical Infectious Diseases</i> , 2017, 65, 819-826. | 2.9 | 23 |
| 123 | Assessing progress with HIV incidence in national cohorts. <i>Lancet HIV,the</i> , 2017, 4, e56-e58. | 2.1 | 2 |
| 124 | Cervicovaginal Inflammation Facilitates Acquisition of Less Infectious HIV Variants. <i>Clinical Infectious Diseases</i> , 2017, 64, 79-82. | 2.9 | 53 |
| 125 | Influences of geo-spatial location on pre-exposure prophylaxis use in South Africa: positioning microbicides for better product uptake. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 734-740. | 0.6 | 6 |
| 126 | Protocol for a randomised controlled implementation trial of point-of-care viral load testing and task shifting: the Simplifying HIV TREATment and Monitoring (STREAM) study. <i>BMJ Open</i> , 2017, 7, e017507. | 0.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Governmental Support of Research. , 2017, , 679-705. | | 1 |
| 128 | Mapping Polyclonal HIV-1 Antibody Responses via Next-Generation Neutralization Fingerprinting. PLoS Pathogens, 2017, 13, e1006148. | 2.1 | 51 |
| 129 | Addressing challenges in scaling up TB and HIV treatment integration in rural primary healthcare clinics in South Africa (SUTHI): a cluster randomized controlled trial protocol. Implementation Science, 2017, 12, 129. | 2.5 | 25 |
| 130 | The Impact of Conditional Cash Transfers in Reducing HIV in Adolescent Girls and Boys (RHIVA): The CAPRISA 007 Matched Pair, Cluster Randomised Controlled Trial. , 2017, , 77-89. | | 6 |
| 131 | High mortality rates in men initiated on anti-retroviral treatment in KwaZulu-Natal, South Africa. PLoS ONE, 2017, 12, e0184124. | 1.1 | 13 |
| 132 | Structure and Recognition of a Novel HIV-1 gp120-gp41 Interface Antibody that Caused MPER Exposure through Viral Escape. PLoS Pathogens, 2017, 13, e1006074. | 2.1 | 33 |
| 133 | Current status of the HIV epidemic & challenges in prevention. Indian Journal of Medical Research, 2017, 146, 673. | 0.4 | 7 |
| 134 | Scaling up TB-HIV Integration in Public Health Clinics: Translating Research Findings into Practice. , 2017, , 121-134. | | 0 |
| 135 | Prevention Clinical Trials: Highlights of Evidence and Research. , 2017, , 1-11. | | 0 |
| 136 | Which New Health Technologies Do We Need to Achieve an End to HIV/AIDS?. PLoS Biology, 2016, 14, e1002372. | 2.6 | 12 |
| 137 | Optimal Combinations of Broadly Neutralizing Antibodies for Prevention and Treatment of HIV-1 Clade C Infection. PLoS Pathogens, 2016, 12, e1005520. | 2.1 | 150 |
| 138 | Broadly neutralizing antibody specificities detected in the genital tract of HIV-1 infected women. Aids, 2016, 30, 1005-1014. | 1.0 | 18 |
| 139 | Diagnostic Accuracy of the Point-of-Care Xpert HIV-1 Viral Load Assay in a South African HIV Clinic. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, e45-e48. | 0.9 | 37 |
| 140 | Efficacy and safety of tenofovir-containing antiretroviral therapy in women who acquired HIV while enrolled in tenofovir gel prophylaxis trials. Antiviral Therapy, 2016, 22, 287-293. | 0.6 | 2 |
| 141 | Association of Polymorphisms in the Regulatory Region of the Cyclophilin a Gene (PPIA) with Gene Expression and HIV/AIDS Disease Progression. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 465-473. | 0.9 | 8 |
| 142 | Factors Driving the HIV Epidemic in Southern Africa. Current HIV/AIDS Reports, 2016, 13, 158-169. | 1.1 | 38 |
| 143 | Social Context of Adherence in an Open-Label 1% Tenofovir Gel Trial: Gender Dynamics and Disclosure in KwaZulu-Natal, South Africa. AIDS and Behavior, 2016, 20, 2682-2691. | 1.4 | 12 |
| 144 | Structure of an N276-Dependent HIV-1 Neutralizing Antibody Targeting a Rare V5 Glycan Hole Adjacent to the CD4 Binding Site. Journal of Virology, 2016, 90, 10220-10235. | 1.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Combination HIV prevention options for young women in Africa. <i>African Journal of AIDS Research</i> , 2016, 15, 109-121. | 0.3 | 39 |
| 146 | Amino Acid Changes in the HIV-1 gp41 Membrane Proximal Region Control Virus Neutralization Sensitivity. <i>EBioMedicine</i> , 2016, 12, 196-207. | 2.7 | 34 |
| 147 | Metabolic Syndrome After HIV Acquisition in South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 438-445. | 0.9 | 26 |
| 148 | Is the UNAIDS target sufficient for HIV control in Botswana?. <i>Lancet HIV</i> , 2016, 3, e195-e196. | 2.1 | 8 |
| 149 | Innate Lymphoid Cells Are Depleted Irreversibly during Acute HIV-1 Infection in the Absence of Viral Suppression. <i>Immunity</i> , 2016, 44, 391-405. | 6.6 | 125 |
| 150 | Distinct genital tract HIV-specific antibody profiles associated with tenofovir gel. <i>Mucosal Immunology</i> , 2016, 9, 821-833. | 2.7 | 22 |
| 151 | Structural Constraints of Vaccine-Induced Tier-2 Autologous HIV Neutralizing Antibodies Targeting the Receptor-Binding Site. <i>Cell Reports</i> , 2016, 14, 43-54. | 2.9 | 45 |
| 152 | Inflammatory cytokine biomarkers to identify women with asymptomatic sexually transmitted infections and bacterial vaginosis who are at high risk of HIV infection. <i>Sexually Transmitted Infections</i> , 2016, 92, 186-193. | 0.8 | 50 |
| 153 | Oral and injectable contraceptive use and HIV acquisition risk among women in four African countries: a secondary analysis of data from a microbicide trial. <i>Contraception</i> , 2016, 93, 25-31. | 0.8 | 15 |
| 154 | New Member of the V1V2-Directed CAP256-VRC26 Lineage That Shows Increased Breadth and Exceptional Potency. <i>Journal of Virology</i> , 2016, 90, 76-91. | 1.5 | 205 |
| 155 | Increased levels of inflammatory cytokines in the female reproductive tract are associated with altered expression of proteases, mucosal barrier proteins, and an influx of HIV-susceptible target cells. <i>Mucosal Immunology</i> , 2016, 9, 194-205. | 2.7 | 205 |
| 156 | High Burden of Human Papillomavirus (HPV) Infection among Young Women in KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , 2016, 11, e0146603. | 1.1 | 40 |
| 157 | Modulation of Female Genital Tract-Derived Dendritic Cell Migration and Activation in Response to Inflammatory Cytokines and Toll-Like Receptor Agonists. <i>PLoS ONE</i> , 2016, 11, e0155668. | 1.1 | 5 |
| 158 | Features of Recently Transmitted HIV-1 Clade C Viruses that Impact Antibody Recognition: Implications for Active and Passive Immunization. <i>PLoS Pathogens</i> , 2016, 12, e1005742. | 2.1 | 81 |
| 159 | Efavirenz Dosing: Influence of Drug Metabolizing Enzyme Polymorphisms and Concurrent Tuberculosis Treatment. <i>Antiviral Therapy</i> , 2015, 20, 297-306. | 0.6 | 10 |
| 160 | Challenges with participant reimbursement: experiences from a post-trial access study. <i>Journal of Medical Ethics</i> , 2015, 41, 909-913. | 1.0 | 6 |
| 161 | Cost-Effectiveness of Initiating Antiretroviral Therapy at Different Points in TB Treatment in HIV-TB Coinfected Ambulatory Patients in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 576-584. | 0.9 | 10 |
| 162 | Killer-cell Immunoglobulin-like Receptor (KIR) gene profiles modify HIV disease course, not HIV acquisition in South African women. <i>BMC Infectious Diseases</i> , 2015, 16, 27. | 1.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Strengthening HIV surveillance in the antiretroviral therapy era: rationale and design of a longitudinal study to monitor HIV prevalence and incidence in the uMgungundlovu District, KwaZulu-Natal, South Africa. <i>BMC Public Health</i> , 2015, 15, 1149. | 1.2 | 33 |
| 164 | South African HIV-1 subtype C transmitted variants with a specific V2 motif show higher dependence on I ₄₂₇ for replication. <i>Retrovirology</i> , 2015, 12, 54. | 0.9 | 19 |
| 165 | Genital Tenofovir Concentrations Correlate With Protection Against HIV Infection in the CAPRISA 004 Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 264-269. | 0.9 | 67 |
| 166 | Antibodies for HIV prevention in young women. <i>Current Opinion in HIV and AIDS</i> , 2015, 10, 183-189. | 1.5 | 9 |
| 167 | Relationship between female genital tract infections, mucosal interleukin-17 production and local T helper type 17 cells. <i>Immunology</i> , 2015, 146, 557-567. | 2.0 | 45 |
| 168 | Trends in HIV Prevalence in Pregnant Women in Rural South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 70, 289-295. | 0.9 | 51 |
| 169 | Adolescent girls and young women: key populations for HIV epidemic control. <i>Journal of the International AIDS Society</i> , 2015, 18, 19408. | 1.2 | 361 |
| 170 | Randomized Cross-Sectional Study to Compare HIV-1 Specific Antibody and Cytokine Concentrations in Female Genital Secretions Obtained by Menstrual Cup and Cervicovaginal Lavage. <i>PLoS ONE</i> , 2015, 10, e0131906. | 1.1 | 26 |
| 171 | HIV Disease Progression in Seroconvertors from the CAPRISA 004 Tenofovir Gel Pre-exposure Prophylaxis Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 68, 55-61. | 0.9 | 10 |
| 172 | Tenofovir Gel to Prevent HSV-2 Infection. <i>New England Journal of Medicine</i> , 2015, 373, 1980-1981. | 13.9 | 1 |
| 173 | Individualised Motivational Counselling to Enhance Adherence to Antiretroviral Therapy is not Superior to Didactic Counselling in South African Patients: Findings of the CAPRISA 058 Randomised Controlled Trial. <i>AIDS and Behavior</i> , 2015, 19, 145-156. | 1.4 | 18 |
| 174 | HIV-1 Superinfection Resembles Primary Infection. <i>Journal of Infectious Diseases</i> , 2015, 212, 904-908. | 1.9 | 13 |
| 175 | Overcoming Impediments to Global Implementation of Early Antiretroviral Therapy. <i>New England Journal of Medicine</i> , 2015, 373, 875-876. | 13.9 | 26 |
| 176 | Tenofovir Gel for the Prevention of Herpes Simplex Virus Type 2 Infection. <i>New England Journal of Medicine</i> , 2015, 373, 530-539. | 13.9 | 80 |
| 177 | Restoration of CD4+ Responses to Copathogens in HIV-Infected Individuals on Antiretroviral Therapy Is Dependent on T Cell Memory Phenotype. <i>Journal of Immunology</i> , 2015, 195, 2273-2281. | 0.4 | 24 |
| 178 | Lower concentrations of chemotactic cytokines and soluble innate factors in the lower female genital tract associated with the use of injectable hormonal contraceptive. <i>Journal of Reproductive Immunology</i> , 2015, 110, 14-21. | 0.8 | 38 |
| 179 | Genital Inflammation and the Risk of HIV Acquisition in Women. <i>Clinical Infectious Diseases</i> , 2015, 61, 260-269. | 2.9 | 354 |
| 180 | Hormonal Contraception and the Risk of HIV Acquisition: An Individual Participant Data Meta-analysis. <i>PLoS Medicine</i> , 2015, 12, e1001778. | 3.9 | 170 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Risk Factors for HIV Acquisition in High Risk Women in a Generalised Epidemic Setting. <i>AIDS and Behavior</i> , 2015, 19, 1305-1316. | 1.4 | 39 |
| 182 | HIV-Positive Status Disclosure in Patients in Care in Rural South Africa: Implications for Scaling Up Treatment and Prevention Interventions. <i>AIDS and Behavior</i> , 2015, 19, 322-329. | 1.4 | 20 |
| 183 | Ability To Develop Broadly Neutralizing HIV-1 Antibodies Is Not Restricted by the Germline Ig Gene Repertoire. <i>Journal of Immunology</i> , 2015, 194, 4371-4378. | 0.4 | 85 |
| 184 | Antibody Maturation in Women Who Acquire HIV Infection While Using Antiretroviral Preexposure Prophylaxis. <i>Journal of Infectious Diseases</i> , 2015, 212, 754-759. | 1.9 | 36 |
| 185 | Innate Antibacterial Activity in Female Genital Tract Secretions Is Associated with Increased Risk of HIV Acquisition. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 1153-1159. | 0.5 | 16 |
| 186 | Epigenetic mechanisms, T-cell activation, and <i>CCR5</i> genetics interact to regulate T-cell expression of <i>CCR5</i> , the major HIV-1 coreceptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4762-71. | 3.3 | 48 |
| 187 | Defeating AIDS—advancing global health. <i>Lancet, The</i> , 2015, 386, 171-218. | 6.3 | 234 |
| 188 | Viral variants that initiate and drive maturation of V1V2-directed HIV-1 broadly neutralizing antibodies. <i>Nature Medicine</i> , 2015, 21, 1332-1336. | 15.2 | 215 |
| 189 | Differences in HIV Type 1 Neutralization Breadth in 2 Geographically Distinct Cohorts in Africa. <i>Journal of Infectious Diseases</i> , 2015, 211, 1461-1466. | 1.9 | 7 |
| 190 | Health-Related Quality of Life Dynamics of HIV-positive South African Women up to ART Initiation: Evidence from the CAPRISA 002 Acute Infection Cohort Study. <i>AIDS and Behavior</i> , 2014, 18, 1114-23. | 1.4 | 16 |
| 191 | Implementation of Adolescent-Friendly Voluntary Medical Male Circumcision Using a School Based Recruitment Program in Rural KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , 2014, 9, e96468. | 1.1 | 38 |
| 192 | HIV-1 Specific IgA Detected in Vaginal Secretions of HIV Uninfected Women Participating in a Microbicide Trial in Southern Africa Are Primarily Directed Toward gp120 and gp140 Specificities. <i>PLoS ONE</i> , 2014, 9, e101863. | 1.1 | 36 |
| 193 | Inclusion of adolescent girls in HIV prevention research — an imperative for an AIDS-free generation. <i>Journal of the International AIDS Society</i> , 2014, 17, 19075. | 1.2 | 13 |
| 194 | Meeting the sexual and reproductive health needs of high-school students in South Africa: Experiences from rural KwaZulu-Natal. <i>South African Medical Journal</i> , 2014, 104, 687. | 0.2 | 11 |
| 195 | Trial participation disclosure and gel use behavior in the CAPRISA 004 tenofovir gel trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014, 26, 1521-1525. | 0.6 | 14 |
| 196 | Assessing the implementation effectiveness and safety of 1% tenofovir gel provision through family planning services in KwaZulu-Natal, South Africa: study protocol for an open-label randomized controlled trial. <i>Trials</i> , 2014, 15, 496. | 0.7 | 9 |
| 197 | Limited HIV-1 Superinfection in Seroconverters from the CAPRISA 004 Microbicide Trial. <i>Journal of Clinical Microbiology</i> , 2014, 52, 844-848. | 1.8 | 14 |
| 198 | HPTN 035 phase II/IIb randomised safety and effectiveness study of the vaginal microbicides BufferGel and 0.5% PRO 2000 for the prevention of sexually transmitted infections in women. <i>Sexually Transmitted Infections</i> , 2014, 90, 363-369. | 0.8 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Low rifampicin concentrations in tuberculosis patients with HIV infection. <i>Journal of Infection in Developing Countries</i> , 2014, 8, 987-993. | 0.5 | 35 |
| 200 | Viral Escape Pathways from Broadly Neutralising Antibodies Targeting the HIV Envelope Cleavage Site Enhance MPER Mediated Neutralisation. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A20-A21. | 0.5 | 1 |
| 201 | Appeal to global donors to save the Treatment Action Campaign. <i>Lancet, The</i> , 2014, 384, e62. | 6.3 | 2 |
| 202 | HIV Infection in High School Students in Rural South Africa: Role of Transmissions Among Students. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 956-965. | 0.5 | 23 |
| 203 | Differential Impact of Magnitude, Polyfunctional Capacity, and Specificity of HIV-Specific CD8 ⁺ T Cell Responses on HIV Set Point. <i>Journal of Virology</i> , 2014, 88, 1819-1824. | 1.5 | 36 |
| 204 | Bacterial Vaginosis and the Risk of <i>Trichomonas vaginalis</i> Acquisition Among HIV-1 ⁻ Negative Women. <i>Sexually Transmitted Diseases</i> , 2014, 41, 123-128. | 0.8 | 75 |
| 205 | Y Chromosome and HIV DNA Detection in Vaginal Swabs as Biomarkers of Semen and HIV Exposure in Women. <i>Sexually Transmitted Diseases</i> , 2014, 41, 674-679. | 0.8 | 17 |
| 206 | Rapid Disease Progression in HIV-1 Subtype C ⁺ Infected South African Women. <i>Clinical Infectious Diseases</i> , 2014, 59, 1322-1331. | 2.9 | 46 |
| 207 | Recombination-mediated escape from primary CD8 ⁺ T cells in acute HIV-1 infection. <i>Retrovirology</i> , 2014, 11, 69. | 0.9 | 27 |
| 208 | Ratio of Monocytes to Lymphocytes in Peripheral Blood Identifies Adults at Risk of Incident Tuberculosis Among HIV-Infected Adults Initiating Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2014, 209, 500-509. | 1.9 | 99 |
| 209 | The need for multipurpose prevention technologies in sub-Saharan Africa. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 27-34. | 1.1 | 35 |
| 210 | Microbicides and their potential as a catalyst for multipurpose sexual and reproductive health technologies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 53-61. | 1.1 | 7 |
| 211 | Mervyn W. Susser - His Contributions to the Acquired Immune Deficiency Syndrome Response in South Africa. <i>Paediatric and Perinatal Epidemiology</i> , 2014, 28, 473-475. | 0.8 | 0 |
| 212 | Sensitive Tenofovir Resistance Screening of HIV-1 From the Genital and Blood Compartments of Women With Breakthrough Infections in the CAPRISA 004 Tenofovir Gel Trial. <i>Journal of Infectious Diseases</i> , 2014, 209, 1916-1920. | 1.9 | 13 |
| 213 | Developmental pathway for potent V1V2-directed HIV-neutralizing antibodies. <i>Nature</i> , 2014, 509, 55-62. | 13.7 | 681 |
| 214 | TRIM5 ^Δ and TRIM22 Are Differentially Regulated According to HIV-1 Infection Phase and Compartment. <i>Journal of Virology</i> , 2014, 88, 4291-4303. | 1.5 | 21 |
| 215 | Nelson R. Mandela (1918 [–] 2013). <i>Science</i> , 2014, 343, 150-150. | 6.0 | 4 |
| 216 | Defining genital tract cytokine signatures of sexually transmitted infections and bacterial vaginosis in women at high risk of HIV infection: a cross-sectional study. <i>Sexually Transmitted Infections</i> , 2014, 90, 580-587. | 0.8 | 173 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Immunoglobulin Gene Insertions and Deletions in the Affinity Maturation of HIV-1 Broadly Reactive Neutralizing Antibodies. <i>Cell Host and Microbe</i> , 2014, 16, 304-313. | 5.1 | 137 |
| 218 | Nef-mediated down-regulation of CD4 and HLA class I in HIV-1 subtype C infection: Association with disease progression and influence of immune pressure. <i>Virology</i> , 2014, 468-470, 214-225. | 1.1 | 20 |
| 219 | Disclosure of Microbicide Gel Use to Sexual Partners: Influence on Adherence in the CAPRISA 004 Trial. <i>AIDS and Behavior</i> , 2014, 18, 849-854. | 1.4 | 44 |
| 220 | Measuring Adherence by Visual Inspection of Returned Empty Gel Applicators in the CAPRISA 004 Microbicide Trial. <i>AIDS and Behavior</i> , 2014, 18, 820-825. | 1.4 | 7 |
| 221 | Monitoring Microbicide Gel Use with Real-Time Notification of the Container's Opening Events: Results of the CAPRISA Wisebag Study. <i>AIDS and Behavior</i> , 2014, 18, 833-840. | 1.4 | 10 |
| 222 | Adherence in the CAPRISA 004 Tenofovir Gel Microbicide Trial. <i>AIDS and Behavior</i> , 2014, 18, 811-819. | 1.4 | 21 |
| 223 | Impact of an Adherence Intervention on the Effectiveness of Tenofovir Gel in the CAPRISA 004 Trial. <i>AIDS and Behavior</i> , 2014, 18, 841-848. | 1.4 | 20 |
| 224 | Assessing Adherence in the CAPRISA 004 Tenofovir Gel HIV Prevention Trial: Results of a Nested Case-Control Study. <i>AIDS and Behavior</i> , 2014, 18, 826-832. | 1.4 | 9 |
| 225 | The Preventive Misconception: Experiences from CAPRISA 004. <i>AIDS and Behavior</i> , 2014, 18, 1746-1752. | 1.4 | 8 |
| 226 | Impact of Antiretroviral Therapy on Health-Related Quality of Life among South African Women in the CAPRISA 002 Acute Infection Study. <i>AIDS and Behavior</i> , 2014, 18, 1801-1807. | 1.4 | 18 |
| 227 | Prevalence of HIV, HSV-2 and pregnancy among high school students in rural KwaZulu-Natal, South Africa: a bio-behavioural cross-sectional survey. <i>Sexually Transmitted Infections</i> , 2014, 90, 620-626. | 0.8 | 47 |
| 228 | The HIV Epidemic in Southern Africa – Is an AIDS-Free Generation Possible?. <i>Current HIV/AIDS Reports</i> , 2014, 11, 99-108. | 1.1 | 21 |
| 229 | Changes to Antiretroviral Drug Regimens during Integrated TB-HIV Treatment: Results of the Sapit Trial. <i>Antiviral Therapy</i> , 2014, 19, 161-169. | 0.6 | 16 |
| 230 | High Rates of Tuberculosis in Patients Accessing HAART in Rural South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, 438-446. | 0.9 | 14 |
| 231 | Improved survival in multidrug-resistant tuberculosis patients receiving integrated tuberculosis and antiretroviral treatment in the SAPiT Trial. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014, 18, 147-154. | 0.6 | 29 |
| 232 | Safety of Tenofovir Gel, a Vaginal Microbicide, in South African Women: Results of the Caprisa 004 Trial. <i>Antiviral Therapy</i> , 2013, 18, 301-310. | 0.6 | 21 |
| 233 | The Global HIV Epidemic: Current Status and Challenges. <i>Current HIV/AIDS Reports</i> , 2013, 10, 111-112. | 1.1 | 10 |
| 234 | Comparison of Viral Env Proteins from Acute and Chronic Infections with Subtype C Human Immunodeficiency Virus Type 1 Identifies Differences in Glycosylation and CCR5 Utilization and Suggests a New Strategy for Immunogen Design. <i>Journal of Virology</i> , 2013, 87, 7218-7233. | 1.5 | 119 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Identification of broadly neutralizing antibody epitopes in the HIV-1 envelope glycoprotein using evolutionary models. <i>Virology Journal</i> , 2013, 10, 347. | 1.4 | 14 |
| 236 | Microbicides for the prevention of sexually transmitted HIV infection. <i>Expert Review of Anti-Infective Therapy</i> , 2013, 11, 12-23. | 2.0 | 11 |
| 237 | HIV pre-exposure prophylaxis in injecting drug users. <i>Lancet, The</i> , 2013, 381, 2060-2062. | 6.3 | 17 |
| 238 | Accelerating the development of a safe and effective HIV vaccine: HIV vaccine case study for the Decade of Vaccines. <i>Vaccine</i> , 2013, 31, B204-B208. | 1.7 | 26 |
| 239 | Safety of coitally administered tenofovir 1% gel, a vaginal microbicide, in chronic hepatitis B virus carriers: Results from the CAPRISA 004 trial. <i>Antiviral Research</i> , 2013, 99, 405-408. | 1.9 | 2 |
| 240 | Neither Microbial Translocation Nor TLR Responsiveness Are Likely Explanations for Preexisting Immune Activation in Women Who Subsequently Acquired HIV in CAPRISA 004. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 294-298. | 0.9 | 6 |
| 241 | Microbicides for Prevention of HIV Infection: Clinical Efficacy Trials. <i>Current Topics in Microbiology and Immunology</i> , 2013, 383, 97-115. | 0.7 | 10 |
| 242 | Viral Escape from HIV-1 Neutralizing Antibodies Drives Increased Plasma Neutralization Breadth through Sequential Recognition of Multiple Epitopes and Immunotypes. <i>PLoS Pathogens</i> , 2013, 9, e1003738. | 2.1 | 190 |
| 243 | The changing epidemiology of HIV in 2013. <i>Current Opinion in HIV and AIDS</i> , 2013, 8, 1. | 1.5 | 78 |
| 244 | When to start antiretroviral therapy during tuberculosis treatment?. <i>Current Opinion in Infectious Diseases</i> , 2013, 26, 35-42. | 1.3 | 37 |
| 245 | Multiple Pathways of Escape from HIV Broadly Cross-Neutralizing V2-Dependent Antibodies. <i>Journal of Virology</i> , 2013, 87, 4882-4894. | 1.5 | 65 |
| 246 | Anti-retrovirals for treatment and prevention – time for new paradigms in our response to the HIV/AIDS epidemic?. <i>Developing World Bioethics</i> , 2013, 13, ii-iii. | 0.6 | 6 |
| 247 | Topical Microbicides – What's New?. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, S144-S149. | 0.9 | 17 |
| 248 | Rapid, complex adaptation of transmitted HIV-1 full-length genomes in subtype C-infected individuals with differing disease progression. <i>Aids</i> , 2013, 27, 507-518. | 1.0 | 14 |
| 249 | Appropriateness of Hydroxyethylcellulose Gel as a Placebo Control in Vaginal Microbicide Trials. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 120-125. | 0.9 | 19 |
| 250 | Changes in Natural Killer Cell Activation and Function during Primary HIV-1 Infection. <i>PLoS ONE</i> , 2013, 8, e53251. | 1.1 | 49 |
| 251 | Women with Pregnancies Had Lower Adherence to 1% Tenofovir Vaginal Gel as HIV Preexposure Prophylaxis in CAPRISA 004, a Phase IIB Randomized-Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e56400. | 1.1 | 9 |
| 252 | No Evidence for Selection of HIV-1 with Enhanced Gag-Protease or Nef Function among Breakthrough Infections in the CAPRISA 004 Tenofovir Microbicide Trial. <i>PLoS ONE</i> , 2013, 8, e71758. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Development of Methods for Cross-Sectional HIV Incidence Estimation in a Large, Community Randomized Trial. PLoS ONE, 2013, 8, e78818. | 1.1 | 33 |
| 254 | Vertical T cell immunodominance and epitope entropy determine HIV-1 escape. Journal of Clinical Investigation, 2013, 123, 380-93. | 3.9 | 165 |
| 255 | Temporal Association of HLA-B*81:01- and HLA-B*39:10-Mediated HIV-1 p24 Sequence Evolution with Disease Progression. Journal of Virology, 2012, 86, 12013-12024. | 1.5 | 20 |
| 256 | Genital Tract Inflammation During Early HIV-1 Infection Predicts Higher Plasma Viral Load Set Point in Women. Journal of Infectious Diseases, 2012, 205, 194-203. | 1.9 | 67 |
| 257 | Mucosal Escherichia coli Bactericidal Activity and Immune Mediators Are Associated With HIV-1 Seroconversion in Women Participating in the HPTN 035 Trial. Journal of Infectious Diseases, 2012, 206, 1931-1935. | 1.9 | 21 |
| 258 | Intersubtype Differences in the Effect of a Rare p24 Gag Mutation on HIV-1 Replicative Fitness. Journal of Virology, 2012, 86, 13423-13433. | 1.5 | 9 |
| 259 | Symptomatic Vaginal Discharge Is a Poor Predictor of Sexually Transmitted Infections and Genital Tract Inflammation in High-Risk Women in South Africa. Journal of Infectious Diseases, 2012, 206, 6-14. | 1.9 | 171 |
| 260 | Preexposure Prophylaxis for HIV Prevention. New England Journal of Medicine, 2012, 367, 462-465. | 13.9 | 9 |
| 261 | Innate Immune Activation Enhances HIV Acquisition in Women, Diminishing the Effectiveness of Tenofovir Microbicide Gel. Journal of Infectious Diseases, 2012, 206, 993-1001. | 1.9 | 137 |
| 262 | Increased Memory Differentiation Is Associated with Decreased Polyfunctionality for HIV but Not for Cytomegalovirus-Specific CD8+T Cells. Journal of Immunology, 2012, 189, 3838-3847. | 0.4 | 18 |
| 263 | A drug evaluation of 1% tenofovir gel and tenofovir disoproxil fumarate tablets for the prevention of HIV infection. Expert Opinion on Investigational Drugs, 2012, 21, 695-715. | 1.9 | 22 |
| 264 | Phase I Safety and Immunogenicity Evaluations of an Alphavirus Replicon HIV-1 Subtype C<i>gag</i>Vaccine in Healthy HIV-1-Uninfected Adults. Vaccine Journal, 2012, 19, 1651-1660. | 3.2 | 60 |
| 265 | An AIDS-Free Generation?. Science, 2012, 337, 133-133. | 6.0 | 8 |
| 266 | Declining adherence is a more likely explanation than frailty of the apparent decline in efficacy in the CAPRISA 004 trial. Aids, 2012, 26, 2261. | 1.0 | 4 |
| 267 | An adaptive design to bridge the gap between Phase 2b/3 microbicide effectiveness trials and evidence required for licensure. Clinical Trials, 2012, 9, 377-384. | 0.7 | 2 |
| 268 | Design challenges facing clinical trials of the effectiveness of new HIV-prevention technologies. Aids, 2012, 26, 529-532. | 1.0 | 9 |
| 269 | Natural killer cell function in women at high risk for HIV acquisition. Aids, 2012, 26, 1745-1753. | 1.0 | 14 |
| 270 | Preservation HIV-1â€“Specific IFNÎ³+ CD4+ T-Cell Responses in Breakthrough Infections After Exposure to Tenofovir Gel in the CAPRISA 004 Microbicide Trial. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 124-127. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | The Immune Reconstitution Inflammatory Syndrome After Antiretroviral Therapy Initiation in Patients With Tuberculosis: Findings From the SAPiT Trial. <i>Annals of Internal Medicine</i> , 2012, 157, 313. | 2.0 | 101 |
| 272 | Antiretroviral prophylaxis for HIV prevention reaches a key milestone. <i>Lancet, The</i> , 2012, 379, 2047-2048. | 6.3 | 8 |
| 273 | Health in South Africa: changes and challenges since 2009. <i>Lancet, The</i> , 2012, 380, 2029-2043. | 6.3 | 396 |
| 274 | Sustainability of task-shifting for antiretroviral treatment. <i>Lancet, The</i> , 2012, 380, 1907-1908. | 6.3 | 5 |
| 275 | HIV Incidence in Young Girls in KwaZulu-Natal, South Africa-Public Health Imperative for Their Inclusion in HIV Biomedical Intervention Trials. <i>AIDS and Behavior</i> , 2012, 16, 1870-1876. | 1.4 | 54 |
| 276 | Evolution of an HIV glycan ^α -dependent broadly neutralizing antibody epitope through immune escape. <i>Nature Medicine</i> , 2012, 18, 1688-1692. | 15.2 | 273 |
| 277 | HIV prevalence among high school learners - opportunities for schools-based HIV testing programmes and sexual reproductive health services. <i>BMC Public Health</i> , 2012, 12, 231. | 1.2 | 31 |
| 278 | HIV prevention. , 2012, , 113-121. | | 0 |
| 279 | The Development of CD4 Binding Site Antibodies during HIV-1 Infection. <i>Journal of Virology</i> , 2012, 86, 7588-7595. | 1.5 | 123 |
| 280 | CAPRISA 004 Tenofovir Microbicide Trial: No Impact of Tenofovir Gel on the HIV Transmission Bottleneck. <i>Journal of Infectious Diseases</i> , 2012, 206, 35-40. | 1.9 | 16 |
| 281 | The influence of tuberculosis treatment on efavirenz clearance in patients co-infected with HIV and tuberculosis. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 689-695. | 0.8 | 50 |
| 282 | Empowering women in human immunodeficiency virus prevention. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2012, 26, 487-493. | 1.4 | 12 |
| 283 | Overview of microbicides for the prevention of human immunodeficiency virus. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2012, 26, 427-439. | 1.4 | 34 |
| 284 | Implementing microbicides in low-income countries. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2012, 26, 495-501. | 1.4 | 8 |
| 285 | The Neutralization Breadth of HIV-1 Develops Incrementally over Four Years and Is Associated with CD4 ⁺ T Cell Decline and High Viral Load during Acute Infection. <i>Journal of Virology</i> , 2011, 85, 4828-4840. | 1.5 | 441 |
| 286 | Potent and Broad Neutralization of HIV-1 Subtype C by Plasma Antibodies Targeting a Quaternary Epitope Including Residues in the V2 Loop. <i>Journal of Virology</i> , 2011, 85, 3128-3141. | 1.5 | 151 |
| 287 | Polyclonal B Cell Responses to Conserved Neutralization Epitopes in a Subset of HIV-1-Infected Individuals. <i>Journal of Virology</i> , 2011, 85, 11502-11519. | 1.5 | 168 |
| 288 | Co-enrollment in multiple HIV prevention trials ^α Experiences from the CAPRISA 004 Tenofovir gel trial. <i>Contemporary Clinical Trials</i> , 2011, 32, 333-338. | 0.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | Community-based intervention to increase HIV testing and case detection in people aged 16–32 years in Tanzania, Zimbabwe, and Thailand (NIMH Project Accept, HPTN 043): a randomised study. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 525-532. | 4.6 | 204 |
| 290 | HIV prevention transformed: the new prevention research agenda. <i>Lancet</i> , The, 2011, 378, 269-278. | 6.3 | 238 |
| 291 | Drug concentrations after topical and oral antiretroviral pre-exposure prophylaxis: implications for HIV prevention in women. <i>Lancet</i> , The, 2011, 378, 279-281. | 6.3 | 220 |
| 292 | Antiretroviral prophylaxis: a defining moment in HIV control. <i>Lancet</i> , The, 2011, 378, e23-e25. | 6.3 | 84 |
| 293 | Safety and effectiveness of BufferGel and 0.5% PRO2000 gel for the prevention of HIV infection in women. <i>Aids</i> , 2011, 25, 957-966. | 1.0 | 215 |
| 294 | Contraceptive Choices, Pregnancy Rates, and Outcomes in a Microbicide Trial. <i>Obstetrics and Gynecology</i> , 2011, 118, 895-904. | 1.2 | 32 |
| 295 | Stigma impedes AIDS prevention. <i>Nature</i> , 2011, 474, 29-31. | 13.7 | 25 |
| 296 | Recruitment of high risk women for HIV prevention trials: baseline HIV prevalence and sexual behavior in the CAPRISA 004 tenofovir gel trial. <i>Trials</i> , 2011, 12, 67. | 0.7 | 33 |
| 297 | Initiating antiretrovirals during tuberculosis treatment: a drug safety review. <i>Expert Opinion on Drug Safety</i> , 2011, 10, 559-574. | 1.0 | 16 |
| 298 | Duffy-Null Associated Low Neutrophil Counts Influence HIV-1 Susceptibility in High-Risk South African Black Women. <i>Clinical Infectious Diseases</i> , 2011, 52, 1248-1256. | 2.9 | 69 |
| 299 | Integration of Antiretroviral Therapy with Tuberculosis Treatment. <i>New England Journal of Medicine</i> , 2011, 365, 1492-1501. | 13.9 | 451 |
| 300 | Virological and Immunological Factors Associated with HIV-1 Differential Disease Progression in HLA-B*58:01-Positive Individuals. <i>Journal of Virology</i> , 2011, 85, 7070-7080. | 1.5 | 25 |
| 301 | The future role of rectal and vaginal microbicides to prevent HIV infection in heterosexual populations: implications for product development and prevention. <i>Sexually Transmitted Infections</i> , 2011, 87, 646-653. | 0.8 | 27 |
| 302 | HIV-Associated Tuberculosis. <i>Clinical and Developmental Immunology</i> , 2011, 2011, 1-8. | 3.3 | 14 |
| 303 | Stabilizing HIV prevalence masks high HIV incidence rates amongst rural and urban women in KwaZulu-Natal, South Africa. <i>International Journal of Epidemiology</i> , 2011, 40, 922-930. | 0.9 | 109 |
| 304 | Case 15-2011. <i>New England Journal of Medicine</i> , 2011, 364, 1956-1964. | 13.9 | 0 |
| 305 | Association of polymorphisms in the LEDGF/p75 gene (PSIP1) with susceptibility to HIV-1 infection and disease progression. <i>Aids</i> , 2011, 25, 1711-1719. | 1.0 | 22 |
| 306 | Experience in international clinical research: the HIV Prevention Trials Network. <i>Clinical Investigation</i> , 2011, 1, 1609-1618. | 0.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | Epidemiological Impact of Tenofovir Gel on the HIV Epidemic in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2011, 58, 207-210. | 0.9 | 51 |
| 308 | Short Communication Decreased Incidence of Dual Infections in South African Subtype C-Infected Women Compared to a Cohort Ten Years Earlier. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1167-1172. | 0.5 | 7 |
| 309 | Association of TRIM22 with the Type 1 Interferon Response and Viral Control during Primary HIV-1 Infection. <i>Journal of Virology</i> , 2011, 85, 208-216. | 1.5 | 66 |
| 310 | Isolation of a Monoclonal Antibody That Targets the Alpha-2 Helix of gp120 and Represents the Initial Autologous Neutralizing-Antibody Response in an HIV-1 Subtype C-Infected Individual. <i>Journal of Virology</i> , 2011, 85, 7719-7729. | 1.5 | 54 |
| 311 | Isolation of a Human Anti-HIV gp41 Membrane Proximal Region Neutralizing Antibody by Antigen-Specific Single B Cell Sorting. <i>PLoS ONE</i> , 2011, 6, e23532. | 1.1 | 137 |
| 312 | Plasma cytokine levels during acute HIV-1 infection predict HIV disease progression. <i>Aids</i> , 2010, 24, 819-831. | 1.0 | 195 |
| 313 | Adaptive changes in HIV-1 subtype C proteins during early infection are driven by changes in HLA-associated immune pressure. <i>Virology</i> , 2010, 396, 213-225. | 1.1 | 26 |
| 314 | Mannose-rich glycosylation patterns on HIV-1 subtype C gp120 and sensitivity to the lectins, Griffithsin, Cyanovirin-N and Scytovirin. <i>Virology</i> , 2010, 402, 187-196. | 1.1 | 95 |
| 315 | Screening for "window" period acute HIV infection among pregnant women in rural South Africa. <i>HIV Medicine</i> , 2010, 11, 661-665. | 1.0 | 30 |
| 316 | AIDS research must link to local policy. <i>Nature</i> , 2010, 463, 733-734. | 13.7 | 13 |
| 317 | The SAPIT trial provides essential evidence on risks and benefits of integrated and sequential treatment of HIV and tuberculosis. <i>South African Medical Journal</i> , 2010, 100, 808. | 0.2 | 10 |
| 318 | Inclusion of Adolescent Women in Microbicide Trials: A Public Health Imperative!. <i>Public Health Ethics</i> , 2010, 3, 39-50. | 0.4 | 13 |
| 319 | Fluidity of HIV-1-Specific T-Cell Responses during Acute and Early Subtype C HIV-1 Infection and Associations with Early Disease Progression. <i>Journal of Virology</i> , 2010, 84, 12018-12029. | 1.5 | 26 |
| 320 | HIV-Selectest Enzyme Immunoassay and Rapid Test: Ability To Detect Seroconversion following HIV-1 Infection. <i>Journal of Clinical Microbiology</i> , 2010, 48, 281-285. | 1.8 | 9 |
| 321 | Preventing HIV Infection in Women: A Global Health Imperative. <i>Clinical Infectious Diseases</i> , 2010, 50, S122-S129. | 2.9 | 97 |
| 322 | Uptake of provider-initiated HIV testing and counseling among women attending an urban sexually transmitted disease clinic in South Africa " missed opportunities for early diagnosis of HIV infection. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 533-537. | 0.6 | 35 |
| 323 | APOBEC3G expression is dysregulated in primary HIV-1 infection and polymorphic variants influence CD4+ T-cell counts and plasma viral load. <i>Aids</i> , 2010, 24, 195-204. | 1.0 | 61 |
| 324 | Results of effectiveness trials of PRO 2000 gel: lessons for future microbicide trials. <i>Future Microbiology</i> , 2010, 5, 527-529. | 1.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Effectiveness and Safety of Tenofovir Gel, an Antiretroviral Microbicide, for the Prevention of HIV Infection in Women. <i>Science</i> , 2010, 329, 1168-1174. | 6.0 | 2,239 |
| 326 | Timing of Initiation of Antiretroviral Drugs during Tuberculosis Therapy. <i>New England Journal of Medicine</i> , 2010, 362, 697-706. | 13.9 | 608 |
| 327 | Microbicides & their implications in HIV prevention. <i>Indian Journal of Medical Research</i> , 2010, 132, 656-9. | 0.4 | 7 |
| 328 | Re: "Enhancement of HIV Infection by Cellulose Sulfate," by Tao et al.. <i>AIDS Research and Human Retroviruses</i> , 2009, 25, 373-373. | 0.5 | 1 |
| 329 | Human TRIM5 α Expression Levels and Reduced Susceptibility to HIV-1 Infection. <i>Journal of Infectious Diseases</i> , 2009, 199, 1657-1663. | 1.9 | 46 |
| 330 | Association of HIV-Specific and Total CD8+ T Memory Phenotypes in Subtype C HIV-1 Infection with Viral Set Point. <i>Journal of Immunology</i> , 2009, 182, 4751-4761. | 0.4 | 75 |
| 331 | Commentary: Spatial clustering of HIV infection: providing clues for effective HIV prevention. <i>International Journal of Epidemiology</i> , 2009, 38, 1016-1017. | 0.9 | 8 |
| 332 | Quantitating the Multiplicity of Infection with Human Immunodeficiency Virus Type 1 Subtype C Reveals a Non-Poisson Distribution of Transmitted Variants. <i>Journal of Virology</i> , 2009, 83, 3556-3567. | 1.5 | 354 |
| 333 | Limited Neutralizing Antibody Specificities Drive Neutralization Escape in Early HIV-1 Subtype C Infection. <i>PLoS Pathogens</i> , 2009, 5, e1000598. | 2.1 | 213 |
| 334 | Interleukin-10 Promoter Polymorphisms Influence HIV-1 Susceptibility and Primary HIV-1 Pathogenesis. <i>Journal of Infectious Diseases</i> , 2009, 200, 448-452. | 1.9 | 72 |
| 335 | Broad Neutralization of Human Immunodeficiency Virus Type 1 Mediated by Plasma Antibodies against the gp41 Membrane Proximal External Region. <i>Journal of Virology</i> , 2009, 83, 11265-11274. | 1.5 | 93 |
| 336 | Human Immunodeficiency Virus-Specific Gamma Interferon Enzyme-Linked Immunospot Assay Responses Targeting Specific Regions of the Proteome during Primary Subtype C Infection Are Poor Predictors of the Course of Viremia and Set Point. <i>Journal of Virology</i> , 2009, 83, 470-478. | 1.5 | 63 |
| 337 | Salim "Slim" Abdool Karim: Attacking AIDS in South Africa. <i>Journal of Experimental Medicine</i> , 2009, 206, 2306-2307. | 4.2 | 0 |
| 338 | Scientists stand by decision to join Mbeki's AIDS panel. <i>Nature</i> , 2009, 457, 379-379. | 13.7 | 1 |
| 339 | Disclosure of HIV status: experiences of patients enrolled in an integrated TB and HAART pilot programme in South Africa. <i>African Journal of AIDS Research</i> , 2009, 8, 1-6. | 0.3 | 19 |
| 340 | HIV infection and tuberculosis in South Africa: an urgent need to escalate the public health response. <i>Lancet, The</i> , 2009, 374, 921-933. | 6.3 | 414 |
| 341 | Achieving the health Millennium Development Goals for South Africa: challenges and priorities. <i>Lancet, The</i> , 2009, 374, 1023-1031. | 6.3 | 214 |
| 342 | PRO 2000: next steps for microbicide development. <i>Future Virology</i> , 2009, 4, 317-320. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Antiretroviral prophylaxis for the prevention of HIV infection: future implementation challenges. <i>HIV Therapy</i> , 2009, 3, 3-6. | 0.6 | 29 |
| 344 | Interventions with youth in high-prevalence areas. , 2009, , 407-443. | | 9 |
| 345 | Conserved positive selection signals in gp41 across multiple subtypes and difference in selection signals detectable in gp41 sequences sampled during acute and chronic HIV-1 subtype C infection. <i>Virology Journal</i> , 2008, 5, 141. | 1.4 | 4 |
| 346 | Initial B-Cell Responses to Transmitted Human Immunodeficiency Virus Type 1: Virion-Binding Immunoglobulin M (IgM) and IgG Antibodies Followed by Plasma Anti-gp41 Antibodies with Ineffective Control of Initial Viremia. <i>Journal of Virology</i> , 2008, 82, 12449-12463. | 1.5 | 548 |
| 347 | Human Immunodeficiency Virus Type 1 gp41 Antibodies That Mask Membrane Proximal Region Epitopes: Antibody Binding Kinetics, Induction, and Potential for Regulation in Acute Infection. <i>Journal of Virology</i> , 2008, 82, 115-125. | 1.5 | 108 |
| 348 | Apnea and its possible relationship to immunization in ex-premature infants. <i>Vaccine</i> , 2008, 26, 3410-3413. | 1.7 | 15 |
| 349 | The influence of AIDS stigma and discrimination and social cohesion on HIV testing and willingness to disclose HIV in rural KwaZulu-Natal, South Africa. <i>Global Public Health</i> , 2008, 3, 351-365. | 1.0 | 42 |
| 350 | HIV Risk Behaviors in Sub-Saharan Africa and Northern Thailand: Baseline Behavioral Data From Project Accept. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 49, 309-319. | 0.9 | 44 |
| 351 | Relationship between Levels of Inflammatory Cytokines in the Genital Tract and CD4 ⁺ Cell Counts in Women with Acute HIV ¹ Infection. <i>Journal of Infectious Diseases</i> , 2008, 198, 710-714. | 1.9 | 71 |
| 352 | Transmission of HIV-1 CTL Escape Variants Provides HLA-Mismatched Recipients with a Survival Advantage. <i>PLoS Pathogens</i> , 2008, 4, e1000033. | 2.1 | 129 |
| 353 | The C3-V4 Region Is a Major Target of Autologous Neutralizing Antibodies in Human Immunodeficiency Virus Type 1 Subtype C Infection. <i>Journal of Virology</i> , 2008, 82, 1860-1869. | 1.5 | 142 |
| 354 | HIV Transmission and its Prevention in Africa. , 2008, , 565-575. | | 0 |
| 355 | Anaemia in Acute HIV-1 Subtype C Infection. <i>PLoS ONE</i> , 2008, 3, e1626. | 1.1 | 15 |
| 356 | Establishing a Cohort at High Risk of HIV Infection in South Africa: Challenges and Experiences of the CAPRISA 002 Acute Infection Study. <i>PLoS ONE</i> , 2008, 3, e1954. | 1.1 | 175 |
| 357 | Neutralizing Antibody Responses in Acute Human Immunodeficiency Virus Type 1 Subtype C Infection. <i>Journal of Virology</i> , 2007, 81, 6187-6196. | 1.5 | 262 |
| 358 | Response to Brown et al., "Incident and prevalent herpes simplex virus type 2 infection increases risk of HIV acquisition among women in Uganda and Zimbabwe". <i>Aids</i> , 2007, 21, 2356-2357. | 1.0 | 0 |
| 359 | Utilizing nucleic acid amplification to identify acute HIV infection. <i>Aids</i> , 2007, 21, 653-655. | 1.0 | 11 |
| 360 | Longitudinal Analysis of HIV Type 1 Subtype C Envelope Sequences from South Africa. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 316-321. | 0.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 361 | Practice Brief: Adolescents and HIV Clinical Trials: Ethics, Culture, and Context. <i>Journal of the Association of Nurses in AIDS Care</i> , 2007, 18, 78-82. | 0.4 | 25 |
| 362 | Global Epidemiology of HIV-AIDS. <i>Infectious Disease Clinics of North America</i> , 2007, 21, 1-17. | 1.9 | 24 |
| 363 | Diverse approaches useful for microbicide trials. <i>Nature</i> , 2007, 449, 24-24. | 13.7 | 8 |
| 364 | Opportunities for treating sexually transmitted infections and reducing HIV risk in rural South Africa. <i>Journal of Advanced Nursing</i> , 2007, 60, 377-383. | 1.5 | 19 |
| 365 | Preliminary outcomes of a paediatric highly active antiretroviral therapy cohort from KwaZulu-Natal, South Africa. <i>BMC Pediatrics</i> , 2007, 7, 13. | 0.7 | 159 |
| 366 | HIV incidence estimates are key to understanding the changing HIV epidemic in South Africa. <i>South African Medical Journal</i> , 2007, 97, 190. | 0.2 | 2 |
| 367 | HIV/AIDS epidemiology, pathogenesis, prevention, and treatment. <i>Lancet, The</i> , 2006, 368, 489-504. | 6.3 | 496 |
| 368 | Enrolling Adolescents in Research on HIV and Other Sensitive Issues: Lessons from South Africa. <i>PLoS Medicine</i> , 2006, 3, e180. | 3.9 | 43 |
| 369 | Modeling the Impact of a Partially Effective HIV Vaccine on HIV Infection and Death Among Women and Infants in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 43, 219-225. | 0.9 | 26 |
| 370 | Durban 2000 to Toronto 2006: The evolving challenges in implementing AIDS treatment in Africa. <i>Aids</i> , 2006, 20, N7-N9. | 1.0 | 6 |
| 371 | Ritonavir/saquinavir safety concerns curtail antiretroviral therapy options for tuberculosis-HIV-co-infected patients in resource-constrained settings. <i>Aids</i> , 2006, 20, 302-303. | 1.0 | 9 |
| 372 | Genetic and Neutralization Properties of Subtype C Human Immunodeficiency Virus Type 1 Molecular env Clones from Acute and Early Heterosexually Acquired Infections in Southern Africa. <i>Journal of Virology</i> , 2006, 80, 11776-11790. | 1.5 | 334 |
| 373 | TB treatment outcomes following directly-observed treatment at an urban outpatient specialist TB facility in South Africa. <i>Tropical Doctor</i> , 2006, 36, 23-25. | 0.2 | 6 |
| 374 | The Impact of Incident and Prevalent Herpes Simplex Virus-2 Infection on the Incidence of HIV-1 Infection Among Commercial Sex Workers in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005, 39, 333-339. | 0.9 | 67 |
| 375 | Knowledge and acceptability of HAART among TB patients in Durban, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2005, 17, 767-772. | 0.6 | 10 |
| 376 | Short Communication: Viral Dynamics and CD4+ T Cell Counts in Subtype C Human Immunodeficiency Virus Type 1-Infected Individuals from Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2005, 21, 285-291. | 0.5 | 24 |
| 377 | The African Experience. , 2005, , 351-373. | | 2 |
| 378 | Incidence of HIV-1 Dual Infection and Its Association with Increased Viral Load Set Point in a Cohort of HIV-1 Subtype C-Infected Female Sex Workers. <i>Journal of Infectious Diseases</i> , 2004, 190, 1355-1359. | 1.9 | 119 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Hierarchical Targeting of Subtype C Human Immunodeficiency Virus Type 1 Proteins by CD8 + T Cells: Correlation with Viral Load. <i>Journal of Virology</i> , 2004, 78, 3233-3243. | 1.5 | 202 |
| 380 | A Pilot Study of Once-Daily Antiretroviral Therapy Integrated With Tuberculosis Directly Observed Therapy in a Resource-Limited Setting. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 36, 929-934. | 0.9 | 58 |
| 381 | Novel and Promiscuous CTL Epitopes in Conserved Regions of Gag Targeted by Individuals with Early Subtype C HIV Type 1 Infection from Southern Africa. <i>Journal of Immunology</i> , 2004, 173, 4607-4617. | 0.4 | 49 |
| 382 | Ethical Challenges in International HIV Prevention Research. <i>Accountability in Research</i> , 2004, 11, 49-61. | 1.6 | 23 |
| 383 | Utility of Tuberculosis Directly Observed Therapy Programs as Sites for Access to and Provision of Antiretroviral Therapy in Resource-Limited Countries. <i>Clinical Infectious Diseases</i> , 2004, 38, S421-S428. | 2.9 | 27 |
| 384 | Treatment of maternal syphilis in rural South Africa: effect of multiple doses of benzathine penicillin on pregnancy loss. <i>Tropical Medicine and International Health</i> , 2004, 9, 1216-1221. | 1.0 | 20 |
| 385 | Dual HIV-1 infection associated with rapid disease progression. <i>Lancet, The</i> , 2004, 363, 619-622. | 6.3 | 189 |
| 386 | Medical education after the first decade of democracy in South Africa. <i>Lancet, The</i> , 2004, 363, 1395. | 6.3 | 8 |
| 387 | Implementing antiretroviral therapy in resource-constrained settings. <i>Aids</i> , 2004, 18, 975-979. | 1.0 | 33 |
| 388 | Heterosexual transmission of multiple highly conserved viral variants in HIV-1 subtype C-infected seronegative women. <i>Aids</i> , 2004, 18, 2096-2098. | 1.0 | 6 |
| 389 | Antiretroviral therapy: challenges and options in South Africa. <i>Lancet, The</i> , 2003, 362, 1499. | 6.3 | 5 |
| 390 | Characterization and Selection of HIV-1 Subtype C Isolates for Use in Vaccine Development. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 133-144. | 0.5 | 113 |
| 391 | The Acceptability of an Investigational Vaginal Microbicide, PRO 2000 Gel, among Women in a Phase I Clinical Trial. <i>Journal of Women's Health</i> , 2003, 12, 655-666. | 1.5 | 91 |
| 392 | Impact of on-site testing for maternal syphilis on treatment delays, treatment rates, and perinatal mortality in rural South Africa: a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2003, 79, 208-213. | 0.8 | 55 |
| 393 | Safety and tolerability of vaginal PRO 2000 gel in sexually active HIV-uninfected and abstinent HIV-infected women. <i>Aids</i> , 2003, 17, 321-329. | 1.0 | 83 |
| 394 | Who infects whom? HIV-1 concordance and discordance among migrant and non-migrant couples in South Africa. <i>Aids</i> , 2003, 17, 2245-2252. | 1.0 | 249 |
| 395 | The Impact of Migration on HIV-1 Transmission in South Africa. <i>Sexually Transmitted Diseases</i> , 2003, 30, 149-156. | 0.8 | 362 |
| 396 | Safety and Trough Concentrations of Nevirapine Prophylaxis Given Daily, Twice Weekly, or Weekly in Breast-Feeding Infants From Birth to 6 Months. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003, 34, 482-490. | 0.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | High Incidence of HIV-1 in South Africa Using a Standardized Algorithm for Recent HIV Seroconversion. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2002, 29, 531-535. | 0.9 | 46 |
| 398 | Regional Clustering of Shared Neutralization Determinants on Primary Isolates of Clade C Human Immunodeficiency Virus Type 1 from South Africa. <i>Journal of Virology</i> , 2002, 76, 2233-2244. | 1.5 | 111 |
| 399 | The evolving HIV epidemic in South Africa. <i>International Journal of Epidemiology</i> , 2002, 31, 37-40. | 0.9 | 54 |
| 400 | Incidence of Sexually Transmitted Infections Among HIV-Positive Sex Workers in KwaZulu-Natal, South Africa. <i>Sexually Transmitted Diseases</i> , 2002, 29, 721-724. | 0.8 | 18 |
| 401 | A randomized controlled trial of azithromycin versus doxycycline/ciprofloxacin for the syndromic management of sexually transmitted infections in a resource-poor setting. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 49, 875-878. | 1.3 | 31 |
| 402 | Vertical HIV transmission in South Africa: translating research into policy and practice. <i>Lancet, The</i> , 2002, 359, 992-993. | 6.3 | 21 |
| 403 | Effectiveness of COL-1492, a nonoxynol-9 vaginal gel, on HIV-1 transmission in female sex workers: a randomised controlled trial. <i>Lancet, The</i> , 2002, 360, 971-977. | 6.3 | 755 |
| 404 | The fate of free male condoms distributed to the public in South Africa. <i>Aids</i> , 2001, 15, 789-793. | 1.0 | 21 |
| 405 | Clinical testing of microbicides: a global research priority. <i>Aids</i> , 2001, 15, 929-930. | 1.0 | 1 |
| 406 | Estimating HIV incidence rates from age prevalence data in epidemic situations. <i>Statistics in Medicine</i> , 2001, 20, 2003-2016. | 0.8 | 66 |
| 407 | Conserved Domains of Subtype C Nef from South African HIV Type 1-Infected Individuals Include Cytotoxic T Lymphocyte Epitope-Rich Regions. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 1681-1687. | 0.5 | 20 |
| 408 | Microbicide Research and Development—Where To?. <i>HIV Clinical Trials</i> , 2001, 2, 185-192. | 2.0 | 6 |
| 409 | Characterization of Full-Length HIV Type 1 Subtype C Sequences from South Africa. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 1527-1531. | 0.5 | 52 |
| 410 | Estimating HIV incidence rates from age prevalence data in epidemic situations. <i>Statistics in Medicine</i> , 2001, 20, 2003-2016. | 0.8 | 3 |
| 411 | Challenges in the conduct of vaginal microbicide effectiveness trials in the developing world. <i>Aids</i> , 2000, 14, 2553-2557. | 1.0 | 40 |
| 412 | Availability of Condoms in Urban and Rural Areas of KwaZulu-Natal, South Africa. <i>Sexually Transmitted Diseases</i> , 2000, 27, 353-357. | 0.8 | 18 |
| 413 | Syndrome packets and health worker training improve sexually transmitted disease case management in rural South Africa: randomized controlled trial. <i>Aids</i> , 2000, 14, 2769-2779. | 1.0 | 43 |
| 414 | Globalization, Ethics, and AIDS Vaccines. <i>Science</i> , 2000, 288, 2129-2129. | 6.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Inadequate Treatment for Sexually Transmitted Diseases in the South African Private Health Sector. International Journal of STD and AIDS, 1999, 10, 324-327. | 0.5 | 26 |
| 416 | Short course antiretroviral regimens to reduce maternal transmission of HIV. BMJ: British Medical Journal, 1999, 318, 479-480. | 2.4 | 11 |
| 417 | Phase 1 trial of nonoxynol-9 film among sex workers in South Africa. Aids, 1999, 13, 1511-1515. | 1.0 | 44 |
| 418 | STD Syndrome Packets: Improving Syndromic Management of Sexually Transmitted Diseases In Developing Countries. Sexually Transmitted Diseases, 1999, 26, 152-156. | 0.8 | 14 |
| 419 | HIV infection and asymptomatic sexually transmitted infections in a rural South African community. International Journal of STD and AIDS, 1998, 9, 548-550. | 0.5 | 37 |
| 420 | Sexually Transmitted Infections Among Sex Workers in KwaZulu-Natal, South Africa. Sexually Transmitted Diseases, 1998, 25, 346-349. | 0.8 | 81 |
| 421 | Improving quality of sexually transmitted disease case management in rural South Africa. Aids, 1998, 12, 2329-2335. | 1.0 | 38 |
| 422 | Sexually Transmitted Disease Syndromes in Rural South Africa. Sexually Transmitted Diseases, 1998, 25, 20-23. | 0.8 | 29 |
| 423 | South Africa. Lancet, The, 1997, 349, 1537-1545. | 6.3 | 19 |
| 424 | Potential savings from generic prescribing and generic substitution in South Africa. Health Policy and Planning, 1996, 11, 198-202. | 1.0 | 39 |
| 425 | Sex difference in measles fatality after introduction of new measles vaccine. Lancet, The, 1994, 343, 1366-1367. | 6.3 | 11 |
| 426 | Seroprevalence of HIV infection in rural South Africa. Aids, 1992, 6, 1535-1540. | 1.0 | 93 |
| 427 | Household Clustering and Intra-Household Transmission Patterns of Hepatitis B Virus Infection in South Africa. International Journal of Epidemiology, 1991, 20, 495-503. | 0.9 | 46 |
| 428 | The Prevalence and Transmission of Hepatitis B Virus Infection in Urban, Rural and Institutionalized Black Children of Natal/KwaZulu, South Africa. International Journal of Epidemiology, 1988, 17, 168-173. | 0.9 | 44 |
| 429 | Socio-Medical Indicators of Health in South Africa. International Journal of Health Services, 1986, 16, 163-178. | 1.2 | 13 |
| 430 | Overview of the book. , 0, , 45-54. | | 2 |
| 431 | New prevention strategies under development and investigation. , 0, , 268-282. | | 3 |
| 432 | The future of the HIV epidemic in South Africa. , 0, , 585-590. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Cost-Effectiveness of Point-of-Care Testing with Task-Shifting for HIV Care in South Africa: A Modelling Study. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 434 | Impact of SARS-CoV-2 variants of concern on Covid-19 epidemic in South Africa. Transactions of the Royal Society of South Africa, 0, , 1-4. | 0.8 | 2 |
| 435 | HIV Coinfection Provides Insights for the Design of Vaccine Cocktails to Elicit Broadly Neutralizing Antibodies. Journal of Virology, 0, , . | 1.5 | 0 |