

# Luis Miguel Ortega Mora

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4782910/publications.pdf>

Version: 2024-02-01

268  
papers

8,598  
citations

53751

45  
h-index

79644

73  
g-index

275  
all docs

275  
docs citations

275  
times ranked

3972  
citing authors

#	ARTICLE	IF	CITATIONS
1	Common Molecular Targets of a Quinolone Based Bumped Kinase Inhibitor in <i>Neospora caninum</i> and <i>Danio rerio</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 2381.	1.8	5
2	Contamination of Soil, Water, Fresh Produce, and Bivalve Mollusks with <i>Toxoplasma gondii</i> Oocysts: A Systematic Review. <i>Microorganisms</i> , 2022, 10, 517.	1.6	12
3	<i>Toxoplasma gondii</i> Genotyping: A Closer Look Into Europe. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 842595.	1.8	33
4	Unifying Virulence Evaluation in <i>Toxoplasma gondii</i> : A Timely Task. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 868727.	1.8	10
5	One health therapeutics: Target-Based drug development for cryptosporidiosis and other apicomplexa diseases. <i>Veterinary Parasitology</i> , 2021, 289, 109336.	0.7	16
6	In vivo and in vitro models show unexpected degrees of virulence among <i>Toxoplasma gondii</i> type II and III isolates from sheep. <i>Veterinary Research</i> , 2021, 52, 82.	1.1	14
7	Maternal and Foetal Cellular Immune Responses in Dams Infected With High- and Low- Virulence Isolates of <i>Neospora caninum</i> at Mid-Gestation. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 684670.	1.8	5
8	Morphometric study of encephalic lesions in aborted bovine fetuses naturally infected by two subpopulations of <i>Neospora caninum</i> . <i>Parasitology Research</i> , 2021, 120, 2995-3000.	0.6	2
9	Identification of molecular biomarkers associated with disease progression in the testis of bulls infected with <i>Besnoitia besnoiti</i> . <i>Veterinary Research</i> , 2021, 52, 106.	1.1	8
10	In vitro activity, safety and in vivo efficacy of the novel bumped kinase inhibitor BKI-1748 in non-pregnant and pregnant mice experimentally infected with <i>Neospora caninum</i> tachyzoites and <i>Toxoplasma gondii</i> oocysts. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 16, 90-101.	1.4	17
11	Changes in serum biomarkers of inflammation in bovine besnoitiosis. <i>Parasites and Vectors</i> , 2021, 14, 488.	1.0	2
12	Direct economic losses of <i>Toxoplasma gondii</i> abortion outbreaks in two Spanish sheep flocks. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 26, 100623.	0.3	5
13	Endochin-like quinolones (ELQs) and bumped kinase inhibitors (BKIs): Synergistic and additive effects of combined treatments against <i>Neospora caninum</i> infection in vitro and in vivo. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 17, 92-106.	1.4	7
14	Assessment of the Activity of Decoquinolate and Its Quinoline-O-Carbamate Derivatives against <i>Toxoplasma gondii</i> In Vitro and in Pregnant Mice Infected with <i>T. gondii</i> Oocysts. <i>Molecules</i> , 2021, 26, 6393.	1.7	6
15	A short-term treatment with BKI-1294 does not protect fetuses from sheep experimentally infected with <i>Neospora caninum</i> tachyzoites during pregnancy. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 17, 176-185.	1.4	5
16	Dynamics of <i>Neospora caninum</i> -Associated Abortions in a Dairy Sheep Flock and Results of a Test-and-Cull Control Programme. <i>Pathogens</i> , 2021, 10, 1518.	1.2	12
17	SARS-CoV-2 Infection in One Cat and Three Dogs Living in COVID-19-Positive Households in Madrid, Spain. <i>Frontiers in Veterinary Science</i> , 2021, 8, 779341.	0.9	32
18	Prevalence of Bovine Genital <i>Campylobacteriosis</i> , Associated Risk Factors and Spatial Distribution in Spanish Beef Cattle Based on Veterinary Laboratory Database Records. <i>Frontiers in Veterinary Science</i> , 2021, 8, 750183.	0.9	6

#	ARTICLE	IF	CITATIONS
19	A model for chronic bovine besnoitiosis: Parasite stage and inoculation route are key factors. <i>Transboundary and Emerging Diseases</i> , 2020, 67, 234-249.	1.3	5
20	Added value of IgM detection and low avidity index as markers of acute bovine besnoitiosis. <i>Veterinary Parasitology</i> , 2020, 277, 109012.	0.7	3
21	Proteomic Characterization of Host-Pathogen Interactions during Bovine Trophoblast Cell Line Infection by <i>Neospora caninum</i> . <i>Pathogens</i> , 2020, 9, 749.	1.2	7
22	Microsatellite genotyping reveals extensive genetic diversity in bovine <i>Neospora caninum</i> from the humid Pampa region in Argentina. <i>Parasitology Research</i> , 2020, 119, 4049-4059.	0.6	4
23	Isolation, Genotyping, and Mouse Virulence Characterization of <i>Toxoplasma gondii</i> From Free Ranging Iberian Pigs. <i>Frontiers in Veterinary Science</i> , 2020, 7, 604782.	0.9	15
24	Isolation and genetic characterization of <i>Toxoplasma gondii</i> in Spanish sheep flocks. <i>Parasites and Vectors</i> , 2020, 13, 396.	1.0	20
25	<i>Neospora caninum</i> infection induces an isolate virulence-dependent pro-inflammatory gene expression profile in bovine monocyte-derived macrophages. <i>Parasites and Vectors</i> , 2020, 13, 374.	1.0	10
26	The Impact of BKI-1294 Therapy in Mice Infected With the Apicomplexan Parasite <i>Neospora caninum</i> and Re-infected During Pregnancy. <i>Frontiers in Veterinary Science</i> , 2020, 7, 587570.	0.9	7
27	<i>Neospora caninum</i> : Structure and Fate of Multinucleated Complexes Induced by the Bumped Kinase Inhibitor BKI-1294. <i>Pathogens</i> , 2020, 9, 382.	1.2	17
28	Comparative tachyzoite proteome analyses among six <i>Neospora caninum</i> isolates with different virulence. <i>International Journal for Parasitology</i> , 2020, 50, 377-388.	1.3	10
29	Characterization of Fetal Brain Damage in Early Abortions of Ovine Toxoplasmosis. <i>Veterinary Pathology</i> , 2020, 57, 535-544.	0.8	9
30	Histological findings in experimentally infected male calves with chronic besnoitiosis. <i>Veterinary Parasitology</i> , 2020, 281, 109120.	0.7	3
31	<i>Neospora caninum</i> : Differential Proteome of Multinucleated Complexes Induced by the Bumped Kinase Inhibitor BKI-1294. <i>Microorganisms</i> , 2020, 8, 801.	1.6	15
32	Macrophages and T Lymphocytes in the Ovine Placenta After Experimental Infection With <i>Toxoplasma gondii</i> . <i>Veterinary Pathology</i> , 2020, 57, 545-549.	0.8	8
33	Crosstalk between <i>Neospora caninum</i> and the bovine host at the maternal-foetal interface determines the outcome of infection. <i>Veterinary Research</i> , 2020, 51, 83.	1.1	12
34	Genetic characterization of <i>Neospora caninum</i> from Northern Italian cattle reveals high diversity in European <i>N. caninum</i> populations. <i>Parasitology Research</i> , 2020, 119, 1353-1362.	0.6	8
35	Vascular wall injury and inflammation are key pathogenic mechanisms responsible for early testicular degeneration during acute besnoitiosis in bulls. <i>Parasites and Vectors</i> , 2020, 13, 113.	1.0	10
36	Isolation and genetic characterization of <i>Neospora caninum</i> from naturally infected sheep. <i>Veterinary Parasitology</i> , 2020, 280, 109091.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Molecular survey for cyst-forming coccidia ( <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> , <i>Sarcocystis</i> spp.) in Mediterranean periurban micromammals. <i>Parasitology Research</i> , 2020, 119, 2679-2686.	0.6	12
38	Bumped Kinase Inhibitors as therapy for apicomplexan parasitic diseases: lessons learned. <i>International Journal for Parasitology</i> , 2020, 50, 413-422.	1.3	37
39	Modeling the Ruminant Placenta-Pathogen Interactions in Apicomplexan Parasites: Current and Future Perspectives. <i>Frontiers in Veterinary Science</i> , 2020, 7, 634458.	0.9	10
40	Prevalence of intestinal parasite infections in stray and farm dogs from Spain. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020, 29, e014920.	0.2	5
41	Development and characterization of monoclonal antibodies against <i>Besnoitia besnoiti</i> tachyzoites. <i>Parasitology</i> , 2019, 146, 187-196.	0.7	2
42	Global selective sweep of a highly inbred genome of the cattle parasite <i>Neospora caninum</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22764-22773.	3.3	20
43	Lytic cycle of <i>Besnoitia besnoiti</i> tachyzoites displays similar features in primary bovine endothelial cells and fibroblasts. <i>Parasites and Vectors</i> , 2019, 12, 517.	1.0	20
44	Multilocus analysis reveals further genetic differences between <i>Tritrichomonas foetus</i> from cats and cattle. <i>Veterinary Parasitology</i> , 2019, 276, 108965.	0.7	2
45	Gene Expression Profiling of <i>Neospora caninum</i> in Bovine Macrophages Reveals Differences Between Isolates Associated With Key Parasite Functions. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 354.	1.8	12
46	Immune response to <i>Neospora caninum</i> live tachyzoites in prepubertal female calves. <i>Parasitology Research</i> , 2019, 118, 2945-2955.	0.6	5
47	Peripheral and placental immune responses in sheep after experimental infection with <i>Toxoplasma gondii</i> at the three terms of gestation. <i>Veterinary Research</i> , 2019, 50, 66.	1.1	14
48	Effects of challenge dose and inoculation route of the virulent <i>Neospora caninum</i> Nc-Spain7 isolate in pregnant cattle at mid-gestation. <i>Veterinary Research</i> , 2019, 50, 68.	1.1	11
49	Early <i>Neospora caninum</i> infection dynamics in cattle after inoculation at mid-gestation with high (Nc-Spain7)- or low (Nc-Spain1H)-virulence isolates. <i>Veterinary Research</i> , 2019, 50, 72.	1.1	21
50	Immune response profile of caruncular and trophoblast cell lines infected by high- (Nc-Spain7) and low-virulence (Nc-Spain1H) isolates of <i>Neospora caninum</i> . <i>Parasites and Vectors</i> , 2019, 12, 218.	1.0	24
51	Differential Responses of Bovine Monocyte-Derived Macrophages to Infection by <i>Neospora caninum</i> Isolates of High and Low Virulence. <i>Frontiers in Immunology</i> , 2019, 10, 915.	2.2	34
52	Absence of <i>Neospora caninum</i> DNA in Human Clinical Samples, Spain. <i>Emerging Infectious Diseases</i> , 2019, 25, 1226-1227.	2.0	13
53	Treatment with Bumped Kinase Inhibitor 1294 Is Safe and Leads to Significant Protection against Abortion and Vertical Transmission in Sheep Experimentally Infected with <i>Toxoplasma gondii</i> during Pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	23
54	<i>Toxoplasma gondii</i> infection and toxoplasmosis in farm animals: Risk factors and economic impact. <i>Food and Waterborne Parasitology</i> , 2019, 15, e00037.	1.1	206

#	ARTICLE	IF	CITATIONS
55	Prevalence of bovine trichomonosis and associated risk factors in bulls from Spanish beef herds. <i>Theriogenology</i> , 2019, 128, 116-121.	0.9	7
56	The route of <i>Besnoitia besnoiti</i> tachyzoites inoculation does not influence the clinical outcome of the infection in calves. <i>Veterinary Parasitology</i> , 2019, 267, 21-25.	0.7	4
57	Immunization with a cocktail of antigens fused with Oprl reduces <i>Neospora caninum</i> vertical transmission and postnatal mortality in mice. <i>Vaccine</i> , 2019, 37, 473-483.	1.7	19
58	Safety and efficacy of the bumped kinase inhibitor BKL-1553 in pregnant sheep experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2018, 8, 112-124.	1.4	28
59	First description of clonal lineage type II (genotype #1) of <i>Toxoplasma gondii</i> in abortion outbreak in goats. <i>Experimental Parasitology</i> , 2018, 188, 21-25.	0.5	8
60	<i>Trichomonas</i> . , 2018, , 313-388.		4
61	<i>Toxoplasma</i> CRISPR/Cas9 constructs are functional for gene disruption in <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2018, 48, 597-600.	1.3	16
62	<i>Coxiella burnetii</i> in dairy goats with a history of reproductive disorders in Brazil. <i>Acta Tropica</i> , 2018, 183, 19-22.	0.9	18
63	Isolation of <i>Neospora caninum</i> from kidney and brain of a bovine foetus and molecular characterization in Brazil. <i>Experimental Parasitology</i> , 2018, 185, 10-16.	0.5	6
64	Microsatellite pattern analysis of <i>Neospora caninum</i> from a naturally infected goat fetus. <i>Veterinary Parasitology</i> , 2018, 255, 58-60.	0.7	11
65	Seroprevalence of <i>Toxoplasma gondii</i> in Iberian pig sows. <i>Parasitology Research</i> , 2018, 117, 1419-1424.	0.6	21
66	Impact of human-associated <i>Escherichia coli</i> clonal groups in Antarctic pinnipeds: presence of ST73, ST95, ST141 and ST131. <i>Scientific Reports</i> , 2018, 8, 4678.	1.6	37
67	An Ibero-American inter-laboratory trial to evaluate serological tests for the detection of anti- <i>Neospora caninum</i> antibodies in cattle. <i>Tropical Animal Health and Production</i> , 2018, 50, 75-84.	0.5	15
68	Integrative transcriptome and proteome analyses define marked differences between <i>Neospora caninum</i> isolates throughout the tachyzoite lytic cycle. <i>Journal of Proteomics</i> , 2018, 180, 108-119.	1.2	23
69	Treatment of Toxoplasmosis and Neosporosis in Farm Ruminants: State of Knowledge and Future Trends. <i>Current Topics in Medicinal Chemistry</i> , 2018, 18, 1304-1323.	1.0	40
70	Endogenous transplacental transmission of <i>Neospora caninum</i> during successive pregnancies across three generations of naturally infected sheep. <i>Veterinary Research</i> , 2018, 49, 106.	1.1	45
71	Exposure to <i>Neospora</i> spp. and <i>Besnoitia</i> spp. in wildlife from Israel. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2018, 7, 317-321.	0.6	8
72	Repurposing of commercially available anti-coccidials identifies diclazuril and decoquinate as potential therapeutic candidates against <i>Besnoitia besnoiti</i> infection. <i>Veterinary Parasitology</i> , 2018, 261, 77-85.	0.7	13

#	ARTICLE	IF	CITATIONS
73	Influence of dose and route of administration on the outcome of infection with the virulent <i>Neospora caninum</i> isolate Nc-Spain7 in pregnant sheep at mid-gestation. <i>Veterinary Research</i> , 2018, 49, 42.	1.1	8
74	Effect of parasite dose and host age on the infection with <i>Besnoitia besnoiti</i> tachyzoites in cattle. <i>Transboundary and Emerging Diseases</i> , 2018, 65, 1979-1990.	1.3	6
75	Virulence in Mice of a <i>Toxoplasma gondii</i> Type II Isolate Does Not Correlate With the Outcome of Experimental Infection in Pregnant Sheep. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 436.	1.8	35
76	Clinical and Serological Dynamics of <i>Besnoitia besnoiti</i> Infection in Three Endemically Infected Beef Cattle Herds. <i>Transboundary and Emerging Diseases</i> , 2017, 64, 538-546.	1.3	17
77	Systemic Besnoitiosis in a Juvenile Roe Deer ( <i>Capreolus capreolus</i> ). <i>Transboundary and Emerging Diseases</i> , 2017, 64, e8-e14.	1.3	14
78	Isolation and biological and molecular characterization of <i>Neospora caninum</i> (NC-SP1) from a naturally infected adult asymptomatic cattle ( <i>Bos taurus</i> ) in the state of São Paulo, Brazil. <i>Parasitology</i> , 2017, 144, 707-711.	0.7	7
79	Two Novel Calcium-Dependent Protein Kinase 1 Inhibitors Interfere with Vertical Transmission in Mice Infected with <i>Neospora caninum</i> Tachyzoites. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	24
80	Development of a murine vertical transmission model for <i>Toxoplasma gondii</i> oocyst infection and studies on the efficacy of bumped kinase inhibitor (BKI)-1294 and the naphthoquinone buparvaquone against congenital toxoplasmosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2334-2341.	1.3	52
81	Ovine Toxoplasmosis: A New Look at its Pathogenesis. <i>Journal of Comparative Pathology</i> , 2017, 157, 34-38.	0.1	33
82	Peripheral and placental immune responses in goats after primoinfection with <i>Neospora caninum</i> at early, mid and late gestation. <i>Veterinary Parasitology</i> , 2017, 242, 38-43.	0.7	4
83	Serological dynamics and risk factors of <i>Besnoitia besnoiti</i> infection in breeding bulls from an endemically infected purebred beef herd. <i>Parasitology Research</i> , 2017, 116, 1383-1393.	0.6	21
84	Bovine chronic besnoitiosis in a calf: Characterization of a novel <i>B. besnoiti</i> isolate from an unusual case report. <i>Veterinary Parasitology</i> , 2017, 247, 10-18.	0.7	11
85	In vitro efficacy of bumped kinase inhibitors against <i>Besnoitia besnoiti</i> tachyzoites. <i>International Journal for Parasitology</i> , 2017, 47, 811-821.	1.3	40
86	Transcriptome modulation of bovine trophoblast cells in vitro by <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2017, 47, 791-799.	1.3	52
87	Advances in the diagnosis of bovine besnoitiosis: current options and applications for control. <i>International Journal for Parasitology</i> , 2017, 47, 737-751.	1.3	28
88	Seroprevalence of Leptospirosis, Brucellosis, and Q Fever in a Wild Red Deer ( <i>Cervus elaphus</i> ) Population Kept in a Fenced Reserve in Absence of Contact with Livestock. <i>Vector-Borne and Zoonotic Diseases</i> , 2017, 17, 692-697.	0.6	9
89	A new lyophilized tachyzoite based ELISA to diagnose <i>Besnoitia</i> spp. infection in bovids and wild ruminants improves specificity. <i>Veterinary Parasitology</i> , 2017, 244, 176-182.	0.7	20
90	A serosurvey of selected cystogenic coccidia in Spanish equids: first detection of anti- <i>Besnoitia</i> spp. specific antibodies in Europe. <i>BMC Veterinary Research</i> , 2017, 13, 128.	0.7	14

#	ARTICLE	IF	CITATIONS
91	Absence of antibodies specific to <i>Besnoitia</i> spp. in European sheep and goats from areas in Spain where bovine besnoitiosis is endemic. <i>Parasitology Research</i> , 2017, 116, 445-448.	0.6	6
92	Differential susceptibility of bovine caruncular and trophoblast cell lines to infection with high and low virulence isolates of <i>Neospora caninum</i> . <i>Parasites and Vectors</i> , 2017, 10, 463.	1.0	30
93	Vaccines for bovine neosporosis: current status and key aspects for development. <i>Parasite Immunology</i> , 2016, 38, 709-723.	0.7	48
94	Foetal death in naive heifers inoculated with <i>Neospora caninum</i> isolate Nc-Spain7 at 110 days of pregnancy. <i>Experimental Parasitology</i> , 2016, 168, 62-69.	0.5	20
95	<i>Neospora caninum</i> infection in sheep and goats from north-eastern Italy and associated risk factors. <i>Small Ruminant Research</i> , 2016, 140, 7-12.	0.6	30
96	Characterization of the <i>Neospora caninum</i> NcROP40 and NcROP2Fam-1 rhoptry proteins during the tachyzoite lytic cycle. <i>Parasitology</i> , 2016, 143, 97-113.	0.7	12
97	The role of wild ruminants as reservoirs of <i>Besnoitia besnoiti</i> infection in cattle. <i>Veterinary Parasitology</i> , 2016, 223, 7-13.	0.7	27
98	<i>Tritrichomonas foetus</i> infection in cats with diarrhea from densely housed origins. <i>Veterinary Parasitology</i> , 2016, 221, 118-122.	0.7	14
99	EFFECT OF DIFFERENT ECOSYSTEMS AND MANAGEMENT PRACTICES ON <i>TOXOPLASMA GONDII</i> AND <i>NEOSPORA CANINUM</i> INFECTIONS IN WILD RUMINANTS IN SPAIN. <i>Journal of Wildlife Diseases</i> , 2016, 52, 293-300.	0.3	16
100	Genetic characterization of <i>Neospora caninum</i> from aborted bovine foetuses in Aguascalientes, Mexico. <i>Veterinary Parasitology</i> , 2016, 228, 183-187.	0.7	11
101	Systemic and local immune responses in sheep after <i>Neospora caninum</i> experimental infection at early, mid and late gestation. <i>Veterinary Research</i> , 2016, 47, 2.	1.1	32
102	Experimental ovine toxoplasmosis: influence of the gestational stage on the clinical course, lesion development and parasite distribution. <i>Veterinary Research</i> , 2016, 47, 43.	1.1	40
103	<i>Besnoitia besnoiti</i> lytic cycle in vitro and differences in invasion and intracellular proliferation among isolates. <i>Parasites and Vectors</i> , 2016, 9, 115.	1.0	37
104	Experimental caprine neosporosis: the influence of gestational stage on the outcome of infection. <i>Veterinary Research</i> , 2016, 47, 29.	1.1	26
105	The tandemly repeated NTPase (NTPDase) from <i>Neospora caninum</i> is a canonical dense granule protein whose RNA expression, protein secretion and phosphorylation coincides with the tachyzoite egress. <i>Parasites and Vectors</i> , 2016, 9, 352.	1.0	26
106	Immunohistochemical study and mRNA cytokine profile of the local immune response in cattle naturally infected with <i>Calicophoron daubneyi</i> . <i>Veterinary Parasitology</i> , 2015, 214, 178-183.	0.7	6
107	<i>In Vitro</i> and <i>In Vivo</i> Effects of the Bumped Kinase Inhibitor 1294 in the Related Cyst-Forming Apicomplexans <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 6361-6374.	1.4	72
108	Cell mediated immune responses in the placenta following challenge of vaccinated pregnant heifers with <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2015, 214, 247-254.	0.7	19



#	ARTICLE	IF	CITATIONS
109	Anti-Neospora caninum and anti-Sarcocystis spp. specific antibodies cross-react with Besnoitia besnoiti and influence the serological diagnosis of bovine besnoitiosis. Veterinary Parasitology, 2015, 214, 49-54.	0.7	27
110	A vaccine formulation combining rhoptry proteins NcROP40 and NcROP2 improves pup survival in a pregnant mouse model of neosporosis. Veterinary Parasitology, 2015, 207, 203-215.	0.7	25
111	A live vaccine against Neospora caninum abortions in cattle. Vaccine, 2015, 33, 1299-1301.	1.7	29
112	Dose-dependent effects of experimental infection with the virulent Neospora caninum Nc-Spain7 isolate in a pregnant mouse model. Veterinary Parasitology, 2015, 211, 133-140.	0.7	36
113	Influence of the gestational stage on the clinical course, lesional development and parasite distribution in experimental ovine neosporosis. Veterinary Research, 2015, 46, 19.	1.1	45
114	Neospora caninum tachyzoite immunome study reveals differences among three biologically different isolates. Veterinary Parasitology, 2015, 212, 92-99.	0.7	8
115	Buparvaquone is active against Neospora caninum in vitro and in experimentally infected mice. International Journal for Parasitology: Drugs and Drug Resistance, 2015, 5, 16-25.	1.4	36
116	Experimental ruminant models for bovine neosporosis: what is known and what is needed. Parasitology, 2014, 141, 1471-1488.	0.7	29
117	Dynamics of <i>Besnoitia besnoiti</i> infection in cattle. Parasitology, 2014, 141, 1419-1435.	0.7	75
118	Clinical outcome and vertical transmission variability among canine <i>Neospora caninum</i> isolates in a pregnant mouse model of infection. Parasitology, 2014, 141, 356-366.	0.7	22
119	Control options for <i>Neospora caninum</i> “is there anything new or are we going backwards?”. Parasitology, 2014, 141, 1455-1470.	0.7	43
120	Prevalence of <i>Besnoitia besnoiti</i> infection in beef cattle from the Spanish Pyrenees. Veterinary Journal, 2014, 200, 468-470.	0.6	19
121	<i>Neospora caninum</i> tachyzoites inoculated by the conjunctival route are not vertically transmitted in pregnant cattle: A descriptive study. Veterinary Parasitology, 2014, 199, 1-7.	0.7	6
122	Health impact evaluation of alternative management systems in vicuña ( <i>Vicugna vicugna mensalis</i> ) populations in Peru. Tropical Animal Health and Production, 2014, 46, 641-646.	0.5	6
123	Helminth parasites found in faecal samples of phocids from the Antarctic Peninsula. Polar Biology, 2014, 37, 685-695.	0.5	7
124	Placental thrombosis in acute phase abortions during experimental <i>Toxoplasma gondii</i> infection in sheep. Veterinary Research, 2014, 45, 9.	1.1	50
125	<i>Neospora caninum</i> infection during early pregnancy in cattle: how the isolate influences infection dynamics, clinical outcome and peripheral and local immune responses. Veterinary Research, 2014, 45, 10.	1.1	75
126	Anthelmintic effect of heather in goats experimentally infected with <i>Trichostrongylus colubriformis</i> . Parasitology Research, 2014, 113, 693-699.	0.6	14



#	ARTICLE	IF	CITATIONS
127	Comparison of host cell invasion and proliferation among <i>Neospora caninum</i> isolates obtained from oocysts and from clinical cases of naturally infected dogs. <i>Experimental Parasitology</i> , 2014, 145, 22-28.	0.5	27
128	Proteomics reveals differences in protein abundance and highly similar antigenic profiles between <i>Besnoitia besnoiti</i> and <i>Besnoitia tarandi</i> . <i>Veterinary Parasitology</i> , 2014, 205, 434-443.	0.7	24
129	<i>Neospora caninum</i> infection as a cause of reproductive failure in a sheep flock. <i>Veterinary Research</i> , 2014, 45, 88.	1.1	57
130	Efficacy of a control program for bovine trichomonosis based on testing and culling infected bulls in beef cattle managed under mountain pastoral systems of Northern Spain. <i>Veterinary Journal</i> , 2014, 200, 140-145.	0.6	12
131	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> seroprevalences in domestic South American camelids of the Peruvian Andes. <i>Tropical Animal Health and Production</i> , 2014, 46, 1141-1147.	0.5	3
132	Genetic characterisation of <i>Neospora caninum</i> strains from clinical samples of zebuine foetuses obtained in abattoirs in Goiás, Brazil. <i>Veterinary Parasitology</i> , 2014, 204, 381-387.	0.7	11
133	Seroprevalence of <i>Besnoitia besnoiti</i> infection and associated risk factors in cattle from an endemic region in Europe. <i>Veterinary Journal</i> , 2014, 200, 328-331.	0.6	19
134	An Inter-Laboratory Comparative Study of Serological Tools Employed in the Diagnosis of <i>Besnoitia besnoiti</i> Infection in Bovines. <i>Transboundary and Emerging Diseases</i> , 2013, 60, 59-68.	1.3	60
135	Effect of the consumption of heather on incoming larvae and established population of <i>Teladorsagia circumcincta</i> in experimentally infected Cashmere goats. <i>Veterinary Parasitology</i> , 2013, 196, 124-129.	0.7	9
136	Differences in the prevalence of <i>Tritrichomonas foetus</i> infection in beef cattle farmed under extensive conditions in northern Spain. <i>Veterinary Journal</i> , 2013, 196, 547-549.	0.6	6
137	A century of bovine besnoitiosis: an unknown disease re-emerging in Europe. <i>Trends in Parasitology</i> , 2013, 29, 407-415.	1.5	114
138	Combination of monoclonal antibodies improves immunohistochemical diagnosis of <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2013, 197, 477-486.	0.7	21
139	Effect of vaccination of cattle with the low virulence Nc-Spain 1H isolate of <i>Neospora caninum</i> against a heterologous challenge in early and mid-gestation. <i>Veterinary Research</i> , 2013, 44, 106.	1.1	29
140	Chronic bovine besnoitiosis: Intra-organ parasite distribution, parasite loads and parasite-associated lesions in subclinical cases. <i>Veterinary Parasitology</i> , 2013, 197, 95-103.	0.7	71
141	Serological diagnosis of bovine neosporosis: A comparative study of commercially available ELISA tests. <i>Veterinary Parasitology</i> , 2013, 198, 85-95.	0.7	49
142	Detection of a novel genotype of <i>Cryptosporidium</i> in Antarctic pinnipeds. <i>Veterinary Parasitology</i> , 2013, 191, 112-118.	0.7	13
143	In vitro effect of heather extracts on <i>Trichostrongylus colubriformis</i> eggs, larvae and adults. <i>Veterinary Parasitology</i> , 2013, 197, 586-594.	0.7	14
144	In vitro effect of heather ( <i>Ericaceae</i> ) extracts on different development stages of <i>Teladorsagia circumcincta</i> and <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2013, 197, 235-243.	0.7	18

#	ARTICLE	IF	CITATIONS
145	Immune response and protection provided by live tachyzoites and native antigens from the NC-6 Argentina strain of <i>Neospora caninum</i> in pregnant heifers. <i>Veterinary Parasitology</i> , 2013, 197, 436-446.	0.7	33
146	Presence of <i>Ostertagia ostertagi</i> antibodies in bulk tank milk from cattle herds in northern Spain. <i>Veterinary Parasitology</i> , 2013, 197, 388-392.	0.7	9
147	Presence of <i>Cryptosporidium scrofarum</i> , <i>C. suis</i> and <i>C. parvum</i> subtypes IlaA16G2R1 and IlaA13G1R1 in Eurasian wild boars ( <i>Sus scrofa</i> ). <i>Veterinary Parasitology</i> , 2013, 196, 497-502.	0.7	28
148	Mice congenitally infected with low-to-moderate virulence <i>Neospora caninum</i> isolates exhibited clinical reactivation during the mating period without transmission to the next generation. <i>Experimental Parasitology</i> , 2013, 134, 244-248.	0.5	9
149	First serosurvey of <i>Besnoitia</i> spp. infection in wild European ruminants in Spain. <i>Veterinary Parasitology</i> , 2013, 197, 557-564.	0.7	28
150	The first report of <i>Cryptosporidium bovis</i> , <i>C. ryanae</i> and <i>Giardia duodenalis</i> sub-assemblage A-II in roe deer ( <i>Capreolus capreolus</i> ) in Spain. <i>Veterinary Parasitology</i> , 2013, 197, 658-664.	0.7	31
151	First 2-DE approach towards characterising the proteome and immunome of <i>Besnoitia besnoiti</i> in the tachyzoite stage. <i>Veterinary Parasitology</i> , 2013, 195, 24-34.	0.7	29
152	Identification of <i>Besnoitia besnoiti</i> proteins that showed differences in abundance between tachyzoite and bradyzoite stages by difference gel electrophoresis. <i>Parasitology</i> , 2013, 140, 999-1008.	0.7	26
153	Specific antibody responses against <i>Neospora caninum</i> recombinant rNcGRA7, rNcSAG4, rNcBSR4 and rNcSRS9 proteins are correlated with virulence in mice. <i>Parasitology</i> , 2013, 140, 569-579.	0.7	10
154	Low rates of <i>Neospora caninum</i> infection reactivation during gestation are observed in both chronically and congenitally infected mice. <i>Parasitology</i> , 2013, 140, 220-228.	0.7	10
155	Genetic Diversity and Geographic Population Structure of Bovine <i>Neospora caninum</i> Determined by Microsatellite Genotyping Analysis. <i>PLoS ONE</i> , 2013, 8, e72678.	1.1	49
156	The <i>Neospora caninum</i> -Spain 7 isolate induces placental damage, fetal death and abortion in cattle when inoculated in early gestation. <i>Veterinary Parasitology</i> , 2012, 189, 171-181.	0.7	50
157	Detection of <i>Toxoplasma gondii</i> antibodies in Antarctic pinnipeds. <i>Veterinary Parasitology</i> , 2012, 190, 259-262.	0.7	23
158	Serological evidence of <i>Besnoitia</i> spp. infection in Canadian wild ruminants and strong cross-reaction between <i>Besnoitia besnoiti</i> and <i>Besnoitia tarandi</i> . <i>Veterinary Parasitology</i> , 2012, 190, 19-28.	0.7	32
159	Low efficacy of NcGRA7, NcSAG4, NcBSR4 and NcSRS9 formulated in poly- $\epsilon$ -caprolactone against <i>Neospora caninum</i> infection in mice. <i>Vaccine</i> , 2012, 30, 4983-4992.	1.7	22
160	Evaluation of the protection conferred by a naturally attenuated <i>Neospora caninum</i> isolate against congenital and cerebral neosporosis in mice. <i>Veterinary Research</i> , 2012, 43, 62.	1.1	19
161	IS Q fever a significant cause of reproductive failure in cattle?. <i>Veterinary Record</i> , 2012, 170, 257-258.	0.2	5
162	Infected Dendritic Cells Facilitate Systemic Dissemination and Transplacental Passage of the Obligate Intracellular Parasite <i>Neospora caninum</i> in Mice. <i>PLoS ONE</i> , 2012, 7, e32123.	1.1	60

#	ARTICLE	IF	CITATIONS
163	Potential use of heather to control gastrointestinal nematodes in goats. <i>Small Ruminant Research</i> , 2012, 103, 60-68.	0.6	17
164	Proteome expression changes among virulent and attenuated <i>Neospora caninum</i> isolates. <i>Journal of Proteomics</i> , 2012, 75, 2306-2318.	1.2	34
165	High prevalence of <i>Tritrichomonas foetus</i> infection in Asturiana de la Montaña beef cattle kept in extensive conditions in Northern Spain. <i>Veterinary Journal</i> , 2012, 193, 146-151.	0.6	29
166	Experimental inoculation of <i>Neospora caninum</i> in pregnant water buffalo. <i>Veterinary Parasitology</i> , 2012, 187, 72-78.	0.7	21
167	Occurrence of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infections in ovine and caprine abortions. <i>Veterinary Parasitology</i> , 2012, 187, 312-318.	0.7	115
168	Presence and molecular characterisation of <i>Giardia</i> and <i>Cryptosporidium</i> in alpacas ( <i>Vicugna pacos</i> ) from Peru. <i>Veterinary Parasitology</i> , 2012, 187, 414-420.	0.7	22
169	Comparative efficacy of immunization with inactivated whole tachyzoites versus a tachyzoite-bradyzoite mixture against neosporosis in mice. <i>Parasitology</i> , 2011, 138, 1372-1383.	0.7	12
170	Transgenic <i>Neospora caninum</i> strains constitutively expressing the bradyzoite NcSAG4 protein proved to be safe and conferred significant levels of protection against vertical transmission when used as live vaccines in mice. <i>Vaccine</i> , 2011, 29, 7867-7874.	1.7	24
171	Genetic manipulation of <i>Neospora caninum</i> to express the bradyzoite-specific protein NcSAG4 in tachyzoites. <i>Parasitology</i> , 2011, 138, 472-480.	0.7	11
172	<i>Neospora caninum</i> seroprevalence in dairy and beef cattle from the northwest region of Spain, Galicia. <i>Preventive Veterinary Medicine</i> , 2011, 98, 128-132.	0.7	34
173	In vitro invasion efficiency and intracellular proliferation rate comprise virulence-related phenotypic traits of <i>Neospora caninum</i> . <i>Veterinary Research</i> , 2011, 42, 41.	1.1	65
174	Pathological and immunological findings in placentas from pregnant BALB/c mice infected with <i>Neospora caninum</i> at early and late stages of gestation. <i>Acta Parasitologica</i> , 2011, 56, .	0.4	1
175	First description of naturally acquired <i>Tritrichomonas foetus</i> infection in a Persian cattery in Spain. <i>Parasitology Research</i> , 2011, 109, 1151-1154.	0.6	31
176	Identification of novel rhoptry proteins in <i>Neospora caninum</i> by LC/MS-MS analysis of subcellular fractions. <i>Journal of Proteomics</i> , 2011, 74, 629-642.	1.2	18
177	Influence of adjuvant and antigen dose on protection induced by an inactivated whole vaccine against <i>Neospora caninum</i> infection in mice. <i>Veterinary Parasitology</i> , 2011, 175, 220-229.	0.7	23
178	Identification of a gene cluster for cell-surface genes of the SRS superfamily in <i>Neospora caninum</i> and characterization of the novel SRS9 gene. <i>Parasitology</i> , 2011, 138, 1832-1842.	0.7	13
179	Detection and Characterization of a <i>Cryptosporidium</i> Isolate from a Southern Elephant Seal ( <i>Mirounga leonina</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 1524-1527.	1.4	18
180	Pathogenic characterization in mice of <i>Neospora caninum</i> isolates obtained from asymptomatic calves. <i>Parasitology</i> , 2010, 137, 1057-1068.	0.7	32

#	ARTICLE	IF	CITATIONS
181	Apparent absence of <i>Cryptosporidium</i> , <i>Giardia</i> and <i>Toxoplasma gondii</i> in three species of penguins along the Antarctic Peninsula. <i>Antarctic Science</i> , 2010, 22, 265-270.	0.5	5
182	Characterisation of NcGRA7 and NcSAG4 proteins: Immunolocalisation and their role in the host cell invasion by <i>Neospora caninum</i> tachyzoites. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	14
183	Effects of heather and oat supplementation on gastrointestinal nematode infections and performance of grazing Cashmere goats. <i>Small Ruminant Research</i> , 2010, 91, 186-192.	0.6	16
184	Abortions in bovines and <i>Neospora caninum</i> transmission in an embryo transfer center. <i>Veterinary Parasitology</i> , 2010, 173, 206-210.	0.7	6
185	<i>Neospora caninum</i> infection in stray and farm dogs: Seroepidemiological study and oocyst shedding. <i>Veterinary Parasitology</i> , 2010, 174, 332-335.	0.7	10
186	Identification of <i>Neospora caninum</i> proteins regulated during the differentiation process from tachyzoite to bradyzoite stage by DIGE. <i>Proteomics</i> , 2010, 10, 1740-1750.	1.3	25
187	Isolation and Characterization of <i>Campylobacter</i> spp. from Antarctic Fur Seals ( ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 <i>Microbiology</i> , 2010, 76, 6013-6016.	1.4	16
188	Development and use of an indirect ELISA in an outbreak of bovine besnoitiosis in Spain. <i>Veterinary Record</i> , 2010, 166, 818-822.	0.2	60
189	Effects of <i>Neospora caninum</i> Infection at Mid-Gestation on Placenta in a Pregnant Mouse Model. <i>Journal of Parasitology</i> , 2010, 96, 1017-1020.	0.3	16
190	Influence of <i>Neospora caninum</i> intra-specific variability in the outcome of infection in a pregnant BALB/c mouse model. <i>Veterinary Research</i> , 2010, 41, 52.	1.1	63
191	Effects of Stocking Rate and Heather Supplementation on Gastrointestinal Nematode Infections and Host Performance in Naturally-Infected Cashmere Goats. <i>Rangeland Ecology and Management</i> , 2009, 62, 127-135.	1.1	9
192	Molecular approaches to diversity of populations of apicomplexan parasites. <i>International Journal for Parasitology</i> , 2009, 39, 175-189.	1.3	85
193	Isolation and characterization of a bovine isolate of <i>Neospora caninum</i> with low virulence. <i>Veterinary Parasitology</i> , 2009, 159, 7-16.	0.7	66
194	Molecular characterisation of <i>Cryptosporidium</i> isolates from pet reptiles. <i>Veterinary Parasitology</i> , 2009, 160, 204-210.	0.7	56
195	Pattern of recognition of <i>Besnoitia besnoiti</i> tachyzoite and bradyzoite antigens by naturally infected cattle. <i>Veterinary Parasitology</i> , 2009, 164, 104-110.	0.7	39
196	Microsatellite markers for the molecular characterization of <i>Neospora caninum</i> : Application to clinical samples. <i>Veterinary Parasitology</i> , 2009, 166, 38-46.	0.7	34
197	Isolation and biological characterisation of a new isolate of <i>Neospora caninum</i> from an asymptomatic calf in Brazil. <i>Acta Parasitologica</i> , 2009, 54, .	0.4	11
198	Natural breeding with bulls experimentally infected with <i>Neospora caninum</i> failed to induce seroconversion in dams. <i>Theriogenology</i> , 2009, 71, 639-642.	0.9	7

#	ARTICLE	IF	CITATIONS
199	Failure of a vaccine using immunogenic recombinant proteins rNcSAG4 and rNcGRA7 against neosporosis in mice. <i>Vaccine</i> , 2009, 27, 7331-7338.	1.7	35
200	First Isolation of <i>Besnoitia besnoiti</i> from a Chronically Infected Cow in Spain. <i>Journal of Parasitology</i> , 2009, 95, 474-476.	0.3	69
201	Stage-specific expression of <i>NcSAG4</i> as a marker of chronic <i>Neospora caninum</i> infection in a mouse model. <i>Parasitology</i> , 2009, 136, 757-764.	0.7	19
202	Experimental infection with a low virulence isolate of <i>Neospora caninum</i> at 70 days gestation in cattle did not result in foetopathy. <i>Veterinary Research</i> , 2009, 40, 49.	1.1	68
203	Seroprevalence and risk factors associated with <i>Neospora caninum</i> infection in different dog populations in Spain. <i>Veterinary Parasitology</i> , 2008, 152, 148-151.	0.7	34
204	Influence of <i>Neospora caninum</i> infection in BALB/c mice during pregnancy in post-natal development. <i>Veterinary Parasitology</i> , 2008, 155, 175-183.	0.7	32
205	The role of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in spontaneous bovine abortion in Argentina. <i>Veterinary Parasitology</i> , 2008, 156, 163-167.	0.7	15
206	Usefulness of rNcGRA7- and rNcSAG4-based ELISA tests for distinguishing primo-infection, recrudescence, and chronic bovine neosporosis. <i>Veterinary Parasitology</i> , 2008, 157, 182-195.	0.7	48
207	In vitro and in vivo effects of 2-methoxyestradiol, either alone or combined with albendazole, against <i>Echinococcus metacestodes</i> . <i>Experimental Parasitology</i> , 2008, 119, 475-482.	0.5	56
208	Effects of re-infection with <i>Neospora caninum</i> in bulls on parasite detection in semen and blood and immunological responses. <i>Theriogenology</i> , 2008, 69, 905-911.	0.9	14
209	Isolation and genetic characterization of <i>Neospora caninum</i> from asymptomatic calves in Spain. <i>Parasitology</i> , 2008, 135, 1651-1659.	0.7	76
210	In Vitro and In Vivo Treatments of <i>Echinococcus</i> Protoscoleces and Metacestodes with Artemisinin and Artemisinin Derivatives. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3447-3450.	1.4	86
211	Is the anthelmintic effect of heather supplementation to grazing goats always accompanied by anti-nutritional effects?. <i>Animal</i> , 2008, 2, 1449-1456.	1.3	21
212	Grazing behaviour and performance of lactating suckler cows, ewes and goats on partially improved heathlands. <i>Animal</i> , 2008, 2, 1818-1831.	1.3	38
213	Anthelmintic and nutritional effects of heather supplementation on Cashmere goats grazing perennial ryegrass-white clover pastures <sup>1</sup> . <i>Journal of Animal Science</i> , 2007, 85, 861-870.	0.2	47
214	The NcGRA7 gene encodes the immunodominant 17 kDa antigen of <i>Neospora caninum</i> . <i>Parasitology</i> , 2007, 134, 41-50.	0.7	42
215	Intrauterine <i>Neospora caninum</i> inoculation of heifers and cows using contaminated semen with different numbers of tachyzoites. <i>Theriogenology</i> , 2007, 67, 729-737.	0.9	16
216	Experimental neosporosis in bulls: Parasite detection in semen and blood and specific antibody and interferon-gamma responses. <i>Theriogenology</i> , 2007, 67, 1175-1184.	0.9	24

#	ARTICLE	IF	CITATIONS
217	Epidemiology and Control of Neosporosis and <i>Neospora caninum</i> . <i>Clinical Microbiology Reviews</i> , 2007, 20, 323-367.	5.7	825
218	Evaluation of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infections in alpaca ( <i>Vicugna pacos</i> ) and llama ( <i>Lama glama</i> ) aborted foetuses from Peru. <i>Veterinary Parasitology</i> , 2007, 150, 39-45.	0.7	26
219	Molecular characterisation of BSR4, a novel bradyzoite-specific gene from <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2007, 37, 887-896.	1.3	32
220	The effect of heather supplementation on gastrointestinal nematode infections and performance in Cashmere and local Celtiberic goats on pasture. <i>Small Ruminant Research</i> , 2007, 67, 184-191.	0.6	16
221	COMPARATIVE EFFECT OF NEOSPOORA CANINUM INFECTION IN BALB/c MICE AT THREE DIFFERENT GESTATION PERIODS. <i>Journal of Parasitology</i> , 2006, 92, 1286-1291.	0.3	35
222	MULTILOCUS MICROSATELLITE ANALYSIS REVEALS EXTENSIVE GENETIC DIVERSITY IN NEOSPOORA CANINUM. <i>Journal of Parasitology</i> , 2006, 92, 517-524.	0.3	60
223	Influence of the stage of pregnancy on <i>Neospora caninum</i> distribution, parasite loads and lesions in aborted bovine foetuses. <i>Theriogenology</i> , 2006, 65, 629-641.	0.9	38
224	Use of an immunodominant p17 antigenic fraction of <i>Neospora caninum</i> in detection of antibody response in cattle. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006, 101, 529-534.	0.8	7
225	Intrauterine <i>Neospora caninum</i> inoculation of heifers. <i>Veterinary Parasitology</i> , 2006, 135, 197-203.	0.7	26
226	Supranational comparison of <i>Neospora caninum</i> seroprevalences in cattle in Germany, The Netherlands, Spain and Sweden. <i>Veterinary Parasitology</i> , 2006, 137, 17-27.	0.7	96
227	<i>Neospora caninum</i> IgG avidity tests: An interlaboratory comparison. <i>Veterinary Parasitology</i> , 2006, 140, 273-280.	0.7	17
228	Comparison of <i>Neospora caninum</i> distribution, parasite loads and lesions between epidemic and endemic bovine abortion cases. <i>Veterinary Parasitology</i> , 2006, 142, 187-191.	0.7	18
229	Diagnosis of bovine neosporosis: Recent advances and perspectives. <i>Acta Parasitologica</i> , 2006, 51, 1-14.	0.4	36
230	Identification and molecular cloning of the <i>Neospora caninum</i> SAG4 gene specifically expressed at bradyzoite stage. <i>Molecular and Biochemical Parasitology</i> , 2006, 146, 89-97.	0.5	49
231	In Vitro Metacystocidal Activities of Genistein and Other Isoflavones against <i>Echinococcus multilocularis</i> and <i>Echinococcus granulosus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 3770-3778.	1.4	87
232	Temporal Distribution and Parasite Load Kinetics in Blood and Tissues during <i>Neospora caninum</i> Infection in Mice. <i>Infection and Immunity</i> , 2006, 74, 2491-2494.	1.0	60
233	<i>Toxoplasma gondii</i> infection in adult llamas ( <i>Lama glama</i> ) and vicunas ( <i>Vicugna vicugna</i> ) in the Peruvian Andean region. <i>Veterinary Parasitology</i> , 2005, 130, 93-97.	0.7	25
234	Use of Avidity Enzyme-Linked Immunosorbent Assay and Avidity Western Blot to Discriminate between Acute and Chronic <i>Neospora Caninum</i> Infection in Cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2005, 17, 442-450.	0.5	28



#	ARTICLE	IF	CITATIONS
235	Effect of different decoquinate treatments on cryptosporidiosis in naturally infected cashmere goat kids. <i>Veterinary Record</i> , 2005, 157, 261-262.	0.2	11
236	Detection of <i>Neospora caninum</i> in the semen and blood of naturally infected bulls. <i>Theriogenology</i> , 2005, 63, 1504-1518.	0.9	42
237	ADAPTATION OF NEOSPORA CANINUM ISOLATES TO CELL-CULTURE CHANGES: AN ARGUMENT IN FAVOR OF ITS CLONAL POPULATION STRUCTURE. <i>Journal of Parasitology</i> , 2005, 91, 507-510.	0.3	62
238	COMPARATIVE ANALYSIS OF STRESS AGENTS IN A SIMPLIFIED IN VITRO SYSTEM OF NEOSPORA CANINUM BRADYZOITE PRODUCTION. <i>Journal of Parasitology</i> , 2004, 90, 466-470.	0.3	35
239	Comparison and standardisation of serological methods for the diagnosis of <i>Neospora caninum</i> infection in bovines. <i>Veterinary Parasitology</i> , 2004, 120, 11-22.	0.7	76
240	Evaluation of ovine abortion associated with <i>Toxoplasma gondii</i> in Spain by different diagnostic techniques. <i>Veterinary Parasitology</i> , 2004, 121, 33-43.	0.7	63
241	<i>Neospora caninum</i> infection in breeder bulls: seroprevalence and comparison of serological methods used for diagnosis. <i>Veterinary Parasitology</i> , 2004, 124, 19-24.	0.7	14
242	An interlaboratory comparison of immunohistochemistry and PCR methods for detection of <i>Neospora caninum</i> in bovine foetal tissues. <i>Veterinary Parasitology</i> , 2004, 126, 351-364.	0.7	51
243	First Report of <i>Neospora caninum</i> Infection in Adult Alpacas ( <i>Vicugna pacos</i> ) and Llamas ( <i>Lama glama</i> ). <i>Journal of Parasitology</i> , 2004, 90, 864-866.	0.3	30
244	CHARACTERIZATION OF PATHOLOGY AND PARASITE LOAD IN OUTBRED AND INBRED MOUSE MODELS OF CHRONIC NEOSPORA CANINUM INFECTION. <i>Journal of Parasitology</i> , 2004, 90, 579-583.	0.3	26
245	Occasional detection of <i>Neospora caninum</i> DNA in frozen extended semen from naturally infected bulls. <i>Theriogenology</i> , 2004, 62, 1329-1336.	0.9	27
246	Detection of <i>Neospora caninum</i> in semen of bulls. <i>Veterinary Parasitology</i> , 2003, 117, 301-308.	0.7	55
247	Evaluation by different diagnostic techniques of bovine abortion associated with <i>Neospora caninum</i> in Spain. <i>Veterinary Parasitology</i> , 2003, 111, 143-152.	0.7	54
248	Influence of age and purpose for testing on the cut-off selection of serological methods in bovine neosporosis. <i>Veterinary Research</i> , 2003, 34, 341-352.	1.1	81
249	Quantitative Detection of <i>Neospora caninum</i> in Bovine Aborted Fetuses and Experimentally Infected Mice by Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1194-1198.	1.8	134
250	Pattern of recognition of <i>Neospora caninum</i> tachyzoite antigens by naturally infected pregnant cattle and aborted fetuses. <i>Veterinary Parasitology</i> , 2002, 107, 15-27.	0.7	75
251	Herd-level risk factors associated with <i>Leptospira</i> spp. seroprevalence in dairy and beef cattle in Spain. <i>Preventive Veterinary Medicine</i> , 2001, 52, 109-117.	0.7	41
252	Detection of Infectious <i>Cryptosporidium parvum</i> Oocysts in Mussels ( <i>Mytilus galloprovincialis</i> ) and Cockles ( <i>Cerastoderma edule</i> ). <i>Applied and Environmental Microbiology</i> , 2000, 66, 1866-1870.	1.4	121



#	ARTICLE	IF	CITATIONS
253	A review of the importance of cryptosporidiosis in farm animals. <i>International Journal for Parasitology</i> , 1999, 29, 1269-1287.	1.3	355
254	Role of adult sheep in transmission of infection by <i>Cryptosporidium parvum</i> to lambs: confirmation of periparturient rise. <i>International Journal for Parasitology</i> , 1999, 29, 1261-1268.	1.3	41
255	Seroprevalence of <i>Neospora caninum</i> infection in dairy and beef cattle in Spain. <i>International Journal for Parasitology</i> , 1999, 29, 1201-1208.	1.3	65
256	Controlled field efficacy of injectable moxidectin against naturally acquired psoroptic mange in sheep. <i>Small Ruminant Research</i> , 1998, 29, 271-276.	0.6	1
257	Prevalence of <i>Tritrichomonas foetus</i> infection in beef bulls in northwestern Spain. <i>Veterinary Parasitology</i> , 1998, 75, 265-268.	0.7	14
258	Anthelmintic resistance in nematode parasites from goats in Spain. <i>Veterinary Parasitology</i> , 1997, 73, 83-88.	0.7	21
259	Serum and bile antibody responses (IgG and IgA) during subclinical <i>Fasciola hepatica</i> infection in sheep. <i>Veterinary Parasitology</i> , 1997, 68, 261-267.	0.7	19
260	Seroprevalence of <i>Fasciola hepatica</i> infection in sheep in northwestern Spain. <i>Zeitschrift für Parasitenkunde (Berlin, Germany)</i> , 1995, 81, 137-142.	0.8	43
261	Identification of <i>Cryptosporidium parvum</i> oocyst/sporozyte antigens recognized by infected and hyperimmune lambs. <i>Veterinary Parasitology</i> , 1994, 53, 159-166.	0.7	16
262	Prevalence of <i>Dicrocoelium dendriticum</i> infection in sheep in León province (NW Spain). <i>Preventive Veterinary Medicine</i> , 1994, 21, 147-154.	0.7	14
263	Age-related resistance in ovine cryptosporidiosis: patterns of infection and humoral immune response. <i>Infection and Immunity</i> , 1994, 62, 5003-5009.	1.0	43
264	Serum antibody response in lambs naturally and experimentally infected with <i>Cryptosporidium parvum</i> . <i>Veterinary Parasitology</i> , 1993, 50, 45-54.	0.7	27
265	A survey of the prevalence of canine filariasis in Spain. <i>Preventive Veterinary Medicine</i> , 1991, 11, 63-68.	0.7	25
266	The acid phosphatase activity and morphological characteristics of <i>Dipetalonema dracunculoides</i> (cobbold, 1870) microfilariae. <i>Veterinary Parasitology</i> , 1989, 33, 187-190.	0.7	14
267	Parasitemia and Associated Immune Response in Pregnant and Non-Pregnant Beef Cows Naturally Infected With <i>Neospora caninum</i> . <i>Frontiers in Veterinary Science</i> , 0, 9, .	0.9	1
268	Vaccine-Linked Chemotherapy Approach: Additive Effects of Combining the <i>Listeria monocytogenes</i> -Based Vaccine Lm3Dx_NcSAG1 With the Bumped Kinase Inhibitor BKI-1748 Against <i>Neospora caninum</i> Infection in Mice. <i>Frontiers in Veterinary Science</i> , 0, 9, .	0.9	2