
Meilin Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4787773/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Association of genetic variants in autophagy-lysosome pathway genes with susceptibility and survival to prostate cancer. Gene, 2022, 808, 145953. | 2.2 | 6 |
| 2 | Longâ€ŧerm risk of colorectal cancer after removal of adenomas during screening colonoscopies in a large communityâ€based population in China. International Journal of Cancer, 2022, 150, 594-602. | 5.1 | 6 |
| 3 | Genetic variants in splicing factor genes and susceptibility to bladder cancer. Gene, 2022, 809, 146022. | 2.2 | 1 |
| 4 | Fine Particulate Matter Induces Childhood Asthma Attacks via Extracellular Vesicleâ€Packaged Letâ€7iâ€5pâ€Mediated Modulation of the MAPK Signaling Pathway. Advanced Science, 2022, 9, e2102460. | 11.2 | 21 |
| 5 | Global internet search trends related to gastrointestinal symptoms predict regional COVID-19 outbreaks. Journal of Infection, 2022, 84, 56-63. | 3.3 | 8 |
| 6 | Genome-Wide Association Analyses Identify <i>CATSPERE</i> as a Mediator of Colorectal Cancer Susceptibility and Progression. Cancer Research, 2022, 82, 986-997. | 0.9 | 3 |
| 7 | High-density lipoprotein, low-density lipoprotein and triglyceride levels and upper gastrointestinal cancers risk: a trans-ancestry Mendelian randomization study. European Journal of Clinical Nutrition, 2022, , . | 2.9 | 4 |
| 8 | Genetic variants in the Hedgehog signaling pathway genes are associated with gastric cancer risk in a Chinese Han population. Journal of Biomedical Research, 2022, 36, 22. | 1.6 | 0 |
| 9 | Exosomal circLPAR1 functions in colorectal cancer diagnosis and tumorigenesis through suppressing BRD4 via METTL3–eIF3h interaction. Molecular Cancer, 2022, 21, 49. | 19.2 | 72 |
| 10 | Evaluation of genetic variants in nucleosome remodeling and deacetylase (NuRD) complex subunits encoding genes and gastric cancer susceptibility. Archives of Toxicology, 2022, 96, 1739-1749. | 4.2 | 2 |
| 11 | Association between circulating vitamin E and ten common cancers: evidence from large-scale Mendelian randomization analysis and a longitudinal cohort study. BMC Medicine, 2022, 20, 168. | 5.5 | 23 |
| 12 | Genetic variants in Hippo signalling pathway-related genes affect the risk of colorectal cancer. Archives of Toxicology, 2021, 95, 271-281. | 4.2 | 3 |
| 13 | Metabolomics identifying biomarkers of PM2.5 exposure for vulnerable population: based on a prospective cohort study. Environmental Science and Pollution Research, 2021, 28, 14586-14596. | 5.3 | 16 |
| 14 | Systematic evaluation of the effects of genetic variants on PIWI-interacting RNA expression across 33 cancer types. Nucleic Acids Research, 2021, 49, 90-97. | 14.5 | 22 |
| 15 | A prospective study of the associations among fine particulate matter, genetic variants, and the risk of colorectal cancer. Environment International, 2021, 147, 106309. | 10.0 | 14 |
| 16 | Genetic variants in N6-methyladenosine are associated with bladder cancer risk in the Chinese population. Archives of Toxicology, 2021, 95, 299-309. | 4.2 | 18 |
| 17 | Circular RNAs in body fluids as cancer biomarkers: the new frontier of liquid biopsies. Molecular Cancer, 2021, 20, 13. | 19.2 | 176 |
| 18 | Identification of low-frequency variants of UGT1A3 associated with bladder cancer risk by next-generation sequencing. Oncogene, 2021, 40, 2382-2394. | 5.9 | 8 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Genetic variations in the CTLA-4 immune checkpoint pathway are associated with colon cancer risk, prognosis, and immune infiltration via regulation of IQCB1 expression. Archives of Toxicology, 2021, 95, 2053-2063. | 4.2 | 5 |
| 20 | Effect of PM2.5 exposure on circulating fibrinogen and IL-6 levels: A systematic review and meta-analysis. Chemosphere, 2021, 271, 129565. | 8.2 | 23 |
| 21 | Evaluation of common genetic variants in vitamin E-related pathway genes and colorectal cancer susceptibility. Archives of Toxicology, 2021, 95, 2523-2532. | 4.2 | 4 |
| 22 | Integrative omics provide biological and clinical insights into acute respiratory distress syndrome. Intensive Care Medicine, 2021, 47, 761-771. | 8.2 | 19 |
| 23 | The biogenesis and biological function of PIWI-interacting RNA in cancer. Journal of Hematology and Oncology, 2021, 14, 93. | 17.0 | 31 |
| 24 | CoSMeD: a user-friendly web server to estimate 5-year survival probability of left-sided and right-sided colorectal cancer patients using molecular data. Bioinformatics, 2021, 38, 278-281. | 4.1 | 5 |
| 25 | Identification of common genetic variants associated with serum concentrations of p, p′-DDE in non-occupational populations in eastern China. Environment International, 2021, 152, 106507. | 10.0 | 3 |
| 26 | METTL3 regulates PM2.5-induced cell injury by targeting OSGIN1 in human airway epithelial cells. Journal of Hazardous Materials, 2021, 415, 125573. | 12.4 | 32 |
| 27 | Cohort profile: The National Colorectal Cancer Cohort (NCRCC) study in China. BMJ Open, 2021, 11, e051397. | 1.9 | 2 |
| 28 | Genetic variants in m6A modification genes are associated with colorectal cancer risk. Carcinogenesis, 2020, 41, 8-17. | 2.8 | 38 |
| 29 | Meta-analysis of genome-wide association studies and functional assays decipher susceptibility genes for gastric cancer in Chinese populations. Gut, 2020, 69, 641-651. | 12.1 | 36 |
| 30 | Genetic variants in circTUBB interacting with smoking can enhance colorectal cancer risk. Archives of Toxicology, 2020, 94, 325-333. | 4.2 | 3 |
| 31 | Association study between genetic variants in retinol metabolism pathway genes and prostate cancer risk. Cancer Medicine, 2020, 9, 9462-9470. | 2.8 | 11 |
| 32 | Explaining the Genetic Causality for Complex Phenotype via Deep Association Kernel Learning. Patterns, 2020, 1, 100057. | 5.9 | 6 |
| 33 | Identification of novel susceptibility loci for nonâ€syndromic cleft lip with or without cleft palate. Journal of Cellular and Molecular Medicine, 2020, 24, 13669-13678. | 3.6 | 5 |
| 34 | Genetic variants in the Folic acid Metabolic Pathway Genes predict outcomes of metastatic Colorectal Cancer patients receiving first-line Chemotherapy. Journal of Cancer, 2020, 11, 6507-6515. | 2.5 | 1 |
| 35 | Remote modulation of lncRNA <i>GCLET</i> by risk variant at 16p13 underlying genetic susceptibility to gastric cancer. Science Advances, 2020, 6, eaay5525. | 10.3 | 23 |
| 36 | Genetic variants in Ras/Raf/MEK/ERK pathway are associated with gastric cancer risk in Chinese Han population. Archives of Toxicology, 2020, 94, 2683-2690. | 4.2 | 4 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Genetic Variant in Long Non-Coding RNA H19 Modulates Its Expression and Predicts Renal Cell Carcinoma Susceptibility and Mortality. Frontiers in Oncology, 2020, 10, 785. | 2.8 | 10 |
| 38 | MUC1 is associated with TFF2 methylation in gastric cancer. Clinical Epigenetics, 2020, 12, 37. | 4.1 | 14 |
| 39 | The Rare Variant rs35356162 in UHRF1BP1 Increases Bladder Cancer Risk in Han Chinese Population. Frontiers in Oncology, 2020, 10, 134. | 2.8 | 16 |
| 40 | Genetic variations in Hippo pathway genes influence bladder cancer risk in a Chinese population. Archives of Toxicology, 2020, 94, 785-794. | 4.2 | 11 |
| 41 | A transcriptomic study for identifying cardia―and non–cardiaâ€specific gastric cancer prognostic factors using genetic algorithmâ€based methods. Journal of Cellular and Molecular Medicine, 2020, 24, 9457-9465. | 3.6 | 3 |
| 42 | Sex hormones and genetic variants in hormone metabolic pathways associated with the risk of colorectal cancer. Environment International, 2020, 137, 105543. | 10.0 | 16 |
| 43 | Novel CpG-SNPs in the gastric acid secretion pathway GNAI3 and susceptibility to gastric cancer. Gene, 2020, 736, 144447. | 2.2 | 5 |
| 44 | Multiomics Evaluation of Gastrointestinal and Other Clinical Characteristics of COVID-19. Gastroenterology, 2020, 158, 2298-2301.e7. | 1.3 | 117 |
| 45 | Alternative splicing related genetic variants contribute to bladder cancer risk. Molecular Carcinogenesis, 2020, 59, 923-929. | 2.7 | 27 |
| 46 | A genetic variant located in the miR-532-5p-binding site of TGFBR1 is associated with the colorectal cancer risk. Journal of Gastroenterology, 2019, 54, 141-148. | 5.1 | 9 |
| 47 | Vitamin B2 intake reduces the risk for colorectal cancer: a dose–response analysis. European Journal of Nutrition, 2019, 58, 1591-1602. | 3.9 | 13 |
| 48 | Rs2262251 in lncRNA <i>RP11â€462G12.2</i> is associated with nonsyndromic cleft lip with/without cleft palate. Human Mutation, 2019, 40, 2057-2067. | 2.5 | 11 |
| 49 | Long non-coding RNA FLJ22763 is involved in the progression and prognosis of gastric cancer. Gene, 2019, 693, 84-91. | 2.2 | 17 |
| 50 | Genetic variants in RPA1 associated with the response to oxaliplatin-based chemotherapy in colorectal cancer. Journal of Gastroenterology, 2019, 54, 939-949. | 5.1 | 15 |
| 51 | Combinations of single nucleotide polymorphisms identified in genomeâ€wide association studies determine risk for colorectal cancer. International Journal of Cancer, 2019, 145, 2661-2669. | 5.1 | 25 |
| 52 | A genetic variation in the CpG island of pseudogene <i>GBAP1</i> promoter is associated with gastric cancer susceptibility. Cancer, 2019, 125, 2465-2473. | 4.1 | 25 |
| 53 | The effects of particulate matters on allergic rhinitis in Nanjing, China. Environmental Science and Pollution Research, 2019, 26, 11452-11457. | 5.3 | 20 |
| 54 | Genome-wide long non-coding RNAs identified a panel of novel plasma biomarkers for gastric cancer diagnosis. Gastric Cancer, 2019, 22, 731-741. | 5.3 | 37 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Genetic variant in miRâ€21 binding sites is associated with colorectal cancer risk. Journal of Cellular and Molecular Medicine, 2019, 23, 2012-2019. | 3.6 | 9 |
| 56 | Polymorphism rs4787951 in IL-4R contributes to the increased risk of renal cell carcinoma in a Chinese population. Gene, 2019, 685, 242-247. | 2.2 | 3 |
| 57 | Association between obesity and bladder cancer recurrence: A meta-analysis. Clinica Chimica Acta, 2018, 480, 41-46. | 1.1 | 28 |
| 58 | Tagging SNPs in the HOTAIR gene are associated with bladder cancer risk in a Chinese population. Gene, 2018, 664, 22-26. | 2.2 | 10 |
| 59 | Evaluation of vulnerable PM2.5-exposure individuals: a repeated-measure study in an elderly population. Environmental Science and Pollution Research, 2018, 25, 11833-11840. | 5.3 | 12 |
| 60 | Hypermethylation of EIF4E promoter is associated with early onset of gastric cancer. Carcinogenesis, 2018, 39, 66-71. | 2.8 | 15 |
| 61 | Polymorphism rs2682818 in miRâ€618 is associated with colorectal cancer susceptibility in a Han Chinese population. Cancer Medicine, 2018, 7, 1194-1200. | 2.8 | 24 |
| 62 | Genetic variants in XDH are associated with prognosis for gastric cancer in a Chinese population. Gene, 2018, 663, 196-202. | 2.2 | 3 |
| 63 | Probabilistic natural mapping of gene-level tests for genome-wide association studies. Briefings in Bioinformatics, 2018, 19, 545-553. | 6.5 | 6 |
| 64 | Exosome–transmitted long non-coding RNA PTENP1 suppresses bladder cancer progression. Molecular Cancer, 2018, 17, 143. | 19.2 | 217 |
| 65 | Genetic variants in PI3K/Akt/mTOR pathway genes contribute to gastric cancer risk. Gene, 2018, 670, 130-135. | 2.2 | 14 |
| 66 | Association study of genetic variants in estrogen metabolic pathway genes and colorectal cancer risk and survival. Archives of Toxicology, 2018, 92, 1991-1999. | 4.2 | 14 |
| 67 | Circadian clock pathway genes associated with colorectal cancer risk and prognosis. Archives of Toxicology, 2018, 92, 2681-2689. | 4.2 | 30 |
| 68 | LncRNA <i>PCAT1</i> and its genetic variant rs1902432 are associated with prostate cancer risk. Journal of Cancer, 2018, 9, 1414-1420. | 2.5 | 28 |
| 69 | Genome-wide Association Study (GWAS) of Germline Copy Number Variations (CNVs) Reveal Genetic Risks of Prostate Cancer in Chinese population. Journal of Cancer, 2018, 9, 923-928. | 2.5 | 13 |
| 70 | Evaluation of GWAS-Identified Genetic Variants for Gastric Cancer Survival. EBioMedicine, 2018, 33, 82-87. | 6.1 | 7 |
| 71 | LncRNA MT1JP functions as a ceRNA in regulating FBXW7 through competitively binding to miR-92a-3p in gastric cancer. Molecular Cancer, 2018, 17, 87. | 19.2 | 218 |
| 72 | Meta-analysis on the effectiveness of team-based learning on medical education in China. BMC Medical Education, 2018, 18, 77. | 2.4 | 63 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Germline mutations in <scp>DNA</scp> repair genes are associated with bladder cancer risk and unfavourable prognosis. BJU International, 2018, 122, 808-813. | 2.5 | 15 |
| 74 | Association of Antioxidative Enzymes Polymorphisms with Efficacy of Platin and Fluorouracil-Based Adjuvant Therapy in Gastric Cancer. Cellular Physiology and Biochemistry, 2018, 48, 2247-2257. | 1.6 | 11 |
| 75 | Body mass index (BMI) trajectories and risk of colorectal cancer in the PLCO cohort. British Journal of Cancer, 2018, 119, 130-132. | 6.4 | 35 |
| 76 | Evaluating the effect of multiple genetic risk score models on colorectal cancer risk prediction. Gene, 2018, 673, 174-180. | 2.2 | 12 |
| 77 | Genetic Variations in the 3'-untranslated Regions of Genes Involved in the Cell Cycle and Apoptosis Pathways Affect Bladder Cancer Risk. Cancer Genomics and Proteomics, 2018, 15, 67-72. | 2.0 | 5 |
| 78 | Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. Gut, 2017, 66, 581-587. | 12.1 | 68 |
| 79 | Environmental factors, seven GWASâ€identified susceptibility loci, and risk of gastric cancer and its precursors in a Chinese population. Cancer Medicine, 2017, 6, 708-720. | 2.8 | 38 |
| 80 | Genetic variants, PM2.5 exposure level and global DNA methylation level: A multi-center population-based study in Chinese. Toxicology Letters, 2017, 269, 77-82. | 0.8 | 10 |
| 81 | Exome Array Analysis Identifies Variants in SPOCD1 and BTN3A2 That Affect Risk for Gastric Cancer. Gastroenterology, 2017, 152, 2011-2021. | 1.3 | 58 |
| 82 | KCNMA1 cooperating with PTK2 is a novel tumor suppressor in gastric cancer and is associated with disease outcome. Molecular Cancer, 2017, 16, 46. | 19.2 | 41 |
| 83 | The association of rs710886 in IncRNA PCAT1 with bladder cancer risk in a Chinese population. Gene, 2017, 627, 226-232. | 2.2 | 23 |
| 84 | Evaluation of genome-wide genotyping concordance between tumor tissues and peripheral blood. Genomics, 2017, 109, 108-112. | 2.9 | 7 |
| 85 | Short-term effects of ambient air pollution and childhood lower respiratory diseases. Scientific Reports, 2017, 7, 4414. | 3.3 | 41 |
| 86 | Expression and prognostic value of microRNAâ€26a and microRNAâ€148a in gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 819-827. | 2.8 | 35 |
| 87 | Information transduction capacity reduces the uncertainties in annotation-free isoform discovery and quantification. Nucleic Acids Research, 2017, 45, e143-e143. | 14.5 | 6 |
| 88 | Validation of the novel susceptibility loci for prostate cancer in a Chinese population. Oncology Letters, 2017, 15, 2567-2573. | 1.8 | 3 |
| 89 | Plasma Mesothelin as a Novel Diagnostic and Prognostic Biomarker in Colorectal Cancer. Journal of Cancer, 2017, 8, 1355-1361. | 2.5 | 12 |
| 90 | The HOTAIR, PRNCR1 and POLR2E polymorphisms are associated with cancer risk: a meta-analysis. Oncotarget, 2017, 8, 43271-43283. | 1.8 | 37 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | An inverse association between tea consumption and colorectal cancer risk. Oncotarget, 2017, 8, 37367-37376. | 1.8 | 42 |
| 92 | Association of genetic variants in lncRNA <i>H19</i> with risk of colorectal cancer in a Chinese population. Oncotarget, 2016, 7, 25470-25477. | 1.8 | 90 |
| 93 | The association analysis of <i>hOCG1</i> genetic variants and gastric cancer risk in a Chinese population. Oncotarget, 2016, 7, 66061-66068. | 1.8 | 8 |
| 94 | Circulating MicroRNA-26a in Plasma and Its Potential Diagnostic Value in Gastric Cancer. PLoS ONE, 2016, 11, e0151345. | 2.5 | 34 |
| 95 | Environmental exposure to BDE47 is associated with increased diabetes prevalence: Evidence from community-based case-control studies and an animal experiment. Scientific Reports, 2016, 6, 27854. | 3.3 | 37 |
| 96 | Genetic variation in IGF1 predicts renal cell carcinoma susceptibility and prognosis in Chinese population. Scientific Reports, 2016, 6, 39014. | 3.3 | 6 |
| 97 | Common genetic variation in ETV6 is associated with colorectal cancer susceptibility. Nature Communications, 2016, 7, 11478. | 12.8 | 73 |
| 98 | Genome-Wide Association Study of Bladder Cancer in a Chinese Cohort Reveals a New Susceptibility Locus at 5q12.3. Cancer Research, 2016, 76, 3277-3284. | 0.9 | 46 |
| 99 | Genetic variants in lncRNA <i>H19</i> are associated with the risk of bladder cancer in a Chinese population. Mutagenesis, 2016, 31, 531-538. | 2.6 | 70 |
| 100 | Identification of a novel susceptibility locus at 16q23.1 associated with childhood acute lymphoblastic leukemia in Han Chinese. Human Molecular Genetics, 2016, 25, ddw112. | 2.9 | 10 |
| 101 | miR-107 regulates tumor progression by targeting NF1 in gastric cancer. Scientific Reports, 2016, 6, 36531. | 3.3 | 51 |
| 102 | The influence of genetic variants of sorafenib on clinical outcomes and toxic effects in patients with advanced renal cell carcinoma. Scientific Reports, 2016, 6, 20089. | 3.3 | 22 |
| 103 | PSCA rs2294008 polymorphism contributes to the decreased risk for cervical cancer in a Chinese population. Scientific Reports, 2016, 6, 23465. | 3.3 | 14 |
| 104 | The classic EDCs, phthalate esters and organochlorines, in relation to abnormal sperm quality: a systematic review with meta-analysis. Scientific Reports, 2016, 6, 19982. | 3.3 | 54 |
| 105 | Rare variants in BRCA2 and CHEK2 are associated with the risk of urinary tract cancers. Scientific Reports, 2016, 6, 33542. | 3.3 | 22 |
| 106 | FAS rs2234767 and rs1800682 polymorphisms jointly contributed to risk of colorectal cancer by affecting SP1/STAT1 complex recruitment to chromatin. Scientific Reports, 2016, 6, 19229. | 3.3 | 21 |
| 107 | A functional variant in <scp><i>TP</i></scp> <i>63</i> at 3q28 associated with bladder cancer risk by creating an mi <scp>R</scp> â€140â€5p binding site. International Journal of Cancer, 2016, 139, 65-74. | 5.1 | 27 |
| 108 | A functional variant in miR-143 promoter contributes to prostate cancer risk. Archives of Toxicology, 2016, 90, 403-414. | 4.2 | 43 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Genetic variants in multisynthetase complex genes are associated with DNA damage levels in Chinese populations. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2016, 786, 8-13. | 1.0 | 6 |
| 110 | Functional annotation of colorectal cancer susceptibility loci identifies <i>MLH1</i> rs1800734 associated with MSI patients. Gut, 2016, 65, 1227-1228. | 12.1 | 11 |
| 111 | Pri-miR-34b/c rs4938723 polymorphism contributes to acute lymphoblastic leukemia susceptibility in Chinese children. Leukemia and Lymphoma, 2016, 57, 1436-1441. | 1.3 | 31 |
| 112 | Association Between MIF-AS rs755622 and Nephrolithiasis Risk in a Chinese Population. Medical Science Monitor, 2016, 22, 563-568. | 1.1 | 4 |
| 113 | A genetic study and meta-analysis of the genetic predisposition of prostate cancer in a Chinese population. Oncotarget, 2016, 7, 21393-21403. | 1.8 | 18 |
| 114 | Folic acid supplements and colorectal cancer risk: meta-analysis of randomized controlled trials. Scientific Reports, 2015, 5, 12044. | 3.3 | 51 |
| 115 | Functional POR A503V is associated with the risk of bladder cancer in a Chinese population. Scientific Reports, 2015, 5, 11751. | 3.3 | 18 |
| 116 | A novel antisense long noncoding RNA regulates the expression of MDC1 in bladder cancer. Oncotarget, 2015, 6, 484-493. | 1.8 | 56 |
| 117 | The association analysis of lncRNA <i>HOTAIR</i> genetic variants and gastric cancer risk in a Chinese population. Oncotarget, 2015, 6, 31255-31262. | 1.8 | 95 |
| 118 | Genome-wide association study identifies a new susceptibility locus for cleft lip with or without a cleft palate. Nature Communications, 2015, 6, 6414. | 12.8 | 167 |
| 119 | The prognostic significance of HOTAIR for predicting clinical outcome in patients with digestive system tumors. Journal of Cancer Research and Clinical Oncology, 2015, 141, 2139-2145. | 2.5 | 33 |
| 120 | Circulating miR-497 and miR-663b in plasma are potential novel biomarkers for bladder cancer. Scientific Reports, 2015, 5, 10437. | 3.3 | 105 |
| 121 | Genetic variation in C12orf51 is associated with prognosis of intestinal-type gastric cancer in a Chinese population. Biomedicine and Pharmacotherapy, 2015, 69, 133-138. | 5.6 | 8 |
| 122 | Genetic variants in noncoding PIWIâ€interacting RNA and colorectal cancer risk. Cancer, 2015, 121, 2044-2052. | 4.1 | 56 |
| 123 | Genetic variants of H2AX gene were associated with P M 2.5 -modulated DNA damage levels in Chinese Han populations. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2015, 778, 41-45. | 1.0 | 3 |
| 124 | Personal exposure to PM2.5, genetic variants and DNA damage: A multi-center population-based study in Chinese. Toxicology Letters, 2015, 235, 172-178. | 0.8 | 34 |
| 125 | Large-scale association analysis in Asians identifies new susceptibility loci for prostate cancer. Nature Communications, 2015, 6, 8469. | 12.8 | 51 |
| 126 | Genome-wide analysis of long noncoding RNA signature in human colorectal cancer. Gene, 2015, 556, 227-234. | 2.2 | 66 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Genetic variants in IncRNA HOTAIR are associated with risk of colorectal cancer. Mutagenesis, 2015, 30, 303-310. | 2.6 | 128 |
| 128 | A miR-29c binding site genetic variant in the 3′-untranslated region of LAMTOR3 gene is associated with gastric cancer risk. Biomedicine and Pharmacotherapy, 2015, 69, 70-75. | 5.6 | 10 |
| 129 | Identification of novel piRNAs in bladder cancer. Cancer Letters, 2015, 356, 561-567. | 7.2 | 115 |
| 130 | SOD2 rs4880 CT/CC genotype to predict poor survival for Chinese gastric cancer patients received platinum and fluorouracil based adjuvant chemotherapy Journal of Clinical Oncology, 2015, 33, 11037-11037. | 1.6 | 1 |
| 131 | Clinical Significance of POU5F1P1 rs10505477 Polymorphism in Chinese Gastric Cancer Patients Receving Cisplatin-Based Chemotherapy after Surgical Resection. International Journal of Molecular Sciences, 2014, 15, 12764-12777. | 4.1 | 16 |
| 132 | Associations of NR5A2 Gene Polymorphisms with the Clinicopathological Characteristics and Survival of Gastric Cancer. International Journal of Molecular Sciences, 2014, 15, 22902-22917. | 4.1 | 8 |
| 133 | Variants in angiogenesis-related genes and the risk of clear cell renal cell carcinoma. Mutagenesis, 2014, 29, 419-425. | 2.6 | 18 |
| 134 | Genetic variations in microRNAs and the risk and survival of renal cell cancer. Carcinogenesis, 2014, 35, 1629-1635. | 2.8 | 47 |
| 135 | Hsa-miR-196a2 polymorphism increases the risk of acute lymphoblastic leukemia in Chinese children. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2014, 759, 16-21. | 1.0 | 35 |
| 136 | Global gene expression profiling of human bronchial epithelial cells exposed to airborne fine particulate matter collected from Wuhan, China. Toxicology Letters, 2014, 228, 25-33. | 0.8 | 58 |
| 137 | Cumulative effect of genomeâ€wide association studyâ€identified genetic variants for bladder cancer. International Journal of Cancer, 2014, 135, 2653-2660. | 5.1 | 31 |
| 138 | Genetic variation rs10484761 on 6p21.1 derived from a genome-wide association study is associated with gastric cancer survival in a Chinese population. Gene, 2014, 536, 59-64. | 2.2 | 15 |
| 139 | Clinical potential role of circulating microRNAs in early diagnosis of colorectal cancer patients. Carcinogenesis, 2014, 35, 2723-2730. | 2.8 | 57 |
| 140 | Functional polymorphisms in apoptosis pathway genes and survival in patients with gastric cancer. Environmental and Molecular Mutagenesis, 2014, 55, 421-427. | 2.2 | 8 |
| 141 | A common genetic variation in the promoter of miR-107 is associated with gastric adenocarcinoma susceptibility and survival. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2014, 769, 35-41. | 1.0 | 28 |
| 142 | Genome-wide association analysis of Vogt-Koyanagi-Harada syndrome identifies two new susceptibility loci at 1p31.2 and 10q21.3. Nature Genetics, 2014, 46, 1007-1011. | 21.4 | 88 |
| 143 | Genetic variants in SMARC genes are associated with DNA damage levels in Chinese population. Toxicology Letters, 2014, 229, 327-332. | 0.8 | 6 |
| 144 | Effects of TSP-1 -696 C/T polymorphism on bladder cancer susceptibility and clinicopathologic features. Cancer Genetics, 2014, 207, 247-252. | 0.4 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Assessing the Effectiveness of Problem-Based Learning of Preventive Medicine Education in China. Scientific Reports, 2014, 4, 5126. | 3.3 | 25 |
| 146 | Association study between XPG Asp1104His polymorphism and colorectal cancer risk in a Chinese population. Scientific Reports, 2014, 4, 6700. | 3.3 | 23 |
| 147 | A genetic variant of miR-148a binding site in the SCRN1 3′-UTR is associated with susceptibility and prognosis of gastric cancer. Scientific Reports, 2014, 4, 7080. | 3.3 | 16 |
| 148 | MDM2 SNP309 polymorphism is associated with colorectal cancer risk. Scientific Reports, 2014, 4, 4851. | 3.3 | 14 |
| 149 | Genetic Polymorphisms in IGF-I and IGFBP-3 Are Associated with Prostate Cancer in the Chinese Population. PLoS ONE, 2014, 9, e85609. | 2.5 | 18 |
| 150 | A MAP3k1 SNP Predicts Survival of Gastric Cancer in a Chinese Population. PLoS ONE, 2014, 9, e96083. | 2.5 | 9 |
| 151 | Genetic Variants in RKIP Are Associated with Clear Cell Renal Cell Carcinoma Risk in a Chinese Population. PLoS ONE, 2014, 9, e109285. | 2.5 | 12 |
| 152 | Single nucleotide polymorphism of SOD2 to predict survival for Chinese gastric cancer patients received platinum/fluorouracil-based adjuvant chemotherapy Journal of Clinical Oncology, 2014, 32, e15035-e15035. | 1.6 | 0 |
| 153 | Radiofrequency ablation versus partial nephrectomy for the treatment of clinical stage 1 renal masses: a systematic review and meta-analysis. Chinese Medical Journal, 2014, 127, 2497-503. | 2.3 | 9 |
| 154 | A genetic variant in miR-146a modifies colorectal cancer susceptibility in a Chinese population. Archives of Toxicology, 2013, 87, 825-833. | 4.2 | 58 |
| 155 | Association of three polymorphisms in ARID5B, IKZF1and CEBPE with the risk of childhood acute lymphoblastic leukemia in a Chinese population. Gene, 2013, 524, 203-207. | 2.2 | 47 |
| 156 | A genetic variant in ERCC2 is associated with gastric cancer prognosis in a Chinese population. Mutagenesis, 2013, 28, 441-446. | 2.6 | 16 |
| 157 | <i>TSP-1</i> -1223 A/G Polymorphism as a Potential Predictor of the Recurrence Risk of Bladder Cancer in a Chinese Population. International Journal of Genomics, 2013, 2013, 1-9. | 1.6 | 3 |
| 158 | Molecular epidemiology of DNA repair gene polymorphisms and head and neck cancer. Journal of Biomedical Research, 2013, 27, 179-92. | 1.6 | 30 |
| 159 | Genetic Variant rs7758229 in 6q26–q27 Is Not Associated with Colorectal Cancer Risk in a Chinese Population. PLoS ONE, 2013, 8, e59256. | 2.5 | 9 |
| 160 | A Polymorphism (rs2295080) in mTOR Promoter Region and Its Association with Gastric Cancer in a Chinese Population. PLoS ONE, 2013, 8, e60080. | 2.5 | 27 |
| 161 | Comprehensive genetic mutation analysis of human gastric adenocarcinomas Journal of Clinical Oncology, 2013, 31, 4106-4106. | 1.6 | 0 |
| 162 | Replication and cumulative effects of GWAS-identified genetic variations for prostate cancer in Asians: a case–control study in the ChinaPCa consortium. Carcinogenesis, 2012, 33, 356-360. | 2.8 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Three polymorphisms in <i>IRF6</i> and 8q24 are associated with nonsyndromic cleft lip with or without cleft palate: Evidence from 20 studies. American Journal of Medical Genetics, Part A, 2012, 158A, 3080-3086. | 1.2 | 23 |
| 164 | A Functional Polymorphism in <i>miRNA-196a2</i> Is Associated with Colorectal Cancer Risk in a Chinese Population. DNA and Cell Biology, 2012, 31, 350-354. | 1.9 | 63 |
| 165 | Genetic Variants in miRNAs Predict Bladder Cancer Risk and Recurrence. Cancer Research, 2012, 72, 6173-6182. | 0.9 | 86 |
| 166 | A Functional Polymorphism in <i>Pre-miR-146a</i> Is Associated with Susceptibility to Gastric Cancer in a Chinese Population. DNA and Cell Biology, 2012, 31, 1290-1295. | 1.9 | 59 |
| 167 | Association between MLH1 -93G>A Polymorphism and Risk of Colorectal Cancer. PLoS ONE, 2012, 7, e50449. | 2.5 | 9 |
| 168 | Clinical significance of <i>SOD2</i> and <i>GSTP1</i> gene polymorphisms in Chinese patients with gastric cancer. Cancer, 2012, 118, 5489-5496. | 4.1 | 43 |
| 169 | A genome-wide association study identifies new susceptibility loci for non-cardia gastric cancer at 3q13.31 and 5p13.1. Nature Genetics, 2011, 43, 1215-1218. | 21.4 | 250 |
| 170 | Polymorphism of the pre-miR-146a is associated with risk of cervical cancer in a Chinese population. Gynecologic Oncology, 2011, 122, 33-37. | 1.4 | 92 |
| 171 | VEGF 936C>T polymorphism and breast cancer risk: evidence from 5,729 cases and 5,868 controls. Breast Cancer Research and Treatment, 2011, 125, 489-493. | 2.5 | 20 |
| 172 | Genetic variant in <i>PSCA</i> predicts survival of diffuseâ€ŧype gastric cancer in a Chinese population. International Journal of Cancer, 2011, 129, 1207-1213. | 5.1 | 52 |
| 173 | Chromosome 4p16.3 variant modify bladder cancer risk in a Chinese population. Carcinogenesis, 2011, 32, 872-875. | 2.8 | 23 |
| 174 | Associations of IL-4, IL-4R, and IL-13 Gene Polymorphisms in Coal Workers' Pneumoconiosis in China: A Case-Control Study. PLoS ONE, 2011, 6, e22624. | 2.5 | 33 |
| 175 | A functional polymorphism in <i>MSMB</i> gene promoter is associated with prostate cancer risk and serum MSMB expression. Prostate, 2010, 70, 1146-1152. | 2.3 | 106 |
| 176 | Common genetic variants in pre-microRNAs are associated with risk of coal workers' pneumoconiosis. Journal of Human Genetics, 2010, 55, 13-17. | 2.3 | 40 |
| 177 | Polymorphisms of methylenetetrahydrofolate reductase and methionine synthase genes and bladder cancer risk: a case–control study with meta-analysis. Clinical and Experimental Medicine, 2009, 9, 9-19. | 3.6 | 28 |
| 178 | FAS and FAS Ligand Polymorphisms in the Promoter Regions and Risk of Gastric Cancer in Southern China. Biochemical Genetics, 2009, 47, 559-568. | 1.7 | 28 |
| 179 | A Novel Functional Polymorphism C1797G in the MDM2 Promoter Is Associated with Risk of Bladder Cancer in a Chinese Population. Clinical Cancer Research, 2008, 14, 3633-3640. | 7.0 | 39 |