
Constance Chu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4788538/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Vertical ground reaction force 2 years after anterior cruciate ligament reconstruction predicts 10â€year patientâ€reported outcomes. Journal of Orthopaedic Research, 2022, 40, 129-137.	2.3	5
2	Cartilage oligomeric matrix protein responses to a mechanical stimulus associate with ambulatory loading in individuals with anterior cruciate ligament reconstruction. Journal of Orthopaedic Research, 2022, 40, 791-798.	2.3	4
3	Can we afford to ignore the biology of joint healing and graft incorporation after ACL reconstruction?. Journal of Orthopaedic Research, 2022, 40, 55-64.	2.3	5
4	No Difference in Complication Rates or Patient-Reported Outcomes Between Bone–Patella Tendon–Bone and Quadriceps Tendon Autograft for Anterior Cruciate Ligament Reconstruction. Arthroscopy, Sports Medicine, and Rehabilitation, 2022, 4, e417-e424.	1.7	11
5	Articular Cartilage: Injury, Restoration, and Preservation. Operative Techniques in Orthopaedics, 2022, , 100964.	0.1	0
6	Comparison of Autologous Chondrocyte Implantation and Osteochondral Allograft Transplantation of the Knee in a Large Insurance Database: Reoperation Rate, Complications, and Cost Analysis. Cartilage, 2021, 13, 1187S-1194S.	2.7	12
7	Changes in knee adduction moment wearing a variableâ€stiffness shoe correlate with changes in pain and mechanically stimulated cartilage oligomeric matrix levels. Journal of Orthopaedic Research, 2021, 39, 619-627.	2.3	8
8	Quantitative Magnetic Resonance Imaging of Articular Cartilage Structure and Biology. , 2021, , 37-50.		0
9	Patient-Reported Outcomes and Knee Mechanics Correlate With Patellofemoral Deep Cartilage UTE-T2* 2 Years After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2021, 49, 675-683.	4.2	10
10	Visualizing preâ€osteoarthritis: Integrating MRI UTEâ€T2* with mechanics and biology to combat osteoarthritis—The 2019 Elizabeth Winston Lanier Kappa Delta Award. Journal of Orthopaedic Research, 2021, 39, 1585-1595.	2.3	10
11	Biologic Augmentation for the Operative Treatment of Osteochondral Defects of the Knee: A Systematic Review. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110497.	1.7	4
12	Cartilage Matrix Degeneration Occurs within the First Year after ACLR and Is Associated with Impaired Clinical Outcome. Cartilage, 2021, 13, 1809S-1818S.	2.7	3
13	Microribbon-hydrogel composite scaffold accelerates cartilage regeneration in vivo with enhanced mechanical properties using mixed stem cells and chondrocytes. Biomaterials, 2020, 228, 119579.	11.4	43
14	Platelet-Rich Plasma Augmentation for Isolated Arthroscopic Meniscal Repairs Leads to Significantly Lower Failure Rates: A Systematic Review of Comparative Studies. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712096453.	1.7	16
15	Transient non-integrative expression of nuclear reprogramming factors promotes multifaceted amelioration of aging in human cells. Nature Communications, 2020, 11, 1545.	12.8	183
16	Utilizing the somatosensory system via vibratory stimulation to mitigate knee pain during walking: Randomized clinical trial. Gait and Posture, 2020, 80, 37-43.	1.4	4
17	Single-cell mass cytometry reveals cross-talk between inflammation-dampening and inflammation-amplifying cells in osteoarthritic cartilage. Science Advances, 2020, 6, eaay5352.	10.3	52
18	Bridging Disciplines as a pathway to Finding New Solutions for Osteoarthritis a collaborative program presented at the 2019 Orthopaedic Research Society and the Osteoarthritis Research Society International. Osteoarthritis and Cartilage Open, 2020, 2, 100026.	2.0	16

CONSTANCE CHU

#	Article	IF	CITATIONS
19	MRI UTEâ€₹2* shows high incidence of cartilage subsurface matrix changes 2 years after ACL reconstruction. Journal of Orthopaedic Research, 2019, 37, 370-377.	2.3	27
20	Concepts Important to Secondary Prevention of Posttraumatic Osteoarthritis. Journal of Athletic Training, 2019, 54, 987-988.	1.8	2
21	Quantitative MRI UTE-T2* and T2* Show Progressive and Continued Graft Maturation Over 2 Years in Human Patients After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711986305.	1.7	41
22	Changes in stair ascent biomechanics two to eight years after ACL reconstruction are associated with patient-reported outcomes. Gait and Posture, 2019, 69, 91-95.	1.4	5
23	Plateletâ€Rich Plasma (PRP) From Older Males With Knee Osteoarthritis Depresses Chondrocyte Metabolism and Upregulates Inflammation. Journal of Orthopaedic Research, 2019, 37, 1760-1770.	2.3	37
24	Adaptive Sports and the Warrior Athlete. Sports Medicine and Arthroscopy Review, 2019, 27, 41-41.	2.3	0
25	Optimizing Clinical Use of Biologics in Orthopaedic Surgery: Consensus Recommendations From the 2018 AAOS/NIH U-13 Conference. Journal of the American Academy of Orthopaedic Surgeons, The, 2019, 27, e50-e63.	2.5	122
26	Activating the somatosensory system enhances net quadriceps moment during gait. Journal of Biomechanics, 2019, 82, 149-155.	2.1	8
27	Mechanically stimulated biomarkers signal cartilage changes over 5 years consistent with disease progression in medial knee osteoarthritis patients. Journal of Orthopaedic Research, 2018, 36, 891-897.	2.3	26
28	Minimally Manipulated Bone Marrow Concentrate Compared with Microfracture Treatment of Full-Thickness Chondral Defects. Journal of Bone and Joint Surgery - Series A, 2018, 100, 138-146.	3.0	36
29	MRI UTE-T2* profile characteristics correlate to walking mechanics and patient reported outcomes 2 years after ACL reconstruction. Osteoarthritis and Cartilage, 2018, 26, 569-579.	1.3	33
30	Cartilage Subsurface Changes to Magnetic Resonance Imaging UTE-T2* 2 Years After Anterior Cruciate Ligament Reconstruction Correlate With Walking Mechanics Associated With Knee Osteoarthritis. American Journal of Sports Medicine, 2018, 46, 565-572.	4.2	48
31	Men and Women Differ in the Biochemical Composition of Platelet-Rich Plasma. American Journal of Sports Medicine, 2018, 46, 409-419.	4.2	86
32	Longitudinal changes in knee gait mechanics between 2 and 8 years after anterior cruciate ligament reconstruction. Journal of Orthopaedic Research, 2018, 36, 1478-1486.	2.3	30
33	Gait mechanics 2 years after anterior cruciate ligament reconstruction are associated with longerâ€term changes in patientâ€reported outcomes. Journal of Orthopaedic Research, 2017, 35, 634-640.	2.3	26
34	Effects of active feedback gait retraining to produce a medial weight transfer at the foot in subjects with symptomatic medial knee osteoarthritis. Journal of Orthopaedic Research, 2017, 35, 2251-2259.	2.3	19
35	Early articular cartilage MRI T2 changes after anterior cruciate ligament reconstruction correlate with later changes in T2 and cartilage thickness. Journal of Orthopaedic Research, 2017, 35, 699-706.	2.3	49
36	Early Changes in Knee Center of Rotation During Walking After Anterior Cruciate Ligament Reconstruction Correlate With Later Changes in Patient-Reported Outcomes. American Journal of Sports Medicine, 2017, 45, 915-921.	4.2	26

CONSTANCE CHU

#	Article	IF	CITATIONS
37	Human iPSC-derived chondrocytes mimic juvenile chondrocyte function for the dual advantage of increased proliferation and resistance to IL-1β. Stem Cell Research and Therapy, 2017, 8, 244.	5.5	17
38	ACL Reconstruction and Progression of OA. , 2017, , 467-475.		0
39	Defining Pre-Osteoarthritis Is Key to Prevention. Cartilage, 2016, 7, 204-204.	2.7	4
40	Addition of Mesenchymal Stem Cells to Autologous Platelet-Enhanced Fibrin Scaffolds in Chondral Defects. Journal of Bone and Joint Surgery - Series A, 2016, 98, 23-34.	3.0	56
41	Short-term Analysis vs Long-term Data on Total Hip Replacement Survivorship. JAMA Surgery, 2015, 150, 989.	4.3	6
42	The Challenge and the Promise of Bone Marrow Cells for Human Cartilage Repair. Cartilage, 2015, 6, 36S-45S.	2.7	5
43	Effects of high heel wear and increased weight on the knee during walking. Journal of Orthopaedic Research, 2015, 33, 405-411.	2.3	24
44	Dance between biology, mechanics, and structure: A systems-based approach to developing osteoarthritis prevention strategies. Journal of Orthopaedic Research, 2015, 33, 939-947.	2.3	70
45	A Systems View of Risk Factors for Knee Osteoarthritis Reveals Insights into the Pathogenesis of the Disease. Annals of Biomedical Engineering, 2015, 43, 376-387.	2.5	106
46	Articular Cartilage Changes in Maturing Athletes. Sports Health, 2014, 6, 18-30.	2.7	20
47	Osteoarthritis: From Palliation to Prevention. Journal of Bone and Joint Surgery - Series A, 2014, 96, e130.	3.0	80
48	Quantitative Magnetic Resonance Imaging UTE-T2 [*] Mapping of Cartilage and Meniscus Healing After Anatomic Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2014, 42, 1847-1856.	4.2	131
49	The Effect of Platelet-Rich Plasma Formulations and Blood Products on Human Synoviocytes. American Journal of Sports Medicine, 2014, 42, 1204-1210.	4.2	235
50	The Role of ACL Injury in the Development of Posttraumatic Knee Osteoarthritis. Clinics in Sports Medicine, 2013, 32, 1-12.	1.8	169
51	Effects of doxycycline on mesenchymal stem cell chondrogenesis and cartilage repair. Osteoarthritis and Cartilage, 2013, 21, 385-393.	1.3	24
52	Registration of Magnetic Resonance Image Series for Knee Articular Cartilage Analysis. Cartilage, 2013, 4, 20-27.	2.7	11
53	Repeatability of ultrashort echo timeâ€based twoâ€component <i>T</i> ₂ [*] measurements on cartilages in human knee at 3 T. Magnetic Resonance in Medicine, 2013, 69, 1564-1571.	3.0	14
54	The Feasibility of Randomized Controlled Trials for Early Arthritis Therapies (EARTH) Involving Acute Anterior Cruciate Ligament Tear Cohorts. American Journal of Sports Medicine, 2012, 40, 2648-2652.	4.2	8

CONSTANCE CHU

#	Article	IF	CITATIONS
55	Clinical and Basic Science of Cartilage Injury and Arthritis in the Football (Soccer) Athlete. Cartilage, 2012, 3, 63S-68S.	2.7	17
56	Early diagnosis to enable early treatment of pre-osteoarthritis. Arthritis Research and Therapy, 2012, 14, 212.	3.5	175
57	Highâ€resolution ultrashort echo time (UTE) imaging on human knee with AWSOS sequence at 3.0 T. Journal of Magnetic Resonance Imaging, 2012, 35, 204-210.	3.4	27
58	Release of Bioactive Adeno-Associated Virus from Fibrin Scaffolds: Effects of Fibrin Glue Concentrations. Tissue Engineering - Part A, 2011, 17, 1969-1978.	3.1	55
59	Optical Coherence Tomography Detection of Subclinical Traumatic Cartilage Injury. Journal of Orthopaedic Trauma, 2010, 24, 577-582.	1.4	29
60	Clinical optical coherence tomography of early articular cartilage degeneration in patients with degenerative meniscal tears. Arthritis and Rheumatism, 2010, 62, 1412-1420.	6.7	77
61	Optical coherence tomography grading correlates with MRI T2 mapping and extracellular matrix content. Journal of Orthopaedic Research, 2010, 28, 546-552.	2.3	37
62	Multicomponent <i>T</i> ₂ * mapping of knee cartilage: Technical feasibility ex vivo. Magnetic Resonance in Medicine, 2010, 64, 1426-1431.	3.0	77
63	In Vivo Effects of Single Intra-Articular Injection of 0.5% Bupivacaine on Articular Cartilage. Journal of Bone and Joint Surgery - Series A, 2010, 92, 599-608.	3.0	194
64	The Clinical Use of Human Culture–Expanded Autologous Bone Marrow Mesenchymal Stem Cells Transplanted on Platelet-Rich Fibrin Glue in the Treatment of Articular Cartilage Defects. Cartilage, 2010, 1, 253-261.	2.7	282
65	Animal Models for Cartilage Regeneration and Repair. Tissue Engineering - Part B: Reviews, 2010, 16, 105-115.	4.8	419
66	Progressive Chondrocyte Death After Impact Injury Indicates a Need for Chondroprotective Therapy. American Journal of Sports Medicine, 2009, 37, 2318-2322.	4.2	49
67	Sustained hypoxia enhances chondrocyte matrix synthesis. Journal of Orthopaedic Research, 2009, 27, 793-799.	2.3	64
68	Lidocaine Potentiates the Chondrotoxicity of Methylprednisolone. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2009, 25, 337-347.	2.7	81
69	Clinical diagnosis of potentially treatable early articular cartilage degeneration using optical coherence tomography. Journal of Biomedical Optics, 2007, 12, 051703.	2.6	73
70	In Vitro Exposure to 0.5% Bupivacaine Is Cytotoxic to Bovine Articular Chondrocytes. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2006, 22, 693-699.	2.7	240
71	Early clinical findings may predict long-term development of radiographic knee osteoarthritis in patients with anterior cruciate ligament reconstruction. Annals of Joint, 0, 3, 72-72.	1.0	0