Manal F Abdelmalek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4790115/publications.pdf

Version: 2024-02-01

143 papers 20,542 citations

67 h-index 138 g-index

145 all docs 145 docs citations

145 times ranked 16665 citing authors

#	Article	IF	CITATIONS
1	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. Lancet, The, 2015, 385, 956-965.	13.7	1,840
2	MAFLD: A Consensus-Driven Proposed Nomenclature for Metabolic Associated Fatty Liver Disease. Gastroenterology, 2020, 158, 1999-2014.e1.	1.3	1,840
3	Elafibranor, an Agonist of the Peroxisome Proliferatorâ^'Activated Receptorâ^'α andÂâ^'Î', Induces Resolution of Nonalcoholic Steatohepatitis Without Fibrosis Worsening. Gastroenterology, 2016, 150, 1147-1159.e5.	1.3	847
4	Obeticholic acid for the treatment of non-alcoholic steatohepatitis: interim analysis from a multicentre, randomised, placebo-controlled phase 3 trial. Lancet, The, 2019, 394, 2184-2196.	13.7	818
5	Fructose consumption as a risk factor for non-alcoholic fatty liver disease. Journal of Hepatology, 2008, 48, 993-999.	3.7	718
6	Fructose and sugar: A major mediator of non-alcoholic fatty liver disease. Journal of Hepatology, 2018, 68, 1063-1075.	3.7	617
7	Increased fructose consumption is associated with fibrosis severity in patients with nonalcoholic fatty liver disease. Hepatology, 2010, 51, 1961-1971.	7.3	609
8	Sex Differences in Nonalcoholic Fatty Liver Disease: State of the Art and Identification of Research Gaps. Hepatology, 2019, 70, 1457-1469.	7.3	547
9	A randomized, placeboâ€controlled trial of cenicriviroc for treatment of nonalcoholic steatohepatitis with fibrosis. Hepatology, 2018, 67, 1754-1767.	7. 3	528
10	Betaine, a promising new agent for patients with nonalcoholic steatohepatitis: results of a pilot study. American Journal of Gastroenterology, 2001, 96, 2711-2717.	0.4	391
11	Pegbelfermin (BMS-986036), a PEGylated fibroblast growth factor 21 analogue, in patients with non-alcoholic steatohepatitis: a randomised, double-blind, placebo-controlled, phase 2a trial. Lancet, The, 2018, 392, 2705-2717.	13.7	374
12	Relationship Between Methylome and Transcriptome in Patients With Nonalcoholic Fatty Liver Disease. Gastroenterology, 2013, 145, 1076-1087.	1.3	340
13	NGM282 for treatment of non-alcoholic steatohepatitis: a multicentre, randomised, double-blind, placebo-controlled, phase 2 trial. Lancet, The, 2018, 391, 1174-1185.	13.7	338
14	Vibration-Controlled Transient Elastography to Assess Fibrosis and Steatosis in Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2019, 17, 156-163.e2.	4.4	322
15	Noninvasive evaluation of hepatic fibrosis using acoustic radiation force-based shear stiffness in patients with nonalcoholic fatty liver disease. Journal of Hepatology, 2011, 55, 666-672.	3.7	318
16	A Randomized, Controlled Trial of the Pan-PPAR Agonist Lanifibranor in NASH. New England Journal of Medicine, 2021, 385, 1547-1558.	27.0	284
17	No Significant Effects of Ethyl-Eicosapentanoic Acid on Histologic Features of Nonalcoholic Steatohepatitis in a Phase 2 Trial. Gastroenterology, 2014, 147, 377-384.e1.	1.3	260
18	Hepatic gene expression profiles differentiate presymptomatic patients with mild versus severe nonalcoholic fatty liver disease. Hepatology, 2014, 59, 471-482.	7. 3	256

#	Article	IF	CITATIONS
19	Simtuzumab Is Ineffective for Patients With Bridging Fibrosis or Compensated Cirrhosis Caused by Nonalcoholic Steatohepatitis. Gastroenterology, 2018, 155, 1140-1153.	1.3	253
20	Gender and menopause impact severity of fibrosis among patients with nonalcoholic steatohepatitis. Hepatology, 2014, 59, 1406-1414.	7.3	250
21	High-fat and high-sucrose (western) diet induces steatohepatitis that is dependent on fructokinase. Hepatology, 2013, 58, 1632-1643.	7.3	249
22	Hedgehog-Mediated Epithelial-to-Mesenchymal Transition and Fibrogenic Repair in Nonalcoholic Fatty Liver Disease. Gastroenterology, 2009, 137, 1478-1488.e8.	1.3	232
23	NKT-associated hedgehog and osteopontin drive fibrogenesis in non-alcoholic fatty liver disease. Gut, 2012, 61, 1323-1329.	12.1	231
24	Clinical Care Pathway for the Risk Stratification and Management of Patients With Nonalcoholic Fatty Liver Disease. Gastroenterology, 2021, 161, 1657-1669.	1.3	229
25	Cenicriviroc Treatment for Adults With Nonalcoholic Steatohepatitis and Fibrosis: Final Analysis of the Phase 2b CENTAUR Study. Hepatology, 2020, 72, 892-905.	7.3	227
26	The Natural History of Advanced Fibrosis Due to Nonalcoholic Steatohepatitis: Data From the Simtuzumab Trials. Hepatology, 2019, 70, 1913-1927.	7.3	226
27	Osteopontin is induced by hedgehog pathway activation and promotes fibrosis progression in nonalcoholic steatohepatitis. Hepatology, 2011, 53, 106-115.	7.3	224
28	Effects of Belapectin, an Inhibitor of Galectin-3, in Patients With Nonalcoholic Steatohepatitis With Cirrhosis and Portal Hypertension. Gastroenterology, 2020, 158, 1334-1345.e5.	1.3	203
29	Performance characteristics of vibrationâ€controlled transient elastography for evaluation of nonalcoholic fatty liver disease. Hepatology, 2018, 67, 134-144.	7.3	192
30	Betaine for nonalcoholic fatty liver disease: Results of a randomized placebo-controlled trial. Hepatology, 2009, 50, 1818-1826.	7.3	185
31	Hedgehog pathway activation parallels histologic severity of injury and fibrosis in human nonalcoholic fatty liver disease. Hepatology, 2012, 55, 1711-1721.	7.3	185
32	Nonalcoholic steatohepatitis: the role of peroxisome proliferator-activated receptors. Nature Reviews Gastroenterology and Hepatology, 2021, 18, 24-39.	17.8	174
33	Increased production of sonic hedgehog by ballooned hepatocytes. Journal of Pathology, 2011, 224, 401-410.	4.5	150
34	Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. Hepatology, 2012, 56, 952-960.	7.3	150
35	Longitudinal correlations between MRE, MRI-PDFF, and liver histology in patients with non-alcoholic steatohepatitis: Analysis of data from a phase II trial of selonsertib. Journal of Hepatology, 2019, 70, 133-141.	3.7	149
36	One-year protocol liver biopsy can stratify fibrosis progression in liver transplant recipients with recurrent hepatitis C infection. Liver Transplantation, 2004, 10, 1240-1247.	2.4	146

#	Article	IF	CITATIONS
37	Cyclosporine suppresses hepatitis C virus in vitro and increases the chance of a sustained virological response after liver transplantation. Liver Transplantation, 2006, 12, 51-57.	2.4	146
38	Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. Clinical Gastroenterology and Hepatology, 2019, 17, 1877-1885.e5.	4.4	145
39	A phase 2, randomized, double-blind, placebo-controlled study of GS-9450 in subjects with nonalcoholic steatohepatitis. Hepatology, 2012, 55, 419-428.	7.3	141
40	Anti[ndash] Interleukin-2 receptor therapy in combination with mycophenolate mofetil is associated with more severe hepatitis C recurrence after liver transplantation. Liver Transplantation, 2001, 7, 1064-1070.	2.4	139
41	Nonalcoholic Fatty Liver Disease as a Complication of Insulin Resistance. Medical Clinics of North America, 2007, 91, 1125-1149.	2.5	136
42	Sustained viral response to interferon and ribavirin in liver transplant recipients with recurrent hepatitis C. Liver Transplantation, 2004, 10, 199-207.	2.4	135
43	Derivation and analysis of viscoelastic properties in human liver: impact of frequency on fibrosis and steatosis staging. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2015, 62, 165-175.	3.0	128
44	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. Hepatology, 2016, 64, 85-91.	7.3	128
45	Long-term interleukin 10 therapy in chronic hepatitis C patients has a proviral and anti-inflammatory effect. Hepatology, 2003, 38, 859-868.	7.3	126
46	Case definitions for inclusion and analysis of endpoints in clinical trials for nonalcoholic steatohepatitis through the lens of regulatory science. Hepatology, 2018, 67, 2001-2012.	7.3	125
47	Combination of interferon alfa-2b and ribavirin in liver transplant recipients with histological recurrent hepatitis C. Liver Transplantation, 2002, 8, 1000-1006.	2.4	123
48	Associations of depression, anxiety and antidepressants with histological severity of nonalcoholic fatty liver disease. Liver International, 2013, 33, 1062-1070.	3.9	123
49	Whipple's arthritis: Direct detection of Tropheryma whippelii in synovial fluid and tissue. Arthritis and Rheumatism, 1999, 42, 812-817.	6.7	110
50	Nonalcoholic Fatty Liver Disease in Women. Women's Health, 2009, 5, 191-203.	1.5	110
51	Randomized placebo-controlled trial of emricasan for non-alcoholic steatohepatitis-related cirrhosis with severe portal hypertension. Journal of Hepatology, 2020, 72, 885-895.	3.7	107
52	Two Cases from the Spectrum of Nonalcoholic Steatohepatitis. Journal of Clinical Gastroenterology, 1995, 20, 127-130.	2.2	105
53	Sirolimus Conversion Regimen Versus Continued Calcineurin Inhibitors in Liver Allograft Recipients: A Randomized Trial. American Journal of Transplantation, 2012, 12, 694-705.	4.7	104
54	Cenicriviroc for the treatment of liver fibrosis in adults with nonalcoholic steatohepatitis: AURORA Phase 3 study design. Contemporary Clinical Trials, 2020, 89, 105922.	1.8	92

#	Article	IF	CITATIONS
55	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. Journal of Pediatrics, 2017, 187, 141-146.e1.	1.8	91
56	Nonalcoholic fatty liver disease: another leap forward. Nature Reviews Gastroenterology and Hepatology, 2021, 18, 85-86.	17.8	89
57	<i>Tropheryma whippelii</i> DNA Is Rare in the Intestinal Mucosa of Patients without Other Evidence of Whipple Disease. Annals of Internal Medicine, 2001, 134, 115.	3.9	88
58	A Comparison of Tacrolimus and Cyclosporine in Liver Transplantation: Effects on Renal Function and Cardiovascular Risk Status. American Journal of Transplantation, 2005, 5, 1111-1119.	4.7	83
59	Comparison of free fructose and glucose to sucrose in the ability to cause fatty liver. European Journal of Nutrition, 2010, 49, 1-9.	3.9	83
60	Short Recovery Time After Percutaneous Liver Biopsy: Should We Change Our Current Practices?. Clinical Gastroenterology and Hepatology, 2005, 3, 926-929.	4.4	82
61	Multicenter Validation of Association Between Decline in MRIâ€PDFF and Histologic Response in NASH. Hepatology, 2020, 72, 1219-1229.	7.3	79
62	Familial Aggregation of Insulin Resistance in First-Degree Relatives of Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2006, 4, 1162-1169.	4.4	74
63	Association Between Puberty and Features of Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2012, 10, 786-794.	4.4	74
64	Factors Associated With Histologic Response in Adult Patients With Nonalcoholic Steatohepatitis. Gastroenterology, 2019, 156, 88-95.e5.	1.3	73
65	Costaining for keratins 8/18 plus ubiquitin improves detection of hepatocyte injury in nonalcoholic fatty liver disease. Human Pathology, 2012, 43, 790-800.	2.0	70
66	Standardisation of diet and exercise in clinical trials of NAFLD-NASH: Recommendations from the Liver Forum. Journal of Hepatology, 2020, 73, 680-693.	3.7	69
67	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of NonalcoholicÂSteatohepatitis. Clinical Gastroenterology and Hepatology, 2017, 15, 127-131.e2.	4.4	66
68	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. American Journal of Gastroenterology, 2019, 114, 1626-1635.	0.4	65
69	Role of Noninvasive Tests in Clinical Gastroenterology Practices to Identify Patients With Nonalcoholic Steatohepatitis at High Risk of Adverse Outcomes: Expert Panel Recommendations. American Journal of Gastroenterology, 2021, 116, 254-262.	0.4	65
70	Treatment response in the PIVENS trial is associated with decreased hedgehog pathway activity. Hepatology, 2015, 61, 98-107.	7.3	63
71	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. Hepatology, 2013, 57, 1814-1825.	7.3	60
72	Rosuvastatin improves the FGF19 analogue NGM282-associated lipid changes in patients with non-alcoholic steatohepatitis. Journal of Hepatology, 2019, 70, 735-744.	3.7	60

#	Article	IF	CITATIONS
73	Serum Interleukinâ€8, Osteopontin, and Monocyte Chemoattractant Protein 1 Are Associated With Hepatic Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. Hepatology Communications, 2018, 2, 1344-1355.	4.3	58
74	Increased Glutaminolysis Marks Active Scarring in Nonalcoholic Steatohepatitis Progression. Cellular and Molecular Gastroenterology and Hepatology, 2020, 10, 1-21.	4.5	58
75	Epithelia-Sensory Neuron Cross Talk Underlies Cholestatic Itch Induced by Lysophosphatidylcholine. Gastroenterology, 2021, 161, 301-317.e16.	1.3	57
76	Association Between Magnetic Resonance Imaging–Proton Density Fat Fraction and Liver Histology Features inÂPatientsÂWith Nonalcoholic Fatty Liver Disease orÂNonalcoholic Steatohepatitis. Gastroenterology, 2018, 155, 1428-1435.e2.	1.3	55
77	Glycemic Control Predicts Severity of Hepatocyte Ballooning and Hepatic Fibrosis in Nonalcoholic Fatty Liver Disease. Hepatology, 2021, 74, 1220-1233.	7.3	54
78	Repair-Related Activation of Hedgehog Signaling in Stromal Cells Promotes Intrahepatic Hypothyroidism. Endocrinology, 2014, 155, 4591-4601.	2.8	53
79	The conundrum of cryptogenic cirrhosis: Adverse outcomes without treatment options. Journal of Hepatology, 2018, 69, 1365-1370.	3.7	51
80	Relationship between three commonly used nonâ€invasive fibrosis biomarkers and improvement in fibrosis stage in patients with nonâ€alcoholic steatohepatitis. Liver International, 2019, 39, 924-932.	3.9	47
81	Cirrhosis regression is associated with improved clinical outcomes in patients with nonalcoholic steatohepatitis. Hepatology, 2022, 75, 1235-1246.	7.3	45
82	Vitamin D is Not Associated With Severity in NAFLD: Results of a Paired Clinical and Gene Expression Profile Analysis. American Journal of Gastroenterology, 2016, 111, 1591-1598.	0.4	43
83	Relationship of Nonalcoholic Fatty Liver Disease and HeartÂFailure With Preserved Ejection Fraction. JACC Basic To Translational Science, 2021, 6, 918-932.	4.1	41
84	Genetic signatures in choline and $1\hat{a} \in \mathbb{C}$ arbon metabolism are associated with the severity of hepatic steatosis. FASEB Journal, 2013, 27, 1674-1689.	0.5	40
85	Analyzing the Impact of Increasing Mechanical Index and Energy Deposition on Shear Wave Speed Reconstruction in Human Liver. Ultrasound in Medicine and Biology, 2015, 41, 1948-1957.	1.5	40
86	Systematic transcriptome analysis reveals elevated expression of alcoholâ€metabolizing genes in <scp>NAFLD</scp> livers. Journal of Pathology, 2016, 238, 531-542.	4.5	40
87	Aldafermin in patients with non-alcoholic steatohepatitis (ALPINE 2/3): a randomised, double-blind, placebo-controlled, phase 2b trial. The Lancet Gastroenterology and Hepatology, 2022, 7, 603-616.	8.1	40
88	The FALCON program: Two phase 2b randomized, double-blind, placebo-controlled studies to assess the efficacy and safety of pegbelfermin in the treatment of patients with nonalcoholic steatohepatitis and bridging fibrosis or compensated cirrhosis. Contemporary Clinical Trials, 2021, 104, 106335.	1.8	38
89	Succinateâ€GPRâ€91 receptor signalling is responsible for nonalcoholic steatohepatitisâ€associated fibrosis: Effects of DHA supplementation. Liver International, 2020, 40, 830-843.	3.9	34
90	Emricasan to prevent new decompensation in patients with NASH-related decompensated cirrhosis. Journal of Hepatology, 2021, 74, 274-282.	3.7	34

#	Article	IF	Citations
91	Subclinical reactivation of hepatitis B virus in liver transplant recipients with past exposure. Liver Transplantation, 2003, 9, 1253-1257.	2.4	33
92	Impact of implementation of the MELD scoring system on the prevalence and incidence of chronic renal disease following liver transplantation. Liver Transplantation, 2006, 12, 754-761.	2.4	32
93	Lisinopril-induced isolated visceral angioedema: review of ACE-inhibitor-induced small bowel angioedema. Digestive Diseases and Sciences, 1997, 42, 847-850.	2.3	31
94	Validation of Serum Test for Advanced Liver Fibrosis in Patients With Nonalcoholic Steatohepatitis. Clinical Gastroenterology and Hepatology, 2019, 17, 1867-1876.e3.	4.4	31
95	Dysregulation of the ESRP2-NF2-YAP/TAZ axis promotes hepatobiliary carcinogenesis in non-alcoholic fatty liver disease. Journal of Hepatology, 2021, 75, 623-633.	3.7	28
96	Successful Treatment of Chronic Hepatitis C With Pegylated Interferon, Ribavirin, and Infliximab in a Patient with Crohn's Disease. American Journal of Gastroenterology, 2007, 102, 1333-1334.	0.4	26
97	Posttransplant Outcome of Lean Compared With Obese Nonalcoholic Steatohepatitis in the United States: The Obesity Paradox. Liver Transplantation, 2020, 26, 68-79.	2.4	26
98	Expression of mitochondrial membrane–linked SAB determines severity of sex-dependent acute liver injury. Journal of Clinical Investigation, 2019, 129, 5278-5293.	8.2	26
99	Testosterone is Associated With Nonalcoholic Steatohepatitis and Fibrosis in Premenopausal Women With NAFLD. Clinical Gastroenterology and Hepatology, 2021, 19, 1267-1274.e1.	4.4	25
100	A Machine Learning Approach to Liver Histological Evaluation Predicts Clinically Significant Portal Hypertension in NASH Cirrhosis. Hepatology, 2021, 74, 3146-3160.	7.3	25
101	Association of liver fibrosis risk scores with clinical outcomes in patients with heart failure with preserved ejection fraction: findings from TOPCAT. ESC Heart Failure, 2021, 8, 842-848.	3.1	24
102	De Novo and Recurrence of Nonalcoholic Steatohepatitis After Liver Transplantation. Clinics in Liver Disease, 2017, 21, 321-335.	2.1	23
103	Regional Anthropometric Measures and Hepatic Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2010, 8, 1062-1069.	4.4	21
104	PAR2 controls cholesterol homeostasis and lipid metabolism in nonalcoholic fatty liver disease. Molecular Metabolism, 2019, 29, 99-113.	6.5	20
105	Validation of the accuracy of the FASTâ,,¢ score for detecting patients with at-risk nonalcoholic steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms. PLoS ONE, 2022, 17, e0266859.	2.5	20
106	The clinical and economic burden of NAFLD: time to turn the tide. Nature Reviews Gastroenterology and Hepatology, 2016, 13, 685-686.	17.8	19
107	Branched chain amino acid transaminase 1 (BCAT1) is overexpressed and hypomethylated in patients with non-alcoholic fatty liver disease who experience adverse clinical events: A pilot study. PLoS ONE, 2018, 13, e0204308.	2.5	17
108	Treatment of Chronic Hepatitis C With Interferon With or Without Ursodeoxycholic Acid. Journal of Clinical Gastroenterology, 1998, 26, 130-134.	2,2	17

#	Article	IF	Citations
109	A Pilot Genomeâ€Wide Analysis Study Identifies Loci Associated With Response to Obeticholic Acid in Patients With NASH. Hepatology Communications, 2019, 3, 1571-1584.	4.3	16
110	Tackling Nonalcoholic Fatty Liver Disease: Three Targeted Populations. Hepatology, 2021, 73, 1199-1206.	7.3	16
111	Serum Bile Acid, Vitamin E, and Serotonin Metabolites Are Associated With Future Liverâ€Related Events in Nonalcoholic Fatty Liver Disease. Hepatology Communications, 2021, 5, 608-617.	4.3	15
112	Betaine Resolves Severe Alcohol-Induced Hepatitis and Steatosis Following Liver Transplantation. Digestive Diseases and Sciences, 2006, 51, 1226-1229.	2.3	14
113	IL28B rs12979860 is not associated with histologic features of NAFLD in a cohort of Caucasian North American patients. Journal of Hepatology, 2013, 58, 402-403.	3.7	13
114	Metabolic syndrome following liver transplantation in nonalcoholic steatohepatitis. Translational Gastroenterology and Hepatology, 2021, 6, 13-13.	3.0	13
115	Angiotensin-converting enzyme inhibitor-induced isolated visceral angioedema in a liver transplant recipient. Transplantation, 2003, 75, 730-732.	1.0	12
116	Sex and Menopause Modify the Effect of Single Nucleotide Polymorphism Genotypes on Fibrosis in NAFLD. Hepatology Communications, 2021, 5, 598-607.	4.3	12
117	Rectal Bleeding from a Mucous Fistula Secondary to a Dieulafoy's Lesion. Journal of Clinical Gastroenterology, 1997, 24, 259-261.	2.2	12
118	Perceptions of Exercise and Its Challenges in Patients With Nonalcoholic Fatty Liver Disease: A Surveyâ€Based Study. Hepatology Communications, 2022, 6, 334-344.	4.3	12
119	The role of bariatric surgery in the management of nonalcoholic steatohepatitis. Current Opinion in Gastroenterology, 2021, 37, 208-215.	2.3	11
120	De Novo nonalcoholic fatty liver disease after liver transplantation. Liver Transplantation, 2007, 13, 788-790.	2.4	10
121	Exercise Training as Treatment of Nonalcoholic Fatty Liver Disease. Journal of Functional Morphology and Kinesiology, 2017, 2, 35.	2.4	10
122	Liver Transplantation for Nonalcoholic Steatohepatitis: Pathophysiology of Recurrence and Clinical Challenges. Digestive Diseases and Sciences, 2019, 64, 3413-3430.	2.3	10
123	PAR2 promotes impaired glucose uptake and insulin resistance in NAFLD through GLUT2 and Akt interference. Hepatology, 2022, 76, 1778-1793.	7.3	10
124	Comparison of clinical prediction rules for ruling out cirrhosis in nonalcoholic fatty liver disease (<scp>NAFLD</scp>). Alimentary Pharmacology and Therapeutics, 2022, 55, 1441-1451.	3.7	9
125	79-Year-Old Woman With Blue Toes. Mayo Clinic Proceedings, 1995, 70, 292-295.	3.0	8
126	Mechanisms underlying nonalcoholic steatohepatitis. Drug Discovery Today Disease Mechanisms, 2006, 3, 479-488.	0.8	8

#	Article	IF	Citations
127	Late presentation of a biliary tract complication after right hepatic donation resulting in secondary biliary cirrhosis. Liver Transplantation, 2006, 12, 306-309.	2.4	8
128	Wholeâ€Exome Sequencing Study of Extreme Phenotypes of NAFLD. Hepatology Communications, 2018, 2, 1021-1029.	4.3	8
129	Nonalcoholic Fatty Liver Disease. North Carolina Medical Journal, 2016, 77, 216-219.	0.2	6
130	Sugar sweetened beverages and fatty liver disease: Rising concern and call to action. Journal of Hepatology, 2015, 63, 306-308.	3.7	5
131	Acute Liver Failure Occurring Immediately Following Anti-D Immune Globulin Infusion in a Patient with Chronic Hepatitis B Infection. Digestive Diseases and Sciences, 2007, 52, 914-919.	2.3	4
132	Reply to: The use of acoustic radiation force-based shear stiffness in non-alcoholic fatty liver disease. Journal of Hepatology, 2012, 56, 996.	3.7	4
133	Insights Into Metabolic Mechanisms and Their Application in the Treatment of NASH. Clinical Liver Disease, 2021, 17, 29-32.	2.1	4
134	Alterations in DNA methylation associate with fatty liver and metabolic abnormalities in a multi-ethnic cohort of pre-teenage children. Epigenetics, 2022, 17, 1446-1461.	2.7	4
135	Reply: Is oil red-O staining and digital image analysis the gold standard for quantifying steatosis in the liver?. Hepatology, 2010, 51, 1859-1860.	7.3	3
136	Nonalcoholic fatty liver disease with cirrhosis increases familial risk for advanced fibrosis. Hepatology, 2018, 68, 1646-1648.	7.3	1
137	The impact of steatosis and alcohol on hepatitis C. Current Hepatitis Reports, 2007, 6, 39-45.	0.3	0
138	Analyzing the impact of increasing Mechanical Index (MI) and energy deposition on shear wave speed (SWS) reconstruction in human liver. , 2014 , , .		0
139	Reply. Hepatology, 2015, 61, 1770-1771.	7.3	0
140	Reply to Kim et al American Journal of Gastroenterology, 2017, 112, 807-808.	0.4	0
141	Reply. Clinical Gastroenterology and Hepatology, 2018, 16, 1684.	4.4	0
142	REPLY:. Hepatology, 2021, 73, 1625-1625.	7. 3	0
143	Liver Mass: Thinking out-of-the box. Gastroenterology, 2022, , .	1.3	0