

# Vincenzo Panichi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4790814/publications.pdf>

Version: 2024-02-01

84  
papers

3,628  
citations

109321

35  
h-index

138484

58  
g-index

88  
all docs

88  
docs citations

88  
times ranked

4417  
citing authors

#	ARTICLE	IF	CITATIONS
1	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 393, 1937-1947.	13.7	408
2	Chronic inflammation and mortality in haemodialysis: effect of different renal replacement therapies. Results from the RISCAVID study. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2337-2343.	0.7	198
3	Interleukin-6 is a stronger predictor of total and cardiovascular mortality than C-reactive protein in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1154-1160.	0.7	176
4	Resveratrol, a Polyphenol Found in Wine, Reduces Ischemia Reperfusion Injury in Rat Kidneys. <i>Journal of Cardiovascular Pharmacology</i> , 2001, 37, 262-270.	1.9	135
5	Anaemia and resistance to erythropoiesis-stimulating agents as prognostic factors in haemodialysis patients: results from the RISCAVID study. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2641-2648.	0.7	125
6	The Agreement between Auscultation and Lung Ultrasound in Hemodialysis Patients: The LUST Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 2005-2011.	4.5	124
7	C REACTIVE PROTEIN IN PATIENTS WITH CHRONIC RENAL DISEASES. <i>Renal Failure</i> , 2001, 23, 551-562.	2.1	123
8	C-Reactive Protein and Interleukin-6 Levels Are Related to Renal Function in Predialytic Chronic Renal Failure. <i>Nephron</i> , 2002, 91, 594-600.	1.8	113
9	Effects of 1,25(OH)2D3 in experimental mesangial proliferative nephritis in rats. <i>Kidney International</i> , 2001, 60, 87-95.	5.2	94
10	Calcitriol modulates in vivo and in vitro cytokine production: A role for intracellular calcium. <i>Kidney International</i> , 1998, 54, 1463-1469.	5.2	85
11	The link of biocompatibility to cytokine production. <i>Kidney International</i> , 2000, 58, S96-S103.	5.2	85
12	Oxidative Stress and Inflammatory Reaction Modulation by White Wine. <i>Annals of the New York Academy of Sciences</i> , 2002, 957, 295-301.	3.8	85
13	Endothelial progenitor cell-derived extracellular vesicles protect from complement-mediated mesangial injury in experimental anti-Thy1.1 glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 410-422.	0.7	74
14	An Overview of Haemodialysis and Oxidant Stress. <i>Blood Purification</i> , 1999, 17, 118-126.	1.8	69
15	Geriatric nutritional risk index is a strong predictor of mortality in hemodialysis patients: data from the Riscavid cohort. <i>Journal of Nephrology</i> , 2014, 27, 193-201.	2.0	66
16	High-volume online haemodiafiltration improves erythropoiesis-stimulating agent (ESA) resistance in comparison with low-flux bicarbonate dialysis: results of the REDERT study. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 682-689.	0.7	65
17	Plasma C-Reactive Protein in Hemodialysis Patients: A Cross-Sectional, Longitudinal Clinical Survey. <i>Blood Purification</i> , 2000, 18, 30-36.	1.8	63
18	Efficacy of a remote web-based lung ultrasound training for nephrologists and cardiologists: a LUST trial sub-project. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1982-1988.	0.7	60

#	ARTICLE	IF	CITATIONS
19	Effects on inflammatory and nutritional markers of haemodiafiltration with online regeneration of ultrafiltrate (HFR) vs online haemodiafiltration: a cross-over randomized multicentre trial. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 756-762.	0.7	58
20	In vivo and in vitro effects of simvastatin on inflammatory markers in pre-dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 337-344.	0.7	55
21	Resveratrol, a Component of Wine and Grapes, in the Prevention of Kidney Disease. <i>Annals of the New York Academy of Sciences</i> , 2002, 957, 230-238.	3.8	53
22	Smell and Taste in Severe CoVID-19: Self-Reported vs. Testing. <i>Frontiers in Medicine</i> , 2020, 7, 589409.	2.6	53
23	Enzyme replacement therapy with agalsidase beta in kidney transplant patients with Fabry disease: A pilot study. <i>Kidney International</i> , 2004, 65, 1381-1385.	5.2	49
24	Inflammation, CRP, calcium overload and a high calcium phosphate product: a liaison dangereuse™. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 201-203.	0.7	48
25	A Vitamin E-Coated Polysulfone Membrane Reduces Serum Levels of Inflammatory Markers and Resistance to Erythropoietin-Stimulating Agents in Hemodialysis Patients: Results of a Randomized Cross-Over Multicenter Trial. <i>Blood Purification</i> , 2011, 32, 7-14.	1.8	46
26	Agalsidase therapy in patients with Fabry disease on renal replacement therapy: a nationwide study in Italy. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 1628-1635.	0.7	44
27	Anti-Inflammatory Effect of White Wine in CKD Patients and Healthy Volunteers. <i>Blood Purification</i> , 2015, 39, 218-223.	1.8	44
28	C-Reactive Protein as a Marker of Chronic Inflammation in Uremic Patients. <i>Blood Purification</i> , 2000, 18, 183-190.	1.8	43
29	Caffeic Acid, a Phenol Found in White Wine, Modulates Endothelial Nitric Oxide Production and Protects from Oxidative Stress-Associated Endothelial Cell Injury. <i>PLoS ONE</i> , 2015, 10, e0117530.	2.5	43
30	Soy protein diet improves endothelial dysfunction in renal transplant patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 229-234.	0.7	42
31	Treatment with 1, 25-Dihydroxyvitamin D3 Preserves Glomerular Slit Diaphragm-Associated Protein Expression in Experimental Glomerulonephritis. <i>International Journal of Immunopathology and Pharmacology</i> , 2005, 18, 779-790.	2.1	41
32	Online Hemodiafiltration Inhibits Inflammation-Related Endothelial Dysfunction and Vascular Calcification of Uremic Patients Modulating miR-223 Expression in Plasma Extracellular Vesicles. <i>Journal of Immunology</i> , 2019, 202, 2372-2383.	0.8	41
33	Interleukin-8 Is a Powerful Prognostic Predictor of All-Cause and Cardiovascular Mortality in Dialytic Patients. <i>Nephron Clinical Practice</i> , 2006, 102, c51-c58.	2.3	39
34	Plasma C-Reactive Protein Is Linked to Backfiltration Associated Interleukin-6 Production. <i>ASAIO Journal</i> , 1998, 44, M415-M417.	1.6	38
35	Automatic Adaptive System Dialysis for Hemodialysis-Associated Hypotension and Intolerance: A Noncontrolled Multicenter Trial. <i>American Journal of Kidney Diseases</i> , 2011, 58, 93-100.	1.9	36
36	The social cost of chronic kidney disease in Italy. <i>European Journal of Health Economics</i> , 2017, 18, 847-858.	2.8	36

#	ARTICLE	IF	CITATIONS
37	Nutritional Knowledge in Hemodialysis Patients and Nurses: Focus on Phosphorus. , 2012, 22, 541-546.		34
38	Melatonin Prevents Cyclosporine-induced Nephrotoxicity in Isolated and Perfused Rat Kidney. Free Radical Research, 2002, 36, 357-363.	3.3	29
39	Simvastatin and fluvastatin reduce interleukin-6 and interleukin-8 lipopolysaccharide (LPS) stimulated production by isolated human monocytes from chronic kidney disease patients. Biomedicine and Pharmacotherapy, 2007, 61, 360-365.	5.6	28
40	Extracellular Vesicles Derived from Endothelial Progenitor Cells Protect Human Glomerular Endothelial Cells and Podocytes from Complement- and Cytokine-Mediated Injury. Cells, 2021, 10, 1675.	4.1	28
41	Study of serum 3,5,3- <sup>2</sup> -triiodothyronine sulfate concentration in patients with systemic non-thyroidal illness. European Journal of Endocrinology, 1996, 134, 45-49.	3.7	26
42	Ochratoxin A-Induced Renal Cortex Fibrosis and Epithelial-to-Mesenchymal Transition: Molecular Mechanisms of Ochratoxin A-Injury and Potential Effects of Red Wine. Molecular Medicine, 2005, 11, 30-38.	4.4	25
43	Plasma C-Reactive Protein in Haemodialysis. Blood Purification, 1999, 17, 142-148.	1.8	23
44	Biomarkers of Chronic Inflammatory State in Uremia and Cardiovascular Disease. International Journal of Inflammation, 2012, 2012, 1-6.	1.5	23
45	Efficacy and tolerability of manidipine in the treatment of hypertension in patients with non-diabetic chronic kidney disease without glomerular disease. Prospective, randomized, double-blind study of parallel groups in comparison with enalapril. Journal of Nephrology, 2004, 17, 261-9.	2.0	23
46	Protective effect of $\beta$ -propionylcarnitine in chronic cyclosporine-induced nephrotoxicity. Biomedicine and Pharmacotherapy, 2006, 60, 77-81.	5.6	22
47	Effect of simvastatin on plasma asymmetric dimethylarginine concentration in patients with chronic kidney disease. Journal of Nephrology, 2008, 21, 38-44.	2.0	22
48	Effect of Ethanol and Red Wine on Ochratoxin A-Induced Experimental Acute Nephrotoxicity. Journal of Agricultural and Food Chemistry, 2005, 53, 6924-6929.	5.2	21
49	Neutralization of Macrophage-Stimulating Protein Ameliorates Renal Injury in Anti- $\alpha$ -Thy 1 Glomerulonephritis. Journal of the American Society of Nephrology: JASN, 2007, 18, 1486-1496.	6.1	21
50	Post-Dilution on Line Haemodiafiltration with Citrate Dialysate: First Clinical Experience in Chronic Dialysis Patients. Scientific World Journal, The, 2013, 2013, 1-7.	2.1	21
51	Long term variation of serum levels of uremic toxins in patients treated by post-dilution high volume on-line hemodiafiltration in comparison to standard low-flux bicarbonate dialysis: results from the REDERT study. Journal of Nephrology, 2017, 30, 583-591.	2.0	21
52	Theoretical calculation of optimal depth in the percutaneous native kidney biopsy to drastically reduce bleeding complications and sample inadequacy for histopathological diagnosis. Nephrology Dialysis Transplantation, 2007, 22, 3516-3520.	0.7	19
53	Ceruloplasmin and acute phase protein levels are associated with cardiovascular disease in chronic dialysis patients. Journal of Nephrology, 2004, 17, 715-20.	2.0	19
54	Improving Erythropoiesis Stimulating Agent Hyporesponsiveness in Hemodialysis Patients: The Role of Hecpidin and Hemodiafiltration Online. Blood Purification, 2018, 45, 139-146.	1.8	17

#	ARTICLE	IF	CITATIONS
55	Effect of a soy protein diet on serum lipids of renal transplant patients. , 2004, 14, 31-35.		16
56	Inflammatory Pattern in Hemodiafiltration. , 2008, 161, 185-190.		16
57	Divert to ULTRA: Differences in Infused Volumes and Clearance in Two On-Line Hemodiafiltration Treatments. International Journal of Artificial Organs, 2012, 35, 435-443.	1.4	15
58	Impact of calcium, phosphate, PTH abnormalities and management on mortality in hemodialysis: results from the RISCAVID study. Journal of Nephrology, 2010, 23, 556-62.	2.0	15
59	Nitric Oxide-Dependent Renal Vasodilatation Is Not Altered in Rat with rHuEpo-Induced Hypertension. Kidney and Blood Pressure Research, 1999, 22, 140-145.	2.0	14
60	C-reactive protein in patients on chronic hemodialysis with different techniques and different membranes. Biomedicine and Pharmacotherapy, 2006, 60, 14-17.	5.6	14
61	Soluble CD40 ligand is predictive of combined cardiovascular morbidity and mortality in patients on haemodialysis at a relatively short-term follow-up. Nephrology Dialysis Transplantation, 2011, 26, 2983-2988.	0.7	13
62	Citrate high volume on-line hemodiafiltration modulates serum Interleukin-6 and Klotho levels: the multicenter randomized controlled study "Hephaestus". Journal of Nephrology, 2021, 34, 1701-1710.	2.0	12
63	Comparison of 3 automated assays for C-reactive protein in end-stage renal disease: Clinical and epidemiological implications. Translational Research, 2005, 145, 305-308.	2.3	11
64	Safety and effects on the lipid and C-reactive protein plasma concentration of the association of ezetimibe plus atorvastatin in renal transplant patients treated by cyclosporine-A: a pilot study. Biomedicine and Pharmacotherapy, 2006, 60, 249-252.	5.6	11
65	Outcomes of Vascular Access Care and Surgery Managed by Interventional Nephrologists: A Twelve-Year Experience. Blood Purification, 2016, 42, 111-120.	1.8	10
66	Pure red cell aplasia induced by epoetin zeta. CKJ: Clinical Kidney Journal, 2016, 9, 599-602.	2.9	9
67	Antiplatelet agents in hemodialysis. Journal of Nephrology, 2017, 30, 373-383.	2.0	9
68	The Pisa experience of renal biopsies, 1977-2005. Journal of Nephrology, 2007, 20, 329-35.	2.0	9
69	Dimethylarginine levels and nutritional status in hemodialysis patients. Journal of Nephrology, 2009, 22, 623-9.	2.0	9
70	Renal Effects of Enalapril in Hypertensive Patients with Glomerulonephritis. Nephrology Dialysis Transplantation, 1989, 4, 396-398.	0.7	8
71	Ultrasonic videodensitometric analysis of myocardium in end-stage renal disease treated with haemodialysis. Nephrology Dialysis Transplantation, 1999, 14, 2184-2191.	0.7	8
72	Renal Transplantation in Patients with Fabry Disease. Nephron, 2002, 91, 348-351.	1.8	8

#	ARTICLE	IF	CITATIONS
73	Effects of calcitriol on the immune system: new possibilities in the treatment of glomerulonephritis. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 807-811.	1.9	7
74	Clinical effects of online dialysate and infusion fluids. <i>Hemodialysis International</i> , 2006, 10, S60-6.	0.9	7
75	On-Line Hemodiafiltration in the Large RISCAVID Study. <i>Contributions To Nephrology</i> , 2011, 175, 117-128.	1.1	6
76	Impact of Dialysis Technique on Renal Anemia. <i>Contributions To Nephrology</i> , 2011, 171, 261-265.	1.1	5
77	A Pharmacoeconomic Analysis of Phosphate Binders Cost-Effectiveness in the RISCAVID Study. <i>Blood Purification</i> , 2015, 39, 174-180.	1.8	4
78	The forearm arteriovenous graft between the brachial artery and the brachial vein as a reliable dialysis vascular access for patients with inadequate superficial veins. <i>Journal of Vascular Surgery</i> , 2019, 70, 199-207.e4.	1.1	4
79	Biocompatibility of the Dialysis System. , 2019, , 918-922.e2.		4
80	Verapamil prevents cyclosporine-induced hypertension by modulating endothelin a receptor expression in rat kidney membranes. <i>Transplantation Proceedings</i> , 1998, 30, 2028-2029.	0.6	3
81	Acute Suppression of Parathyroid Activity during Hemofiltration. <i>Blood Purification</i> , 1996, 14, 15-19.	1.8	1
82	Acute cya-induced atp depletion is prevented by pretreatment with l-propionylcarnitine in isolated and perfused rat kidney. <i>Transplantation Proceedings</i> , 1998, 30, 2026-2027.	0.6	1
83	Echocardiographic ultrasonic tissue characterization in a case of Fabry's disease following renal transplantation. <i>Clinical Transplantation</i> , 2001, 15, 214-217.	1.6	0
84	Severe Hypotension During Hemofiltration in an Uremic Patient with Metabolic Alkalosis. <i>Renal Failure</i> , 2004, 26, 73-75.	2.1	0