Henry Lin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4794843/publications.pdf

Version: 2024-02-01

50276 95266 7,932 312 46 68 citations h-index g-index papers 318 318 318 10676 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Sudden Sensorineural Hearing Loss Increases the Risk of Stroke. Stroke, 2008, 39, 2744-2748.	2.0	200
2	Increased Risk of Stroke After a Herpes Zoster Attack. Stroke, 2009, 40, 3443-3448.	2.0	197
3	Comorbidity profiles among patients with ankylosing spondylitis: a nationwide population-based study. Annals of the Rheumatic Diseases, 2010, 69, 1165-1168.	0.9	179
4	Herpes zoster ophthalmicus and the risk of stroke. Neurology, 2010, 74, 792-797.	1.1	159
5	Increased risk of adverse pregnancy outcomes in women with rheumatoid arthritis: a nationwide population-based study. Annals of the Rheumatic Diseases, 2010, 69, 715-717.	0.9	123
6	Tuberculosis and the Risk of Ischemic Stroke. Stroke, 2010, 41, 244-249.	2.0	112
7	Obstructive Sleep Apnea and the Subsequent Risk of Depressive Disorder: A Population-Based Follow-up Study. Journal of Clinical Sleep Medicine, 2013, 09, 417-423.	2.6	112
8	Obstructive Sleep Apnea and Increased Risk of Glaucoma. Ophthalmology, 2013, 120, 1559-1564.	5.2	106
9	Association between Ischemic Stroke and Iron-Deficiency Anemia: A Population-Based Study. PLoS ONE, 2013, 8, e82952.	2.5	105
10	Comorbidities of dry eye disease: a nationwide populationâ€based study. Acta Ophthalmologica, 2012, 90, 663-668.	1.1	103
11	Pneumonia and pregnancy outcomes: a nationwide population-based study. American Journal of Obstetrics and Gynecology, 2012, 207, 288.e1-288.e7.	1.3	100
12	Maternal schizophrenia and pregnancy outcome: Does the use of antipsychotics make a difference?. Schizophrenia Research, 2010, 116, 55-60.	2.0	98
13	Suicide rates and the association with climate: A population-based study. Journal of Affective Disorders, 2006, 92, 221-226.	4.1	96
14	Sudden Sensorineural Hearing Loss: Evidence from Taiwan. Audiology and Neuro-Otology, 2006, 11, 151-156.	1.3	95
15	Hyperthyroidism and Risk of Ischemic Stroke in Young Adults. Stroke, 2010, 41, 961-966.	2.0	93
16	Comparison of Comorbid Conditions between Open-Angle Glaucoma Patients and a Control Cohort. Ophthalmology, 2010, 117, 2088-2095.	5.2	91
17	Maternal bipolar disorder increased low birthweight and preterm births: A nationwide population-based study. Journal of Affective Disorders, 2010, 121, 100-105.	4.1	90
18	Institutional Factors in Cesarean Delivery Rates: Policy and Research Implications. Obstetrics and Gynecology, 2004, 103, 128-136.	2.4	88

#	Article	IF	CITATIONS
19	Seasonality in Adult Asthma Admissions, Air Pollutant Levels, and Climate: A Population-based Study. Journal of Asthma, 2006, 43, 287-292.	1.7	83
20	Urbanization and Stroke Prevalence in Taiwan: Analysis of a Nationwide Survey. Journal of Urban Health, 2007, 84, 604-614.	3.6	82
21	Seasonality and Climatic Associations with Violent and Nonviolent Suicide: A Population-Based Study. Neuropsychobiology, 2008, 57, 32-37.	1.9	79
22	Hospital Volume and Inpatient Mortality After Cancer-Related Gastrointestinal Resections: The Experience of an Asian Country. Annals of Surgical Oncology, 2006, 13, 1182-1188.	1.5	77
23	Maternal age and the likelihood of a maternal request for cesarean delivery: A 5-year population-based study. American Journal of Obstetrics and Gynecology, 2005, 192, 848-855.	1.3	74
24	Physician's Case Volume of Intensive Care Unit Pneumonia Admissions and In-Hospital Mortality. American Journal of Respiratory and Critical Care Medicine, 2008, 177, 989-994.	5.6	74
25	Does multiple sclerosis increase risk of adverse pregnancy outcomes? A population-based study. Multiple Sclerosis Journal, 2009, 15, 606-612.	3.0	73
26	Increased risk of dementia following herpes zoster ophthalmicus. PLoS ONE, 2017, 12, e0188490.	2.5	73
27	Seasonal Variations in Urinary Calculi Attacks and Their Association With Climate: a Population Based Study. Journal of Urology, 2008, 179, 564-569.	0.4	70
28	Association between maternal age and the likelihood of a cesarean section: a population-based multivariate logistic regression analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 1178-1183.	2.8	69
29	An increased risk of stroke among young schizophrenia patients. Schizophrenia Research, 2008, 101, 234-241.	2.0	64
30	Increased risk of psoriasis following obstructive sleep apnea: A longitudinal population-based study. Sleep Medicine, 2012, 13, 285-289.	1.6	62
31	Increased Risk of Acute Myocardial Infarction for Patients With Panic Disorder: A Nationwide Population-Based Study. Psychosomatic Medicine, 2009, 71, 798-804.	2.0	61
32	Increased Risk of Guillainâ€Barré Syndrome following Recent Herpes Zoster: A Populationâ€Based Study across Taiwan. Clinical Infectious Diseases, 2010, 51, 525-530.	5.8	59
33	Increased risk of developing stroke among patients with bipolar disorder after an acute mood episode: A six-year follow-up study. Journal of Affective Disorders, 2007, 100, 49-54.	4.1	58
34	Patient perceptions of service quality in group versus solo practice clinics. International Journal for Quality in Health Care, 2004, 16, 437-445.	1.8	57
35	Asian Dust Storm Events are Associated With an Acute Increase in Pneumonia Hospitalization. Annals of Epidemiology, 2012, 22, 257-263.	1.9	55
36	Increased risk of preterm births among women with uterine leiomyoma: a nationwide population-based study. Human Reproduction, 2009, 24, 3049-3056.	0.9	54

#	Article	IF	Citations
37	Neovascular Age-Related Macular Degeneration and the Risk of Stroke. Stroke, 2010, 41, 613-617.	2.0	53
38	The association between readmission rates and length of stay for schizophrenia: A 3-year population-based study. Schizophrenia Research, 2006, 83, 211-214.	2.0	52
39	Association Between Surgeon and Hospital Volume and In-Hospital Fatalities After Lung Cancer Resections: The Experience of an Asian Country. Annals of Thoracic Surgery, 2007, 83, 1837-1843.	1.3	52
40	Increased Risk of Stroke Among Men with Erectile Dysfunction: A Nationwide Population-Based Study. Journal of Sexual Medicine, 2011, 8, 240-246.	0.6	52
41	Obstructive sleep apnea and the risk of autoimmune diseases: A longitudinal population-based study. Sleep Medicine, 2012, 13, 583-588.	1.6	52
42	Increased risk of cancer subsequent to severe depressionâ€"A nationwide population-based study. Journal of Affective Disorders, 2011, 131, 200-206.	4.1	51
43	Poor Clinical Outcomes Among Pneumonia Patients With Schizophrenia. Schizophrenia Bulletin, 2011, 37, 1088-1094.	4.3	51
44	Monthly variation in acute appendicitis incidence: A 10-year nationwide population-based study. Journal of Surgical Research, 2012, 178, 670-676.	1.6	51
45	A nationwide populationâ€based study on the association between chronic periodontitis and erectile dysfunction. Journal of Clinical Periodontology, 2012, 39, 507-512.	4.9	51
46	Increased Risk of Stroke in the Year After a Hip Fracture. Stroke, 2011, 42, 336-341.	2.0	50
47	Association Between Surgeon and Hospital Volume in Coronary Artery Bypass Graft Surgery Outcomes: A Population-Based Study. Annals of Thoracic Surgery, 2006, 81, 835-842.	1.3	48
48	SEASONALITY OF PNEUMONIA ADMISSIONS AND ITS ASSOCIATION WITH CLIMATE: AN EIGHT-YEAR NATIONWIDE POPULATION-BASED STUDY. Chronobiology International, 2009, 26, 1647-1659.	2.0	47
49	Asian dust storm events are associated with an acute increase in stroke hospitalisation. Journal of Epidemiology and Community Health, 2013, 67, 125-131.	3.7	46
50	Androgen deprivation therapy did not increase the risk of Alzheimer's and Parkinson's disease in patients with prostate cancer. Andrology, 2016, 4, 481-485.	3.5	46
51	Comorbidities of bladder pain syndrome/interstitial cystitis: a populationâ€based study. BJU International, 2012, 110, E903-9.	2.5	44
52	Association between obstructive sleep apnoea and chronic periodontitis: a populationâ€based study. Journal of Clinical Periodontology, 2013, 40, 111-117.	4.9	44
53	Seasonal Variation in Ischemic Stroke Incidence and Association with Climate: A Sixâ€Year Populationâ€Based Study. Chronobiology International, 2008, 25, 938-949.	2.0	43
54	A 5-Year Follow-up Study on the Relationship between Obstructive Sleep Apnea and Parkinson Disease. Journal of Clinical Sleep Medicine, 2015, 11, 1403-1408.	2.6	43

#	Article	IF	CITATIONS
55	Procedure volume of gastric cancer resections versus 5-year survival. European Journal of Surgical Oncology, 2008, 34, 23-29.	1.0	42
56	Increased Risk of Diabetes in Patients With Urinary Calculi: A 5-Year Followup Study. Journal of Urology, 2011, 186, 1888-1893.	0.4	41
57	Prevalence and risk of atopic disorders among schizophrenia patients: A nationwide population based study. Schizophrenia Research, 2009, 108, 191-196.	2.0	40
58	Association between Chronic Prostatitis/Chronic Pelvic Pain Syndrome and Anxiety Disorder: A Population-Based Study. PLoS ONE, 2013, 8, e64630.	2.5	40
59	Psoriasis and the Risk of Pneumonia: A Population-Based Study. PLoS ONE, 2014, 9, e116077.	2.5	40
60	Sudden Sensorineural Hearing Loss Associated With Iron-Deficiency Anemia. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 417.	2.2	39
61	Cryptogenic pyogenic liver abscess as a sign of colorectal cancer: a population-based 5-year follow-up study. Liver International, 2010, 30, 1387-1393.	3.9	38
62	Increased Healthcare Service Utilizations for Patients with Dementia: A Population-Based Study. PLoS ONE, 2014, 9, e105789.	2.5	38
63	Open-Angle Glaucoma and the Risk of Stroke Development. Stroke, 2009, 40, 2685-2690.	2.0	36
64	Ulcerative Colitis and Pregnancy Outcomes in an Asian Population. American Journal of Gastroenterology, 2010, 105, 387-394.	0.4	35
65	Seasonality in pediatric asthma admissions: the role of climate and environmental factors. European Journal of Pediatrics, 2006, 165, 747-752.	2.7	34
66	Increased risk of stroke in patients who undergo cesarean section delivery: a nationwide population-based study. American Journal of Obstetrics and Gynecology, 2008, 198, 391.e1-391.e7.	1.3	34
67	Association Between Obstructive Sleep Apnea and Sudden Sensorineural Hearing Loss <subtitle>A Population-Based Case-Control Study</subtitle> . JAMA Otolaryngology, 2012, 138, 55.	1.2	34
68	Dose effect of thiazolidinedione on cancer risk in type 2 diabetes mellitus patients: a six-year population-based cohort study. Journal of Clinical Pharmacy and Therapeutics, 2014, 39, 354-360.	1.5	34
69	No increased risk of dementia in patients receiving androgen deprivation therapy for prostate cancer: a 5-year follow-up study. Asian Journal of Andrology, 2017, 19, 414.	1.6	34
70	Seasonal variation in the incidence of spontaneous pneumothorax and its association with climate: A nationwide populationâ€based study. Respirology, 2010, 15, 296-302.	2.3	33
71	Psoriasis is associated with an increased risk of parkinsonism: A population-based 5-year follow-up study. Journal of the American Academy of Dermatology, 2013, 68, 992-999.	1.2	33
72	Chronic rhinosinusitis increased the risk of stroke: A 5â€year followâ€up study. Laryngoscope, 2013, 123, 835-840.	2.0	33

#	Article	IF	CITATIONS
73	Healthcare Service Utilization by Patients with Obstructive Sleep Apnea: A Population-Based Study. PLoS ONE, 2015, 10, e0137459.	2.5	33
74	Risk factors for suicide following hospital discharge among cancer patients. Psycho-Oncology, 2009, 18, 1038-1044.	2.3	32
75	Association between ankylosing spondylitis and chronic periodontitis: A populationâ€based study. Arthritis and Rheumatism, 2013, 65, 167-173.	6.7	32
76	Non-alcoholic cirrhosis and the risk of stroke: a 5-year follow-up study. Liver International, 2011, 31, 354-360.	3.9	31
77	Increased Risk of Co-morbid Eye Disease in Patients with Chronic Renal Failure: A Population-based Study. Ophthalmic Epidemiology, 2012, 19, 137-143.	1.7	31
78	Does Marital Status Predict the Odds of Suicidal Death in Taiwan? A Seven‥ear Populationâ€Based Study. Suicide and Life-Threatening Behavior, 2008, 38, 302-310.	1.9	30
79	Health care service utilization among patients with chronic rhinosinusitis: A populationâ€based study. Laryngoscope, 2014, 124, 1285-1289.	2.0	30
80	Psychiatric diseases predated the occurrence of Parkinson disease: a retrospective cohort study. Annals of Epidemiology, 2014, 24, 206-213.	1.9	30
81	Malignant Otitis Externa is Associated with Diabetes: A Population-Based Case-Control Study. Annals of Otology, Rhinology and Laryngology, 2020, 129, 585-590.	1.1	30
82	Seasonal Variations in the Occurrence of Retinal Vein Occlusion: A Five-Year Nationwide Population-Based Study from Taiwan. American Journal of Ophthalmology, 2008, 145, 722-728.e3.	3.3	29
83	Increased Risk of a Cancer Diagnosis after Herpes Zoster Ophthalmicus: A Nationwide Population-Based Study. Ophthalmology, 2011, 118, 1076-1081.	5.2	29
84	Population-Based Estimates of Medical Comorbidities in Erectile Dysfunction in a Taiwanese Population. Journal of Sexual Medicine, 2011, 8, 3316-3324.	0.6	29
85	Association between sudden sensorineural hearing loss and anxiety disorder: a population-based study. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2673-2678.	1.6	29
86	Dementia is associated with open-angle glaucoma: a population-based study. Eye, 2015, 29, 1340-1346.	2.1	28
87	Obstructive sleep apnea and urological comorbidities in males: a population-based study. Sleep and Breathing, 2016, 20, 1203-1208.	1.7	28
88	Increased Risk of Parkinson Disease Following a Diagnosis of Neovascular Age-Related Macular Degeneration: A Retrospective Cohort Study. American Journal of Ophthalmology, 2014, 157, 464-469.e1.	3.3	27
89	Taiwan?s High Rate of Cesarean Births: Impacts of National Health Insurance and Fetal Gender Preference. Birth, 2007, 34, 115-122.	2.2	26
90	Association of Acute Myocardial Infarction with Sudden Sensorineural Hearing Loss: A Population-Based Case-Control Study. Audiology and Neuro-Otology, 2013, 18, 3-8.	1.3	26

#	Article	IF	CITATIONS
91	Chronic Rhinosinusitis Confers an Increased Risk of Acute Myocardial Infarction. American Journal of Rhinology and Allergy, 2013, 27, e178-e182.	2.0	26
92	Association between sepsis and dementia. Journal of Clinical Neuroscience, 2015, 22, 1430-1433.	1.5	26
93	Endometriosis increased the risk of bladder pain syndrome/interstitial cystitis: A populationâ€based study. Neurourology and Urodynamics, 2018, 37, 1413-1418.	1.5	26
94	Patients receiving androgen deprivation therapy for prostate cancer have an increased risk of depressive disorder. PLoS ONE, 2017, 12, e0173266.	2.5	26
95	Impact of a cultural belief about ghost month on delivery mode in Taiwan. Journal of Epidemiology and Community Health, 2006, 60, 522-526.	3.7	25
96	The Effects of Weather on the Incidence of Sudden Sensorineural Hearing Loss: A 5-Year Population-Based Study. Audiology and Neuro-Otology, 2006, 11, 165-171.	1.3	25
97	Severely Depressed Young Patients Have Over Five Times Increased Risk for Stroke: A 5-Year Follow-Up Study. Biological Psychiatry, 2008, 64, 912-915.	1.3	25
98	No increase in adverse pregnancy outcomes for women receiving antiepileptic drugs. Journal of Neurology, 2009, 256, 1742-1749.	3.6	25
99	Pregnancy Outcomes of Anti-Hypertensives for Women with Chronic Hypertension: A Population-Based Study. PLoS ONE, 2013, 8, e53844.	2.5	25
100	Rheumatoid Arthritis Was Negatively Associated with Alzheimer's Disease: A Population-Based Case-Control Study. PLoS ONE, 2016, 11, e0168106.	2.5	25
101	Comparison of 90â€day reâ€admission rates between open retropubic radical prostatectomy (RRP), laparoscopic RP (LRP) and robotâ€assisted laparoscopic prostatectomy (RALP). BJU International, 2012, 110, E966-71.	2.5	24
102	Statin use increases the risk of depressive disorder in stroke patients: A population-based study. Journal of the Neurological Sciences, 2015, 348, 89-93.	0.6	24
103	Prenatal Care and Adverse Pregnancy Outcomes Among Women With Schizophrenia. Journal of Clinical Psychiatry, 2009, 70, 1297-1303.	2.2	24
104	The association between timely outpatient visits and the likelihood of rehospitalization for schizophrenia patients American Journal of Orthopsychiatry, 2008, 78, 494-497.	1.5	23
105	Does Elective Caesarean Section Increase Utilization of Postpartum Maternal Medical Care?. Medical Care, 2008, 46, 440-443.	2.4	23
106	Are Psychiatrist Characteristics Associated With Postdischarge Suicide of Schizophrenia Patients?. Schizophrenia Bulletin, 2009, 35, 760-765.	4.3	23
107	Hypothyroidism and the Risk of Developing Open-Angle Glaucoma. Ophthalmology, 2010, 117, 1960-1966.	5.2	23
108	Urinary calculi and an increased risk of stroke: a populationâ€based followâ€up study. BJU International, 2012, 110, E1053-9.	2.5	23

#	Article	IF	Citations
109	Negative Association of Proton Pump Inhibitors With Subsequent Development of Breast Cancer: A Nationwide Populationâ€Based Study. Journal of Clinical Pharmacology, 2019, 59, 350-355.	2.0	23
110	Peripheral Vestibular Disorders: Nationwide Evidence From Taiwan. Laryngoscope, 2021, 131, 639-643.	2.0	23
111	Hemodynamic Effects of a Combination of Octreotide and Terlipressin Patients with Viral Hepatitis Related Cirrhosis. Scandinavian Journal of Gastroenterology, 2002, 37, 482-487.	1.5	22
112	Association Between Physician Volume and Hospitalization Costs for Patients With Stroke in Taiwan. Stroke, 2007, 38, 1565-1569.	2.0	22
113	Volume–outcome relationships in coronary artery bypass graft surgery patients: 5-year major cardiovascular event outcomes. Journal of Thoracic and Cardiovascular Surgery, 2008, 135, 923-930.	0.8	22
114	Increased Risk of Avoidable Hospitalization among Patients with Schizophrenia. Canadian Journal of Psychiatry, 2011, 56, 171-178.	1.9	22
115	Poor Clinical Outcomes among Pneumonia Patients with Depressive Disorder. PLoS ONE, 2014, 9, e116436.	2.5	22
116	Urbanization and place of death for the elderly: a 10-year population-based study. Palliative Medicine, 2007, 21, 705-711.	3.1	21
117	Increased risk of depressive disorder following the diagnosis of benign prostatic enlargement: One-year follow-up study. Journal of Affective Disorders, 2011, 135, 395-399.	4.1	21
118	Association Between Viral Hepatitis and Erectile Dysfunction: A Populationâ€Based Caseâ€Control Analysis. Journal of Sexual Medicine, 2012, 9, 1295-1302.	0.6	21
119	Association Between Epilepsy and Erectile Dysfunction: Evidence from a Populationâ€Based Study. Journal of Sexual Medicine, 2012, 9, 2248-2255.	0.6	21
120	Dementia is associated with iron-deficiency anemia in females: A population-based study. Journal of the Neurological Sciences, 2014, 346, 90-93.	0.6	21
121	Comparison of clinical outcome between laparoscopic and open right hemicolectomy: a nationwide study. World Journal of Surgical Oncology, 2015, 13, 250.	1.9	21
122	Inflammatory bowel disease and bipolar disorder: A population-based cross-sectional study. Journal of Affective Disorders, 2019, 247, 120-124.	4.1	21
123	A population-based study on the specific locations of cancer deaths in Taiwan, 1997–2003. Supportive Care in Cancer, 2007, 15, 1333-1339.	2.2	20
124	No Higher Risk of Myocardial Infarction Among Bipolar Patients in a 6-Year Follow-Up of Acute Mood Episodes. Psychosomatic Medicine, 2008, 70, 73-76.	2.0	20
125	Reflux Esophagitis and the Risk of Stroke in Young Adults. Stroke, 2010, 41, 2033-2037.	2.0	20
126	Increased Risk for Cancer Following Erectile Dysfunction: A Nationwide Population-Based Follow-Up Study. Journal of Sexual Medicine, 2011, 8, 1513-1520.	0.6	20

#	Article	IF	CITATIONS
127	Hormone therapy for prostate cancer and the risk of stroke: a 5â€year followâ€up study. BJU International, 2012, 109, 1001-1005.	2.5	20
128	Association Between Psoriasis and Dementia: A Population-Based Case–Control Study. American Journal of Clinical Dermatology, 2019, 20, 457-463.	6.7	20
129	The volume-outcome relationship of percutaneous coronary intervention: Can current procedure volume minimums be applied to a developing country?. American Heart Journal, 2008, 155, 547-552.	2.7	19
130	Psychiatrists' caseload volume, length of stay and mental healthcare readmission rates: A three-year population-based study. Psychiatry Research, 2009, 166, 15-23.	3.3	19
131	Comorbidity profile of poliomyelitis survivors in a Chinese population: a population-based study. Journal of Neurology, 2011, 258, 1026-1033.	3.6	19
132	Increased risk of bladder cancer following diagnosis with bladder pain syndrome/interstitial cystitis. Neurourology and Urodynamics, 2013, 32, 58-62.	1.5	19
133	An Appendectomy Increases the Risk of Rheumatoid Arthritis: A Five-Year Follow-Up Study. PLoS ONE, 2015, 10, e0126816.	2.5	19
134	Obstructive Sleep Apnea and the Subsequent Risk of Chronic Rhinosinusitis: A Population-Based Study. Scientific Reports, 2016, 6, 20786.	3.3	19
135	Zolpidem Use and the Risk of Injury: A Population-Based Follow-Up Study. PLoS ONE, 2013, 8, e67459.	2.5	19
136	Association between Neovascular Age-Related Macular Degeneration and Dementia: A Population-Based Case-Control Study in Taiwan. PLoS ONE, 2015, 10, e0120003.	2.5	19
137	Urbanicity and Methods of Suicide: A Nationwide Population-based Study. Journal of Urban Health, 2008, 85, 136-145.	3.6	18
138	Surgeon Volume is Predictive of 5-Year Survival in Patients with Hepatocellular Carcinoma after Resection: A Population-Based Study. Journal of Gastrointestinal Surgery, 2009, 13, 2284-2291.	1.7	18
139	Seasonality of Retinal Detachment Incidence and Its Associations With Climate: An 11-Year Nationwide Population-Based Study. Chronobiology International, 2011, 28, 942-948.	2.0	18
140	Increased Fall Risk in Patients Receiving Androgen Deprivation Therapy for Prostate Cancer. Urology, 2016, 95, 145-150.	1.0	18
141	Sialolithiasis is associated with nephrolithiasis: a case-control study. Acta Oto-Laryngologica, 2016, 136, 497-500.	0.9	18
142	Inverse association between statin use and head and neck cancer: Populationâ€based caseâ€control study in Han population. Head and Neck, 2019, 41, 1193-1198.	2.0	18
143	Cost Convergence between Public and For-Profit Hospitals under Prospective Payment and High Competition in Taiwan. Health Services Research, 2004, 39, 2101-2116.	2.0	17
144	Length of Stay and Costs for Asthma Patients by Hospital Characteristics—A Five-Year Population-Based Analysis. Journal of Asthma, 2005, 42, 537-542.	1.7	17

#	Article	IF	Citations
145	Traditional Chinese medicine usage among schizophrenia patients. Complementary Therapies in Medicine, 2008, 16, 336-342.	2.7	17
146	Seasonal Variation in the Incidence of Gastroesophageal Reflux Disease. American Journal of the Medical Sciences, 2009, 338, 453-458.	1.1	17
147	Increased risk of concurrent asthma among patients with gastroesophageal reflux disease: a nationwide population-based study. European Journal of Gastroenterology and Hepatology, 2010, 22, 1169-1173.	1.6	17
148	Polymyalgia Rheumatica and the Risk of Stroke: A Three-Year Follow-Up Study. Cerebrovascular Diseases, 2011, 32, 497-503.	1.7	17
149	A case–control study on the association between rheumatoid arthritis and bladder pain syndrome/interstitial cystitis. Neurourology and Urodynamics, 2013, 32, 980-985.	1.5	17
150	A Population-Based Study on the Association between Statin Use and Sudden Sensorineural Hearing Loss. Otolaryngology - Head and Neck Surgery, 2015, 152, 319-325.	1.9	17
151	Followâ€up study on the relationship between alopecia areata and risk of autoimmune diseases. Journal of Dermatology, 2016, 43, 228-229.	1.2	17
152	Urbanization and the likelihood of a cesarean section. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 141, 104-110.	1.1	16
153	Risk of mortality among depressed younger patients: A five-year follow-up study. Journal of Affective Disorders, 2009, 113, 255-262.	4.1	16
154	Mortality among psychiatric patients in Taiwanâ€"Results from a universal National Health Insurance programme. Psychiatry Research, 2010, 178, 160-165.	3.3	16
155	Association Between Multiple Sclerosis and Erectile Dysfunction: A Nationwide Caseâ€Control Study. Journal of Sexual Medicine, 2012, 9, 1753-1759.	0.6	16
156	Bladder pain syndrome/interstitial cystitis increase the risk of coronary heart disease. Neurourology and Urodynamics, 2014, 33, 511-515.	1.5	16
157	Neovascular ageâ€related macular degeneration is associated with cataract surgery. Acta Ophthalmologica, 2018, 96, e213-e217.	1.1	16
158	Hyperlipidemia Is Associated with Chronic Urticaria: A Population-Based Study. PLoS ONE, 2016, 11, e0150304.	2.5	16
159	Effect of octreotide on total effective vascular compliance in patients with posthepatitic cirrhosis. Journal of Hepatology, 1996, 24, 81-87.	3.7	15
160	Hospital characteristics associated with post-discharge suicide of severely depressed patients. Journal of Affective Disorders, 2008, 110, 215-221.	4.1	15
161	Increased risk of diabetes following perianal abscess: a population-based follow-up study. International Journal of Colorectal Disease, 2013, 28, 235-240.	2.2	15
162	Allergic Rhinitis Is Associated With Periodontitis: A Populationâ€Based Study. Journal of Periodontology, 2016, 87, 749-755.	3.4	15

#	Article	IF	Citations
163	Prevalence of chronic diseases among physicians in Taiwan: a population-based cross-sectional study. BMJ Open, 2016, 6, e009954.	1.9	15
164	Association of Systemic Hypertension With Primary Open-angle Glaucoma: A Population-based Case-Control Study. American Journal of Ophthalmology, 2020, 218, 99-104.	3.3	15
165	Physician supply, supplier-induced demand and competition: empirical evidence from a single-payer system. International Journal of Health Planning and Management, 2006, 21, 117-131.	1.7	14
166	Weekly Pattern of Stroke Onset in an Asian Country: A Nationwide Populationâ€Based Study. Chronobiology International, 2008, 25, 788-799.	2.0	14
167	Prenatal Care Visits and Associated Costs for Treatment-Seeking Women With Depressive Disorders. Psychiatric Services, 2009, 60, 1261-1264.	2.0	14
168	Herpes Zoster Is Associated with Prior Statin Use: A Population-Based Case-Control Study. PLoS ONE, 2014, 9, e111268.	2.5	14
169	Alopecia Areata Increases the Risk of Stroke: a 3-year Follow-Up Study. Scientific Reports, 2015, 5, 11718.	3.3	14
170	Do outpatient statins and ACEIs/ARBs have synergistic effects in reducing the risk of pneumonia? A population-based case-control study. PLoS ONE, 2018, 13, e0199981.	2.5	14
171	Risk-adjusted cesarean section rates for the assessment of physician performance in Taiwan: a population-based study. BMC Public Health, 2006, 6, 246.	2.9	13
172	Do group practices have lower caesarean rates than solo practice obstetric clinics? Evidence from Taiwan. Health Policy and Planning, 2006, 21, 319-325.	2.7	13
173	Association of Increasing Surgeon Age with Decreasing Inâ€Hospital Mortality After Coronary Artery Bypass Graft Surgery. World Journal of Surgery, 2010, 34, 3-9.	1.6	13
174	Increased risk for coronary heart disease after avascular necrosis of femoral head: A 3-year follow-up study. American Heart Journal, 2010, 159, 803-808.e1.	2.7	13
175	Increased risk of parkinsonism among patients with cirrhosis: a 7-year follow-up study. Liver International, 2011, 31, 685-691.	3.9	13
176	Obstructive sleep apnea is associated with an increased risk of venous thromboembolism. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 139-145.	1.6	13
177	Increased risk of depressive disorder following diagnosis with bladder pain syndrome/interstitial cystitis. Neurourology and Urodynamics, 2013, 32, 467-471.	1.5	13
178	Sudden Sensorineural Hearing Loss Associated With Chronic Periodontitis. Otology and Neurotology, 2013, 34, 1380-1384.	1.3	13
179	Increased risk for stroke in burn patients: A population-based one-year follow-up study. Burns, 2014, 40, 54-60.	1.9	13
180	Statin use and thyroid cancer: a populationâ€based case–control study. Clinical Endocrinology, 2015, 83, 111-116.	2.4	13

#	Article	IF	CITATIONS
181	No increased risk of coronary heart disease for patients receiving androgen deprivation therapy for prostate cancer in Chinese/Taiwanese men. Andrology, 2016, 4, 128-132.	3.5	13
182	Association of migraines with brain tumors: a nationwide population-based study. Journal of Headache and Pain, 2018, 19, 111.	6.0	13
183	Hyperglucagonaemia in cirrhotic patients and its relationship to the severity of cirrhosis and haemodynamic values. Journal of Gastroenterology and Hepatology (Australia), 1996, 11, 422-428.	2.8	12
184	Costs per discharge and hospital ownership under prospective payment and cost-based reimbursement systems in Taiwan. Health Policy and Planning, 2004, 19, 166-176.	2.7	12
185	Volume-Outcome Relation for Acute Appendicitis: Evidence from a Nationwide Population-Based Study. PLoS ONE, 2012, 7, e52539.	2.5	12
186	Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a case–control study. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 921-925.	2.8	12
187	Association Between Statin Use and Bell's Palsy: A Population-Based Study. Drug Safety, 2014, 37, 735-742.	3.2	12
188	Association between Testicular Cancer and Epididymoorchitis: A Population-Based Case-Control Study. Scientific Reports, 2016, 6, 23079.	3.3	12
189	Differences in practice income between solo and group practice physicians. Health Policy, 2006, 79, 296-305.	3.0	11
190	Comparison of treatment outcomes following total knee arthroplasty among patients with rheumatoid arthritis and osteoarthritis: a nationwide population-based study. Rheumatology, 2010, 49, 1409-1410.	1.9	11
191	Increased risk of colorectal cancer among patients with biliary tract inflammation: A 5â€year followâ€up study. International Journal of Cancer, 2011, 128, 447-452.	5.1	11
192	Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: A populationâ€based matchedâ€cohort study. Neurourology and Urodynamics, 2014, 33, 278-282.	1.5	11
193	Association between psoriasis and neovascular age-related macular degeneration: A population-based study. Journal of the American Academy of Dermatology, 2015, 72, 1090-1092.	1.2	11
194	Appendectomy increased the risk of ischemic heart disease. Journal of Surgical Research, 2015, 199, 435-440.	1.6	11
195	Statin Use Is Associated with Bladder Pain Syndrome/Interstitial Cystitis: A Population-Based Case-Control Study. Urologia Internationalis, 2015, 95, 227-232.	1.3	11
196	Alzheimer's disease is associated with prostate cancer: a population-based study. Oncotarget, 2018, 9, 7616-7622.	1.8	11
197	Associations between Attention-Deficit/Hyperactivity Disorder and Ocular Abnormalities in Children: A Population-based Study. Ophthalmic Epidemiology, 2020, 27, 194-199.	1.7	11
198	A Nationwide Population-Based Study on the Incidence of Parapharyngeal and Retropharyngeal Abscessâ€"A 10-Year Study. International Journal of Environmental Research and Public Health, 2021, 18, 1049.	2.6	11

#	Article	IF	Citations
199	Association of hospital ownership with patient transfers to outpatient care under a prospective payment system in Taiwan. Health Policy, 2004, 69, 11-19.	3.0	10
200	Physician Clinical Experience and Inappropriate Prostate Specific Antigen Screening: Evidence From an Asian Country. Journal of Urology, 2008, 180, 1954-1958.	0.4	10
201	Association Between Paternal Schizophrenia and Low Birthweight: A Nationwide Population-Based Study. Schizophrenia Bulletin, 2009, 35, 624-630.	4.3	10
202	Association Between Physician Caseload and Patient Outcome for Sepsis Treatment. Infection Control and Hospital Epidemiology, 2009, 30, 556-562.	1.8	10
203	Increased risk of cancer after Bell's palsy: a 5-year follow-up study. Journal of Neuro-Oncology, 2012, 110, 215-220.	2.9	10
204	Association Between Obstructive Sleep Apnea and Urinary Calculi: A Population-based Case-control Study. Urology, 2012, 79, 340-345.	1.0	10
205	Chronic rhinosinusitis increased the risk of chronic periodontitis. Laryngoscope, 2013, 123, 1323-1327.	2.0	10
206	Dementia is Associated with Chronic Rhinosinusitis: A Population-Based Case-Controlled Study. American Journal of Rhinology and Allergy, 2015, 29, 44-47.	2.0	10
207	Association of sialolithiasis with cholelithiasis: A populationâ€based study. Head and Neck, 2016, 38, 560-563.	2.0	10
208	Increased fall risk in patients with neovascular ageâ€related macular degeneration: a threeâ€year followâ€up study. Acta Ophthalmologica, 2017, 95, e800-e801.	1.1	10
209	Increased risk of concurrent hepatitis C among Male patients with schizophrenia. Psychiatry Research, 2017, 258, 217-220.	3.3	10
210	Diabetes increases the risk of an appendectomy in patients with antibiotic treatment of noncomplicated appendicitis. American Journal of Surgery, 2017, 214, 24-28.	1.8	10
211	Association of Alzhemier's disease with hepatitis C among patients with bipolar disorder. PLoS ONE, 2017, 12, e0179312.	2.5	10
212	Antiarrhythmic drug usage and prostate cancer: a population-based cohort study. Asian Journal of Andrology, 2018, 20, 37.	1.6	10
213	Association between maternal age and the likelihood of a cesarean section: a population-based multivariate logistic regression analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 1178-1183.	2.8	10
214	Is the volume-outcome relationship sustained in psychiatric care?. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 669-672.	3.1	9
215	Outcomes of Nonstenting Percutaneous Coronary Intervention in Patients With Rheumatoid Arthritis. American Journal of Cardiology, 2012, 109, 1160-1163.	1.6	9
216	A 3â€year followâ€up study on the risk of stroke among patients with conjunctival haemorrhage. Acta Ophthalmologica, 2013, 91, 226-230.	1.1	9

#	Article	IF	Citations
217	Health Care Service Utilization among Patients with Bladder Pain Syndrome/Interstitial Cystitis in a Single Payer Healthcare System. PLoS ONE, 2014, 9, e87522.	2.5	9
218	Osteoporosis is associated with antiepileptic drugs: a population-based study. Epileptic Disorders, 2014, 16, 333-342.	1.3	9
219	Chronic Prostatitis/Chronic Pelvic Pain Syndrome is associated with Irritable Bowel Syndrome: A Population-based Study. Scientific Reports, 2016, 6, 26939.	3.3	9
220	No Increased Risk of Fracture in Patients Receiving Antimuscarinics for Overactive Bladder Syndrome: A Retrospective Cohort Study. Journal of Clinical Pharmacology, 2018, 58, 727-732.	2.0	9
221	A populationâ€based time trend study in the incidence of malignant otitis externa. Clinical Otolaryngology, 2019, 44, 851-855.	1.2	9
222	Does Physicians' Case Volume Impact Inpatient Care Costs for Pneumonia Cases?. Journal of General Internal Medicine, 2008, 23, 304-309.	2.6	8
223	No increased risk of sudden sensorineural hearing loss following recent herpes zoster: a nationwide population-based study. Acta Oto-Laryngologica, 2012, 132, 167-172.	0.9	8
224	Reflux esophagitis increased the risk of bladder pain syndrome/interstitial cystitis: A 3â€year followâ€up study. Neurourology and Urodynamics, 2013, 32, 271-275.	1.5	8
225	Increased Risk of Pneumonia in Patients Receiving Gonadotropin-Releasing Hormone Agonists for Prostate Cancer. PLoS ONE, 2014, 9, e101254.	2.5	8
226	Benign prostatic enlargement is not associated with diabetes: aÂpopulation-based study. Andrology, 2015, 3, 933-936.	3.5	8
227	A Population-Based Study on the Association between Benign Prostatic Enlargement and Rheumatoid Arthritis. PLoS ONE, 2015, 10, e0133013.	2.5	8
228	Association between mitral valve prolapse and sudden sensorineural hearing loss: A case-control population-based study. PLoS ONE, 2018, 13, e0205199.	2.5	8
229	Association Between Pioglitazone Use and Prostate Cancer: A Populationâ€Based Caseâ€Control Study in the Han Population. Journal of Clinical Pharmacology, 2019, 59, 344-349.	2.0	8
230	Increased Risk of Depressive Disorder following Cholecystectomy for Gallstones. PLoS ONE, 2015, 10, e0129962.	2.5	8
231	Using a population-based database to explore the inter-specialty differences in physician practice incomes in Taiwan. Health Policy, 2005, 73, 253-262.	3.0	7
232	Physician and Hospital Characteristics Related to Length of Stay for Acute Myocardial Infarction Patients A 3-Year Population-Based Analysis. Circulation Journal, 2006, 70, 679-685.	1.6	7
233	The Relation between Maternal Schizophrenia and Low Birth Weight is Modified by Paternal Age. Canadian Journal of Psychiatry, 2010, 55, 377-385.	1.9	7
234	Association between herpes zoster and alopecia areata: A populationâ€based study. Journal of Dermatology, 2015, 42, 824-825.	1.2	7

#	Article	IF	CITATIONS
235	Increased risk of depressive disorder following a diagnosis of neovascular age-related macular degeneration. Acta Ophthalmologica, 2015, 93, e176-e177.	1.1	7
236	Increased Risk of Clinically Significant Gallstones following an Appendectomy: A Five-Year Follow-Up Study. PLoS ONE, 2016, 11, e0165829.	2.5	7
237	Sudden sensorineural hearing loss is associated with chronic rhinosinusitis: population-based study. Journal of Laryngology and Otology, 2016, 130, 521-525.	0.8	7
238	Association of Cervical Spondylosis With Peripheral Vertigo: A Case–Control Study. Laryngoscope, 2021, 131, E625-E630.	2.0	7
239	A population-based case–control study of the association between cervical spondylosis and tinnitus. International Journal of Audiology, 2021, 60, 227-231.	1.7	7
240	Ten-year trends in the incidence of microtia: a nationwide population-based study from Taiwan. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4315-4319.	1.6	7
241	Healthcare Service Utilization for Practicing Physicians: A Population-Based Study. PLoS ONE, 2016, 11, e0130690.	2.5	7
242	Factors related to dissatisfaction with the National Health Insurance among primary care physicians in Taiwan. Chang Gung Medical Journal, 2003, 26, 81-90.	0.7	7
243	Effects of payment incentives, hospital ownership and competition on hospitalization decisions for ambulatory surgical procedures. Health Policy, 2006, 76, 26-37.	3.0	6
244	Maternal request CSâ€"Role of hospital teaching status and for-profit ownership. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 132, 27-34.	1.1	6
245	Methods of Suicide Among Cancer Patients: A Nationwide Population-Based Study. Suicide and Life-Threatening Behavior, 2010, 40, 107-114.	1.9	6
246	Increased Risk for Adhesive Capsulitis of the Shoulder following Cervical Disc Surgery. Scientific Reports, 2016, 6, 26898.	3.3	6
247	The association between gastro-oesophageal reflux disease and subsequent rheumatoid arthritis occurrence: a nested case–control study from Taiwan. BMJ Open, 2017, 7, e016667.	1.9	6
248	Risk of adverse outcomes in patients with rheumatoid arthritis hospitalized for stroke—a cross-sectional study. Clinical Rheumatology, 2018, 37, 2917-2926.	2.2	6
249	Association of cervical spondylosis with obstructive sleep apnea. Sleep Medicine, 2020, 71, 54-58.	1.6	6
250	Bladder Pain Syndrome/Interstitial Cystitis Is Associated with Hyperthyroidism. PLoS ONE, 2013, 8, e72284.	2.5	6
251	The association between psychiatrist numbers and hospitalization costs for schizophrenia patients: A population-based study. Schizophrenia Research, 2006, 81, 283-290.	2.0	5
252	Chronic periodontitis and the subsequent risk of trigeminal neuralgia: a 5â€year followâ€up study. Journal of Clinical Periodontology, 2012, 39, 1017-1023.	4.9	5

#	Article	IF	Citations
253	Monthly Variation in Acute Urinary Retention Incidence Among Patients With Benign Prostatic Enlargement in Taiwan. Journal of Andrology, 2012, 33, 1239-1244.	2.0	5
254	A Caseâ€Control Analysis on the Association Between Erectile Dysfunction and Sudden Sensorineural Hearing Loss in Taiwan. Journal of Sexual Medicine, 2012, 9, 1411-1417.	0.6	5
255	Increased Risk of Peptic Ulcers Following a Cholecystectomy for Gallstones. Scientific Reports, 2016, 6, 30702.	3.3	5
256	Antimuscarinic Use in Females With Overactive Bladder Syndrome Increases the Risk of Depressive Disorder: A 3‥ear Followâ€up Study. Journal of Clinical Pharmacology, 2017, 57, 1064-1070.	2.0	5
257	Neovascular ageâ€related macular degeneration is not associated with coronary heart disease in a Chinese Population: a populationâ€based study. Acta Ophthalmologica, 2017, 95, e587-e591.	1.1	5
258	Bladder pain syndrome/interstitial cystitis is associated with asthma: A caseâ€control study. Neurourology and Urodynamics, 2018, 37, 1773-1778.	1.5	5
259	Thyroxin Use Is Associated With Increased Risk of Thyroid Cancer in Patients With Hypothyroidism. Journal of Clinical Pharmacology, 2018, 58, 29-33.	2.0	5
260	Adverse stroke outcomes among patients with bipolar disorder. PLoS ONE, 2019, 14, e0213072.	2.5	5
261	Risk of early-onset dementia among persons with tinnitus: a retrospective case–control study. Scientific Reports, 2021, 11, 13399.	3.3	5
262	Healthcare utilization and costs in patients with benign prostatic hyperplasia: a population-based study. Asian Journal of Andrology, 2016, 18, 942.	1.6	5
263	Doctors' obstetric experience and Caesarean section (CS): does increasing delivery volume result in lower CS likelihood?. Journal of Evaluation in Clinical Practice, 2007, 13, 954-957.	1.8	4
264	A population-based case-control analysis of the association between Herpes Zoster and Erectile Dysfunction. Journal of Infection, 2012, 65, 150-156.	3.3	4
265	A Population-Based Study on the Association Between Gastric Ulcers and Erectile Dysfunction in Taiwan. Journal of Sexual Medicine, 2012, 9, 686-693.	0.6	4
266	Prescriptions for category D and X drugs during pregnancy in Taiwan: a population-based study. Pharmacoepidemiology and Drug Safety, 2014, 23, 1029-1034.	1.9	4
267	Increased risk of ischemic stroke among women with bladder pain syndrome/interstitial cystitis: A cohort study from Taiwan. Neurourology and Urodynamics, 2015, 34, 44-49.	1.5	4
268	Diabetes is associated with perforated appendicitis: evidence from a population-based study. American Journal of Surgery, 2016, 212, 735-739.	1.8	4
269	Increased risk for urological cancer associated with anxiety disorder: a retrospective cohort study. BMC Urology, 2016, 16, 67.	1.4	4
270	Decreased clinic visits for acute respiratory infections following an adult tonsillectomy: A population-based study. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2017, 38, 488-491.	1.3	4

#	Article	IF	CITATIONS
271	Fewer acute respiratory infection episodes among patients receiving treatment for gastroesophageal reflux disease. PLoS ONE, 2017, 12, e0172436.	2.5	4
272	A caseâ€control study of the association between sialolithiasis and osteoporosis. Clinical Otolaryngology, 2019, 44, 343-348.	1.2	4
273	Increased risk of neovascular ageâ€related macular degeneration in patients with herpes zoster ophthalmicus: a retrospective cohort study. Acta Ophthalmologica, 2019, 97, e321-e322.	1.1	4
274	Relationships between length of stay and hospital characteristics under the case-payment system in Taiwan: using data for vaginal delivery patients. Chang Gung Medical Journal, 2003, 26, 259-68.	0.7	4
275	Factors contributing to patient dumping in Taiwan. Health Policy, 2006, 77, 103-112.	3.0	3
276	The Ten-year Trend in Suicide Methods. Canadian Journal of Public Health, 2008, 99, 406-410.	2.3	3
277	Maternal gout associated with increased risk of low birth weight and preterm birth. International Journal of Gynecology and Obstetrics, 2010, 109, 157-158.	2.3	3
278	Risk of stroke following diagnosis with pyogenic liver abscess: a nationwide population-based study. Hepatology International, 2012, 6, 801-808.	4.2	3
279	Physician characteristics and prescription drug use during pregnancy: a population-based study. Annals of Epidemiology, 2013, 23, 54-59.	1.9	3
280	Weekly and Holiday-Related Patterns of Panic Attacks in Panic Disorder: A Population-Based Study. PLoS ONE, 2014, 9, e100913.	2.5	3
281	Increased risk of tinnitus following a trigeminal neuralgia diagnosis: a one-year follow-up study. Journal of Headache and Pain, 2020, 21, 46.	6.0	3
282	A Population-Based Study of Healthcare Resource Utilization in Patients with Mitral Valve Prolapse. International Journal of Environmental Research and Public Health, 2020, 17, 1622.	2.6	3
283	Increased Risk of Injury Following a Diagnosis of Vertigo: A Populationâ€based Study. Laryngoscope, 2021, 131, 1633-1638.	2.0	3
284	Nephrectomy Type Was Not Associated with a Subsequent Risk of Coronary Heart Disease: A Population-Based Study. PLoS ONE, 2016, 11, e0163253.	2.5	3
285	A Taiwanese population-based study on the association between chronic tonsillitis and tonsil cancer. Oncotarget, 2018, 9, 7644-7650.	1.8	3
286	Doctor characteristics and prescribing antibiotics for urinary tract infections: the experience of an Asian country. Journal of Evaluation in Clinical Practice, 2010, 16, 1221-1226.	1.8	2
287	Percutaneous nephrolithotomy increases the risk of diabetes: A 5â€year followâ€up study. International Journal of Urology, 2014, 21, 664-668.	1.0	2
288	Acute Appendicitis Is Associated with Peptic Ulcers: A Population-based Study. Scientific Reports, 2015, 5, 18044.	3.3	2

#	Article	IF	Citations
289	A tonsillectomy increased the risk of chronic rhinosinusitis among children: A three-year follow-up study. International Journal of Pediatric Otorhinolaryngology, 2016, 91, 82-85.	1.0	2
290	Chronic prostatitis/chronic pelvic pain syndrome is associated with previous colonoscopy. Canadian Urological Association Journal, 2017, 11, E367-71.	0.6	2
291	Increased risk of a herpes zoster attack in patients receiving androgen deprivation therapy for prostate cancer. Andrologia, 2018, 50, e12863.	2.1	2
292	Relation Between Mitral Valve Prolapse and Erectile Dysfunction (from a Nationwide Case-Control) Tj ETQq0 0 0	rgBT/Ove	erlock 10 Tf 50
293	A Nationwide Population-Based Study on the Association between Land Transport Accident and Peripheral Vestibular Disorders. International Journal of Environmental Research and Public Health, 2021, 18, 6570.	2.6	2
294	A sialoadenectomy is associated with an increased risk of coronary heart disease: A three-year follow-up study. PLoS ONE, 2018, 13, e0199135.	2.5	2
295	Association of neovascular age-related macular degeneration with migraine. Scientific Reports, 2022, 12, 1792.	3.3	2
296	Opinions of hospital administrators toward the prevalence of patient dumping in Taiwan. Chang Gung Medical Journal, 2004, 27, 35-43.	0.7	2
297	Association of Cataract with Chronic Rhinosinusitis: A Population-based Case-control Study. Ophthalmic Epidemiology, 2014, 21, 391-396.	1.7	1
298	Association between Gastroesophageal Reflux Disease and Appendicitis: A Population-Based Case-Control Study. Scientific Reports, 2016, 6, 22430.	3.3	1
299	A caseâ€control study of the association between ulcerative colitis and hyperthyroidism in an Asian population. Clinical Endocrinology, 2017, 86, 825-829.	2.4	1
300	Association between pioglitazone use and head and neck cancer: Populationâ€based caseâ€control study. Head and Neck, 2020, 42, 653-659.	2.0	1
301	Association of erectile dysfunction with tinnitus: a nationwide population-based study. Scientific Reports, 2021, 11, 6982.	3.3	1
302	Increased Risk of Major Depressive Disorder Following Tinnitus: A Population-Based Study. Frontiers in Neurology, 2022, 13, 836842.	2.4	1
303	Association of Age-Related Macular Degeneration with Prior Hyperthyroidism and Hypothyroidism: A Case–Control Study. Journal of Personalized Medicine, 2022, 12, 602.	2.5	1
304	Response to Letter by Shiue. Stroke, 2010, 41, .	2.0	0
305	Authors' Response. Journal of Periodontology, 2017, 88, 319-319.	3.4	0
306	Stroke and chronic rhinosinusitis: a look backward and forward. Polish Archives of Internal Medicine, 2021, 131, 322-323.	0.4	0

#	Article	IF	CITATIONS
307	10-year trends in the incidence of microtia: a nationwide population-based study from Taiwan. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4613-4613.	1.6	0
308	Increase Risk of Dementia in Patients With Sudden Hearing Loss: A Population-Based Cohort Study With 7-Year Follow-Up in Taiwan. Otology and Neurotology, 2020, 41, 1334-1340.	1.3	0
309	Association of hearing loss with land transport accidents: a nationwide population-based study. International Journal of Audiology, 2021, , 1-5.	1.7	0
310	Exploring willingness and related factors by using the healthcare report cards for hospitals in Taiwan. Chang Gung Medical Journal, 2003, 26, 330-8.	0.7	0
311	Do consumers in Taiwan need physician information?. Chang Gung Medical Journal, 2004, 27, 416-28.	0.7	O
312	Absence of an Association between Macular Degeneration and Young-Onset Dementia. Journal of Personalized Medicine, 2022, 12, 291.	2.5	0