

Henry Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4794843/publications.pdf>

Version: 2024-02-01

312
papers

7,932
citations

57681

46
h-index

107981

68
g-index

318
all docs

318
docs citations

318
times ranked

11327
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association of neovascular age-related macular degeneration with migraine. <i>Scientific Reports</i> , 2022, 12, 1792. | 1.6 | 2 |
| 2 | Absence of an Association between Macular Degeneration and Young-Onset Dementia. <i>Journal of Personalized Medicine</i> , 2022, 12, 291. | 1.1 | 0 |
| 3 | Increased Risk of Major Depressive Disorder Following Tinnitus: A Population-Based Study. <i>Frontiers in Neurology</i> , 2022, 13, 836842. | 1.1 | 1 |
| 4 | Association of Age-Related Macular Degeneration with Prior Hyperthyroidism and Hypothyroidism: A Caseâ€“Control Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 602. | 1.1 | 1 |
| 5 | Association of Cervical Spondylosis With Peripheral Vertigo: A Caseâ€“Control Study. <i>Laryngoscope</i> , 2021, 131, E625-E630. | 1.1 | 7 |
| 6 | Peripheral Vestibular Disorders: Nationwide Evidence From Taiwan. <i>Laryngoscope</i> , 2021, 131, 639-643. | 1.1 | 23 |
| 7 | A population-based caseâ€“control study of the association between cervical spondylosis and tinnitus. <i>International Journal of Audiology</i> , 2021, 60, 227-231. | 0.9 | 7 |
| 8 | Association of erectile dysfunction with tinnitus: a nationwide population-based study. <i>Scientific Reports</i> , 2021, 11, 6982. | 1.6 | 1 |
| 9 | Increased Risk of Injury Following a Diagnosis of Vertigo: A Populationâ€“based Study. <i>Laryngoscope</i> , 2021, 131, 1633-1638. | 1.1 | 3 |
| 10 | Stroke and chronic rhinosinusitis: a look backward and forward. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 322-323. | 0.3 | 0 |
| 11 | Risk of early-onset dementia among persons with tinnitus: a retrospective caseâ€“control study. <i>Scientific Reports</i> , 2021, 11, 13399. | 1.6 | 5 |
| 12 | A Nationwide Population-Based Study on the Association between Land Transport Accident and Peripheral Vestibular Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6570. | 1.2 | 2 |
| 13 | Ten-year trends in the incidence of microtia: a nationwide population-based study from Taiwan. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4315-4319. | 0.8 | 7 |
| 14 | 10-year trends in the incidence of microtia: a nationwide population-based study from Taiwan. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4613-4613. | 0.8 | 0 |
| 15 | A Nationwide Population-Based Study on the Incidence of Parapharyngeal and Retropharyngeal Abscessâ€“A 10-Year Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1049. | 1.2 | 11 |
| 16 | Association of hearing loss with land transport accidents: a nationwide population-based study. <i>International Journal of Audiology</i> , 2021, , 1-5. | 0.9 | 0 |
| 17 | Associations between Attention-Deficit/Hyperactivity Disorder and Ocular Abnormalities in Children: A Population-based Study. <i>Ophthalmic Epidemiology</i> , 2020, 27, 194-199. | 0.8 | 11 |
| 18 | Association between pioglitazone use and head and neck cancer: Populationâ€“based caseâ€“control study. <i>Head and Neck</i> , 2020, 42, 653-659. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Increased risk of tinnitus following a trigeminal neuralgia diagnosis: a one-year follow-up study. <i>Journal of Headache and Pain</i> , 2020, 21, 46. | 2.5 | 3 |
| 20 | A Population-Based Study of Healthcare Resource Utilization in Patients with Mitral Valve Prolapse. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1622. | 1.2 | 3 |
| 21 | Malignant Otitis Externa is Associated with Diabetes: A Population-Based Case-Control Study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020, 129, 585-590. | 0.6 | 30 |
| 22 | Association of Systemic Hypertension With Primary Open-angle Glaucoma: A Population-based Case-Control Study. <i>American Journal of Ophthalmology</i> , 2020, 218, 99-104. | 1.7 | 15 |
| 23 | Association of cervical spondylosis with obstructive sleep apnea. <i>Sleep Medicine</i> , 2020, 71, 54-58. | 0.8 | 6 |
| 24 | Increase Risk of Dementia in Patients With Sudden Hearing Loss: A Population-Based Cohort Study With 7-Year Follow-Up in Taiwan. <i>Otology and Neurotology</i> , 2020, 41, 1334-1340. | 0.7 | 0 |
| 25 | Relation Between Mitral Valve Prolapse and Erectile Dysfunction (from a Nationwide Case-Control) <i>Tj ETQq1 1 0.784314 rgBT₂/Overlook</i> | 0.7 | |
| 26 | Inflammatory bowel disease and bipolar disorder: A population-based cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 247, 120-124. | 2.0 | 21 |
| 27 | A population-based time trend study in the incidence of malignant otitis externa. <i>Clinical Otolaryngology</i> , 2019, 44, 851-855. | 0.6 | 9 |
| 28 | Adverse stroke outcomes among patients with bipolar disorder. <i>PLoS ONE</i> , 2019, 14, e0213072. | 1.1 | 5 |
| 29 | A case-control study of the association between sialolithiasis and osteoporosis. <i>Clinical Otolaryngology</i> , 2019, 44, 343-348. | 0.6 | 4 |
| 30 | Inverse association between statin use and head and neck cancer: Population-based case-control study in Han population. <i>Head and Neck</i> , 2019, 41, 1193-1198. | 0.9 | 18 |
| 31 | Increased risk of neovascular age-related macular degeneration in patients with herpes zoster ophthalmicus: a retrospective cohort study. <i>Acta Ophthalmologica</i> , 2019, 97, e321-e322. | 0.6 | 4 |
| 32 | Association Between Psoriasis and Dementia: A Population-Based Case-Control Study. <i>American Journal of Clinical Dermatology</i> , 2019, 20, 457-463. | 3.3 | 20 |
| 33 | Association Between Pioglitazone Use and Prostate Cancer: A Population-Based Case-Control Study in the Han Population. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 344-349. | 1.0 | 8 |
| 34 | Negative Association of Proton Pump Inhibitors With Subsequent Development of Breast Cancer: A Nationwide Population-Based Study. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 350-355. | 1.0 | 23 |
| 35 | Bladder pain syndrome/interstitial cystitis is associated with asthma: A case-control study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1773-1778. | 0.8 | 5 |
| 36 | No Increased Risk of Fracture in Patients Receiving Antimuscarinics for Overactive Bladder Syndrome: A Retrospective Cohort Study. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 727-732. | 1.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Endometriosis increased the risk of bladder pain syndrome/interstitial cystitis: A population-based study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1413-1418. | 0.8 | 26 |
| 38 | Thyroxin Use Is Associated With Increased Risk of Thyroid Cancer in Patients With Hypothyroidism. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 29-33. | 1.0 | 5 |
| 39 | Neovascular age-related macular degeneration is associated with cataract surgery. <i>Acta Ophthalmologica</i> , 2018, 96, e213-e217. | 0.6 | 16 |
| 40 | Increased risk of a herpes zoster attack in patients receiving androgen deprivation therapy for prostate cancer. <i>Andrologia</i> , 2018, 50, e12863. | 1.0 | 2 |
| 41 | Alzheimer's disease is associated with prostate cancer: a population-based study. <i>Oncotarget</i> , 2018, 9, 7616-7622. | 0.8 | 11 |
| 42 | Association of migraines with brain tumors: a nationwide population-based study. <i>Journal of Headache and Pain</i> , 2018, 19, 111. | 2.5 | 13 |
| 43 | Association between mitral valve prolapse and sudden sensorineural hearing loss: A case-control population-based study. <i>PLoS ONE</i> , 2018, 13, e0205199. | 1.1 | 8 |
| 44 | Risk of adverse outcomes in patients with rheumatoid arthritis hospitalized for stroke—a cross-sectional study. <i>Clinical Rheumatology</i> , 2018, 37, 2917-2926. | 1.0 | 6 |
| 45 | Antiarrhythmic drug usage and prostate cancer: a population-based cohort study. <i>Asian Journal of Andrology</i> , 2018, 20, 37. | 0.8 | 10 |
| 46 | Do outpatient statins and ACEIs/ARBs have synergistic effects in reducing the risk of pneumonia? A population-based case-control study. <i>PLoS ONE</i> , 2018, 13, e0199981. | 1.1 | 14 |
| 47 | A sialoadenectomy is associated with an increased risk of coronary heart disease: A three-year follow-up study. <i>PLoS ONE</i> , 2018, 13, e0199135. | 1.1 | 2 |
| 48 | A Taiwanese population-based study on the association between chronic tonsillitis and tonsil cancer. <i>Oncotarget</i> , 2018, 9, 7644-7650. | 0.8 | 3 |
| 49 | Antimuscarinic Use in Females With Overactive Bladder Syndrome Increases the Risk of Depressive Disorder: A 3-Year Follow-up Study. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 1064-1070. | 1.0 | 5 |
| 50 | Decreased clinic visits for acute respiratory infections following an adult tonsillectomy: A population-based study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2017, 38, 488-491. | 0.6 | 4 |
| 51 | Authors' Response. <i>Journal of Periodontology</i> , 2017, 88, 319-319. | 1.7 | 0 |
| 52 | A case-control study of the association between ulcerative colitis and hyperthyroidism in an Asian population. <i>Clinical Endocrinology</i> , 2017, 86, 825-829. | 1.2 | 1 |
| 53 | Increased fall risk in patients with neovascular age-related macular degeneration: a three-year follow-up study. <i>Acta Ophthalmologica</i> , 2017, 95, e800-e801. | 0.6 | 10 |
| 54 | Increased risk of concurrent hepatitis C among Male patients with schizophrenia. <i>Psychiatry Research</i> , 2017, 258, 217-220. | 1.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The association between gastro-oesophageal reflux disease and subsequent rheumatoid arthritis occurrence: a nested case-control study from Taiwan. <i>BMJ Open</i> , 2017, 7, e016667. | 0.8 | 6 |
| 56 | Diabetes increases the risk of an appendectomy in patients with antibiotic treatment of noncomplicated appendicitis. <i>American Journal of Surgery</i> , 2017, 214, 24-28. | 0.9 | 10 |
| 57 | Neovascular age-related macular degeneration is not associated with coronary heart disease in a Chinese Population: a population-based study. <i>Acta Ophthalmologica</i> , 2017, 95, e587-e591. | 0.6 | 5 |
| 58 | Fewer acute respiratory infection episodes among patients receiving treatment for gastroesophageal reflux disease. <i>PLoS ONE</i> , 2017, 12, e0172436. | 1.1 | 4 |
| 59 | Association of Alzheimer's disease with hepatitis C among patients with bipolar disorder. <i>PLoS ONE</i> , 2017, 12, e0179312. | 1.1 | 10 |
| 60 | Increased risk of dementia following herpes zoster ophthalmicus. <i>PLoS ONE</i> , 2017, 12, e0188490. | 1.1 | 73 |
| 61 | Chronic prostatitis/chronic pelvic pain syndrome is associated with previous colonoscopy. <i>Canadian Urological Association Journal</i> , 2017, 11, E367-71. | 0.3 | 2 |
| 62 | Patients receiving androgen deprivation therapy for prostate cancer have an increased risk of depressive disorder. <i>PLoS ONE</i> , 2017, 12, e0173266. | 1.1 | 26 |
| 63 | No increased risk of dementia in patients receiving androgen deprivation therapy for prostate cancer: a 5-year follow-up study. <i>Asian Journal of Andrology</i> , 2017, 19, 414. | 0.8 | 34 |
| 64 | Increased Risk of Clinically Significant Gallstones following an Appendectomy: A Five-Year Follow-Up Study. <i>PLoS ONE</i> , 2016, 11, e0165829. | 1.1 | 7 |
| 65 | Follow-up study on the relationship between alopecia areata and risk of autoimmune diseases. <i>Journal of Dermatology</i> , 2016, 43, 228-229. | 0.6 | 17 |
| 66 | Association of sialolithiasis with cholelithiasis: A population-based study. <i>Head and Neck</i> , 2016, 38, 560-563. | 0.9 | 10 |
| 67 | Obstructive Sleep Apnea and the Subsequent Risk of Chronic Rhinosinusitis: A Population-Based Study. <i>Scientific Reports</i> , 2016, 6, 20786. | 1.6 | 19 |
| 68 | Chronic Prostatitis/Chronic Pelvic Pain Syndrome is associated with Irritable Bowel Syndrome: A Population-based Study. <i>Scientific Reports</i> , 2016, 6, 26939. | 1.6 | 9 |
| 69 | Association between Gastroesophageal Reflux Disease and Appendicitis: A Population-Based Case-Control Study. <i>Scientific Reports</i> , 2016, 6, 22430. | 1.6 | 1 |
| 70 | Association between Testicular Cancer and Epididymo-orchitis: A Population-Based Case-Control Study. <i>Scientific Reports</i> , 2016, 6, 23079. | 1.6 | 12 |
| 71 | Obstructive sleep apnea and urological comorbidities in males: a population-based study. <i>Sleep and Breathing</i> , 2016, 20, 1203-1208. | 0.9 | 28 |
| 72 | Allergic Rhinitis Is Associated With Periodontitis: A Population-Based Study. <i>Journal of Periodontology</i> , 2016, 87, 749-755. | 1.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Sudden sensorineural hearing loss is associated with chronic rhinosinusitis: population-based study. <i>Journal of Laryngology and Otology</i> , 2016, 130, 521-525. | 0.4 | 7 |
| 74 | Diabetes is associated with perforated appendicitis: evidence from a population-based study. <i>American Journal of Surgery</i> , 2016, 212, 735-739. | 0.9 | 4 |
| 75 | Increased Fall Risk in Patients Receiving Androgen Deprivation Therapy for Prostate Cancer. <i>Urology</i> , 2016, 95, 145-150. | 0.5 | 18 |
| 76 | Increased Risk for Adhesive Capsulitis of the Shoulder following Cervical Disc Surgery. <i>Scientific Reports</i> , 2016, 6, 26898. | 1.6 | 6 |
| 77 | Increased Risk of Peptic Ulcers Following a Cholecystectomy for Gallstones. <i>Scientific Reports</i> , 2016, 6, 30702. | 1.6 | 5 |
| 78 | A tonsillectomy increased the risk of chronic rhinosinusitis among children: A three-year follow-up study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 91, 82-85. | 0.4 | 2 |
| 79 | Prevalence of chronic diseases among physicians in Taiwan: a population-based cross-sectional study. <i>BMJ Open</i> , 2016, 6, e009954. | 0.8 | 15 |
| 80 | Increased risk for urological cancer associated with anxiety disorder: a retrospective cohort study. <i>BMC Urology</i> , 2016, 16, 67. | 0.6 | 4 |
| 81 | Androgen deprivation therapy did not increase the risk of Alzheimer's and Parkinson's disease in patients with prostate cancer. <i>Andrology</i> , 2016, 4, 481-485. | 1.9 | 46 |
| 82 | Sialolithiasis is associated with nephrolithiasis: a case-control study. <i>Acta Oto-Laryngologica</i> , 2016, 136, 497-500. | 0.3 | 18 |
| 83 | No increased risk of coronary heart disease for patients receiving androgen deprivation therapy for prostate cancer in Chinese/Taiwanese men. <i>Andrology</i> , 2016, 4, 128-132. | 1.9 | 13 |
| 84 | Healthcare Service Utilization for Practicing Physicians: A Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0130690. | 1.1 | 7 |
| 85 | Hyperlipidemia Is Associated with Chronic Urticaria: A Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0150304. | 1.1 | 16 |
| 86 | Nephrectomy Type Was Not Associated with a Subsequent Risk of Coronary Heart Disease: A Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0163253. | 1.1 | 3 |
| 87 | Rheumatoid Arthritis Was Negatively Associated with Alzheimer's Disease: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0168106. | 1.1 | 25 |
| 88 | Healthcare utilization and costs in patients with benign prostatic hyperplasia: a population-based study. <i>Asian Journal of Andrology</i> , 2016, 18, 942. | 0.8 | 5 |
| 89 | Acute Appendicitis Is Associated with Peptic Ulcers: A Population-based Study. <i>Scientific Reports</i> , 2015, 5, 18044. | 1.6 | 2 |
| 90 | Association between herpes zoster and alopecia areata: A population-based study. <i>Journal of Dermatology</i> , 2015, 42, 824-825. | 0.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Benign prostatic enlargement is not associated with diabetes: a population-based study. <i>Andrology</i> , 2015, 3, 933-936. | 1.9 | 8 |
| 92 | Dementia is Associated with Chronic Rhinosinusitis: A Population-Based Case-Controlled Study. <i>American Journal of Rhinology and Allergy</i> , 2015, 29, 44-47. | 1.0 | 10 |
| 93 | An Appendectomy Increases the Risk of Rheumatoid Arthritis: A Five-Year Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0126816. | 1.1 | 19 |
| 94 | A Population-Based Study on the Association between Benign Prostatic Enlargement and Rheumatoid Arthritis. <i>PLoS ONE</i> , 2015, 10, e0133013. | 1.1 | 8 |
| 95 | Healthcare Service Utilization by Patients with Obstructive Sleep Apnea: A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0137459. | 1.1 | 33 |
| 96 | A 5-Year Follow-up Study on the Relationship between Obstructive Sleep Apnea and Parkinson Disease. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 1403-1408. | 1.4 | 43 |
| 97 | Association between psoriasis and neovascular age-related macular degeneration: A population-based study. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1090-1092. | 0.6 | 11 |
| 98 | Statin use increases the risk of depressive disorder in stroke patients: A population-based study. <i>Journal of the Neurological Sciences</i> , 2015, 348, 89-93. | 0.3 | 24 |
| 99 | Increased risk of ischemic stroke among women with bladder pain syndrome/interstitial cystitis: A cohort study from Taiwan. <i>Neurourology and Urodynamics</i> , 2015, 34, 44-49. | 0.8 | 4 |
| 100 | Appendectomy increased the risk of ischemic heart disease. <i>Journal of Surgical Research</i> , 2015, 199, 435-440. | 0.8 | 11 |
| 101 | Dementia is associated with open-angle glaucoma: a population-based study. <i>Eye</i> , 2015, 29, 1340-1346. | 1.1 | 28 |
| 102 | A Population-Based Study on the Association between Statin Use and Sudden Sensorineural Hearing Loss. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 152, 319-325. | 1.1 | 17 |
| 103 | Association between sepsis and dementia. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 1430-1433. | 0.8 | 26 |
| 104 | Statin Use Is Associated with Bladder Pain Syndrome/Interstitial Cystitis: A Population-Based Case-Control Study. <i>Urologia Internationalis</i> , 2015, 95, 227-232. | 0.6 | 11 |
| 105 | Alopecia Areata Increases the Risk of Stroke: a 3-year Follow-Up Study. <i>Scientific Reports</i> , 2015, 5, 11718. | 1.6 | 14 |
| 106 | Increased risk of depressive disorder following a diagnosis of neovascular age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2015, 93, e176-e177. | 0.6 | 7 |
| 107 | Comparison of clinical outcome between laparoscopic and open right hemicolectomy: a nationwide study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 250. | 0.8 | 21 |
| 108 | Statin use and thyroid cancer: a population-based case-control study. <i>Clinical Endocrinology</i> , 2015, 83, 111-116. | 1.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Association between sudden sensorineural hearing loss and anxiety disorder: a population-based study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2673-2678. | 0.8 | 29 |
| 110 | Association between Neovascular Age-Related Macular Degeneration and Dementia: A Population-Based Case-Control Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0120003. | 1.1 | 19 |
| 111 | Increased Risk of Depressive Disorder following Cholecystectomy for Gallstones. <i>PLoS ONE</i> , 2015, 10, e0129962. | 1.1 | 8 |
| 112 | Health Care Service Utilization among Patients with Bladder Pain Syndrome/Interstitial Cystitis in a Single Payer Healthcare System. <i>PLoS ONE</i> , 2014, 9, e87522. | 1.1 | 9 |
| 113 | Weekly and Holiday-Related Patterns of Panic Attacks in Panic Disorder: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e100913. | 1.1 | 3 |
| 114 | Increased Risk of Pneumonia in Patients Receiving Gonadotropin-Releasing Hormone Agonists for Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e101254. | 1.1 | 8 |
| 115 | Increased Healthcare Service Utilizations for Patients with Dementia: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e105789. | 1.1 | 38 |
| 116 | Herpes Zoster Is Associated with Prior Statin Use: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e111268. | 1.1 | 14 |
| 117 | Poor Clinical Outcomes among Pneumonia Patients with Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e116436. | 1.1 | 22 |
| 118 | Association of Cataract with Chronic Rhinosinusitis: A Population-based Case-control Study. <i>Ophthalmic Epidemiology</i> , 2014, 21, 391-396. | 0.8 | 1 |
| 119 | Osteoporosis is associated with antiepileptic drugs: a population-based study. <i>Epileptic Disorders</i> , 2014, 16, 333-342. | 0.7 | 9 |
| 120 | Bladder pain syndrome/interstitial cystitis increase the risk of coronary heart disease. <i>Neurourology and Urodynamics</i> , 2014, 33, 511-515. | 0.8 | 16 |
| 121 | Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 921-925. | 1.3 | 12 |
| 122 | Health care service utilization among patients with chronic rhinosinusitis: A population-based study. <i>Laryngoscope</i> , 2014, 124, 1285-1289. | 1.1 | 30 |
| 123 | Sudden Sensorineural Hearing Loss Associated With Iron-Deficiency Anemia. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014, 140, 417. | 1.2 | 39 |
| 124 | Dementia is associated with iron-deficiency anemia in females: A population-based study. <i>Journal of the Neurological Sciences</i> , 2014, 346, 90-93. | 0.3 | 21 |
| 125 | Prescriptions for category D and X drugs during pregnancy in Taiwan: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1029-1034. | 0.9 | 4 |
| 126 | Association Between Statin Use and Bell's Palsy: A Population-Based Study. <i>Drug Safety</i> , 2014, 37, 735-742. | 1.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Dose effect of thiazolidinedione on cancer risk in type 2 diabetes mellitus patients: a six-year population-based cohort study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 354-360. | 0.7 | 34 |
| 128 | Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: A population-based matched-cohort study. <i>Neurourology and Urodynamics</i> , 2014, 33, 278-282. | 0.8 | 11 |
| 129 | Percutaneous nephrolithotomy increases the risk of diabetes: A 5-year follow-up study. <i>International Journal of Urology</i> , 2014, 21, 664-668. | 0.5 | 2 |
| 130 | Increased Risk of Parkinson Disease Following a Diagnosis of Neovascular Age-Related Macular Degeneration: A Retrospective Cohort Study. <i>American Journal of Ophthalmology</i> , 2014, 157, 464-469.e1. | 1.7 | 27 |
| 131 | Increased risk for stroke in burn patients: A population-based one-year follow-up study. <i>Burns</i> , 2014, 40, 54-60. | 1.1 | 13 |
| 132 | Psychiatric diseases predated the occurrence of Parkinson disease: a retrospective cohort study. <i>Annals of Epidemiology</i> , 2014, 24, 206-213. | 0.9 | 30 |
| 133 | Psoriasis and the Risk of Pneumonia: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e116077. | 1.1 | 40 |
| 134 | Increased risk of diabetes following perianal abscess: a population-based follow-up study. <i>International Journal of Colorectal Disease</i> , 2013, 28, 235-240. | 1.0 | 15 |
| 135 | Reflux esophagitis increased the risk of bladder pain syndrome/interstitial cystitis: A 3-year follow-up study. <i>Neurourology and Urodynamics</i> , 2013, 32, 271-275. | 0.8 | 8 |
| 136 | Increased risk of bladder cancer following diagnosis with bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013, 32, 58-62. | 0.8 | 19 |
| 137 | A 3-year follow-up study on the risk of stroke among patients with conjunctival haemorrhage. <i>Acta Ophthalmologica</i> , 2013, 91, 226-230. | 0.6 | 9 |
| 138 | Obstructive Sleep Apnea and Increased Risk of Glaucoma. <i>Ophthalmology</i> , 2013, 120, 1559-1564. | 2.5 | 106 |
| 139 | A case-control study on the association between rheumatoid arthritis and bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013, 32, 980-985. | 0.8 | 17 |
| 140 | Association of Acute Myocardial Infarction with Sudden Sensorineural Hearing Loss: A Population-Based Case-Control Study. <i>Audiology and Neuro-Otology</i> , 2013, 18, 3-8. | 0.6 | 26 |
| 141 | Association between ankylosing spondylitis and chronic periodontitis: A population-based study. <i>Arthritis and Rheumatism</i> , 2013, 65, 167-173. | 6.7 | 32 |
| 142 | Obstructive sleep apnea is associated with an increased risk of venous thromboembolism. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2013, 1, 139-145. | 0.9 | 13 |
| 143 | Physician characteristics and prescription drug use during pregnancy: a population-based study. <i>Annals of Epidemiology</i> , 2013, 23, 54-59. | 0.9 | 3 |
| 144 | Association between obstructive sleep apnoea and chronic periodontitis: a population-based study. <i>Journal of Clinical Periodontology</i> , 2013, 40, 111-117. | 2.3 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Psoriasis is associated with an increased risk of parkinsonism: A population-based 5-year follow-up study. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 992-999. | 0.6 | 33 |
| 146 | Increased risk of depressive disorder following diagnosis with bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013, 32, 467-471. | 0.8 | 13 |
| 147 | Asian dust storm events are associated with an acute increase in stroke hospitalisation. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 125-131. | 2.0 | 46 |
| 148 | Sudden Sensorineural Hearing Loss Associated With Chronic Periodontitis. <i>Otology and Neurotology</i> , 2013, 34, 1380-1384. | 0.7 | 13 |
| 149 | Chronic rhinosinusitis increased the risk of chronic periodontitis. <i>Laryngoscope</i> , 2013, 123, 1323-1327. | 1.1 | 10 |
| 150 | Chronic rhinosinusitis increased the risk of stroke: A 5-year follow-up study. <i>Laryngoscope</i> , 2013, 123, 835-840. | 1.1 | 33 |
| 151 | Chronic Rhinosinusitis Confers an Increased Risk of Acute Myocardial Infarction. <i>American Journal of Rhinology and Allergy</i> , 2013, 27, e178-e182. | 1.0 | 26 |
| 152 | Obstructive Sleep Apnea and the Subsequent Risk of Depressive Disorder: A Population-Based Follow-up Study. <i>Journal of Clinical Sleep Medicine</i> , 2013, 09, 417-423. | 1.4 | 112 |
| 153 | Pregnancy Outcomes of Anti-Hypertensives for Women with Chronic Hypertension: A Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e53844. | 1.1 | 25 |
| 154 | Association between Chronic Prostatitis/Chronic Pelvic Pain Syndrome and Anxiety Disorder: A Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e64630. | 1.1 | 40 |
| 155 | Zolpidem Use and the Risk of Injury: A Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e67459. | 1.1 | 19 |
| 156 | Bladder Pain Syndrome/Interstitial Cystitis Is Associated with Hyperthyroidism. <i>PLoS ONE</i> , 2013, 8, e72284. | 1.1 | 6 |
| 157 | Association between Ischemic Stroke and Iron-Deficiency Anemia: A Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e82952. | 1.1 | 105 |
| 158 | No increased risk of sudden sensorineural hearing loss following recent herpes zoster: a nationwide population-based study. <i>Acta Oto-Laryngologica</i> , 2012, 132, 167-172. | 0.3 | 8 |
| 159 | Increased Risk of Co-morbid Eye Disease in Patients with Chronic Renal Failure: A Population-based Study. <i>Ophthalmic Epidemiology</i> , 2012, 19, 137-143. | 0.8 | 31 |
| 160 | Association Between Obstructive Sleep Apnea and Sudden Sensorineural Hearing Loss_{title}A Population-Based Case-Control Study</sub>. <i>JAMA Otolaryngology</i> , 2012, 138, 55. | 1.5 | 34 |
| 161 | Chronic periodontitis and the subsequent risk of trigeminal neuralgia: a 5-year follow-up study. <i>Journal of Clinical Periodontology</i> , 2012, 39, 1017-1023. | 2.3 | 5 |
| 162 | Increased risk of cancer after Bell's palsy: a 5-year follow-up study. <i>Journal of Neuro-Oncology</i> , 2012, 110, 215-220. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Monthly variation in acute appendicitis incidence: A 10-year nationwide population-based study. <i>Journal of Surgical Research</i> , 2012, 178, 670-676. | 0.8 | 51 |
| 164 | Increased risk of psoriasis following obstructive sleep apnea: A longitudinal population-based study. <i>Sleep Medicine</i> , 2012, 13, 285-289. | 0.8 | 62 |
| 165 | Obstructive sleep apnea and the risk of autoimmune diseases: A longitudinal population-based study. <i>Sleep Medicine</i> , 2012, 13, 583-588. | 0.8 | 52 |
| 166 | Association Between Obstructive Sleep Apnea and Urinary Calculi: A Population-based Case-control Study. <i>Urology</i> , 2012, 79, 340-345. | 0.5 | 10 |
| 167 | Asian Dust Storm Events are Associated With an Acute Increase in Pneumonia Hospitalization. <i>Annals of Epidemiology</i> , 2012, 22, 257-263. | 0.9 | 55 |
| 168 | A population-based case-control analysis of the association between Herpes Zoster and Erectile Dysfunction. <i>Journal of Infection</i> , 2012, 65, 150-156. | 1.7 | 4 |
| 169 | Comorbidities of bladder pain syndrome/interstitial cystitis: a population-based study. <i>BJU International</i> , 2012, 110, E903-9. | 1.3 | 44 |
| 170 | Monthly Variation in Acute Urinary Retention Incidence Among Patients With Benign Prostatic Enlargement in Taiwan. <i>Journal of Andrology</i> , 2012, 33, 1239-1244. | 2.0 | 5 |
| 171 | Pneumonia and pregnancy outcomes: a nationwide population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 288.e1-288.e7. | 0.7 | 100 |
| 172 | Risk of stroke following diagnosis with pyogenic liver abscess: a nationwide population-based study. <i>Hepatology International</i> , 2012, 6, 801-808. | 1.9 | 3 |
| 173 | Volume-Outcome Relation for Acute Appendicitis: Evidence from a Nationwide Population-Based Study. <i>PLoS ONE</i> , 2012, 7, e52539. | 1.1 | 12 |
| 174 | Outcomes of Nonstenting Percutaneous Coronary Intervention in Patients With Rheumatoid Arthritis. <i>American Journal of Cardiology</i> , 2012, 109, 1160-1163. | 0.7 | 9 |
| 175 | A Population-Based Study on the Association Between Gastric Ulcers and Erectile Dysfunction in Taiwan. <i>Journal of Sexual Medicine</i> , 2012, 9, 686-693. | 0.3 | 4 |
| 176 | Association Between Viral Hepatitis and Erectile Dysfunction: A Population-Based Case-Control Analysis. <i>Journal of Sexual Medicine</i> , 2012, 9, 1295-1302. | 0.3 | 21 |
| 177 | A Case-Control Analysis on the Association Between Erectile Dysfunction and Sudden Sensorineural Hearing Loss in Taiwan. <i>Journal of Sexual Medicine</i> , 2012, 9, 1411-1417. | 0.3 | 5 |
| 178 | Association Between Epilepsy and Erectile Dysfunction: Evidence from a Population-Based Study. <i>Journal of Sexual Medicine</i> , 2012, 9, 2248-2255. | 0.3 | 21 |
| 179 | Association Between Multiple Sclerosis and Erectile Dysfunction: A Nationwide Case-Control Study. <i>Journal of Sexual Medicine</i> , 2012, 9, 1753-1759. | 0.3 | 16 |
| 180 | Comorbidities of dry eye disease: a nationwide population-based study. <i>Acta Ophthalmologica</i> , 2012, 90, 663-668. | 0.6 | 103 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | A nationwide population-based study on the association between chronic periodontitis and erectile dysfunction. <i>Journal of Clinical Periodontology</i> , 2012, 39, 507-512. | 2.3 | 51 |
| 182 | Hormone therapy for prostate cancer and the risk of stroke: a 5-year follow-up study. <i>BJU International</i> , 2012, 109, 1001-1005. | 1.3 | 20 |
| 183 | Comparison of 90-day readmission rates between open retropubic radical prostatectomy (RRP), laparoscopic RP (LRP) and robot-assisted laparoscopic prostatectomy (RALP). <i>BJU International</i> , 2012, 110, E966-71. | 1.3 | 24 |
| 184 | Urinary calculi and an increased risk of stroke: a population-based follow-up study. <i>BJU International</i> , 2012, 110, E1053-9. | 1.3 | 23 |
| 185 | Polymyalgia Rheumatica and the Risk of Stroke: A Three-Year Follow-Up Study. <i>Cerebrovascular Diseases</i> , 2011, 32, 497-503. | 0.8 | 17 |
| 186 | Increased Risk of a Cancer Diagnosis after Herpes Zoster Ophthalmicus: A Nationwide Population-Based Study. <i>Ophthalmology</i> , 2011, 118, 1076-1081. | 2.5 | 29 |
| 187 | Increased Risk of Diabetes in Patients With Urinary Calculi: A 5-Year Followup Study. <i>Journal of Urology</i> , 2011, 186, 1888-1893. | 0.2 | 41 |
| 188 | Increased Risk of Avoidable Hospitalization among Patients with Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2011, 56, 171-178. | 0.9 | 22 |
| 189 | Non-alcoholic cirrhosis and the risk of stroke: a 5-year follow-up study. <i>Liver International</i> , 2011, 31, 354-360. | 1.9 | 31 |
| 190 | Increased risk of parkinsonism among patients with cirrhosis: a 7-year follow-up study. <i>Liver International</i> , 2011, 31, 685-691. | 1.9 | 13 |
| 191 | Increased Risk of Stroke Among Men with Erectile Dysfunction: A Nationwide Population-Based Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 240-246. | 0.3 | 52 |
| 192 | Increased Risk for Cancer Following Erectile Dysfunction: A Nationwide Population-Based Follow-Up Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 1513-1520. | 0.3 | 20 |
| 193 | Population-Based Estimates of Medical Comorbidities in Erectile Dysfunction in a Taiwanese Population. <i>Journal of Sexual Medicine</i> , 2011, 8, 3316-3324. | 0.3 | 29 |
| 194 | Increased risk of cancer subsequent to severe depression—A nationwide population-based study. <i>Journal of Affective Disorders</i> , 2011, 131, 200-206. | 2.0 | 51 |
| 195 | Increased risk of depressive disorder following the diagnosis of benign prostatic enlargement: One-year follow-up study. <i>Journal of Affective Disorders</i> , 2011, 135, 395-399. | 2.0 | 21 |
| 196 | Comorbidity profile of poliomyelitis survivors in a Chinese population: a population-based study. <i>Journal of Neurology</i> , 2011, 258, 1026-1033. | 1.8 | 19 |
| 197 | Increased risk of colorectal cancer among patients with biliary tract inflammation: A 5-year follow-up study. <i>International Journal of Cancer</i> , 2011, 128, 447-452. | 2.3 | 11 |
| 198 | Seasonality of Retinal Detachment Incidence and Its Associations With Climate: An 11-Year Nationwide Population-Based Study. <i>Chronobiology International</i> , 2011, 28, 942-948. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Increased Risk of Stroke in the Year After a Hip Fracture. <i>Stroke</i> , 2011, 42, 336-341. | 1.0 | 50 |
| 200 | Poor Clinical Outcomes Among Pneumonia Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, 1088-1094. | 2.3 | 51 |
| 201 | Response to Letter by Shiue. <i>Stroke</i> , 2010, 41, . | 1.0 | 0 |
| 202 | Increased risk of concurrent asthma among patients with gastroesophageal reflux disease: a nationwide population-based study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 1169-1173. | 0.8 | 17 |
| 203 | The Relation between Maternal Schizophrenia and Low Birth Weight is Modified by Paternal Age. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 377-385. | 0.9 | 7 |
| 204 | Methods of Suicide Among Cancer Patients: A Nationwide Population-Based Study. <i>Suicide and Life-Threatening Behavior</i> , 2010, 40, 107-114. | 0.9 | 6 |
| 205 | Association of Increasing Surgeon Age with Decreasing In-Hospital Mortality After Coronary Artery Bypass Graft Surgery. <i>World Journal of Surgery</i> , 2010, 34, 3-9. | 0.8 | 13 |
| 206 | Maternal bipolar disorder increased low birthweight and preterm births: A nationwide population-based study. <i>Journal of Affective Disorders</i> , 2010, 121, 100-105. | 2.0 | 90 |
| 207 | Cryptogenic pyogenic liver abscess as a sign of colorectal cancer: a population-based 5-year follow-up study. <i>Liver International</i> , 2010, 30, 1387-1393. | 1.9 | 38 |
| 208 | Doctor characteristics and prescribing antibiotics for urinary tract infections: the experience of an Asian country. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 1221-1226. | 0.9 | 2 |
| 209 | Seasonal variation in the incidence of spontaneous pneumothorax and its association with climate: A nationwide population-based study. <i>Respirology</i> , 2010, 15, 296-302. | 1.3 | 33 |
| 210 | Increased risk of adverse pregnancy outcomes in women with rheumatoid arthritis: a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 715-717. | 0.5 | 123 |
| 211 | Comorbidity profiles among patients with ankylosing spondylitis: a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1165-1168. | 0.5 | 179 |
| 212 | Comparison of treatment outcomes following total knee arthroplasty among patients with rheumatoid arthritis and osteoarthritis: a nationwide population-based study. <i>Rheumatology</i> , 2010, 49, 1409-1410. | 0.9 | 11 |
| 213 | Increased Risk of Guillain-Barré Syndrome following Recent Herpes Zoster: A Population-Based Study across Taiwan. <i>Clinical Infectious Diseases</i> , 2010, 51, 525-530. | 2.9 | 59 |
| 214 | Ulcerative Colitis and Pregnancy Outcomes in an Asian Population. <i>American Journal of Gastroenterology</i> , 2010, 105, 387-394. | 0.2 | 35 |
| 215 | Neovascular Age-Related Macular Degeneration and the Risk of Stroke. <i>Stroke</i> , 2010, 41, 613-617. | 1.0 | 53 |
| 216 | Reflux Esophagitis and the Risk of Stroke in Young Adults. <i>Stroke</i> , 2010, 41, 2033-2037. | 1.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Hyperthyroidism and Risk of Ischemic Stroke in Young Adults. <i>Stroke</i> , 2010, 41, 961-966. | 1.0 | 93 |
| 218 | Herpes zoster ophthalmicus and the risk of stroke. <i>Neurology</i> , 2010, 74, 792-797. | 1.5 | 159 |
| 219 | Maternal schizophrenia and pregnancy outcome: Does the use of antipsychotics make a difference?. <i>Schizophrenia Research</i> , 2010, 116, 55-60. | 1.1 | 98 |
| 220 | Maternal gout associated with increased risk of low birth weight and preterm birth. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 109, 157-158. | 1.0 | 3 |
| 221 | Hypothyroidism and the Risk of Developing Open-Angle Glaucoma. <i>Ophthalmology</i> , 2010, 117, 1960-1966. | 2.5 | 23 |
| 222 | Comparison of Comorbid Conditions between Open-Angle Glaucoma Patients and a Control Cohort. <i>Ophthalmology</i> , 2010, 117, 2088-2095. | 2.5 | 91 |
| 223 | Mortality among psychiatric patients in Taiwan—Results from a universal National Health Insurance programme. <i>Psychiatry Research</i> , 2010, 178, 160-165. | 1.7 | 16 |
| 224 | Increased risk for coronary heart disease after avascular necrosis of femoral head: A 3-year follow-up study. <i>American Heart Journal</i> , 2010, 159, 803-808.e1. | 1.2 | 13 |
| 225 | Tuberculosis and the Risk of Ischemic Stroke. <i>Stroke</i> , 2010, 41, 244-249. | 1.0 | 112 |
| 226 | Are Psychiatrist Characteristics Associated With Postdischarge Suicide of Schizophrenia Patients?. <i>Schizophrenia Bulletin</i> , 2009, 35, 760-765. | 2.3 | 23 |
| 227 | Increased risk of preterm births among women with uterine leiomyoma: a nationwide population-based study. <i>Human Reproduction</i> , 2009, 24, 3049-3056. | 0.4 | 54 |
| 228 | Open-Angle Glaucoma and the Risk of Stroke Development. <i>Stroke</i> , 2009, 40, 2685-2690. | 1.0 | 36 |
| 229 | Increased Risk of Stroke After a Herpes Zoster Attack. <i>Stroke</i> , 2009, 40, 3443-3448. | 1.0 | 197 |
| 230 | SEASONALITY OF PNEUMONIA ADMISSIONS AND ITS ASSOCIATION WITH CLIMATE: AN EIGHT-YEAR NATIONWIDE POPULATION-BASED STUDY. <i>Chronobiology International</i> , 2009, 26, 1647-1659. | 0.9 | 47 |
| 231 | Association Between Paternal Schizophrenia and Low Birthweight: A Nationwide Population-Based Study. <i>Schizophrenia Bulletin</i> , 2009, 35, 624-630. | 2.3 | 10 |
| 232 | Risk of mortality among depressed younger patients: A five-year follow-up study. <i>Journal of Affective Disorders</i> , 2009, 113, 255-262. | 2.0 | 16 |
| 233 | No increase in adverse pregnancy outcomes for women receiving antiepileptic drugs. <i>Journal of Neurology</i> , 2009, 256, 1742-1749. | 1.8 | 25 |
| 234 | Surgeon Volume is Predictive of 5-Year Survival in Patients with Hepatocellular Carcinoma after Resection: A Population-Based Study. <i>Journal of Gastrointestinal Surgery</i> , 2009, 13, 2284-2291. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Risk factors for suicide following hospital discharge among cancer patients. <i>Psycho-Oncology</i> , 2009, 18, 1038-1044. | 1.0 | 32 |
| 236 | Psychiatrists' caseload volume, length of stay and mental healthcare readmission rates: A three-year population-based study. <i>Psychiatry Research</i> , 2009, 166, 15-23. | 1.7 | 19 |
| 237 | Prevalence and risk of atopic disorders among schizophrenia patients: A nationwide population based study. <i>Schizophrenia Research</i> , 2009, 108, 191-196. | 1.1 | 40 |
| 238 | Does multiple sclerosis increase risk of adverse pregnancy outcomes? A population-based study. <i>Multiple Sclerosis Journal</i> , 2009, 15, 606-612. | 1.4 | 73 |
| 239 | Association Between Physician Caseload and Patient Outcome for Sepsis Treatment. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 556-562. | 1.0 | 10 |
| 240 | Increased Risk of Acute Myocardial Infarction for Patients With Panic Disorder: A Nationwide Population-Based Study. <i>Psychosomatic Medicine</i> , 2009, 71, 798-804. | 1.3 | 61 |
| 241 | Prenatal Care Visits and Associated Costs for Treatment-Seeking Women With Depressive Disorders. <i>Psychiatric Services</i> , 2009, 60, 1261-1264. | 1.1 | 14 |
| 242 | Seasonal Variation in the Incidence of Gastroesophageal Reflux Disease. <i>American Journal of the Medical Sciences</i> , 2009, 338, 453-458. | 0.4 | 17 |
| 243 | Prenatal Care and Adverse Pregnancy Outcomes Among Women With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1297-1303. | 1.1 | 24 |
| 244 | Urbanicity and Methods of Suicide: A Nationwide Population-based Study. <i>Journal of Urban Health</i> , 2008, 85, 136-145. | 1.8 | 18 |
| 245 | Does Physicians' Case Volume Impact Inpatient Care Costs for Pneumonia Cases?. <i>Journal of General Internal Medicine</i> , 2008, 23, 304-309. | 1.3 | 8 |
| 246 | The association between timely outpatient visits and the likelihood of rehospitalization for schizophrenia patients.. <i>American Journal of Orthopsychiatry</i> , 2008, 78, 494-497. | 1.0 | 23 |
| 247 | Increased risk of stroke in patients who undergo cesarean section delivery: a nationwide population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 391.e1-391.e7. | 0.7 | 34 |
| 248 | Hospital characteristics associated with post-discharge suicide of severely depressed patients. <i>Journal of Affective Disorders</i> , 2008, 110, 215-221. | 2.0 | 15 |
| 249 | Volume-outcome relationships in coronary artery bypass graft surgery patients: 5-year major cardiovascular event outcomes. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 135, 923-930. | 0.4 | 22 |
| 250 | An increased risk of stroke among young schizophrenia patients. <i>Schizophrenia Research</i> , 2008, 101, 234-241. | 1.1 | 64 |
| 251 | Does Marital Status Predict the Odds of Suicidal Death in Taiwan? A Seven-Year Population-Based Study. <i>Suicide and Life-Threatening Behavior</i> , 2008, 38, 302-310. | 0.9 | 30 |
| 252 | Severely Depressed Young Patients Have Over Five Times Increased Risk for Stroke: A 5-Year Follow-Up Study. <i>Biological Psychiatry</i> , 2008, 64, 912-915. | 0.7 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | The volume-outcome relationship of percutaneous coronary intervention: Can current procedure volume minimums be applied to a developing country?. <i>American Heart Journal</i> , 2008, 155, 547-552. | 1.2 | 19 |
| 254 | Seasonal Variations in the Occurrence of Retinal Vein Occlusion: A Five-Year Nationwide Population-Based Study from Taiwan. <i>American Journal of Ophthalmology</i> , 2008, 145, 722-728.e3. | 1.7 | 29 |
| 255 | Urbanization and the likelihood of a cesarean section. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 141, 104-110. | 0.5 | 16 |
| 256 | Procedure volume of gastric cancer resections versus 5-year survival. <i>European Journal of Surgical Oncology</i> , 2008, 34, 23-29. | 0.5 | 42 |
| 257 | Traditional Chinese medicine usage among schizophrenia patients. <i>Complementary Therapies in Medicine</i> , 2008, 16, 336-342. | 1.3 | 17 |
| 258 | Seasonal Variations in Urinary Calculi Attacks and Their Association With Climate: a Population Based Study. <i>Journal of Urology</i> , 2008, 179, 564-569. | 0.2 | 70 |
| 259 | Physician Clinical Experience and Inappropriate Prostate Specific Antigen Screening: Evidence From an Asian Country. <i>Journal of Urology</i> , 2008, 180, 1954-1958. | 0.2 | 10 |
| 260 | Seasonal Variation in Ischemic Stroke Incidence and Association with Climate: A Six-Year Population-Based Study. <i>Chronobiology International</i> , 2008, 25, 938-949. | 0.9 | 43 |
| 261 | Seasonality and Climatic Associations with Violent and Nonviolent Suicide: A Population-Based Study. <i>Neuropsychobiology</i> , 2008, 57, 32-37. | 0.9 | 79 |
| 262 | Sudden Sensorineural Hearing Loss Increases the Risk of Stroke. <i>Stroke</i> , 2008, 39, 2744-2748. | 1.0 | 200 |
| 263 | Physician's Case Volume of Intensive Care Unit Pneumonia Admissions and In-Hospital Mortality. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 177, 989-994. | 2.5 | 74 |
| 264 | Weekly Pattern of Stroke Onset in an Asian Country: A Nationwide Population-Based Study. <i>Chronobiology International</i> , 2008, 25, 788-799. | 0.9 | 14 |
| 265 | Does Elective Caesarean Section Increase Utilization of Postpartum Maternal Medical Care?. <i>Medical Care</i> , 2008, 46, 440-443. | 1.1 | 23 |
| 266 | No Higher Risk of Myocardial Infarction Among Bipolar Patients in a 6-Year Follow-Up of Acute Mood Episodes. <i>Psychosomatic Medicine</i> , 2008, 70, 73-76. | 1.3 | 20 |
| 267 | The Ten-year Trend in Suicide Methods. <i>Canadian Journal of Public Health</i> , 2008, 99, 406-410. | 1.1 | 3 |
| 268 | Association Between Physician Volume and Hospitalization Costs for Patients With Stroke in Taiwan. <i>Stroke</i> , 2007, 38, 1565-1569. | 1.0 | 22 |
| 269 | Urbanization and place of death for the elderly: a 10-year population-based study. <i>Palliative Medicine</i> , 2007, 21, 705-711. | 1.3 | 21 |
| 270 | Association Between Surgeon and Hospital Volume and In-Hospital Fatalities After Lung Cancer Resections: The Experience of an Asian Country. <i>Annals of Thoracic Surgery</i> , 2007, 83, 1837-1843. | 0.7 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Maternal request CSâ€™Role of hospital teaching status and for-profit ownership. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 132, 27-34. | 0.5 | 6 |
| 272 | Doctorsâ€™ obstetric experience and Caesarean section (CS): does increasing delivery volume result in lower CS likelihood?. <i>Journal of Evaluation in Clinical Practice</i> , 2007, 13, 954-957. | 0.9 | 4 |
| 273 | Taiwan's High Rate of Cesarean Births: Impacts of National Health Insurance and Fetal Gender Preference. <i>Birth</i> , 2007, 34, 115-122. | 1.1 | 26 |
| 274 | Increased risk of developing stroke among patients with bipolar disorder after an acute mood episode: A six-year follow-up study. <i>Journal of Affective Disorders</i> , 2007, 100, 49-54. | 2.0 | 58 |
| 275 | Is the volume-outcome relationship sustained in psychiatric care?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 669-672. | 1.6 | 9 |
| 276 | A population-based study on the specific locations of cancer deaths in Taiwan, 1997â€™2003. <i>Supportive Care in Cancer</i> , 2007, 15, 1333-1339. | 1.0 | 20 |
| 277 | Urbanization and Stroke Prevalence in Taiwan: Analysis of a Nationwide Survey. <i>Journal of Urban Health</i> , 2007, 84, 604-614. | 1.8 | 82 |
| 278 | Seasonality in Adult Asthma Admissions, Air Pollutant Levels, and Climate: A Population-based Study. <i>Journal of Asthma</i> , 2006, 43, 287-292. | 0.9 | 83 |
| 279 | Hospital Volume and Inpatient Mortality After Cancer-Related Gastrointestinal Resections: The Experience of an Asian Country. <i>Annals of Surgical Oncology</i> , 2006, 13, 1182-1188. | 0.7 | 77 |
| 280 | The association between psychiatrist numbers and hospitalization costs for schizophrenia patients: A population-based study. <i>Schizophrenia Research</i> , 2006, 81, 283-290. | 1.1 | 5 |
| 281 | The association between readmission rates and length of stay for schizophrenia: A 3-year population-based study. <i>Schizophrenia Research</i> , 2006, 83, 211-214. | 1.1 | 52 |
| 282 | Association Between Surgeon and Hospital Volume in Coronary Artery Bypass Graft Surgery Outcomes: A Population-Based Study. <i>Annals of Thoracic Surgery</i> , 2006, 81, 835-842. | 0.7 | 48 |
| 283 | Effects of payment incentives, hospital ownership and competition on hospitalization decisions for ambulatory surgical procedures. <i>Health Policy</i> , 2006, 76, 26-37. | 1.4 | 6 |
| 284 | Factors contributing to patient dumping in Taiwan. <i>Health Policy</i> , 2006, 77, 103-112. | 1.4 | 3 |
| 285 | Differences in practice income between solo and group practice physicians. <i>Health Policy</i> , 2006, 79, 296-305. | 1.4 | 11 |
| 286 | Physician and Hospital Characteristics Related to Length of Stay for Acute Myocardial Infarction Patients A 3-Year Population-Based Analysis. <i>Circulation Journal</i> , 2006, 70, 679-685. | 0.7 | 7 |
| 287 | Seasonality in pediatric asthma admissions: the role of climate and environmental factors. <i>European Journal of Pediatrics</i> , 2006, 165, 747-752. | 1.3 | 34 |
| 288 | Suicide rates and the association with climate: A population-based study. <i>Journal of Affective Disorders</i> , 2006, 92, 221-226. | 2.0 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Risk-adjusted cesarean section rates for the assessment of physician performance in Taiwan: a population-based study. <i>BMC Public Health</i> , 2006, 6, 246. | 1.2 | 13 |
| 290 | Physician supply, supplier-induced demand and competition: empirical evidence from a single-payer system. <i>International Journal of Health Planning and Management</i> , 2006, 21, 117-131. | 0.7 | 14 |
| 291 | Do group practices have lower caesarean rates than solo practice obstetric clinics? Evidence from Taiwan. <i>Health Policy and Planning</i> , 2006, 21, 319-325. | 1.0 | 13 |
| 292 | Impact of a cultural belief about ghost month on delivery mode in Taiwan. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 522-526. | 2.0 | 25 |
| 293 | The Effects of Weather on the Incidence of Sudden Sensorineural Hearing Loss: A 5-Year Population-Based Study. <i>Audiology and Neuro-Otology</i> , 2006, 11, 165-171. | 0.6 | 25 |
| 294 | Sudden Sensorineural Hearing Loss: Evidence from Taiwan. <i>Audiology and Neuro-Otology</i> , 2006, 11, 151-156. | 0.6 | 95 |
| 295 | Maternal age and the likelihood of a maternal request for cesarean delivery: A 5-year population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 848-855. | 0.7 | 74 |
| 296 | Length of Stay and Costs for Asthma Patients by Hospital Characteristics—A Five-Year Population-Based Analysis. <i>Journal of Asthma</i> , 2005, 42, 537-542. | 0.9 | 17 |
| 297 | Using a population-based database to explore the inter-specialty differences in physician practice incomes in Taiwan. <i>Health Policy</i> , 2005, 73, 253-262. | 1.4 | 7 |
| 298 | Patient perceptions of service quality in group versus solo practice clinics. <i>International Journal for Quality in Health Care</i> , 2004, 16, 437-445. | 0.9 | 57 |
| 299 | Costs per discharge and hospital ownership under prospective payment and cost-based reimbursement systems in Taiwan. <i>Health Policy and Planning</i> , 2004, 19, 166-176. | 1.0 | 12 |
| 300 | Cost Convergence between Public and For-Profit Hospitals under Prospective Payment and High Competition in Taiwan. <i>Health Services Research</i> , 2004, 39, 2101-2116. | 1.0 | 17 |
| 301 | Association between maternal age and the likelihood of a cesarean section: a population-based multivariate logistic regression analysis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1178-1183. | 1.3 | 69 |
| 302 | Association of hospital ownership with patient transfers to outpatient care under a prospective payment system in Taiwan. <i>Health Policy</i> , 2004, 69, 11-19. | 1.4 | 10 |
| 303 | Institutional Factors in Cesarean Delivery Rates: Policy and Research Implications. <i>Obstetrics and Gynecology</i> , 2004, 103, 128-136. | 1.2 | 88 |
| 304 | Association between maternal age and the likelihood of a cesarean section: a population-based multivariate logistic regression analysis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1178-1183. | 1.3 | 10 |
| 305 | Opinions of hospital administrators toward the prevalence of patient dumping in Taiwan. <i>Chang Gung Medical Journal</i> , 2004, 27, 35-43. | 0.7 | 2 |
| 306 | Do consumers in Taiwan need physician information?. <i>Chang Gung Medical Journal</i> , 2004, 27, 416-28. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Factors related to dissatisfaction with the National Health Insurance among primary care physicians in Taiwan. Chang Gung Medical Journal, 2003, 26, 81-90. | 0.7 | 7 |
| 308 | Relationships between length of stay and hospital characteristics under the case-payment system in Taiwan: using data for vaginal delivery patients. Chang Gung Medical Journal, 2003, 26, 259-68. | 0.7 | 4 |
| 309 | Exploring willingness and related factors by using the healthcare report cards for hospitals in Taiwan. Chang Gung Medical Journal, 2003, 26, 330-8. | 0.7 | 0 |
| 310 | Hemodynamic Effects of a Combination of Octreotide and Terlipressin Patients with Viral Hepatitis Related Cirrhosis. Scandinavian Journal of Gastroenterology, 2002, 37, 482-487. | 0.6 | 22 |
| 311 | Effect of octreotide on total effective vascular compliance in patients with posthepatic cirrhosis. Journal of Hepatology, 1996, 24, 81-87. | 1.8 | 15 |
| 312 | Hyperglucagonaemia in cirrhotic patients and its relationship to the severity of cirrhosis and haemodynamic values. Journal of Gastroenterology and Hepatology (Australia), 1996, 11, 422-428. | 1.4 | 12 |