Caterina Ilari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4799522/publications.pdf

Version: 2024-02-01

48315 66343 9,593 325 42 88 citations h-index g-index papers 329 329 329 11392 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Safety and activity of blinatumomab for adult patients with relapsed or refractory B-precursor acute lymphoblastic leukaemia: a multicentre, single-arm, phase 2 study. Lancet Oncology, The, 2015, 16, 57-66. | 10.7 | 1,031 |
| 2 | <i>BRAF</i> Mutations in Hairy-Cell Leukemia. New England Journal of Medicine, 2011, 364, 2305-2315. | 27.0 | 949 |
| 3 | Rituximab in B-Cell Hematologic Malignancies: A Review of 20 Years of Clinical Experience. Advances in Therapy, 2017, 34, 2232-2273. | 2.9 | 407 |
| 4 | Dasatinib as first-line treatment for adult patients with Philadelphia chromosome–positive acute lymphoblastic leukemia. Blood, 2011, 118, 6521-6528. | 1.4 | 395 |
| 5 | Imatinib plus steroids induces complete remissions and prolonged survival in elderly Philadelphia chromosome–positive patients with acute lymphoblastic leukemia without additional chemotherapy: results of the Gruppo Italiano Malattie Ematologiche dell'Adulto (GIMEMA) LAL0201-B protocol. Blood. 2007. 109. 3676-3678. | 1.4 | 336 |
| 6 | Targeting Mutant BRAF in Relapsed or Refractory Hairy-Cell Leukemia. New England Journal of Medicine, 2015, 373, 1733-1747. | 27.0 | 281 |
| 7 | Dasatinib–Blinatumomab for Ph-Positive Acute Lymphoblastic Leukemia in Adults. New England Journal of Medicine, 2020, 383, 1613-1623. | 27.0 | 279 |
| 8 | COVID-19 severity and mortality in patients with chronic lymphocytic leukemia: a joint study by ERIC, the European Research Initiative on CLL, and CLL Campus. Leukemia, 2020, 34, 2354-2363. | 7.2 | 198 |
| 9 | Molecular prediction of durable remission after first-line fludarabine-cyclophosphamide-rituximab in chronic lymphocytic leukemia. Blood, 2015, 126, 1921-1924. | 1.4 | 197 |
| 10 | Diffuse large B-cell lymphoma genotyping on the liquid biopsy. Blood, 2017, 129, 1947-1957. | 1.4 | 183 |
| 11 | Targeting the leukemia cell metabolism by the CPT1a inhibition: functional preclinical effects in leukemias. Blood, 2015, 126, 1925-1929. | 1.4 | 154 |
| 12 | The genetics of nodal marginal zone lymphoma. Blood, 2016, 128, 1362-1373. | 1.4 | 147 |
| 13 | Clinico-biological features of 5202 patients with acute lymphoblastic leukemia enrolled in the Italian AIEOP and GIMEMA protocols and stratified in age cohorts. Haematologica, 2013, 98, 1702-1710. | 3.5 | 121 |
| 14 | Results of a phase I/II study of ocrelizumab, a fully humanized anti-CD20 mAb, in patients with relapsed/refractory follicular lymphoma. Annals of Oncology, 2010, 21, 1870-1876. | 1.2 | 119 |
| 15 | Comprehensive Analysis of Transcriptome Variation Uncovers Known and Novel Driver Events in T-Cell Acute Lymphoblastic Leukemia. PLoS Genetics, 2013, 9, e1003997. | 3.5 | 110 |
| 16 | Hematopoietic stem cell transplantation for adults with Philadelphia chromosome-negative acute lymphoblastic leukemia in first remission: a position statement of the European Working Group for Adult Acute Lymphoblastic Leukemia (EWALL) and the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation (EBMT). Bone Marrow Transplantation, 2019, 54, 798-809. | 2.4 | 106 |
| 17 | Lessons for the clinic from rituximab pharmacokinetics and pharmacodynamics. MAbs, 2013, 5, 826-837. | 5.2 | 105 |
| 18 | Chlorambucil plus rituximab with or without maintenance rituximab as firstâ€ine treatment for elderly chronic lymphocytic leukemia patients. American Journal of Hematology, 2014, 89, 480-486. | 4.1 | 104 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | International prognostic score for asymptomatic early-stage chronic lymphocytic leukemia. Blood, 2020, 135, 1859-1869. | 1.4 | 86 |
| 20 | Minimal Residual Disease in Acute Lymphoblastic Leukemia: Technical and Clinical Advances. Frontiers in Oncology, 2019, 9, 726. | 2.8 | 85 |
| 21 | The Krý ppel-like factor 2 transcription factor gene is recurrently mutated in splenic marginal zone lymphoma. Leukemia, 2015, 29, 503-507. | 7.2 | 84 |
| 22 | A sequential approach with imatinib, chemotherapy and transplant for adult Ph+ acute lymphoblastic leukemia: final results of the GIMEMA LAL 0904 study. Haematologica, 2016, 101, 1544-1552. | 3.5 | 72 |
| 23 | Clinical implications of the molecular genetics of chronic lymphocytic leukemia. Haematologica, 2013, 98, 675-685. | 3.5 | 65 |
| 24 | Olaptesed pegol, an anti-CXCL12/SDF-1 Spiegelmer, alone and with bortezomib–dexamethasone in relapsed/refractory multiple myeloma: a Phase IIa Study. Leukemia, 2017, 31, 997-1000. | 7.2 | 64 |
| 25 | Biological and clinical implications of <i>BIRC3</i> mutations in chronic lymphocytic leukemia. Haematologica, 2020, 105, 448-456. | 3.5 | 64 |
| 26 | First Report of the Gimema LAL1811 Phase II Prospective Study of the Combination of Steroids with Ponatinib As Frontline Therapy of Elderly or Unfit Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. Blood, 2017, 130, 99-99. | 1.4 | 63 |
| 27 | Olaptesed pegol (NOX-A12) with bendamustine and rituximab: a phase IIa study in patients with relapsed/refractory chronic lymphocytic leukemia. Haematologica, 2019, 104, 2053-2060. | 3.5 | 60 |
| 28 | Comparative analysis between RQâ€PCR and digitalâ€dropletâ€PCR of immunoglobulin/Tâ€cell receptor gene rearrangements to monitor minimal residual disease in acute lymphoblastic leukaemia. British Journal of Haematology, 2016, 174, 541-549. | 2.5 | 59 |
| 29 | Bleeding phenotype and correlation with factor XI (FXI) activity in congenital <scp>FXI</scp> deficiency: results of a retrospective study from a single centre. Haemophilia, 2015, 21, 496-501. | 2.1 | 58 |
| 30 | Bendamustine in combination with Ofatumumab in relapsed or refractory chronic lymphocytic leukemia: a GIMEMA Multicenter Phase II Trial. Leukemia, 2014, 28, 642-648. | 7.2 | 57 |
| 31 | Recognition of adult and pediatric acute lymphoblastic leukemia blasts by natural killer cells. Haematologica, 2014, 99, 1248-1254. | 3.5 | 57 |
| 32 | Diagnostic and prognostic role of PET/CT in patients with chronic lymphocytic leukemia and progressive disease. Leukemia, 2015, 29, 1360-1365. | 7.2 | 57 |
| 33 | Chronic myeloid leukemia management at the time of the COVID-19 pandemic in Italy. A campus CML survey. Leukemia, 2020, 34, 2260-2261. | 7.2 | 57 |
| 34 | COVID-19 severity and mortality in patients with CLL: an update of the international ERIC and Campus CLL study. Leukemia, 2021, 35, 3444-3454. | 7.2 | 57 |
| 35 | Maintenance therapy in AML: The past, the present and the future. American Journal of Hematology, 2019, 94, 1254-1265. | 4.1 | 56 |
| 36 | Practical management of ibrutinib in the real life: Focus on atrial fibrillation and bleeding. Hematological Oncology, 2018, 36, 624-632. | 1.7 | 55 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Prognostic implications of additional genomic lesions in adult Philadelphia chromosome-positive acute lymphoblastic leukemia. Haematologica, 2019, 104, 312-318. | 3.5 | 54 |
| 38 | Arterial occlusive events in chronic myeloid leukemia patients treated with ponatinib in the realâ€life practice are predicted by the Systematic Coronary Risk Evaluation (SCORE) chart. Hematological Oncology, 2019, 37, 296-302. | 1.7 | 53 |
| 39 | <i>BCR/ABL1</i> –like acute lymphoblastic leukemia: How to diagnose and treat?. Cancer, 2019, 125, 194-204. | 4.1 | 51 |
| 40 | BCR-ABL–specific T-cell therapy in Ph+ ALL patients on tyrosine-kinase inhibitors. Blood, 2017, 129, 582-586. | 1.4 | 49 |
| 41 | Philadelphia-like acute lymphoblastic leukemia is associated with minimal residual disease persistence and poor outcome. First report of the minimal residual disease-oriented GIMEMA LAL1913. Haematologica, 2021, 106, 1559-1568. | 3.5 | 49 |
| 42 | Minimal residual disease level predicts outcome in adults with Ph-negative B-precursor acute lymphoblastic leukemia. Hematology, 2019, 24, 337-348. | 1.5 | 48 |
| 43 | Risk-adapted treatment of acute promyelocytic leukemia: results from the International Consortium for Childhood APL. Blood, 2018, 132, 405-412. | 1.4 | 46 |
| 44 | Role of regulatory T cells in acute myeloid leukemia patients undergoing relapse-preventive immunotherapy. Cancer Immunology, Immunotherapy, 2017, 66, 1473-1484. | 4.2 | 45 |
| 45 | RNA sequencing unravels the genetics of refractory/relapsed T-cell acute lymphoblastic leukemia. Prognostic and therapeutic implications. Haematologica, 2016, 101, 941-950. | 3.5 | 44 |
| 46 | Tumor evolutionary directed graphs and the history of chronic lymphocytic leukemia. ELife, 2014, 3, . | 6.0 | 43 |
| 47 | CRLF2 overexpression identifies an unfavourable subgroup of adult B-cell precursor acute lymphoblastic leukemia lacking recurrent genetic abnormalities. Leukemia Research, 2016, 41, 36-42. | 0.8 | 41 |
| 48 | Minimal Residual Disease in Chronic Lymphocytic Leukemia: A New Goal?. Frontiers in Oncology, 2019, 9, 689. | 2.8 | 41 |
| 49 | Immunoglobulin gene rearrangements in Chinese and Italian patients with chronic lymphocytic leukemia. Oncotarget, 2016, 7, 20520-20531. | 1.8 | 40 |
| 50 | Comparative analysis between <scp>RQ</scp> â€ <scp>PCR</scp> and digital droplet <scp>PCR</scp> of <i><scp>BCL</scp>2/<scp>IGH</scp></i> gene rearrangement in the peripheral blood and bone marrow of early stage follicular lymphoma. British Journal of Haematology, 2017, 177, 588-596. | 2.5 | 39 |
| 51 | HIF- $1\hat{l}\pm$ is over-expressed in leukemic cells from <i>TP53</i> -disrupted patients and is a promising therapeutic target in chronic lymphocytic leukemia. Haematologica, 2020, 105, 1042-1054. | 3.5 | 39 |
| 52 | Chromosome aberrations detected by conventional karyotyping using novel mitogens in chronic lymphocytic leukemia: Clinical and biologic correlations. Genes Chromosomes and Cancer, 2015, 54, 818-826. | 2.8 | 37 |
| 53 | Co-targeting of Bcl-2 and mTOR pathway triggers synergistic apoptosis in BH3 mimetics resistant acute lymphoblastic leukemia. Oncotarget, 2015, 6, 32089-32103. | 1.8 | 36 |
| 54 | Clinical features and outcome of SIL/TAL1-positive T-cell acute lymphoblastic leukemia in children and adolescents: a 10-year experience of the AIEOP group. Haematologica, 2015, 100, e10-e13. | 3.5 | 35 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | NK cell expression of natural cytotoxicity receptors may determine relapse risk in older AML patients undergoing immunotherapy for remission maintenance. Oncotarget, 2015, 6, 42569-42574. | 1.8 | 35 |
| 56 | Clinical impact of small subclones harboring <i>NOTCH1</i> , <i>SF3B1</i> or <i>BIRC3</i> mutations in chronic lymphocytic leukemia. Haematologica, 2016, 101, e135-e138. | 3.5 | 34 |
| 57 | Role of natural killer cell subsets and natural cytotoxicity receptors for the outcome of immunotherapy in acute myeloid leukemia. Oncolmmunology, 2016, 5, e1041701. | 4.6 | 34 |
| 58 | In chronic lymphocytic leukaemia with complex karyotype, major structural abnormalities identify a subset of patients with inferior outcome and distinct biological characteristics. British Journal of Haematology, 2018, 181, 229-233. | 2.5 | 34 |
| 59 | Management of adult Ph-positive acute lymphoblastic leukemia. Hematology American Society of Hematology Education Program, 2015, 2015, 406-413. | 2.5 | 33 |
| 60 | Outcome of Allogeneic Hematopoietic Stem Cell Transplantation in Adult Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia in the Era of Tyrosine Kinase Inhibitors: A Registry-Based Study of the Italian Blood and Marrow Transplantation Society (GITMO). Biology of Blood and Marrow Transplantation, 2019, 25, 2388-2397. | 2.0 | 33 |
| 61 | Chronic lymphocytic leukemia management in Italy during the COVID-19 pandemic: a Campus CLL report. Blood, 2020, 136, 763-766. | 1.4 | 33 |
| 62 | A multicenter total therapy strategy for <i>de novo</i> adult Philadelphia chromosome positive acute lymphoblastic leukemia patients: final results of the GIMEMA LAL1509 protocol. Haematologica, 2021, 106, 1828-1838. | 3.5 | 33 |
| 63 | INCB84344-201: Ponatinib and steroids in frontline therapy for unfit patients with Ph+ acute lymphoblastic leukemia. Blood Advances, 2022, 6, 1742-1753. | 5.2 | 33 |
| 64 | Ponatinib as second-line treatment in chronic phase chronic myeloid leukemia patients in real-life practice. Annals of Hematology, 2018, 97, 1577-1580. | 1.8 | 32 |
| 65 | Lenalidomide maintenance therapy in previously treated chronic lymphocytic leukaemia (CONTINUUM): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Haematology,the, 2017, 4, e534-e543. | 4.6 | 31 |
| 66 | The combination of complex karyotype subtypes and IGHV mutational status identifies new prognostic and predictive groups in chronic lymphocytic leukaemia. British Journal of Cancer, 2019, 121, 150-156. | 6.4 | 31 |
| 67 | The complex karyotype landscape in chronic lymphocytic leukemia allows the refinement of the risk of Richter syndrome transformation. Haematologica, 2022, 107, 868-876. | 3.5 | 31 |
| 68 | Philadelphia Chromosome–Positive Acute Lymphoblastic Leukemia. New England Journal of Medicine, 2022, 386, 2399-2411. | 27.0 | 31 |
| 69 | Risk of secondary hypogammaglobulinaemia after Rituximab and Fludarabine in indolent non-Hodgkin lymphomas: A retrospective cohort study. Leukemia Research, 2015, 39, 1382-1388. | 0.8 | 30 |
| 70 | Efficacy of bendamustine and rituximab as first salvage treatment in chronic lymphocytic leukemia and indirect comparison with ibrutinib: a GIMEMA, ERIC and UK CLL FORUM study. Haematologica, 2018, 103, 1209-1217. | 3.5 | 30 |
| 71 | Preexisting and treatment-emergent autoimmune cytopenias in patients with CLL treated with targeted drugs. Blood, 2021, 137, 3507-3517. | 1.4 | 30 |
| 72 | Dasatinib-Blinatumomab Combination for the Front-Line Treatment of Adult Ph+ ALL Patients. Updated Results of the Gimema LAL2116 D-Alba Trial. Blood, 2019, 134, 740-740. | 1.4 | 30 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The pan-class I phosphatidyl-inositol-3 kinase inhibitor NVP-BKM120 demonstrates anti-leukemic activity in acute myeloid leukemia. Scientific Reports, 2015, 5, 18137. | 3.3 | 28 |
| 74 | Obinutuzumab plus bendamustine in previously untreated patients with CLL: a subgroup analysis of the GREEN study. Leukemia, 2018, 32, 1778-1786. | 7.2 | 28 |
| 75 | The deregulated expression of miR-125b in acute myeloid leukemia is dependent on the transcription factor C/EBPα. Leukemia, 2015, 29, 2442-2445. | 7.2 | 27 |
| 76 | Philadelphiaâ€positive acute lymphoblastic leukaemia (ALL) in Italy during the COVIDâ€19 pandemic: a Campus ALL study. British Journal of Haematology, 2020, 190, e3-e5. | 2.5 | 27 |
| 77 | Cardiovascular toxicity in patients with chronic myeloid leukemia treated with secondâ€generation tyrosine kinase inhibitors in the realâ€life practice: Identification of risk factors and the role of prophylaxis. American Journal of Hematology, 2018, 93, E159-E161. | 4.1 | 26 |
| 78 | Treatment of relapsed/refractory paediatric aggressive Bâ€eell nonâ€Hodgkin lymphoma. British Journal of Haematology, 2020, 189, 826-843. | 2.5 | 26 |
| 79 | Splenic marginal zone lymphoma: Prognostic factors, role of watch and wait policy, and other therapeutic approaches in the rituximab era. Leukemia Research, 2016, 44, 53-60. | 0.8 | 25 |
| 80 | Effect of low or high doses of lowâ€molecularâ€weight heparin on thrombin generation and other haemostasis parameters in critically ill patients with COVIDâ€19. British Journal of Haematology, 2020, 190, e214-e218. | 2.5 | 25 |
| 81 | Digital droplet PCR and next-generation sequencing refine minimal residual disease monitoring in acute lymphoblastic leukemia. Leukemia and Lymphoma, 2019, 60, 2838-2840. | 1.3 | 24 |
| 82 | Aberrant phenotypic expression of CD15 and CD56 identifies poor prognostic acute promyelocytic leukemia patients. Leukemia Research, 2014, 38, 194-197. | 0.8 | 23 |
| 83 | Pharmacokinetics of Nilotinib in Pediatric Patients with Philadelphia Chromosome–Positive Chronic Myeloid Leukemia or Acute Lymphoblastic Leukemia. Clinical Cancer Research, 2020, 26, 812-820. | 7.0 | 23 |
| 84 | CALR mutations in patients with essential thrombocythemia diagnosed in childhood and adolescence. Blood, 2014, 123, 3677-3679. | 1.4 | 22 |
| 85 | Long-term mortality rate for cardiovascular disease in 656 chronic myeloid leukaemia patients treated with second- and third-generation tyrosine kinase inhibitors. International Journal of Cardiology, 2020, 301, 163-166. | 1.7 | 21 |
| 86 | Adolescent and young adult acute lymphoblastic leukemia. Final results of the phase <scp>II</scp> pediatricâ€ike <scp>GIMEMA LAL</scp> â€1308 trial. American Journal of Hematology, 2021, 96, 292-301. | 4.1 | 21 |
| 87 | Prognostic and therapeutic role of targetable lesions in B-lineage acute lymphoblastic leukemia without recurrent fusion genes. Oncotarget, 2016, 7, 13886-13901. | 1.8 | 20 |
| 88 | Response to ibrutinib of refractory life-threatening autoimmune hemolytic anemia occurring in a relapsed chronic lymphocytic leukemia patient with 17p deletion. Leukemia and Lymphoma, 2016, 57, 2685-2688. | 1.3 | 20 |
| 89 | Factors predicting survival in chronic lymphocytic leukemia patients developing Richter syndrome transformation into Hodgkin lymphoma. American Journal of Hematology, 2017, 92, 529-535. | 4.1 | 20 |
| 90 | High PIM1 expression is a biomarker of T-cell acute lymphoblastic leukemia with JAK/STAT activation or t(6;7)(p21;q34)/TRB@-PIM1 rearrangement. Leukemia, 2018, 32, 1807-1810. | 7.2 | 20 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Prolonged treatment with arsenic trioxide (ATO) and all-trans-retinoic acid (ATRA) for relapsed acute promyelocytic leukemia previously treated with ATRA and chemotherapy. Annals of Hematology, 2018, 97, 1797-1802. | 1.8 | 20 |
| 92 | Peripherally inserted central catheters in allogeneic hematopoietic stem cell transplant recipients. Supportive Care in Cancer, 2020, 28, 4193-4199. | 2.2 | 20 |
| 93 | Droplet Digital PCR Improves IG-/TR-based MRD Risk Definition in Childhood B-cell Precursor Acute Lymphoblastic Leukemia. HemaSphere, 2021, 5, e543. | 2.7 | 20 |
| 94 | COVID‶9 infection in chronic myeloid leukaemia after one year of the pandemic in Italy. A Campus CML report. British Journal of Haematology, 2022, 196, 559-565. | 2.5 | 20 |
| 95 | Current Information and Recommendations on the Discontinuation of TKI Inhibitors in Chronic Myeloid Leukemia. Current Oncology Reports, 2018, 20, 23. | 4.0 | 19 |
| 96 | Genetic landscape of ultra-stable chronic lymphocytic leukemia patients. Annals of Oncology, 2018, 29, 966-972. | 1.2 | 19 |
| 97 | Safety of obinutuzumab alone or combined with chemotherapy for previously untreated or relapsed/refractory chronic lymphocytic leukemia in the phase IIIb GREEN study. Haematologica, 2018, 103, 1889-1898. | 3.5 | 19 |
| 98 | Recurrent arterial occlusive events in patients with chronic myeloid leukemia treated with secondand third-generation tyrosine kinase inhibitors and role of secondary prevention. International Journal of Cardiology, 2019, 288, 124-127. | 1.7 | 19 |
| 99 | Prognostic factors associated with a stable MR4.5 achievement in chronic myeloid leukemia patients treated with imatinib. Oncotarget, 2018, 9, 7534-7540. | 1.8 | 19 |
| 100 | Deletions of the long arm of chromosome 5 define subgroups of T-cell acute lymphoblastic leukemia. Haematologica, 2016, 101, 951-958. | 3.5 | 18 |
| 101 | Comparison between the CLLâ€IPI and the <scp>B</scp> arcelonaâ€ <scp>B</scp> rno prognostic model: Analysis of 1299 newly diagnosed cases. American Journal of Hematology, 2018, 93, E35-E37. | 4.1 | 18 |
| 102 | Changes in estimated glomerular filtration rate in chronic myeloid leukemia patients treated front line with available TKIs and correlation with cardiovascular events. Annals of Hematology, 2018, 97, 1803-1808. | 1.8 | 18 |
| 103 | Design of a Comprehensive Fluorescence in Situ Hybridization Assay for Genetic Classification of T-Cell Acute Lymphoblastic Leukemia. Journal of Molecular Diagnostics, 2020, 22, 629-639. | 2.8 | 18 |
| 104 | Redefining the prognostic likelihood of chronic lymphocytic leukaemia patients with borderline percentage of immunoglobulin variable heavy chain region mutations. British Journal of Haematology, 2020, 189, 853-859. | 2.5 | 18 |
| 105 | Clinical relevance of hypogammaglobulinemia, clinical and biologic variables on the infection risk and outcome of patients with stage A chronic lymphocytic leukemia. Leukemia Research, 2017, 57, 65-71. | 0.8 | 17 |
| 106 | Digital droplet PCR at the time of TKI discontinuation in chronicâ€phase chronic myeloid leukemia patients is predictive of treatmentâ€free remission outcome. Hematological Oncology, 2019, 37, 652-654. | 1.7 | 17 |
| 107 | THE BRAF INHIBITOR VEMURAFENIB PLUS RITUXIMAB PRODUCES A HIGH RATE OF DEEP AND DURABLE RESPONSES IN RELAPSED/REFRACTORY HAIRY CELL LEUKEMIA: UPDATED RESULTS OF A PHASE-2 TRIAL. Hematological Oncology, 2019, 37, 110-111. | 1.7 | 17 |
| 108 | Survival risk score for real-life relapsed/refractory chronic lymphocytic leukemia patients receiving ibrutinib. A campus CLL study. Leukemia, 2021, 35, 235-238. | 7.2 | 17 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 109 | TH2/TH1 Shift Under Ibrutinib Treatment in Chronic Lymphocytic Leukemia. Frontiers in Oncology, 2021, 11, 637186. | 2.8 | 17 |
| 110 | A Phase II Study of Chlorambucil Plus Rituximab Followed by Maintenance Versus Observation In Elderly Patients with Previously Untreated Chronic Lymphocytic Leukemia: Results of the First Interim Analysis. Blood, 2010, 116, 2462-2462. | 1.4 | 17 |
| 111 | Severe Thrombotic Complications in Congenital Afibrinogenemia: A Pathophysiological and Management Dilemma. Seminars in Thrombosis and Hemostasis, 2016, 42, 577-582. | 2.7 | 16 |
| 112 | Clinical impact of low-burden BCR-ABL1 mutations detectable by amplicon deep sequencing in Philadelphia-positive acute lymphoblastic leukemia patients. Leukemia, 2016, 30, 1615-1619. | 7.2 | 16 |
| 113 | Impact of killer-immunoglobulin-like receptor and human leukocyte antigen genotypes on the efficacy of immunotherapy in acute myeloid leukemia. Leukemia, 2017, 31, 2552-2559. | 7.2 | 16 |
| 114 | DIRECT ORAL ANTICOAGULANTS IN PATIENTS AFFECTED BY MAJOR CONGENITAL THROMBOPHILIA. Mediterranean Journal of Hematology and Infectious Diseases, 2019, 11, e2019044. | 1.3 | 16 |
| 115 | Elevated Lactate Dehydrogenase Has Prognostic Relevance in Treatment-Naìve Patients Affected by Chronic Lymphocytic Leukemia with Trisomy 12. Cancers, 2019, 11, 896. | 3.7 | 16 |
| 116 | Ibrutinib-based therapy impaired neutrophils microbicidal activity in patients with chronic lymphocytic leukemia during the early phases of treatment. Leukemia Research, 2019, 87, 106233. | 0.8 | 16 |
| 117 | Minimal residual disease monitoring in early stage follicular lymphoma can predict prognosis and drive treatment with rituximab after radiotherapy. British Journal of Haematology, 2020, 188, 249-258. | 2.5 | 16 |
| 118 | Prognostic Impact and Risk Factors of Infections in Patients with Chronic Lymphocytic Leukemia Treated with Ibrutinib. Cancers, 2021, 13, 3240. | 3.7 | 16 |
| 119 | Incidence of second primary malignancies and related mortality in patients with imatinib-treated chronic myeloid leukemia. Haematologica, 2017, 102, 1530-1536. | 3.5 | 15 |
| 120 | Immunoglobulin heavy chain variable region gene and prediction of time to first treatment in patients with chronic lymphocytic leukemia: Mutational load or mutational status? Analysis of 1003 cases. American Journal of Hematology, 2018, 93, E216-E219. | 4.1 | 15 |
| 121 | Host immune system modulation in Ph+ acute lymphoblastic leukemia patients treated with dasatinib and blinatumomab. Blood, 2021, 138, 2290-2293. | 1.4 | 15 |
| 122 | The Eutos longâ€term survival score accurately predicts the risk of death in chronic myeloid leukaemia patients treated outside of clinical trials. American Journal of Hematology, 2017, 92, E661-E664. | 4.1 | 14 |
| 123 | Is now the time for molecular driven therapy for diffuse large B-cell lymphoma?. Expert Review of Hematology, 2017, 10, 761-774. | 2.2 | 14 |
| 124 | <scp>TPO</scp> â€ <scp>RA</scp> s in <scp>pITP</scp> : description of a case series and analysis of predictive factors for response. European Journal of Haematology, 2017, 98, 242-249. | 2.2 | 14 |
| 125 | Venetoclax in CLL patients who progress after Bâ€cell Receptor inhibitor treatment: a retrospective multiâ€centre Italian experience. British Journal of Haematology, 2019, 187, e8-e11. | 2.5 | 14 |
| 126 | Treatment of Philadelphiaâ€negative myeloproliferative neoplasms in accelerated/blastic phase with azacytidine. Clinical results and identification of prognostic factors. Hematological Oncology, 2019, 37, 291-295. | 1.7 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | COVID-19 in Patients with Hematologic Disorders Undergoing Therapy: Perspective of a Large Referral Hematology Center in Rome. Acta Haematologica, 2020, 143, 574-582. | 1.4 | 14 |
| 128 | Low-density lipoprotein (LDL) levels and risk of arterial occlusive events in chronic myeloid leukemia patients treated with nilotinib. Annals of Hematology, 2021, 100, 2005-2014. | 1.8 | 14 |
| 129 | Continuous treatment with Ibrutinib in 100 untreated patients with <i>TP</i> 53 disrupted chronic lymphocytic leukemia: A realâ€life campus CLL study. American Journal of Hematology, 2022, 97, . | 4.1 | 14 |
| 130 | Changes in the Treatment Landscape for Chronic Lymphoid Leukemia. New England Journal of Medicine, 2014, 371, 273-274. | 27.0 | 13 |
| 131 | Minimal residual disease (MRD) in nonâ∈Hodgkin lymphomas: Interlaboratory reproducibility on marrow samples with very low levels of disease within the FIL (Fondazione Italiana Linfomi) MRD Network. Hematological Oncology, 2019, 37, 368-374. | 1.7 | 13 |
| 132 | A scoring system to predict the risk of atrial fibrillation in chronic lymphocytic leukemia. Hematological Oncology, 2019, 37, 508-512. | 1.7 | 13 |
| 133 | Dynamics of cytotoxic T cell subsets during immunotherapy predicts outcome in acute myeloid leukemia. Oncotarget, 2016, 7, 7586-7596. | 1.8 | 13 |
| 134 | Efficacy of imatinib and chemotherapy in a pediatric patient with Philadelphia-like acute lymphoblastic leukemia with <i>Ebf1-Pdgfrb</i> fusion transcript. Leukemia and Lymphoma, 2020, 61, 469-472. | 1.3 | 12 |
| 135 | Efficacy of bendamustine and rituximab in unfit patients with previously untreated chronic lymphocytic leukemia. Indirect comparison with ibrutinib in a realâ€world setting. A GIMEMAâ€ERIC and US study. Cancer Medicine, 2020, 9, 8468-8479. | 2.8 | 12 |
| 136 | Applicability of droplet digital polymerase chain reaction for minimal residual disease monitoring in Philadelphiaâ€positive acute lymphoblastic leukaemia. Hematological Oncology, 2021, 39, 680-686. | 1.7 | 12 |
| 137 | Confirmatory open-label, single-arm, multicenter phase 2 study of the BiTE antibody blinatumomab in patients (pts) with relapsed/refractory B-precursor acute lymphoblastic leukemia (r/r ALL) Journal of Clinical Oncology, 2014, 32, 7005-7005. | 1.6 | 12 |
| 138 | Risk of hepatitis B virus reactivation in chronic lymphocytic leukemia patients receiving ibrutinib with or without antiviral prophylaxis. A retrospective multicentric GIMEMA study. Haematologica, 2022, 107, 1470-1473. | 3.5 | 12 |
| 139 | Tailoring CD19xCD3-DART exposure enhances T-cells to eradication of B-cell neoplasms. Oncolmmunology, 2018, 7, e1341032. | 4.6 | 11 |
| 140 | Another step forward in the 20-year history of <i>IGHV</i> mutations in chronic lymphocytic leukemia. Haematologica, 2019, 104, 219-221. | 3.5 | 11 |
| 141 | Intravenous arsenic trioxide and all-trans retinoic acid as front-line therapy for low-risk acute promyelocytic leukemia. Expert Review of Hematology, 2019, 12, 81-87. | 2.2 | 11 |
| 142 | Predictive factors for response and survival in elderly acute myeloid leukemia patients treated with hypomethylating agents: a real-life experience. Annals of Hematology, 2020, 99, 2405-2416. | 1.8 | 11 |
| 143 | Relapsed/refractory diffuse large B-cell lymphoma patients. A multicenter retrospective analysis of eligibility criteria for car-T cell therapy. Leukemia and Lymphoma, 2021, 62, 828-836. | 1.3 | 11 |
| 144 | Outcome of Patients with Myelofibrosis after Ruxolitinib Failure: Role of Disease Status and Treatment Strategies in 214 Patients. Blood, 2018, 132, 4277-4277. | 1.4 | 11 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | PFS2 In Elderly Patients With Newly Diagnosed Multiple Myeloma (NDMM): Results From The MM-015 Study. Blood, 2013, 122, 405-405. | 1.4 | 11 |
| 146 | First Results of the Multicenter Total Therapy Gimema LAL 1509 Protocol for De Novo Adult Philadelphia Chromosome Positive (Ph+) Acute Lymphoblastic Leukemia (ALL) Patients. Blood, 2014, 124, 797-797. | 1.4 | 11 |
| 147 | Balancing efficacy and toxicity of targeted agents currently used for the treatment of patients with chronic lymphocytic leukemia. Expert Review of Hematology, 2018, 11, 601-611. | 2.2 | 10 |
| 148 | Ten-year outcome of chronic-phase chronic myeloid leukemia patients treated with imatinib in real life. Annals of Hematology, 2019, 98, 1891-1904. | 1.8 | 10 |
| 149 | Incidence and evaluation of predisposition to cardiovascular toxicity in chronic myeloid leukemia patients treated with bosutinib in the real-life practice. Annals of Hematology, 2019, 98, 1885-1890. | 1.8 | 10 |
| 150 | <i>IL7R</i> overexpression in adult acute lymphoblastic leukemia is associated to JAK/STAT pathway mutations and identifies patients who could benefit from targeted therapies. Leukemia and Lymphoma, 2019, 60, 829-832. | 1.3 | 10 |
| 151 | Impact of comorbidities and body mass index in patients with myelofibrosis treated with ruxolitinib. Annals of Hematology, 2019, 98, 889-896. | 1.8 | 10 |
| 152 | Digital droplet PCR as a predictive tool for successful discontinuation outcome in chronic myeloid leukemia: Is it time to introduce it in the clinical practice?. Critical Reviews in Oncology/Hematology, 2021, 157, 103163. | 4.4 | 10 |
| 153 | Assessment of the 4â€factor score: Retrospective analysis of 586 CLL patients receiving ibrutinib. A campus CLL study. American Journal of Hematology, 2021, 96, E168-E171. | 4.1 | 10 |
| 154 | Clinicopathological features and outcome of chronic lymphocytic leukaemia in Chinese patients. Oncotarget, 2017, 8, 25455-25468. | 1.8 | 10 |
| 155 | Treatment-Free Remission in Chronic Myeloid Leukemia Patients Treated With Low-Dose TKIs: A Feasible Option Also in the Real-Life. A Campus CML Study. Frontiers in Oncology, 2022, 12, 839915. | 2.8 | 10 |
| 156 | Clinical relevance of silent red blood cell autoantibodies. Haematologica, 2017, 102, e473-e475. | 3.5 | 9 |
| 157 | CMV MANAGEMENT WITH SPECIFIC IMMUNOGLOBULINS: A MULTICENTRIC RETROSPECTIVE ANALYSIS ON 92 ALLOTRANSPLANTED PATIENTS Mediterranean Journal of Hematology and Infectious Diseases, 2019, 11, e2019048. | 1.3 | 9 |
| 158 | Renin angiotensin system inhibitors reduce the incidence of arterial thrombotic events in patients with hypertension and chronic myeloid leukemia treated with second- or third-generation tyrosine kinase inhibitors. Annals of Hematology, 2020, 99, 1525-1530. | 1.8 | 9 |
| 159 | Management of chronic lymphocytic leukemia in Italy during a one year of the COVIDâ€19 pandemic and at the start of the vaccination program. A Campus CLL report. Hematological Oncology, 2021, 39, 570-574. | 1.7 | 9 |
| 160 | Complex karyotype in unfit patients with CLL treated with ibrutinib and rituximab: the GIMEMA LLC1114 phase 2 study. Blood, 2021, 138, 2727-2730. | 1.4 | 9 |
| 161 | Real-World Multicenter Experience in Tumor Debulking Prior to Blinatumomab Administration in Adult Patients With Relapsed/Refractory B-Cell Precursor Acute Lymphoblastic Leukemia. Frontiers in Oncology, 2021, 11, 804714. | 2.8 | 9 |
| 162 | Fludarabine, cyclophosphamide and lenalidomide in patients with relapsed/refractory chronic lymphocytic leukemia. A multicenter phase l–II GIMEMA trial. Leukemia and Lymphoma, 2017, 58, 1640-1647. | 1.3 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Validation of a biological score to predict response in chronic lymphocytic leukemia patients treated front-line with bendamustine and rituximab. Leukemia, 2018, 32, 1869-1873. | 7.2 | 8 |
| 164 | Cytomegalovirus Serostatus Affects Autoreactive NK Cells and Outcomes of IL2-Based Immunotherapy in Acute Myeloid Leukemia. Cancer Immunology Research, 2018, 6, 1110-1119. | 3.4 | 8 |
| 165 | Identification of predictive factors for overall survival at baseline and during azacitidine treatment in high-risk myelodysplastic syndrome patients treated in the clinical practice. Annals of Hematology, 2019, 98, 1919-1925. | 1.8 | 8 |
| 166 | Obinutuzumab plus fludarabine and cyclophosphamide in previously untreated, fit patients with chronic lymphocytic leukemia: a subgroup analysis of the GREEN study. Leukemia, 2020, 34, 441-450. | 7.2 | 8 |
| 167 | The role of cladribine in acute myeloid leukemia: an old drug up to new tricks. Leukemia and Lymphoma, 2020, 61, 536-545. | 1.3 | 8 |
| 168 | The advantages and risks of ruxolitinib for the treatment of polycythemia vera. Expert Review of Hematology, 2020, 13, 1067-1072. | 2.2 | 8 |
| 169 | Efficacy of idelalisib and rituximab in relapsed/refractory chronic lymphocytic leukemia treated outside of clinical trials. A report of the Gimema Working Group. Hematological Oncology, 2021, 39, 326-335. | 1.7 | 8 |
| 170 | <scp><i>TP53</i></scp> disruption as a risk factor in the era of targeted therapies: A multicenter retrospective study of 525 chronic lymphocytic leukemia cases. American Journal of Hematology, 2021, 96, E306-E310. | 4.1 | 8 |
| 171 | The current role of interferon in hairy cell leukaemia: clinical and molecular aspects. British Journal of Haematology, 2021, 194, 78-82. | 2.5 | 8 |
| 172 | Vemurafenib Plus Rituximab in Hairy Cell Leukemia: A Promising Chemotherapy-Free Regimen for Relapsed or Refractory Patients. Blood, 2016, 128, 1214-1214. | 1.4 | 8 |
| 173 | Timing and deepness of response to tyrosine kinase inhibitors as a measure of potential treatment discontinuation in chronic myeloid leukemia patients managed in the realâ€life. American Journal of Hematology, 2017, 92, E668-E670. | 4.1 | 7 |
| 174 | Validation of a survival-risk score (SRS) in relapsed/refractory CLL patients treated with idelalisib–rituximab. Blood Cancer Journal, 2020, 10, 92. | 6.2 | 7 |
| 175 | COVID-19 and Chronic Lymphocytic Leukemia. Cancer Journal (Sudbury, Mass), 2021, 27, 328-333. | 2.0 | 7 |
| 176 | GIMEMA-AIEOP AIDA Protocols for the Treatment of Newly Diagnosed Acute Promyelocytic Leukemia (APL) In Children: Analysis of 247 Patients Enrolled In Two Sequential Italian Multicenter Trials. Blood, 2010, 116, 871-871. | 1.4 | 7 |
| 177 | Modulated expression of adhesion, migration and activation molecules may predict the degree of response in chronic lymphocytic leukemia patients treated with ibrutinib plus rituximab. Haematologica, 2021, 106, 1500-1503. | 3.5 | 7 |
| 178 | Digital Droplet PCR Is a Reliable Tool to Improve Minimal Residual Disease Stratification in Adult Philadelphia-Negative Acute Lymphoblastic Leukemia. Journal of Molecular Diagnostics, 2022, 24, 893-900. | 2.8 | 7 |
| 179 | Acute lymphoblastic leukemia: age and biology. Mental Illness, 2011, 3, 2. | 0.8 | 6 |
| 180 | Management of elderly and unfit patients with chronic lymphocytic leukemia. Expert Review of Hematology, 2016, 9, 1165-1175. | 2.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Very late relapse in a patient with acute promyelocytic leukemia (APL) rescued with a chemotherapy-free protocol. Leukemia and Lymphoma, 2017, 58, 999-1001. | 1.3 | 6 |
| 182 | Long-term results with the adapted LMB 96 protocol in children with B-cell non Hodgkin lymphoma treated in Iraq: comparison in two subsequent cohorts of patients. Leukemia and Lymphoma, 2019, 60, 1224-1233. | 1.3 | 6 |
| 183 | RELAPSED/REFRACTORY CHRONIC LYMPHOCYTIC LEUKEMIA: CHEMOIMMUNOTHERAPY, TREATMENT UNTIL PROGRESSION WITH MECHANISM-DRIVEN AGENTS OR FINITE-DURATION THERAPY?. Mediterranean Journal of Hematology and Infectious Diseases, 2019, 11, e2019024. | 1.3 | 6 |
| 184 | Tyrosine kinase inhibitor discontinuation in the management of chronic myeloid leukemia: a critical review of the current practice. Expert Review of Hematology, 2020, 13, 1311-1318. | 2.2 | 6 |
| 185 | Low low-density lipoprotein (LDL), cholesterol and triglycerides plasma levels are associated with reduced risk of arterial occlusive events in chronic myeloid leukemia patients treated with ponatinib in the real-life. A Campus CML study. Blood Cancer Journal, 2020, 10, 66. | 6.2 | 6 |
| 186 | ROR1 is an accurate and reliable marker of minimal residual disease in chronic lymphocytic leukaemia. British Journal of Haematology, 2020, 190, e346-e349. | 2.5 | 6 |
| 187 | Ponatinib for the treatment of Ph-like acute lymphoblastic leukemia. Leukemia and Lymphoma, 2021, 62, 755-757. | 1.3 | 6 |
| 188 | Safety and efficacy of obinutuzumab alone or with chemotherapy in previously untreated or relapsed/refractory chronic lymphocytic leukaemia patients: Final analysis of the Phase IIIb GREEN study. British Journal of Haematology, 2021, 193, 325-338. | 2.5 | 6 |
| 189 | Allogeneic hematopoietic stem cell transplantation for adult patients with t(4;11)(q21;q23) KMT2A/AFF1 B-cell precursor acute lymphoblastic leukemia in first complete remission: impact of pretransplantÂmeasurable residual disease (MRD) status. An analysis from the Acute Leukemia Working Party of the EBMT. Leukemia. 2021. 35, 2232-2242. | 7.2 | 6 |
| 190 | Lymphocyte Doubling Time As A Key Prognostic Factor To Predict Time To First Treatment In Early-Stage Chronic Lymphocytic Leukemia. Frontiers in Oncology, 2021, 11, 684621. | 2.8 | 6 |
| 191 | A Scoring System to Predict the Risk of Atrial Fibrillation in Chronic Lymphocytic Leukemia and Its Validation in a Cohort of Ibrutinib-Treated Patients. Blood, 2018, 132, 3118-3118. | 1.4 | 6 |
| 192 | Rituximab Plus Chlorambucil As Initial Treatment for Elderly Patients with Chronic Lymphocytic Leukemia (CLL): Effect of Pre-Treatment Biological Characteristics and Gene Expression Patterns on Response to Treatment. Blood, 2011, 118, 294-294. | 1.4 | 6 |
| 193 | Treatment-free remission in chronic myeloid leukemia patients treated front-line with nilotinib: 10-year followup of the GIMEMA CML 0307 study. Haematologica, 2022, 107, 2356-2364. | 3.5 | 6 |
| 194 | COVID-19 infection in acute lymphoblastic leukemia over 15 months of the pandemic. A Campus ALL report. Haematologica, 2022, 107, 1955-1959. | 3.5 | 6 |
| 195 | Independent prognostic impact of CD15 on complete remission achievement in patients with acute myeloid leukemia. Hematological Oncology, 2017, 35, 804-809. | 1.7 | 5 |
| 196 | Real-Life Management of Children and Adolescents with Chronic Myeloid Leukemia: The Italian Experience. Acta Haematologica, 2018, 140, 105-111. | 1.4 | 5 |
| 197 | Efficacy and safety of ruxolitinib and hydroxyurea combination in patients with hyperproliferative myelofibrosis. Annals of Hematology, 2019, 98, 1933-1936. | 1.8 | 5 |
| 198 | Aplastic Anemia and Good Syndrome in a Heavily Treated Stage IV Thymoma Patient: A Case Report and Review of the Literature. Case Reports in Hematology, 2019, 2019, 1-6. | 0.4 | 5 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Results and outcome of intermittent imatinib (ON/OFF schedule) in children and adolescents with chronic myeloid leukaemia. British Journal of Haematology, 2020, 188, e101-e105. | 2.5 | 5 |
| 200 | Comparison of ibrutinib and idelalisib plus rituximab in realâ€life relapsed/resistant chronic lymphocytic leukemia cases. European Journal of Haematology, 2021, 106, 493-499. | 2.2 | 5 |
| 201 | Prediction of outcomes in chronic lymphocytic leukemia patients treated with ibrutinib: Validation of current prognostic models and development of a simplified threeâ€factor model. American Journal of Hematology, 2022, 97, . | 4.1 | 5 |
| 202 | Fludarabine plus alemtuzumab (FA) front-line treatment in young patients with chronic lymphocytic leukemia (CLL) and an adverse biologic profile. Leukemia Research, 2014, 38, 198-203. | 0.8 | 4 |
| 203 | Cytomegalovirus in Bone Marrow Cells Correlates with Cytomegalovirus in Peripheral Blood Leukocytes. Journal of Clinical Microbiology, 2014, 52, 2183-2185. | 3.9 | 4 |
| 204 | Acquired thrombotic thrombocytopenic purpura in a child: rituximab to prevent relapse. A pediatric report and literature review. Haematologica, 2018, 103, e138-e140. | 3.5 | 4 |
| 205 | Refined karyotype-based prognostic stratification of chronic lymphocytic leukemia with a low- and very-low-risk genetic profile. Leukemia, 2018, 32, 543-546. | 7.2 | 4 |
| 206 | Management of myelofibrosis and concomitant advanced cutaneous squamous cell carcinoma with ruxolitinib associated with cemiplimab. Annals of Hematology, 2021, 100, 2117-2119. | 1.8 | 4 |
| 207 | Real-life evaluation of potential candidates for treatment discontinuation in chronic myeloid leukemia: the impact of age and long-term follow-up. Leukemia and Lymphoma, 2021, 62, 1026-1027. | 1.3 | 4 |
| 208 | Real-life comparison of nilotinib versus dasatinib as second-line therapy in chronic phase chronic myeloid leukemia patients. Annals of Hematology, 2021, 100, 1213-1219. | 1.8 | 4 |
| 209 | Outcome of relapsed/refractory acute promyelocytic leukaemia in children, adolescents and young adult patients — a 25â€year Italian experience. British Journal of Haematology, 2021, 195, 278-283. | 2.5 | 4 |
| 210 | Efficacy and Safety of the BRAF Inhibitor Vemurafenib in Hairy Cell Leukemia Patients Refractory to or Relapsed after Purine Analogs: A Phase-2 Italian Clinical Trial. Blood, 2014, 124, 150-150. | 1.4 | 4 |
| 211 | Final Results from the Phase IIa Study of the Anti-CXCL12 Spiegelmer® Olaptesed Pegol (NOX-A12) in Combination with Bortezomib and Dexamethasone in Patients with Multiple Myeloma. Blood, 2014, 124, 2111-2111. | 1.4 | 4 |
| 212 | Treatment with ibrutinib does not induce a <l>TP53</l> clonal evolution in chronic lymphocytic leukemia. Haematologica, 2022, 107, 334-337. | 3.5 | 4 |
| 213 | Reduced mortality from KPC-K.pneumoniae bloodstream infection in high-risk patients with hematological malignancies colonized by KPC-K.pneumoniae. BMC Infectious Diseases, 2021, 21, 1079. | 2.9 | 4 |
| 214 | Does MRD have a role in the management of iNHL?. Hematology American Society of Hematology Education Program, 2021, 2021, 320-330. | 2.5 | 4 |
| 215 | The genome of chemorefractory chronic lymphocytic leukemia reveals frequent mutations of NOTCH1 and SF3B1. Leukemia Supplements, 2012, 1, S26-S28. | 0.1 | 3 |
| 216 | Chemotherapy-free and reduced intensity approaches in elderly patients with B-lineage acute lymphoblastic leukemia. European Journal of Internal Medicine, 2018, 58, 22-27. | 2.2 | 3 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 217 | Clinical results according to age in patients with chronic myeloid leukemia receiving imatinib frontline: The younger, the later, the worse?. European Journal of Haematology, 2018, 101, 578-584. | 2.2 | 3 |
| 218 | Autologous stem cell transplant in acute lymphoblastic leukemia: prognostic impact of pre-transplant minimal residual disease. Leukemia and Lymphoma, 2019, 60, 274-276. | 1.3 | 3 |
| 219 | Impact of 2016 WHO diagnosis of early and overt primary myelofibrosis on presentation and outcome of 232 patients treated with ruxolitinib. Hematological Oncology, 2019, 37, 418-423. | 1.7 | 3 |
| 220 | Immunoglobulin kappa deleting element rearrangements are candidate targets for minimal residual disease evaluation in mantle cell lymphoma. Hematological Oncology, 2020, 38, 698-704. | 1.7 | 3 |
| 221 | Effectiveness of ibrutinib as firstâ€line therapy for chronic lymphocytic leukemia patients and indirect comparison with rituximabâ€bendamustine: Results of study on 486 cases outside clinical trials. American Journal of Hematology, 2021, 96, E269-E272. | 4.1 | 3 |
| 222 | Myeloid Sarcoma: Diagnostic and Treatment Tools from a Monocentric Retrospective Experience. Acta Haematologica, 2021, , 1-5. | 1.4 | 3 |
| 223 | Emerging tyrosine kinase inhibitors for the treatment of adult acute lymphoblastic leukemia. Expert Opinion on Emerging Drugs, 2021, 26, 281-294. | 2.4 | 3 |
| 224 | Treatment of childhood acute lymphoblastic leukemia in Iraq: a 17-year experience from a single center. Leukemia and Lymphoma, 2021, 62, 3430-3439. | 1.3 | 3 |
| 225 | Clinical Significance of Occult Central Nervous System Disease in Adult ACUTE Lymphoblastic Leukemia. a Multicenter,Report from the Campus ALL/Gimema Network. Blood, 2018, 132, 658-658. | 1.4 | 3 |
| 226 | Protective Role Immunoglobulin Replacement Therapy in Chronic Lymphocytic Leukemia: FOCUS on Subcutaneous Immunoglobulin Formulations. Blood, 2018, 132, 4954-4954. | 1.4 | 3 |
| 227 | Outcome of Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL) and/or 17p Deletion/TP53 Mutations Treated with Ibrutinib According to a Named Patient Program (NPP) in Italy: Preliminary Analysis of a Real Life Retrospective Study. Blood, 2016, 128, 2038-2038. | 1.4 | 3 |
| 228 | Early Stage Follicular Lymphoma. Predictive Role of Minimal Residual Disease (MRD) and Impact of MRD-Driven Treatment with Radiotherapy and Rituximab on Clinical Outcome. Blood, 2016, 128, 2959-2959. | 1.4 | 3 |
| 229 | Efficacy of Front-Line Ibrutinib and Rituximab Combination and the Impact of Treatment Discontinuation in Unfit Patients with Chronic Lymphocytic Leukemia: Results of the Gimema LLC1114 Study. Cancers, 2022, 14, 207. | 3.7 | 3 |
| 230 | Hairy cell leukaemia with low CD103 expression: A rare but important diagnostic pitfall. British Journal of Haematology, 2022, 198, . | 2.5 | 3 |
| 231 | Caring for patients with haematological malignancies. Lancet Oncology, The, 2011, 12, 928-929. | 10.7 | 2 |
| 232 | Introducing biological features at diagnosis improves the relapse risk stratification in patients with acute promyelocytic leukemia treated with <scp>ATRA</scp> and chemotherapy. American Journal of Hematology, 2015, 90, E181-2. | 4.1 | 2 |
| 233 | Enteropathy-associated T-cell lymphoma in childhood: a case report and review of the literature. Leukemia and Lymphoma, 2015, 56, 2743-2746. | 1.3 | 2 |
| 234 | Life-threatening autoimmune hemolytic anemia and idiopathic thrombocytopenic purpura: successful seletive splenic artery embolization. Mediterranean Journal of Hematology and Infectious Diseases, 2016, 8, 2016020. | 1.3 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | The antileukemic potential of natural killer cells. Immunotherapy, 2016, 8, 425-434. | 2.0 | 2 |
| 236 | Bendamustine and dexamethasone are an effective salvage regimen for patients with advanced multiple myeloma in a Home Care Unit program. Leukemia and Lymphoma, 2016, 57, 1716-1718. | 1.3 | 2 |
| 237 | Lymphomatoid granulomatosis and large granular lymphocyte leukemia, a rare association of two lymphoproliferative disorders. Leukemia and Lymphoma, 2018, 59, 2715-2718. | 1.3 | 2 |
| 238 | Incidence of Clinically Significant (â‰Φ0 g/dL) Late Anemia in Elderly Patients with Newly Diagnosed Chronic Myeloid Leukemia Treated with Imatinib. Oncology Research and Treatment, 2019, 42, 660-664. | 1.2 | 2 |
| 239 | The role of an accurate diagnosis of inherited thrombocytopenia as the basis for an effective treatment. A case of <i>MYH9</i> syndrome treated with a TPOâ€RA. Haemophilia, 2019, 25, e288-e290. | 2.1 | 2 |
| 240 | Use of edoxaban for the treatment of venous thromboembolism in <scp>HIV</scp> â€infected patients. HIV Medicine, 2020, 21, e7. | 2.2 | 2 |
| 241 | Switch from branded to generic imatinib: impact on molecular responses and safety in chronic-phase chronic myeloid leukemia patients. Annals of Hematology, 2020, 99, 2773-2777. | 1.8 | 2 |
| 242 | Very late acute myeloid leukemia relapse: clinical features, treatment and outcome. Leukemia and Lymphoma, 2021, 62, 1022-1025. | 1.3 | 2 |
| 243 | Optimal Management of Chronic Lymphocytic Leukemia and Economic Constraints. Cancer Journal (Sudbury, Mass), 2021, 27, 320-327. | 2.0 | 2 |
| 244 | Ibrutinib Treatment Mitigates Phenotypic Alterations of Non-Neoplastic Immune Cell Compartments in Chronic Lymphocytic Leukemia. Blood, 2018, 132, 4412-4412. | 1.4 | 2 |
| 245 | Relapsed/Refractory Diffuse Large B-Cell Lymphoma (R/R DLBCL) Patients: A Retrospective Analysis of Eligibility Criteria for CAR-T Cell Therapy. Blood, 2019, 134, 2888-2888. | 1.4 | 2 |
| 246 | Long-Term Health Related Quality Of Life and Symptom Burden In Patients With Acute Promyelocytic Leukemia Treated With All-Trans Retinoic Acid (ATRA) and Chemotherapy. Blood, 2013, 122, 770-770. | 1.4 | 2 |
| 247 | Worldwide Examination of Patients with CLL Hospitalized for COVID-19. Blood, 2020, 136, 45-49. | 1.4 | 2 |
| 248 | Phototherapy and topical treatments for cutaneous graft vs. host disease in haematopoietic stem cell transplantation patients: a scoping review. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 1003-1015. | 2.4 | 2 |
| 249 | Childhood aggressive Bâ€cell nonâ€Hodgkin lymphoma in low–middleâ€income countries. British Journal of Haematology, 2022, 196, 849-863. | 2.5 | 2 |
| 250 | A broad and integrated diagnostic work-up for a modern management of Acute Lymphoblastic Leukemia (ALL). Hematology, 2005, 10, 55-62. | 1.5 | 1 |
| 251 | Reappraising the timing of transplant for indolent non-Hodgkin lymphomas. Expert Review of Hematology, 2016, 9, 951-964. | 2.2 | 1 |
| 252 | Management of CLL in the elderly. Annals of Oncology, 2017, 28, 200-204. | 1.2 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Thrombopoietin receptor agonists to control immune thrombocytopenia in patients with active lymphoma. British Journal of Haematology, 2019, 186, e217-e219. | 2.5 | 1 |
| 254 | Atypical Chronic Myeloid Leukemia in a Patient with Aplastic Anemia. Acta Haematologica, 2019, 142, 185-186. | 1.4 | 1 |
| 255 | Platelet activation and multidrug resistance protein-4 expression in children and adolescents with different subtypes of primary thrombocythemia. Haematologica, 2020, 105, e65-e67. | 3.5 | 1 |
| 256 | Favorable outcome of chronic myeloid leukemia coâ€expressing e13a2 and e14a2 transcripts, treated with nilotinib. Hematological Oncology, 2020, 38, 607-610. | 1.7 | 1 |
| 257 | A Rare Case of Coexisting Breast Cancer and Refractory Acute Myeloid Leukemia. Case Reports in Hematology, 2020, 2020, 1-4. | 0.4 | 1 |
| 258 | High rate of MRD-responses in young and fit patients with IGHV mutated chronic lymphocytic leukemia treated with front-line fludarabine, cyclophosphamide, and intensified dose of ofatumumab (FCO2). Haematologica, 2020, 105, 2671-2674. | 3.5 | 1 |
| 259 | A Prognostic Tool for the Identification of Patients with Early Stage Chronic Lymphocytic Leukemia at Risk of Progression. Blood, 2018, 132, 1834-1834. | 1.4 | 1 |
| 260 | Intermittent Imatinib Mesylate in Children with Chronic Myeloid Leukemia: Results and Outcome. Blood, 2018, 132, 4256-4256. | 1.4 | 1 |
| 261 | Incidence and Predictors of Early Treatment-Related Mortality In Pediatric Acute Lymphoblastic Leukemia In Baghdad (Iraq). Blood, 2010, 116, 2132-2132. | 1.4 | 1 |
| 262 | Subnetwork-Based Analysis of Chronic Lymphocytic Leukemia Identifies Pathways That Associate with Disease Progression,. Blood, 2011, 118, 3564-3564. | 1.4 | 1 |
| 263 | Phase 3 study of oral lenalidomide as maintenance therapy for patients with B-cell chronic lymphocytic leukemia (CLL) Journal of Clinical Oncology, 2014, 32, TPS7125-TPS7125. | 1.6 | 1 |
| 264 | Rate of complete hematological response of elderly Ph+ acute lymphoblastic leukemia (ALL) patients by sequential use of nilotinib and imatinib: A GIMEMA protocol LAL 1408 Journal of Clinical Oncology, 2013, 31, 7025-7025. | 1.6 | 1 |
| 265 | Small Subclones Harboring NOTCH1, SF3B1 or BIRC3 Mutations Are Clinically Irrelevant in Chronic Lymphocytic Leukemia. Blood, 2014, 124, 295-295. | 1.4 | 1 |
| 266 | Treatment of Adults with Minimal Residual Disease (MRD) Positive Acute Lymphoblastic Leukemia with Blinatumomab in a Real-World Setting: Results from the Neuf Study. Blood, 2019, 134, 2624-2624. | 1.4 | 1 |
| 267 | Acute Promyelocytic Leukemia (APL) in Very Elderly Patients: Real-Life behind Protocols. Blood, 2019, 134, 3845-3845. | 1.4 | 1 |
| 268 | "Miro―Study, a FIL multicenter phase II trial combining local radiotherapy and MRD-driven immunotherapy in early-stage follicular lymphoma Journal of Clinical Oncology, 2020, 38, e20073-e20073. | 1.6 | 1 |
| 269 | Blinatumomab and Inotuzumab for the Treatment of Multiply Relapsed Acute Lymphoblastic Leukemia: A Real-Life Campus ALL Study. Blood, 2021, 138, 3408-3408. | 1.4 | 1 |
| 270 | Efficacy and Safety of Front-Line Venetoclax and Rituximab (VenR) for the Treatment of Young Patients with Chronic Lymphocytic Leukemia and an Unfavorable Biologic Profile. Preliminary Results of the Gimema Study 'Veritas'. Blood, 2020, 136, 47-49. | 1.4 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Mutations of the <i>Exportin 1 (XPO1)</i> Gene Predict Shorter Time to First Treatment in 1092 Early Stage Chronic Lymphocytic Leukemia Patients. Î' Training/Validation Study. Blood, 2020, 136, 31-32. | 1.4 | 1 |
| 272 | Sequential Treatments in Chronic Phase Chronic Myeloid Leukemia (CML) Patients without Optimal Response after Frontline Nilotinib or Dasatinib: An Italian CML Campus Study. Blood, 2020, 136, 45-46. | 1.4 | 1 |
| 273 | Complex Karyotype Subtypes at Chronic Lymphocytic Leukemia Diagnosis Refine the Risk of Developing a Richter Syndrome. the Richter Syndrome Scoring System. Blood, 2020, 136, 33-34. | 1.4 | 1 |
| 274 | Increased eryptosis in patients with primary antiphospholipid syndrome (APS): a new actor in the pathogenesis of APS. Clinical and Experimental Rheumatology, 2021, 39, 838-843. | 0.8 | 1 |
| 275 | Repeated infusions of escalating doses of expanded and activated autologous natural killer cells in minimal residual diseaseâ€positive Ph+ acute lymphoblastic leukemia patients. A GIMEMA phase 1 trial. American Journal of Hematology, 2022, 97, . | 4.1 | 1 |
| 276 | 714 CONTROLLED - RELEASE (CR) OXYCODONE FOR THE TREATMENT OF IATROGENIC NEUROPATHIC PAIN IN PATIENTS WITH HEMATOLOGIC MALIGNANCIES. European Journal of Pain, 2006, 10, S186b-S186. | 2.8 | 0 |
| 277 | The European Hematology Association: strengthening hematology in Europe and beyond. Expert Review of Hematology, 2011, 4, 133-136. | 2.2 | 0 |
| 278 | Clinical characteristics and outcome of patients with autoimmune hemolytic anemia uniformly defined as primary by a diagnostic workâ€up. American Journal of Hematology, 2016, 91, E319-20. | 4.1 | 0 |
| 279 | AB0150 Increased eryptosis levels in primary antiphospholipid syndrome patients. , 2017, , . | | O |
| 280 | Current and future therapeutic approaches for the treatment of follicular lymphoma. Expert Review of Anticancer Therapy, 2018, 18, 931-941. | 2.4 | 0 |
| 281 | Response to Comment by Amato T. <i>et al.</i> . Haematologica, 2019, 104, e541-e541. | 3.5 | 0 |
| 282 | First-line dasatinib discontinuation in chronic myeloid leukaemia: another step towards an "operational cure― Lancet Haematology,the, 2020, 7, e182-e183. | 4.6 | 0 |
| 283 | Long-term follow-up of late chronic phase chronic myeloid leukemia patients treated with imatinib after interferon failure: a single center experience. Leukemia and Lymphoma, 2021, 62, 2261-2266. | 1.3 | 0 |
| 284 | Introduction Chronic Lymphocytic Leukemia. Where Do We Stand, Where Do We Go. Cancer Journal (Sudbury, Mass), 2021, 27, 257-258. | 2.0 | 0 |
| 285 | Breast Cancer Resistance Protein (BCRP) in Adult Acute Lymphoblastic Leukemia Patients Blood, 2004, 104, 1897-1897. | 1.4 | 0 |
| 286 | Identification of a LOH Region on Chromosome 9p Associated with a Specific Gene Expression Signature in Adult B-Lineage ALL through Integration of High Density Microarray Expression and SNP Analyses Blood, 2004, 104, 1119-1119. | 1.4 | 0 |
| 287 | Expression of different isoforms of the B-cell mutator activation-induced cytidine deaminase (AID) in <i>BCR-ABL1</i> -positive acute lymphoblastic leukemia (ALL) patients. Journal of Clinical Oncology, 2009, 27, 7049-7049. | 1.6 | O |
| 288 | Acute Erythroid Leukemia: A Distinctive Subtype of AML? Outcome and Prognostic Factors in Comparison with Non-M6 AML. The Gimema Experience Blood, 2009, 114, 1019-1019. | 1.4 | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 289 | CRLF2/JAK Signaling in Adult and Pediatric Acute Lymphoblastic Leukemia Is Highly Similar to BCR/ABL Blood, 2009, 114, 3461-3461. | 1.4 | O |
| 290 | BCR-ABL kinase domain mutations and resistance in Ph+ acute lymphoblastic leukemia from the imatinib to the second-generation TKI era Journal of Clinical Oncology, 2012, 30, 6531-6531. | 1.6 | 0 |
| 291 | B-Cell Receptor Configuration and Adverse Cytogenetics Are Associated with Autoimmune Hemolytic Anemia in Chronic Lymphocytic Leukemia. Blood, 2012, 120, 1780-1780. | 1.4 | O |
| 292 | Expanded Natural Killer Cells For The Control Of Minimal Residual Disease In Ph+ Acute Lymphoblastic Leukemia Patients. Blood, 2013, 122, 2026-2026. | 1.4 | 0 |
| 293 | Modulation Of The Glycolytic Metabolism In Acute Myeloid Leukemia Cells. Blood, 2013, 122, 5045-5045. | 1.4 | 0 |
| 294 | FLT3-ITD Internal Tandem Duplication Confers Poor Prognosis In Patients With Acute Promyelocytic Leukemia Treated With The AIDA Protocols. Long-Term Follow-Up Analysis. Blood, 2013, 122, 1336-1336. | 1.4 | 0 |
| 295 | Splenectomy Is Still a Valid Option For Splenic Marginal Zone Lymphoma. Blood, 2013, 122, 5129-5129. | 1.4 | 0 |
| 296 | Independent Prognostic Impact of CD15 for Achievement of Complete Remission in Patients with Acute Myeloid Leukemia. Blood, 2014, 124, 3687-3687. | 1.4 | 0 |
| 297 | Clinical Features and Prognostic Factors in Solitary Plasmacytoma: A Single Center Retrospective Study. Blood, 2014, 124, 3455-3455. | 1.4 | 0 |
| 298 | Healthcare Resource Utilization Trends over Time with Continuous Lenalidomide Treatment (Tx) in Patients (Pts) with Newly Diagnosed Multiple Myeloma (NDMM). Blood, 2014, 124, 1326-1326. | 1.4 | 0 |
| 299 | Bendamustine and Dexamethasone Is an Effective Salvage Regimen for Patient with Advanced Multiple Myeloma in a Home Care Unit Program. Blood, 2014, 124, 5753-5753. | 1.4 | 0 |
| 300 | Early Response Does Not Impact on the Long-Term Outcome of Children and Adolescents with Chronic Myeloid Leukemia Treated with High-Dose Imatinib. the Italian Experience. Blood, 2015, 126, 2788-2788. | 1.4 | 0 |
| 301 | Comparative Analysis Between RQ-PCR and Digital Droplet PCR of BCL2/IGH Rearrangement in the Peripheral Blood and Bone Marrow of Early Stage Follicular Lymphoma. Blood, 2016, 128, 5308-5308. | 1.4 | 0 |
| 302 | Chlorambucil PLUS Rituximab As FRONT-LINE Therapy for Elderly and/or Unfit CLL Patients. LONG-TERM Follow-up and Correlation with Biologic-Based Risk Stratification. Blood, 2016, 128, 3240-3240. | 1.4 | 0 |
| 303 | HIF-1α Upregulation in TP53 Disrupted Chronic Lymphocytic Leukemia Cells and Its Potential Role As a Therapeutic Target. Blood, 2016, 128, 305-305. | 1.4 | 0 |
| 304 | Assessment of Measures to Reduce Infusion-Related Reactions in Patients with Chronic Lymphocytic Leukemia Treated with Obinutuzumab in the GREEN Study. Blood, 2016, 128, 5589-5589. | 1.4 | 0 |
| 305 | COSMOS: MOR208 plus idelalisib or venetoclax in patients with relapsed or refractory (R/R) chronic lymphocytic leukemia (CLL) or small lymphocytic lymphoma (SLL) previously treated with a Bruton's tyrosine kinase inhibitor (BTKi)â€"A two-cohort phase II study Journal of Clinical Oncology, 2017, 35, TPS7567-TPS7567. | 1.6 | 0 |
| 306 | AB0163â€Increased eryptosis levels in erythrocytes treated with antibodies from aps patients: eryptosis as new actor in aps pathogenesis. , 2018, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Five Years after Frontline Tyrosine-Kinase Inhibitor (TKI) Treatment Initiation for Chronic Myeloid Leukemia: What Does It Happen in a Real-Life Setting?. Blood, 2018, 132, 1746-1746. | 1.4 | 0 |
| 308 | Presentation and Outcome of 199 Patients with 2016 Who Diagnosis of Early and Overt Primary Myelofibrosis Treated with Ruxolitinib. Blood, 2018, 132, 3052-3052. | 1.4 | 0 |
| 309 | Identification of Predictive Factors for Overall Survival at Baseline and during Azacitidine Treatment in High-Risk Myelodysplastic Syndromes Treated in the Clinical Practice. Blood, 2018, 132, 5518-5518. | 1.4 | O |
| 310 | Overall Survival and Response Rates after a 10-Year Follow-up of Chronic Myeloid Leukemia Patients in Chronic Phase Treated with Imatinib in a Real-Life Practice. Blood, 2018, 132, 1741-1741. | 1.4 | 0 |
| 311 | The Combination of Complex Karyotypes' Subtypes and IGHV Mutational Status Provides Prognostic and Predictive Information in Chronic Lymphocytic Leukemia. Blood, 2018, 132, 1844-1844. | 1.4 | 0 |
| 312 | Immunotherapy in Multiple Myeloma: Experience of the Multiple Myeloma Gimema Lazio Group. Blood, 2018, 132, 5634-5634. | 1.4 | 0 |
| 313 | Clinical and Prognostic Features of Essential Thrombocythemia: Comparison of Who 2001 Versus Who 2008/2016 Criteria in a Large Single Center Cohort. Blood, 2018, 132, 5464-5464. | 1.4 | 0 |
| 314 | Clinical Relevance of Individual Response to Iron Chelation Therapy (ICT) in Patients with Myelodysplastic Syndromes (MDS) and Transfusion Requirement. Blood, 2019, 134, 3010-3010. | 1.4 | 0 |
| 315 | Relapsed/Refractory Multiple Myeloma Patients. a Multicenter Retrospective Analysis of Eligibility Criteria for CAR-T Cell Therapy. Blood, 2021, 138, 3755-3755. | 1.4 | 0 |
| 316 | A Predictive Endothelial-Leukemia Pre-Clinical Platform to Uncover Drug Vulnerabilities for Personalized Treatments. Blood, 2021, 138, 704-704. | 1.4 | 0 |
| 317 | Efficacy of Idelalisib and Rituximab in Relapsed/Refractory Chronic Lymphocytic Leukemia Treated Outside of Clinical Trial. a Report of the Gimema Group. Blood, 2020, 136, 23-25. | 1.4 | 0 |
| 318 | Predictive Factors for Overall Survival in Chronic Myeloid Leukemia Patients: An Analysis By the Gimema Cml Italian Study. Blood, 2020, 136, 47-48. | 1.4 | 0 |
| 319 | Retrospective Real-Life Comparison of Obinutuzumab Plus Chlorambucil Versus Ibrutinib in Previously Untreated and Unfit Patients with Chronic Lymphocytic Leukemia without TP53 Disruptions. Interim Results from the Italian CLL Campus. Blood, 2020, 136, 30-31. | 1.4 | 0 |
| 320 | Low Cholesterol, Low-Density Lipoprotein (LDL) and Triglycerides Plasma Levels Are Associated with Lower Risk of Arterial Occlusive Events in Chronic Myeloid Leukemia Patients Treated with Nilotinib. Blood, 2020, 136, 8-9. | 1.4 | 0 |
| 321 | Long-Term Treatment of Hairy Cell Leukemia Patients with Interferon: Clinical and Molecular Aspects. Blood, 2020, 136, 37-37. | 1.4 | 0 |
| 322 | Blast morphology in the diagnostic work-up of Ph-like acute lymphoblastic leukemia. Leukemia and Lymphoma, 2022, , 1-3. | 1.3 | 0 |
| 323 | IgVH mutations in patients with chronic lymphocytic leukemia. Haematologica, 2005, 90, 434-5. | 3.5 | 0 |
| 324 | Management of adult patients with Philadelphia positive acute lymphoblastic leukemia. Rinsho Ketsueki/the Japanese Journal of Clinical Hematology, 2013, 54, 1828-37. | 0.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Immuno-hematological monitoring after allogeneic stem cell transplantation: a single-center, prospective study of 104 patients Blood Transfusion, 2022, , . | 0.4 | O |