Timothy E Mcalindon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4804173/publications.pdf

Version: 2024-02-01

18647 57758 14,937 149 44 119 citations h-index g-index papers 150 150 150 14567 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	OARSI guidelines for the non-surgical management of knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 363-388.	1.3	2,298
2	2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis and Rheumatology, 2016, 68, 1-26.	5.6	1,880
3	2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care and Research, 2016, 68, 1-25.	3.4	890
4	Glucosamine and Chondroitin for Treatment of Osteoarthritis. JAMA - Journal of the American Medical Association, 2000, 283, 1469.	7.4	738
5	Risk factors for the incidence and progression of radiographic knee osteoarthritis. Arthritis and Rheumatism, 2000, 43, 995.	6.7	582
6	Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2017, 317, 1967.	7.4	556
7	Comparative Effectiveness of Pharmacologic Interventions for Knee Osteoarthritis. Annals of Internal Medicine, 2015, 162, 46-54.	3.9	475
8	Intra-articular Hyaluronic Acid in Treatment of Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2003, 290, 3115.	7.4	424
9	2017 American College of Rheumatology Guideline for the Prevention and Treatment of Glucocorticoidâ€Induced Osteoporosis. Arthritis and Rheumatology, 2017, 69, 1521-1537.	5.6	399
10	A Randomized Trial of Tai Chi for Fibromyalgia. New England Journal of Medicine, 2010, 363, 743-754.	27.0	381
11	Relation of Dietary Intake and Serum Levels of Vitamin D to Progression of Osteoarthritis of the Knee among Participants in the Framingham Study. Annals of Internal Medicine, 1996, 125, 353.	3.9	365
12	Therapeutic trajectory of hyaluronic acid versus corticosteroids in the treatment of knee osteoarthritis: A systematic review and metaâ€analysis. Arthritis and Rheumatism, 2009, 61, 1704-1711.	6.7	356
13	2017 American College of Rheumatology Guideline for the Prevention and Treatment of Glucocorticoidâ€Induced Osteoporosis. Arthritis Care and Research, 2017, 69, 1095-1110.	3.4	303
14	Association of periodontal disease and tooth loss with rheumatoid arthritis in the US population. Journal of Rheumatology, 2008, 35, 70-6.	2.0	263
15	Tai Chi is effective in treating knee osteoarthritis: A randomized controlled trial. Arthritis and Rheumatism, 2009, 61, 1545-1553.	6.7	256
16	Non-surgical management of knee osteoarthritis: comparison of ESCEO and OARSI 2019 guidelines. Nature Reviews Rheumatology, 2021, 17, 59-66.	8.0	233
17	Effect of Vitamin D Supplementation on Progression of Knee Pain and Cartilage Volume Loss in Patients With Symptomatic Osteoarthritis. JAMA - Journal of the American Medical Association, 2013, 309, 155.	7.4	220
18	Level of physical activity and the risk of radiographic and symptomatic knee osteoarthritis in the elderly: the Framingham Study. American Journal of Medicine, 1999, 106, 151-157.	1.5	214

#	Article	IF	CITATIONS
19	Effect of tai chi versus aerobic exercise for fibromyalgia: comparative effectiveness randomized controlled trial. BMJ: British Medical Journal, 2018, 360, k851.	2.3	189
20	Relative efficacy of hyaluronic acid in comparison with NSAIDs for knee osteoarthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2014, 43, 593-599.	3 . 4	150
21	Defining radiographic osteoarthritis for the whole knee. Osteoarthritis and Cartilage, 1997, 5, 241-250.	1.3	145
22	Effectiveness and Implications of Alternative Placebo Treatments. Annals of Internal Medicine, 2015, 163, 365-372.	3.9	143
23	Effectiveness of glucosamine for symptoms of knee osteoarthritis: Results from an internet-based randomized double-blind controlled trial. American Journal of Medicine, 2004, 117, 643-649.	1.5	134
24	Intra-articular corticosteroids and the risk of knee osteoarthritis progression: results from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2019, 27, 855-862.	1.3	125
25	Comparative Effectiveness of Tai Chi Versus Physical Therapy for Knee Osteoarthritis. Annals of Internal Medicine, 2016, 165, 77.	3.9	124
26	Change in knee osteoarthritis cartilage detected by delayed gadolinium enhanced magnetic resonance imaging following treatment with collagen hydrolysate: a pilot randomized controlled trial. Osteoarthritis and Cartilage, 2011, 19, 399-405.	1.3	113
27	Inflammation and glucose homeostasis are associated with specific structural features among adults without knee osteoarthritis: a cross-sectional study from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2018, 19, 1.	1.9	105
28	High-Energy Extracorporeal Shock-Wave Therapy for Treating Chronic Calcific Tendinitis of the Shoulder. Annals of Internal Medicine, 2014, 160, 542.	3.9	85
29	The OA Trial Bank: meta-analysis of individual patient data from knee and hip osteoarthritis trials show that patients with severe pain exhibit greater benefit from intra-articular glucocorticoids. Osteoarthritis and Cartilage, 2016, 24, 1143-1152.	1.3	84
30	Lorecivivint, a Novel Intraarticular CDCâ€like Kinase 2 and Dualâ€Specificity Tyrosine Phosphorylationâ€Regulated Kinase 1A Inhibitor and Wnt Pathway Modulator for the Treatment of Knee Osteoarthritis: A Phase II Randomized Trial. Arthritis and Rheumatology, 2020, 72, 1694-1706.	5.6	84
31	Association of Knee Injuries With Accelerated Knee Osteoarthritis Progression: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2014, 66, 1673-1679.	3.4	83
32	Subgroup analyses of the effectiveness of oral glucosamine for knee and hip osteoarthritis: a systematic review and individual patient data meta-analysis from the OA trial bank. Annals of the Rheumatic Diseases, 2017, 76, 1862-1869.	0.9	82
33	Risk factors and the natural history of accelerated knee osteoarthritis: a narrative review. BMC Musculoskeletal Disorders, 2020, 21, 332.	1.9	81
34	Evaluation of bone marrow lesion volume as a knee osteoarthritis biomarker - longitudinal relationships with pain and structural changes: data from the Osteoarthritis Initiative. Arthritis Research and Therapy, 2013, 15, R112.	3.5	79
35	Vitamin D Deficiency Is Associated with Progression of Knee Osteoarthritis. Journal of Nutrition, 2014, 144, 2002-2008.	2.9	77
36	American College of Rheumatology report on reasonable use of musculoskeletal ultrasonography in rheumatology clinical practice. Arthritis Care and Research, 2012, 64, 1625-1640.	3 . 4	76

#	Article	IF	CITATIONS
37	Knee osteoarthritis: key treatments and implications for physical therapy. Brazilian Journal of Physical Therapy, 2021, 25, 135-146.	2.5	76
38	Smoking, alcohol consumption, and risk of systemic lupus erythematosus in the Black Women's Health Study. Journal of Rheumatology, 2003, 30, 1222-6.	2.0	65
39	Nutrition: risk factors for osteoarthritis. Annals of the Rheumatic Diseases, 1997, 56, 397-400.	0.9	63
40	Test-retest reliability and sensitivity of the 20-meter walk test among patients with knee osteoarthritis. BMC Musculoskeletal Disorders, 2013, 14, 166.	1.9	62
41	Dietary Fat Intake and Radiographic Progression of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2017, 69, 368-375.	3.4	61
42	Duration of Symptom Relief and Early Trajectory of Adverse Events for Oral Nonsteroidal Antiinflammatory Drugs in Knee Osteoarthritis: A Systematic Review and Metaâ€Analysis. Arthritis Care and Research, 2020, 72, 641-651.	3.4	57
43	Associations of varus thrust and alignment with pain in knee osteoarthritis. Arthritis and Rheumatism, 2012, 64, 2252-2259.	6.7	52
44	Effects of Prescription Nonsteroidal Antiinflammatory Drugs on Symptoms and Disease Progression Among Patients With Knee Osteoarthritis. Arthritis and Rheumatology, 2015, 67, 724-732.	5.6	50
45	Quantitative bone marrow lesion size in osteoarthritic knees correlates with cartilage damage and predicts longitudinal cartilage loss. BMC Musculoskeletal Disorders, 2011, 12, 217.	1.9	46
46	Assessing the comparative effectiveness of Tai Chi versus physical therapy for knee osteoarthritis: design and rationale for a randomized trial. BMC Complementary and Alternative Medicine, 2014, 14, 333.	3.7	46
47	Tai Chi for treating knee osteoarthritis: Designing a long-term follow up randomized controlled trial. BMC Musculoskeletal Disorders, 2008, 9, 108.	1.9	40
48	Individuals with incident accelerated knee osteoarthritis have greater pain than those with common knee osteoarthritis progression: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 1565-1571.	2.2	40
49	Effusion-synovitis and infrapatellar fat pad signal intensity alteration differentiate accelerated knee osteoarthritis. Rheumatology, 2019, 58, 418-426.	1.9	40
50	Coronal tibial slope is associated with accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. BMC Musculoskeletal Disorders, 2016, 17, 299.	1.9	38
51	Running does not increase symptoms or structural progression in people with knee osteoarthritis: data from the osteoarthritis initiative. Clinical Rheumatology, 2018, 37, 2497-2504.	2.2	38
52	Is lipstick associated with the development of systemic lupus erythematosus (SLE)?. Clinical Rheumatology, 2008, 27, 1183-1187.	2.2	36
53	Is viscosupplementation really so unsafe for knee OA?. Nature Reviews Rheumatology, 2012, 8, 635-636.	8.0	36
54	Comparison of self-report and objective measures of physical activity in US adults with osteoarthritis. Rheumatology International, 2016, 36, 1355-1364.	3.0	35

#	Article	IF	CITATIONS
55	Objectively Measured Physical Activity and Symptoms Change in Knee Osteoarthritis. American Journal of Medicine, 2016, 129, 497-505.e1.	1.5	35
56	Is There an Association Between a History of Running and Symptomatic Knee Osteoarthritis? A Crossâ€Sectional Study From the Osteoarthritis Initiative. Arthritis Care and Research, 2017, 69, 183-191.	3.4	34
57	Association of subchondral bone texture on magnetic resonance imaging with radiographic knee osteoarthritis progression: data from the Osteoarthritis Initiative Bone Ancillary Study. European Radiology, 2018, 28, 4687-4695.	4.5	34
58	Accelerated Knee Osteoarthritis Is Characterized by Destabilizing Meniscal Tears and Preradiographic Structural Disease Burden. Arthritis and Rheumatology, 2019, 71, 1089-1100.	5.6	34
59	Tanezumab for chronic low back pain: a randomized, double-blind, placebo- and active-controlled, phase 3 study of efficacy and safety. Pain, 2020, 161, 2068-2078.	4.2	34
60	Relationship of Bone Mineral Density to Progression of Knee Osteoarthritis. Arthritis and Rheumatism, 2013, 65, 1541-1546.	6.7	33
61	Risk factors can classify individuals who develop accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Orthopaedic Research, 2018, 36, 876-880.	2.3	33
62	Meniscal extrusion or subchondral damage characterize incident accelerated osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2015, 28, 792-799.	2.7	31
63	Development of a clinical prediction algorithm for knee osteoarthritis structural progression in a cohort study: value of adding measurement of subchondral bone density. Arthritis Research and Therapy, 2017, 19, 95.	3.5	31
64	Osteoarthritis and Aging: Young Adults with Osteoarthritis. Current Epidemiology Reports, 2020, 7, 9-15.	2.4	30
65	Early pre-radiographic structural pathology precedes the onset of accelerated knee osteoarthritis. BMC Musculoskeletal Disorders, 2019, 20, 241.	1.9	29
66	Nutraceuticals: do they work and when should we use them?. Best Practice and Research in Clinical Rheumatology, 2006, 20, 99-115.	3.3	28
67	Best performing definition of accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 165-171.	2.7	28
68	Bioluminescence and second harmonic generation imaging reveal dynamic changes in the inflammatory and collagen landscape in early osteoarthritis. Laboratory Investigation, 2018, 98, 656-669.	3.7	28
69	Development of a rapid knee cartilage damage quantification method using magnetic resonance images. BMC Musculoskeletal Disorders, 2014, 15, 264.	1.9	27
70	Periarticular bone predicts knee osteoarthritis progression: Data from the Osteoarthritis Initiative. Seminars in Arthritis and Rheumatism, 2018, 48, 155-161.	3.4	27
71	Exploratory analysis of osteoarthritis progression among medication users: data from the Osteoarthritis Initiative. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 207-219.	2.7	25
72	Knee symptoms among adults at risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2017, 36, 1083-1089.	2.2	25

#	Article	IF	Citations
73	Knee Pain and a Prior Injury Are Associated with Increased Risk of a New Knee Injury: Data from the Osteoarthritis Initiative. Journal of Rheumatology, 2015, 42, 1463-1469.	2.0	24
74	Systolic and pulse pressure associate with incident knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2017, 36, 2121-2128.	2.2	24
75	Dietary Patterns and Progression of Knee Osteoarthritis: Data from the Osteoarthritis Initiative. American Journal of Clinical Nutrition, 2020, 111, 667-676.	4.7	24
76	Symptom Assessment in Knee Osteoarthritis Needs to Account for Physical Activity Level. Arthritis and Rheumatology, 2015, 67, 2897-2904.	5.6	23
77	A novel comparative effectiveness study of Tai Chi versus aerobic exercise for fibromyalgia: study protocol for a randomized controlled trial. Trials, 2015, 16, 34.	1.6	22
78	Safety of Repeated Injections of Sodium Hyaluronate (SUPARTZ) for Knee Osteoarthritis. Cartilage, 2016, 7, 322-332.	2.7	22
79	Latest advances in the management of knee OA. Nature Reviews Rheumatology, 2018, 14, 73-74.	8.0	22
80	Absence of linkage or association for osteoarthritis with the vitamin D receptor/type II collagen locus: the Framingham Osteoarthritis Study. Journal of Rheumatology, 2002, 29, 161-5.	2.0	21
81	Lower leg muscle mass relates to knee pain in patients with knee osteoarthritis. International Journal of Rheumatic Diseases, 2018, 21, 126-133.	1.9	20
82	Longterm Effectiveness of Intraarticular Injections on Patient-reported Symptoms in Knee Osteoarthritis. Journal of Rheumatology, 2018, 45, 1316-1324.	2.0	20
83	Prevalence, Incidence, and Progression of Radiographic and Symptomatic Hand Osteoarthritis: The Osteoarthritis Initiative. Arthritis and Rheumatology, 2022, 74, 992-1000.	5.6	20
84	Overweight older adults, particularly after an injury, are at high risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 1071-1076.	2.2	18
85	Development of a Rapid Cartilage Damage Quantification Method for the Lateral Tibiofemoral Compartment Using Magnetic Resonance Images: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.	1.9	17
86	The associations between radiographic hand osteoarthritis definitions and hand pain: data from the osteoarthritis initiative. Rheumatology International, 2018, 38, 403-413.	3.0	16
87	Association of Vitamin K Status Combined With Vitamin D Status and Lowerâ€Extremity Function: A Prospective Analysis of Two Knee Osteoarthritis Cohorts. Arthritis Care and Research, 2018, 70, 1150-1159.	3.4	16
88	The incidence and characteristics of accelerated knee osteoarthritis among women: the Chingford cohort. BMC Musculoskeletal Disorders, 2020, 21, 60.	1.9	16
89	Response to Letter to the Editor entitled "Comments on  OARSI guidelines for the non-surgical management of knee osteoarthritis'― Osteoarthritis and Cartilage, 2014, 22, 890-891.	1.3	15
90	Subjective Crepitus as a Risk Factor for Incident Symptomatic Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2018, 70, 53-60.	3.4	15

#	Article	IF	CITATIONS
91	Defining and evaluating a novel outcome measure representing end-stage knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 2523-2530.	2.2	14
92	Sex differences in the association of skin advanced glycation endproducts with knee osteoarthritis progression. Arthritis Research and Therapy, 2017, 19, 36.	3.5	14
93	Knee Alignment Is Quantitatively Related to Periarticular Bone Morphometry and Density, Especially in Patients With Osteoarthritis. Arthritis and Rheumatology, 2018, 70, 212-221.	5.6	14
94	Erosive Hand Osteoarthritis: Incidence and Predictive Characteristics Among Participants in the Osteoarthritis Initiative. Arthritis and Rheumatology, 2021, 73, 2015-2024.	5.6	14
95	Glucose homeostasis influences the risk of incident knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Orthopaedic Research, 2017, 35, 2282-2287.	2.3	13
96	Factors Associated with the Use of Hyaluronic Acid and Corticosteroid Injections among Patients with Radiographically Confirmed Knee Osteoarthritis: A Retrospective Data Analysis. Clinical Therapeutics, 2017, 39, 347-358.	2.5	13
97	Recommendations for the management of rheumatoid arthritis in the Eastern Mediterranean region: an adolopment of the 2015 American College of Rheumatology guidelines. Clinical Rheumatology, 2018, 37, 2947-2959.	2.2	13
98	Mobile health technologies for the management of rheumatic diseases: a systematic review of online stores in Brazil. Clinical Rheumatology, 2021, 40, 2601-2609.	2.2	13
99	Mindfulness Is Associated With Treatment Response From Nonpharmacologic Exercise Interventions in Knee Osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2265-2273.e1.	0.9	12
100	Characteristics of Accelerated Hand Osteoarthritis: Data from the Osteoarthritis Initiative. Journal of Rheumatology, 2019, 46, 422-428.	2.0	12
101	Nutritional factors and osteoarthritis: recent developments. Current Opinion in Internal Medicine, 2005, 4, 632-637.	1.5	11
102	Magnetic Resonance Image Sequence Influences the Relationship between Bone Marrow Lesions Volume and Pain: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.	1.9	11
103	A single recent injury is a potent risk factor for the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. Rheumatology International, 2017, 37, 1759-1764.	3.0	11
104	Adults with incident accelerated knee osteoarthritis are more likely to receive a knee replacement: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2018, 37, 1115-1118.	2.2	11
105	Effect of vitamin D supplementation on pain and physical function in patients with knee osteoarthritis (OA): an OA Trial Bank protocol for a systematic review and individual patient data (IPD) meta-analysis. BMJ Open, 2020, 10, e035302.	1.9	11
106	Impact of the first wave of the COVID-19 pandemic on systemic lupus erythematosus patients: Results from a multi-center prospective cohort. Lupus, 2021, 30, 1747-1755.	1.6	10
107	Osteoarthritis Research Society International (OARSI) Classification and Guidelines. HSS Journal, 2012, 8, 66-67.	1.7	9
108	Two cases of sarcoidosis presenting as longitudinally extensive transverse myelitis. Clinical Rheumatology, 2018, 37, 2899-2905.	2.2	9

#	Article	IF	Citations
109	Editorial: Toward a New Paradigm of Knee Osteoarthritis. Arthritis and Rheumatology, 2015, 67, 1987-1989.	5.6	8
110	Intra-articular Corticosteroid Injections in the Hip and Knee: Perhaps Not as Dangerous as They Want You to Believe?. Radiology, 2020, 295, 249-250.	7.3	8
111	Determination of serum biomarkers in osteoarthritis patients: a previous interventional imaging study revisited. Journal of Biomedical Research, 2017, 31, 25-30.	1.6	8
112	Characterizing the distinct structural changes associated with selfâ€reported knee injury among individuals with incident knee osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2018, 31, 330-334.	2.7	7
113	Role of Magnetic Resonance Imaging in Classifying Individuals Who Will Develop Accelerated Radiographic Knee Osteoarthritis. Journal of Orthopaedic Research, 2019, 37, 2420-2428.	2.3	7
114	Accelerated knee osteoarthritis is associated with pre-radiographic degeneration of the extensor mechanism and cruciate ligaments: data from the Osteoarthritis Initiative. BMC Musculoskeletal Disorders, 2019, 20, 308.	1.9	7
115	Composite quantitative knee structure metrics predict the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2020, 21, 299.	1.9	7
116	Comparing Patient-Reported Outcomes From Sham and Saline-Based Placebo Injections for Knee Osteoarthritis: Data From a Randomized Clinical Trial of Lorecivivint. American Journal of Sports Medicine, 2022, 50, 630-636.	4.2	7
117	Excessive alcohol consumption and the risk of knee osteoarthritis: a prospective study from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2022, 30, 697-701.	1.3	7
118	Association Between Declining Walking Speed and Increasing Bone Marrow Lesion and Effusion Volume in Individuals with Accelerated Knee Osteoarthritis. Arthritis Care and Research, 2019, 71, 259-270.	3.4	6
119	Diffuse tibiofemoral cartilage change prior to the development of accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2019, 32, 369-378.	2.7	6
120	Sample size calculations for detecting disease-modifying osteoarthritis drug effects on the incidence of end-stage knee osteoarthritis in clinical trials: Data from the Osteoarthritis Initiative. Seminars in Arthritis and Rheumatism, 2019, 49, 3-8.	3.4	6
121	Football Increases Future Risk of Symptomatic Radiographic Knee Osteoarthritis. Medicine and Science in Sports and Exercise, 2020, 52, 795-800.	0.4	6
122	"Unspoken Questions― A Qualitative Study of Rheumatologists' Perspectives on the Clinical Implementation of Patient-reported Outcome Measures. Journal of Rheumatology, 2020, 47, 1822-1830.	2.0	6
123	The Influence of Tai Chi Exercise on Proprioception in Patients with Knee Osteoarthritis: Results from a Pilot Randomized Controlled Trial. International Journal of Integrative Medicine, 2013, 1, 1.	0.7	5
124	A Decline in Walking Speed Is Associated With Incident Knee Replacement in Adults With and at Risk for Knee Osteoarthritis. Journal of Rheumatology, 2021, 48, 579-584.	2.0	5
125	The use of patient-specific equipoise to support shared decision-making for clinical care and enrollment into clinical trials. Journal of Clinical and Translational Science, 2019, 3, 27-36.	0.6	4
126	THU0458Ââ€EFFICACY AND SAFETY FROM A PHASE 2B TRIAL OF SM04690, A NOVEL INTRA-ARTICULAR WNT PATHWAY INHIBITOR FOR THE TREATMENT OF OSTEOARTHRITIS OF THE KNEE. , 2019, , .		4

#	Article	IF	CITATIONS
127	Evidence that Swimming May Be Protective of Knee Osteoarthritis: Data from the Osteoarthritis Initiative. PM and R, 2020, 12, 529-537.	1.6	4
128	Novel Framework for Measuring Whole Knee Osteoarthritis Progression Using Magnetic Resonance Imaging. Arthritis Care and Research, 2022, 74, 799-808.	3.4	4
129	Stakeholder engagement in methodological research: Development of a clinical decision support tool. Journal of Clinical and Translational Science, 2020, 4, 133-140.	0.6	4
130	A curve evolution method for identifying weak edges with applications to the segmentation of magnetic resonance images of the knee. , 2011, , .		3
131	Validation of a new symptom outcome for knee osteoarthritis: the Ambulation Adjusted Score for Knee pain. Clinical Rheumatology, 2019, 38, 851-858.	2.2	3
132	Clinical integration of patient-reported outcome measures to enhance the care of patients with SLE: a multi-centre prospective cohort study. Rheumatology, 2022, 61, 4763-4774.	1.9	3
133	Long-term Intra-articular Steroid Injections and Knee Cartilageâ€"Reply. JAMA - Journal of the American Medical Association, 2017, 318, 1185.	7.4	2
134	Patient-specific reference values for objective physical function tests: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2020, 39, 1961-1970.	2.2	2
135	Sports with a Bat or Racket are Not Associated with Thumb-base Osteoarthritis. Journal of Athletic Training, 2021, , .	1.8	2
136	A novel approach to studying early knee osteoarthritis illustrates that bilateral medial tibiofemoral osteoarthritis is a heritable phenotype: an offspring study. Rheumatology International, 2022, 42, 1063-1072.	3.0	2
137	Reply. Arthritis Care and Research, 2016, 68, 725-726.	3.4	1
138	Reply. Arthritis and Rheumatology, 2016, 68, 1316-1318.	5.6	1
139	Reply. Arthritis Care and Research, 2018, 70, 950-951.	3.4	1
140	Reply. Arthritis and Rheumatology, 2020, 72, 198-200.	5.6	1
141	Reply. Arthritis and Rheumatology, 2015, 67, 2278-2280.	5.6	0
142	Reply. Arthritis and Rheumatology, 2015, 67, 1983-1984.	5.6	0
143	Reply. Arthritis and Rheumatology, 2016, 68, 773-774.	5.6	0
144	Reply. Arthritis and Rheumatology, 2016, 68, 1565-1566.	5.6	0

#	Article	IF	CITATIONS
145	Response to: â€~Different glucosamine sulfate products generate different outcomes on osteoarthritis symptoms' by Reginster <i>et al</i> . Annals of the Rheumatic Diseases, 2018, 77, e40-e40.	0.9	O
146	2121 Quantitative structural knee measurements improve classification of accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Clinical and Translational Science, 2018, 2, 25-25.	0.6	0
147	VITAMIN K ANTAGONISM AND CHONDROCALCINOSIS IN THE OSTEOARTHRITIS INITIATIVE. Innovation in Aging, 2019, 3, S56-S56.	0.1	O
148	The Inverse OARSI-OMERACT Criteria Is a Valid Indicator of the Clinical Worsening of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Journal of Rheumatology, 2021, 48, 442-446.	2.0	0
149	Automated Hand Osteoarthritis Classification Using Convolutional Neural Networks. , 2021, , .		O