
## Timothy E Mcalindon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4804173/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Novel Framework for Measuring Whole Knee Osteoarthritis Progression Using Magnetic Resonance Imaging. Arthritis Care and Research, 2022, 74, 799-808.	3.4	4
2	Comparing Patient-Reported Outcomes From Sham and Saline-Based Placebo Injections for Knee Osteoarthritis: Data From a Randomized Clinical Trial of Lorecivivint. American Journal of Sports Medicine, 2022, 50, 630-636.	4.2	7
3	Prevalence, Incidence, and Progression of Radiographic and Symptomatic Hand Osteoarthritis: The Osteoarthritis Initiative. Arthritis and Rheumatology, 2022, 74, 992-1000.	5.6	20
4	Excessive alcohol consumption and the risk of knee osteoarthritis: a prospective study from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2022, 30, 697-701.	1.3	7
5	Clinical integration of patient-reported outcome measures to enhance the care of patients with SLE: a multi-centre prospective cohort study. Rheumatology, 2022, 61, 4763-4774.	1.9	3
6	A novel approach to studying early knee osteoarthritis illustrates that bilateral medial tibiofemoral osteoarthritis is a heritable phenotype: an offspring study. Rheumatology International, 2022, 42, 1063-1072.	3.0	2
7	A Decline in Walking Speed Is Associated With Incident Knee Replacement in Adults With and at Risk for Knee Osteoarthritis. Journal of Rheumatology, 2021, 48, 579-584.	2.0	5
8	The Inverse OARSI-OMERACT Criteria Is a Valid Indicator of the Clinical Worsening of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Journal of Rheumatology, 2021, 48, 442-446.	2.0	0
9	Knee osteoarthritis: key treatments and implications for physical therapy. Brazilian Journal of Physical Therapy, 2021, 25, 135-146.	2.5	76
10	Non-surgical management of knee osteoarthritis: comparison of ESCEO and OARSI 2019 guidelines. Nature Reviews Rheumatology, 2021, 17, 59-66.	8.0	233
11	Mobile health technologies for the management of rheumatic diseases: a systematic review of online stores in Brazil. Clinical Rheumatology, 2021, 40, 2601-2609.	2.2	13
12	Impact of the first wave of the COVID-19 pandemic on systemic lupus erythematosus patients: Results from a multi-center prospective cohort. Lupus, 2021, 30, 1747-1755.	1.6	10
13	Sports with a Bat or Racket are Not Associated with Thumb-base Osteoarthritis. Journal of Athletic Training, 2021, , .	1.8	2
14	Erosive Hand Osteoarthritis: Incidence and Predictive Characteristics Among Participants in the Osteoarthritis Initiative. Arthritis and Rheumatology, 2021, 73, 2015-2024.	5.6	14
15	Automated Hand Osteoarthritis Classification Using Convolutional Neural Networks. , 2021, , .		0
16	Duration of Symptom Relief and Early Trajectory of Adverse Events for Oral Nonsteroidal Antiinflammatory Drugs in Knee Osteoarthritis: A Systematic Review and Metaâ€Analysis. Arthritis Care and Research, 2020, 72, 641-651.	3.4	57
17	Evidence that Swimming May Be Protective of Knee Osteoarthritis: Data from the Osteoarthritis Initiative. PM and R, 2020, 12, 529-537.	1.6	4

18 Reply. Arthritis and Rheumatology, 2020, 72, 198-200.

5.6 1

#	Article	IF	CITATIONS
19	Dietary Patterns and Progression of Knee Osteoarthritis: Data from the Osteoarthritis Initiative. American Journal of Clinical Nutrition, 2020, 111, 667-676.	4.7	24
20	Football Increases Future Risk of Symptomatic Radiographic Knee Osteoarthritis. Medicine and Science in Sports and Exercise, 2020, 52, 795-800.	0.4	6
21	Lorecivivint, a Novel Intraarticular CDCâ€like Kinase 2 and Dualâ€Specificity Tyrosine Phosphorylationâ€Regulated Kinase 1A Inhibitor and Wnt Pathway Modulator for the Treatment of Knee Osteoarthritis: A Phase II Randomized Trial. Arthritis and Rheumatology, 2020, 72, 1694-1706.	5.6	84
22	Risk factors and the natural history of accelerated knee osteoarthritis: a narrative review. BMC Musculoskeletal Disorders, 2020, 21, 332.	1.9	81
23	Composite quantitative knee structure metrics predict the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2020, 21, 299.	1.9	7
24	Tanezumab for chronic low back pain: a randomized, double-blind, placebo- and active-controlled, phase 3 study of efficacy and safety. Pain, 2020, 161, 2068-2078.	4.2	34
25	Intra-articular Corticosteroid Injections in the Hip and Knee: Perhaps Not as Dangerous as They Want You to Believe?. Radiology, 2020, 295, 249-250.	7.3	8
26	"Unspoken Questions― A Qualitative Study of Rheumatologists' Perspectives on the Clinical Implementation of Patient-reported Outcome Measures. Journal of Rheumatology, 2020, 47, 1822-1830.	2.0	6
27	Patient-specific reference values for objective physical function tests: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2020, 39, 1961-1970.	2.2	2
28	Osteoarthritis and Aging: Young Adults with Osteoarthritis. Current Epidemiology Reports, 2020, 7, 9-15.	2.4	30
29	The incidence and characteristics of accelerated knee osteoarthritis among women: the Chingford cohort. BMC Musculoskeletal Disorders, 2020, 21, 60.	1.9	16
30	Stakeholder engagement in methodological research: Development of a clinical decision support tool. Journal of Clinical and Translational Science, 2020, 4, 133-140.	0.6	4
31	Effect of vitamin D supplementation on pain and physical function in patients with knee osteoarthritis (OA): an OA Trial Bank protocol for a systematic review and individual patient data (IPD) meta-analysis. BMJ Open, 2020, 10, e035302.	1.9	11
32	Association Between Declining Walking Speed and Increasing Bone Marrow Lesion and Effusion Volume in Individuals with Accelerated Knee Osteoarthritis. Arthritis Care and Research, 2019, 71, 259-270.	3.4	6
33	Role of Magnetic Resonance Imaging in Classifying Individuals Who Will Develop Accelerated Radiographic Knee Osteoarthritis. Journal of Orthopaedic Research, 2019, 37, 2420-2428.	2.3	7
34	Accelerated knee osteoarthritis is associated with pre-radiographic degeneration of the extensor mechanism and cruciate ligaments: data from the Osteoarthritis Initiative. BMC Musculoskeletal Disorders, 2019, 20, 308.	1.9	7
35	VITAMIN K ANTAGONISM AND CHONDROCALCINOSIS IN THE OSTEOARTHRITIS INITIATIVE. Innovation in Aging, 2019, 3, S56-S56.	0.1	0
36	The use of patient-specific equipoise to support shared decision-making for clinical care and enrollment into clinical trials. Journal of Clinical and Translational Science, 2019, 3, 27-36.	0.6	4

#	Article	IF	CITATIONS
37	Intra-articular corticosteroids and the risk of knee osteoarthritis progression: results from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2019, 27, 855-862.	1.3	125
38	Early pre-radiographic structural pathology precedes the onset of accelerated knee osteoarthritis. BMC Musculoskeletal Disorders, 2019, 20, 241.	1.9	29
39	THU0458Ââ€EFFICACY AND SAFETY FROM A PHASE 2B TRIAL OF SM04690, A NOVEL INTRA-ARTICULAR WNT PATHWAY INHIBITOR FOR THE TREATMENT OF OSTEOARTHRITIS OF THE KNEE. , 2019, , .		4
40	Accelerated Knee Osteoarthritis Is Characterized by Destabilizing Meniscal Tears and Preradiographic Structural Disease Burden. Arthritis and Rheumatology, 2019, 71, 1089-1100.	5.6	34
41	Validation of a new symptom outcome for knee osteoarthritis: the Ambulation Adjusted Score for Knee pain. Clinical Rheumatology, 2019, 38, 851-858.	2.2	3
42	Effusion-synovitis and infrapatellar fat pad signal intensity alteration differentiate accelerated knee osteoarthritis. Rheumatology, 2019, 58, 418-426.	1.9	40
43	Diffuse tibiofemoral cartilage change prior to the development of accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2019, 32, 369-378.	2.7	6
44	Sample size calculations for detecting disease-modifying osteoarthritis drug effects on the incidence of end-stage knee osteoarthritis in clinical trials: Data from the Osteoarthritis Initiative. Seminars in Arthritis and Rheumatism, 2019, 49, 3-8.	3.4	6
45	Characteristics of Accelerated Hand Osteoarthritis: Data from the Osteoarthritis Initiative. Journal of Rheumatology, 2019, 46, 422-428.	2.0	12
46	Risk factors can classify individuals who develop accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Orthopaedic Research, 2018, 36, 876-880.	2.3	33
47	Inflammation and glucose homeostasis are associated with specific structural features among adults without knee osteoarthritis: a cross-sectional study from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2018, 19, 1.	1.9	105
48	Periarticular bone predicts knee osteoarthritis progression: Data from the Osteoarthritis Initiative. Seminars in Arthritis and Rheumatism, 2018, 48, 155-161.	3.4	27
49	Characterizing the distinct structural changes associated with selfâ€reported knee injury among individuals with incident knee osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2018, 31, 330-334.	2.7	7
50	Adults with incident accelerated knee osteoarthritis are more likely to receive a knee replacement: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2018, 37, 1115-1118.	2.2	11
51	The associations between radiographic hand osteoarthritis definitions and hand pain: data from the osteoarthritis initiative. Rheumatology International, 2018, 38, 403-413.	3.0	16
52	Latest advances in the management of knee OA. Nature Reviews Rheumatology, 2018, 14, 73-74.	8.0	22
53	Association of subchondral bone texture on magnetic resonance imaging with radiographic knee osteoarthritis progression: data from the Osteoarthritis Initiative Bone Ancillary Study. European Radiology, 2018, 28, 4687-4695.	4.5	34
54	Effect of tai chi versus aerobic exercise for fibromyalgia: comparative effectiveness randomized controlled trial. BMJ: British Medical Journal, 2018, 360, k851.	2.3	189

#	Article	IF	CITATIONS
55	Running does not increase symptoms or structural progression in people with knee osteoarthritis: data from the osteoarthritis initiative. Clinical Rheumatology, 2018, 37, 2497-2504.	2.2	38
56	Bioluminescence and second harmonic generation imaging reveal dynamic changes in the inflammatory and collagen landscape in early osteoarthritis. Laboratory Investigation, 2018, 98, 656-669.	3.7	28
57	Lower leg muscle mass relates to knee pain in patients with knee osteoarthritis. International Journal of Rheumatic Diseases, 2018, 21, 126-133.	1.9	20
58	Subjective Crepitus as a Risk Factor for Incident Symptomatic Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2018, 70, 53-60.	3.4	15
59	Association of Vitamin K Status Combined With Vitamin D Status and Lowerâ€Extremity Function: A Prospective Analysis of Two Knee Osteoarthritis Cohorts. Arthritis Care and Research, 2018, 70, 1150-1159.	3.4	16
60	Reply. Arthritis Care and Research, 2018, 70, 950-951.	3.4	1
61	Knee Alignment Is Quantitatively Related to Periarticular Bone Morphometry and Density, Especially in Patients With Osteoarthritis. Arthritis and Rheumatology, 2018, 70, 212-221.	5.6	14
62	Response to: â€~Different glucosamine sulfate products generate different outcomes on osteoarthritis symptoms' by Reginster <i>et al</i> . Annals of the Rheumatic Diseases, 2018, 77, e40-e40.	0.9	0
63	2121 Quantitative structural knee measurements improve classification of accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Clinical and Translational Science, 2018, 2, 25-25.	0.6	0
64	Two cases of sarcoidosis presenting as longitudinally extensive transverse myelitis. Clinical Rheumatology, 2018, 37, 2899-2905.	2.2	9
65	Recommendations for the management of rheumatoid arthritis in the Eastern Mediterranean region: an adolopment of the 2015 American College of Rheumatology guidelines. Clinical Rheumatology, 2018, 37, 2947-2959.	2.2	13
66	Longterm Effectiveness of Intraarticular Injections on Patient-reported Symptoms in Knee Osteoarthritis. Journal of Rheumatology, 2018, 45, 1316-1324.	2.0	20
67	ls There an Association Between a History of Running and Symptomatic Knee Osteoarthritis? A Crossâ€ <del>S</del> ectional Study From the Osteoarthritis Initiative. Arthritis Care and Research, 2017, 69, 183-191.	3.4	34
68	Dietary Fat Intake and Radiographic Progression of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2017, 69, 368-375.	3.4	61
69	Glucose homeostasis influences the risk of incident knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Orthopaedic Research, 2017, 35, 2282-2287.	2.3	13
70	Factors Associated with the Use of Hyaluronic Acid and Corticosteroid Injections among Patients with Radiographically Confirmed Knee Osteoarthritis: A Retrospective Data Analysis. Clinical Therapeutics, 2017, 39, 347-358.	2.5	13
71	Knee symptoms among adults at risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2017, 36, 1083-1089.	2.2	25
72	Mindfulness Is Associated With Treatment Response From Nonpharmacologic Exercise Interventions in Knee Osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2265-2273.e1.	0.9	12

#	Article	IF	CITATIONS
73	Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2017, 317, 1967.	7.4	556
74	2017 American College of Rheumatology Guideline for the Prevention and Treatment of Glucocorticoidâ€Induced Osteoporosis. Arthritis Care and Research, 2017, 69, 1095-1110.	3.4	303
75	2017 American College of Rheumatology Guideline for the Prevention and Treatment of Glucocorticoidâ€Induced Osteoporosis. Arthritis and Rheumatology, 2017, 69, 1521-1537.	5.6	399
76	Systolic and pulse pressure associate with incident knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2017, 36, 2121-2128.	2.2	24
77	Long-term Intra-articular Steroid Injections and Knee Cartilage—Reply. JAMA - Journal of the American Medical Association, 2017, 318, 1185.	7.4	2
78	A single recent injury is a potent risk factor for the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. Rheumatology International, 2017, 37, 1759-1764.	3.0	11
79	Subgroup analyses of the effectiveness of oral glucosamine for knee and hip osteoarthritis: a systematic review and individual patient data meta-analysis from the OA trial bank. Annals of the Rheumatic Diseases, 2017, 76, 1862-1869.	0.9	82
80	Sex differences in the association of skin advanced glycation endproducts with knee osteoarthritis progression. Arthritis Research and Therapy, 2017, 19, 36.	3.5	14
81	Development of a clinical prediction algorithm for knee osteoarthritis structural progression in a cohort study: value of adding measurement of subchondral bone density. Arthritis Research and Therapy, 2017, 19, 95.	3.5	31
82	Determination of serum biomarkers in osteoarthritis patients: a previous interventional imaging study revisited. Journal of Biomedical Research, 2017, 31, 25-30.	1.6	8
83	Reply. Arthritis and Rheumatology, 2016, 68, 773-774.	5.6	Ο
84	Reply. Arthritis Care and Research, 2016, 68, 725-726.	3.4	1
85	Comparison of self-report and objective measures of physical activity in US adults with osteoarthritis. Rheumatology International, 2016, 36, 1355-1364.	3.0	35
86	Individuals with incident accelerated knee osteoarthritis have greater pain than those with common knee osteoarthritis progression: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 1565-1571.	2.2	40
87	Best performing definition of accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 165-171.	2.7	28
88	2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care and Research, 2016, 68, 1-25.	3.4	890
89	2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis and Rheumatology, 2016, 68, 1-26.	5.6	1,880
90	Comparative Effectiveness of Tai Chi Versus Physical Therapy for Knee Osteoarthritis. Annals of Internal Medicine, 2016, 165, 77,	3.9	124

#	Article	IF	CITATIONS
91	Coronal tibial slope is associated with accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. BMC Musculoskeletal Disorders, 2016, 17, 299.	1.9	38
92	Exploratory analysis of osteoarthritis progression among medication users: data from the Osteoarthritis Initiative. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 207-219.	2.7	25
93	Safety of Repeated Injections of Sodium Hyaluronate (SUPARTZ) for Knee Osteoarthritis. Cartilage, 2016, 7, 322-332.	2.7	22
94	Defining and evaluating a novel outcome measure representing end-stage knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 2523-2530.	2.2	14
95	Reply. Arthritis and Rheumatology, 2016, 68, 1565-1566.	5.6	0
96	Reply. Arthritis and Rheumatology, 2016, 68, 1316-1318.	5.6	1
97	Objectively Measured Physical Activity and Symptoms Change in Knee Osteoarthritis. American Journal of Medicine, 2016, 129, 497-505.e1.	1.5	35
98	The OA Trial Bank: meta-analysis of individual patient data from knee and hip osteoarthritis trials show that patients with severe pain exhibit greater benefit from intra-articular glucocorticoids. Osteoarthritis and Cartilage, 2016, 24, 1143-1152.	1.3	84
99	Overweight older adults, particularly after an injury, are at high risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 1071-1076.	2.2	18
100	Reply. Arthritis and Rheumatology, 2015, 67, 2278-2280.	5.6	0
101	Editorial: Toward a New Paradigm of Knee Osteoarthritis. Arthritis and Rheumatology, 2015, 67, 1987-1989.	5.6	8
102	Effectiveness and Implications of Alternative Placebo Treatments. Annals of Internal Medicine, 2015, 163, 365-372.	3.9	143
103	Meniscal extrusion or subchondral damage characterize incident accelerated osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2015, 28, 792-799.	2.7	31
104	A novel comparative effectiveness study of Tai Chi versus aerobic exercise for fibromyalgia: study protocol for a randomized controlled trial. Trials, 2015, 16, 34.	1.6	22
105	Symptom Assessment in Knee Osteoarthritis Needs to Account for Physical Activity Level. Arthritis and Rheumatology, 2015, 67, 2897-2904.	5.6	23
106	Development of a Rapid Cartilage Damage Quantification Method for the Lateral Tibiofemoral Compartment Using Magnetic Resonance Images: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.	1.9	17
107	Magnetic Resonance Image Sequence Influences the Relationship between Bone Marrow Lesions Volume and Pain: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.	1.9	11
108	Comparative Effectiveness of Pharmacologic Interventions for Knee Osteoarthritis. Annals of Internal Medicine, 2015, 162, 46-54.	3.9	475

#	Article	IF	CITATIONS
109	Reply. Arthritis and Rheumatology, 2015, 67, 1983-1984.	5.6	Ο
110	Knee Pain and a Prior Injury Are Associated with Increased Risk of a New Knee Injury: Data from the Osteoarthritis Initiative. Journal of Rheumatology, 2015, 42, 1463-1469.	2.0	24
111	Effects of Prescription Nonsteroidal Antiinflammatory Drugs on Symptoms and Disease Progression Among Patients With Knee Osteoarthritis. Arthritis and Rheumatology, 2015, 67, 724-732.	5.6	50
112	Assessing the comparative effectiveness of Tai Chi versus physical therapy for knee osteoarthritis: design and rationale for a randomized trial. BMC Complementary and Alternative Medicine, 2014, 14, 333.	3.7	46
113	Response to Letter to the Editor entitled "Comments on â€~OARSI guidelines for the non-surgical management of knee osteoarthritis'â€. Osteoarthritis and Cartilage, 2014, 22, 890-891.	1.3	15
114	Relative efficacy of hyaluronic acid in comparison with NSAIDs for knee osteoarthritis: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2014, 43, 593-599.	3.4	150
115	OARSI guidelines for the non-surgical management of knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 363-388.	1.3	2,298
116	Vitamin D Deficiency Is Associated with Progression of Knee Osteoarthritis. Journal of Nutrition, 2014, 144, 2002-2008.	2.9	77
117	Development of a rapid knee cartilage damage quantification method using magnetic resonance images. BMC Musculoskeletal Disorders, 2014, 15, 264.	1.9	27
118	High-Energy Extracorporeal Shock-Wave Therapy for Treating Chronic Calcific Tendinitis of the Shoulder. Annals of Internal Medicine, 2014, 160, 542.	3.9	85
119	Association of Knee Injuries With Accelerated Knee Osteoarthritis Progression: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2014, 66, 1673-1679.	3.4	83
120	Test-retest reliability and sensitivity of the 20-meter walk test among patients with knee osteoarthritis. BMC Musculoskeletal Disorders, 2013, 14, 166.	1.9	62
121	Evaluation of bone marrow lesion volume as a knee osteoarthritis biomarker - longitudinal relationships with pain and structural changes: data from the Osteoarthritis Initiative. Arthritis Research and Therapy, 2013, 15, R112.	3.5	79
122	Relationship of Bone Mineral Density to Progression of Knee Osteoarthritis. Arthritis and Rheumatism, 2013, 65, 1541-1546.	6.7	33
123	Effect of Vitamin D Supplementation on Progression of Knee Pain and Cartilage Volume Loss in Patients With Symptomatic Osteoarthritis. JAMA - Journal of the American Medical Association, 2013, 309, 155.	7.4	220
124	The Influence of Tai Chi Exercise on Proprioception in Patients with Knee Osteoarthritis: Results from a Pilot Randomized Controlled Trial. International Journal of Integrative Medicine, 2013, 1, 1.	0.7	5
125	American College of Rheumatology report on reasonable use of musculoskeletal ultrasonography in rheumatology clinical practice. Arthritis Care and Research, 2012, 64, 1625-1640.	3.4	76
126	Is viscosupplementation really so unsafe for knee OA?. Nature Reviews Rheumatology, 2012, 8, 635-636.	8.0	36

#	Article	IF	CITATIONS
127	Associations of varus thrust and alignment with pain in knee osteoarthritis. Arthritis and Rheumatism, 2012, 64, 2252-2259.	6.7	52
128	Osteoarthritis Research Society International (OARSI) Classification and Guidelines. HSS Journal, 2012, 8, 66-67.	1.7	9
129	Change in knee osteoarthritis cartilage detected by delayed gadolinium enhanced magnetic resonance imaging following treatment with collagen hydrolysate: a pilot randomized controlled trial. Osteoarthritis and Cartilage, 2011, 19, 399-405.	1.3	113
130	Quantitative bone marrow lesion size in osteoarthritic knees correlates with cartilage damage and predicts longitudinal cartilage loss. BMC Musculoskeletal Disorders, 2011, 12, 217.	1.9	46
131	A curve evolution method for identifying weak edges with applications to the segmentation of magnetic resonance images of the knee. , 2011, , .		3
132	A Randomized Trial of Tai Chi for Fibromyalgia. New England Journal of Medicine, 2010, 363, 743-754.	27.0	381
133	Tai Chi is effective in treating knee osteoarthritis: A randomized controlled trial. Arthritis and Rheumatism, 2009, 61, 1545-1553.	6.7	256
134	Therapeutic trajectory of hyaluronic acid versus corticosteroids in the treatment of knee osteoarthritis: A systematic review and metaâ€analysis. Arthritis and Rheumatism, 2009, 61, 1704-1711.	6.7	356
135	Is lipstick associated with the development of systemic lupus erythematosus (SLE)?. Clinical Rheumatology, 2008, 27, 1183-1187.	2.2	36
136	Tai Chi for treating knee osteoarthritis: Designing a long-term follow up randomized controlled trial. BMC Musculoskeletal Disorders, 2008, 9, 108.	1.9	40
137	Association of periodontal disease and tooth loss with rheumatoid arthritis in the US population. Journal of Rheumatology, 2008, 35, 70-6.	2.0	263
138	Nutraceuticals: do they work and when should we use them?. Best Practice and Research in Clinical Rheumatology, 2006, 20, 99-115.	3.3	28
139	Nutritional factors and osteoarthritis: recent developments. Current Opinion in Internal Medicine, 2005, 4, 632-637.	1.5	11
140	Effectiveness of glucosamine for symptoms of knee osteoarthritis: Results from an internet-based randomized double-blind controlled trial. American Journal of Medicine, 2004, 117, 643-649.	1.5	134
141	Intra-articular Hyaluronic Acid in Treatment of Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2003, 290, 3115.	7.4	424
142	Smoking, alcohol consumption, and risk of systemic lupus erythematosus in the Black Women's Health Study. Journal of Rheumatology, 2003, 30, 1222-6.	2.0	65
143	Absence of linkage or association for osteoarthritis with the vitamin D receptor/type II collagen locus: the Framingham Osteoarthritis Study. Journal of Rheumatology, 2002, 29, 161-5.	2.0	21
144	Risk factors for the incidence and progression of radiographic knee osteoarthritis. Arthritis and Rheumatism, 2000, 43, 995.	6.7	582

#	Article	IF	CITATIONS
145	Glucosamine and Chondroitin for Treatment of Osteoarthritis. JAMA - Journal of the American Medical Association, 2000, 283, 1469.	7.4	738
146	Level of physical activity and the risk of radiographic and symptomatic knee osteoarthritis in the elderly: the Framingham Study. American Journal of Medicine, 1999, 106, 151-157.	1.5	214
147	Nutrition: risk factors for osteoarthritis. Annals of the Rheumatic Diseases, 1997, 56, 397-400.	0.9	63
148	Defining radiographic osteoarthritis for the whole knee. Osteoarthritis and Cartilage, 1997, 5, 241-250.	1.3	145
149	Relation of Dietary Intake and Serum Levels of Vitamin D to Progression of Osteoarthritis of the Knee among Participants in the Framingham Study. Annals of Internal Medicine, 1996, 125, 353.	3.9	365