
## Leili Saeednejad Zanjani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4806214/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Co-expression of Cancer Stem Cell Markers OCT4 and NANOG Predicts Poor Prognosis in Renal Cell Carcinomas. Scientific Reports, 2018, 8, 11739.	3.3	75
2	Reduced expression of CXCR4, a novel renal cancer stem cell marker, is associated with high-grade renal cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 95-104.	2.5	37
3	Increased expression of CD44 is associated with more aggressive behavior in clear cell renal cell carcinoma. Biomarkers in Medicine, 2018, 12, 45-61.	1.4	24
4	Expression of CD105 cancer stem cell marker in three subtypes of renal cell carcinoma. Cancer Biomarkers, 2018, 21, 821-837.	1.7	22
5	Cytoplasmic expression of Twist1, an EMT-related transcription factor, is associated with higher grades renal cell carcinomas and worse progression-free survival in clear cell renal cell carcinoma. Clinical and Experimental Medicine, 2018, 18, 177-190.	3.6	18
6	Increased expression of DCLK1, a novel putative CSC maker, is associated with tumor aggressiveness and worse disease-specific survival in patients with bladder carcinomas. Experimental and Molecular Pathology, 2019, 108, 164-172.	2.1	18
7	Low expression of Talin1 is associated with advanced pathological features in colorectal cancer patients. Scientific Reports, 2020, 10, 17786.	3.3	18
8	Clinical and prognostic significances of cancer stem cell markers in gastric cancer patients: a systematic review and meta-analysis. Cancer Cell International, 2021, 21, 139.	4.1	18
9	Cytoplasmic expression of B7-H3 and membranous EpCAM expression are associated with higher grade and survival outcomes in patients with clear cell renal cell carcinoma. Annals of Diagnostic Pathology, 2020, 46, 151483.	1.3	16
10	High expression of DNA damage-inducible transcript 4 (DDIT4) is associated with advanced pathological features in the patients with colorectal cancer. Scientific Reports, 2021, 11, 13626.	3.3	15
11	Cytoplasmic expression of CD133 stemness marker is associated with tumor aggressiveness in clear cell renal cell carcinoma. Experimental and Molecular Pathology, 2017, 103, 218-228.	2.1	12
12	Human telomerase reverse transcriptase protein expression predicts tumour aggressiveness and survival in patients with clear cell renal cell carcinoma. Pathology, 2019, 51, 21-31.	0.6	11
13	Spheroid-Derived Cells From Renal Adenocarcinoma Have Low Telomerase Activity and High Stem-Like and Invasive Characteristics. Frontiers in Oncology, 2019, 9, 1302.	2.8	9
14	Expressions of TWIST1 and CD105 markers in colorectal cancer patients and their association with metastatic potential and prognosis. Diagnostic Pathology, 2021, 16, 26.	2.0	7
15	Co-expression of cancer-testis antigens of MAGE-A6 and MAGE-A11 is associated with tumor aggressiveness in patients with bladder cancer. Scientific Reports, 2022, 12, 599.	3.3	7
16	Cytoplasmic expression of DCLK1-S, a novel DCLK1 isoform, is associated with tumor aggressiveness and worse disease-specific survival in colorectal cancer. Cancer Biomarkers, 2022, 33, 277-289.	1.7	7
17	Co-expression of cancer stem cell markers, SALL4/ALDH1A1, is associated with tumor aggressiveness and poor survival in patients with serous ovarian carcinoma. Journal of Ovarian Research, 2022, 15, 17.	3.0	6
18	Sensibilisation of asthmatic patients to extracted antigens from strains of Aspergillus fumigatus, Aspergillus flavus and Aspergillus niger. Journal De Mycologie Medicale, 2012, 22, 58-63.	1.5	5

#	Article	IF	CITATIONS
19	SMAD4 Expression in Renal Cell Carcinomas Correlates With a Stem-Cell Phenotype and Poor Clinical Outcomes. Frontiers in Oncology, 2021, 11, 581172.	2.8	5
20	High expression of tumor susceptibility gene 101 (TSG101) is associated with more aggressive behavior in colorectal carcinoma. Journal of Cancer Research and Clinical Oncology, 2021, 147, 1631-1646.	2.5	4
21	Overexpression of cytoplasmic dynamin 2 is associated with worse outcomes in patients with clear cell carcinoma. Cancer Biomarkers, 2022, 35, 27-45.	1.7	4
22	Upregulation of Ganglioside GD2 Synthase (GD2S), as a New Putative Cancer Stem Cell Marker in Breast Carcinomas. Medical Journal of the Islamic Republic of Iran, 2021, 35, 148.	0.9	3
23	Low level expression of human telomerase reverse transcriptase predicts cancer-related death and progression in embryonal carcinoma. Journal of Cancer Research and Clinical Oncology, 2020, 146, 2753-2775.	2.5	2
24	Expression profiling of RTL1 in human breast cancer tissues and cell lines. Experimental and Molecular Pathology, 2021, 121, 104654.	2.1	2
25	Overexpression of melanoma-associated antigen A2 has a clinical significance in embryonal carcinoma and is associated with tumor progression. Journal of Cancer Research and Clinical Oncology, 2022, 148, 609-631.	2.5	1
26	Recognition and differentiation of various Penicillium species, Penicillium citrinum, Penicillium notatum, Penicillium oxalicum and Penicillium frequentans, using random amplified polymorphic DNA-polymerase chain reaction technique. African Journal of Microbiology Research, 2012, 6, 6793-6798.	0.4	0
27	Does GD2 synthase (GD2S) detect cancer stem cells in blood samples of breast carcinomas?. Journal of Applied Biomedicine, 2021, 19, 181-189.	1.7	0
28	Increased cytoplasmic expression of DLL4 is associated with favorable prognosis in colorectal cancer. Future Oncology, 2021, 17, 3231-3242.	2.4	0