## Alİ DurmuÅž

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4807102/publications.pdf

Version: 2024-02-01

63 2,442 25 48
papers citations h-index g-index

63 63 63 63 63 3027

63 63 3027
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The effect of carbon nanotubes loading and processing parameters on the electrical, mechanical, and viscoelastic properties of epoxy-based composites. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2022, 44, 1.	1.6	4
2	Effects of electrical aging on the structural and physicochemical properties of crosslinked polyethylene (XLPE) cable insulation material. Engineering Research Express, 2022, 4, 015038.	1.6	4
3	Structure–property relationships and constitutive viscoelastic behaviors of polyetherâ€ <i>block</i> â€amide elastomers in melt and solid states. Journal of Applied Polymer Science, 2022, 139, .	2.6	2
4	Properties of Biocomposite Films From PLA and Thermally Treated Wood Modified with Silver Nanoparticles Using Leaf Extracts of Oriental Sweetgum. Journal of Polymers and the Environment, 2021, 29, 2409-2420.	5.0	7
5	Preparation and characterization of PLA/PBAT/CNC blend nanocomposites. Colloid and Polymer Science, 2021, 299, 987-998.	2.1	40
6	Influence of ZIF-95 on structure and gas separation properties of polyimide-based mixed matrix membranes. Journal of Natural Gas Science and Engineering, 2021, 91, 103941.	4.4	15
7	Cyclic olefin copolymer (COC)-metal organic framework (MOF) mixed matrix membranes (MMMs) for H2/CO2 separation. Journal of Natural Gas Science and Engineering, 2021, 95, 104155.	4.4	4
8	Ductility improvements of PLA-based binary and ternary blends with controlled morphology using PBAT, PBSA, and nanoclay. Composites Part B: Engineering, 2020, 182, 107661.	12.0	100
9	Development of CNC-reinforced PBAT nanocomposites with reduced percolation threshold: a comparative study on the preparation method. Journal of Materials Science, 2020, 55, 15523-15537.	3.7	22
10	Effect of preparation method on the properties of polylactide/cellulose nanocrystal nanocomposites. Polymer Composites, 2020, 41, 4170-4180.	4.6	27
11	Microcellular foaming behavior of ether- and ester-based TPUs blown with supercritical CO <sub>2</sub> . Journal of Polymer Engineering, 2020, 40, 561-571.	1.4	6
12	Quantifying effects of compositional variations on microstructural properties of polypropylene-wood fiber composites by melt rheology and tensile test data. Journal of Composite Materials, 2019, 53, 503-514.	2.4	5
13	Compositional and structural design of thermoplastic polyurethane/carbon based single and multi-layer composite sheets for high-performance X-band microwave absorbing applications. Polymer, 2019, 180, 121672.	3.8	39
14	Quantifying effect of inorganic filler geometry on the structural, rheological and viscoelastic properties of polypropylene-based thermoplastic elastomers. Journal of Polymer Research, 2019, 26, 1.	2.4	17
15	Investigation of rheological behaviors of polyolefin blend type thermoplastic elastomers for quantifying microstructure-property relationships. Korea Australia Rheology Journal, 2019, 31, 97-110.	1.7	4
16	Effects of liquid crystal polymer and organoclay addition on the physical properties of highâ€density polyethylene films. Polymer Engineering and Science, 2019, 59, 1344-1353.	3.1	2
17	Polymerization characteristics of colored compomers cured with different LED units. Journal of Applied Biomaterials and Functional Materials, 2019, 17, 228080001982780.	1.6	6
18	Synthesis and Characterization of Graphene Oxide/Zinc Oxide (GO/ZnO) Nanocomposite and Its Utilization for Photocatalytic Degradation of Basic Fuchsin Dye. ChemistrySelect, 2019, 4, 271-278.	1.5	103

#	Article	IF	Citations
19	Influence of Lubricant Inclusion on the Rheological Behaviour and Residence Time Distribution of Ethylene Vinyl Acetate Copolymer during Single Screw Extrusion. Acta Physica Polonica A, 2019, 135, 862-864.	0.5	1
20	Effect of the comonomer content on the solidâ€state mechanical and viscoelastic properties of poly(propyleneâ€ <i>co</i> â€1â€butene) films. Journal of Applied Polymer Science, 2018, 135, 46350.	2.6	5
21	Quantifying microstructural, thermal, mechanical and solid-state viscoelastic properties of polyolefin blend type thermoplastic elastomer compounds. Polymer, 2018, 142, 267-276.	3.8	19
22	Investigation of morphological, rheological, and mechanical properties of cyclic olefin copolymer/poly(ethylene- <i>co</i> -vinyl acetate) blend films. Journal of Plastic Film and Sheeting, 2018, 34, 140-159.	2.2	9
23	Structural and mechanical properties of a giomer-based bulk fill restorative in different curing conditions. Journal of Applied Oral Science, 2018, 26, e20160662.	1.8	12
24	Investigation of Dielectric Properties of Polyethylene-Clay Nanocomposites for Quantifying Nanofiller Dispersion. Porrime, 2018, 42, 769-775.	0.2	1
25	Comparing of melt blending and solution mixing methods on the physical properties of thermoplastic polyurethane/organoclay nanocomposite films. Journal of Thermoplastic Composite Materials, 2017, 30, 950-970.	4.2	26
26	Effect of processing method on microstructure, electrical conductivity and electromagnetic wave interference (EMI) shielding performance of carbon nanofiber filled thermoplastic polyurethane composites. Journal of Polymer Research, 2017, 24, 1.	2.4	18
27	Quantifying Structural and Solidâ€6tate Viscoelastic Properties of Poly(propylene) (PP)/Poly(oxymethylene) (POM) Blend Films. Macromolecular Materials and Engineering, 2016, 301, 1402-1414.	3.6	5
28	Quantifying structural and electromagnetic interference (EMI) shielding properties of thermoplastic polyurethane–carbon nanofiber/magnetite nanocomposites. Journal of Materials Science, 2016, 51, 8005-8017.	3.7	34
29	Preparation and characterization of platinum (Pt) and palladium (Pd) nanoparticle decorated graphene sheets and their utilization for the elimination of basic fuchsin and indigo carmine dyes. Solid State Sciences, 2016, 51, 51-58.	3.2	26
30	Microwave-assisted green synthesis of silver nanoparticles from Fraxinus excelsior leaf extract and its antioxidant assay. Applied Nanoscience (Switzerland), 2016, 6, 267-276.	3.1	93
31	Effects of size and shape originated synergism of carbon nano fillers on the electrical and mechanical properties of conductive polymer composites. Journal of Applied Polymer Science, 2015, 132, .	2.6	8
32	Effect of Wood-derived Charcoal Content on Properties of Wood Plastic Composites. Materials Research, 2015, 18, 654-659.	1.3	24
33	Electrochemical biosensor based on REGO/Fe3O4 bionanocomposite interface for xanthine detection in fish sample. Food Control, 2015, 57, 402-410.	5.5	60
34	Fabrication of photoâ€crossâ€linked polyethyleneimineâ€based barriers for CO <sub>2</sub> capture. Polymers for Advanced Technologies, 2015, 26, 1053-1058.	3.2	8
35	Synthesis and micro-structural characterization of graphene/strontium hexaferrite (SrFe12O19) nanocomposites. Materials Chemistry and Physics, 2015, 163, 439-445.	4.0	15
36	Synthesis and characterization of structural and magnetic properties of graphene/hard ferrite nanocomposites as microwave-absorbing material. Journal of Materials Science, 2015, 50, 1201-1213.	3.7	111

#	Article	IF	CITATIONS
37	Preparation and characterization of thermally conductive thermoplastic polyurethane/hâ€BN nanocomposites. Polymer Composites, 2014, 35, 530-538.	4.6	35
38	Quantifying microstructure, electrical and mechanical properties of carbon fiber and expanded graphite filled cyclic olefin copolymer composites. Composites Part A: Applied Science and Manufacturing, 2014, 60, 44-51.	7.6	20
39	Rheological and electrical properties of carbon black and carbon fiber filled cyclic olefin copolymer composites. Composites Part B: Engineering, 2014, 62, 113-120.	12.0	45
40	Effect of different types of carbon fillers on mechanical and rheological properties of cyclic olefin copolymer (COC) composites. Composites Part B: Engineering, 2014, 66, 126-135.	12.0	39
41	Effects of various polyolefin copolymers on the interfacial interaction, microstructure and physical properties of cyclic olefin copolymer(COC)/graphite composites. Journal of Polymer Research, 2013, 20, 1.	2.4	8
42	Investigation of thermal, rheological, and physical properties of amorphous poly(ethylene) Tj ETQq0 0 0 rgBT /Ov 2490-2501.	erlock 10 2.6	Tf 50 547 Td 17
43	Rheological and mechanical properties of cycloolefin copolymer/organoclay nanocomposites. Journal of Reinforced Plastics and Composites, 2012, 31, 1329-1341.	3.1	9
44	Structurally Enhanced Hydrogel Nanocomposites with Improved Swelling and Mechanical Properties. Journal of Macromolecular Science - Pure and Applied Chemistry, 2012, 49, 92-99.	2.2	4
45	Effects of Halloysite Nanotube on the Mechanical Properties and Nonisothermal Crystallization Kinetics of Poly(Butylene Terephthalate) (PBT). Journal of Macromolecular Science - Physics, 2012, 51, 860-879.	1.0	20
46	Effect of polyhedral oligomeric silsesquioxane (POSS) reinforced polypropylene (PP) nanocomposite on the microstructure and isothermal crystallization kinetics of polyoxymethylene (POM). Polymer, 2012, 53, 5347-5357.	3.8	44
47	Rheological behavior of cycloolefin copolymer/graphite composites. Polymer Engineering and Science, 2012, 52, 2645-2653.	3.1	48
48	Effect of nucleating agent on the nonisothermal crystallization kinetics of glass fiber―and mineralâ€filled polyamideâ€6 composites. Journal of Applied Polymer Science, 2012, 125, E268.	2.6	25
49	Effects of filler type on the nonisothermal crystallization kinetics of poly(butylene terephthalate) (PBT) composites. Journal of Applied Polymer Science, 2012, 123, 77-91.	2.6	36
50	Isothermal crystallization kinetics of glass fiber and mineral-filled polyamide 6 composites. Journal of Materials Science, 2012, 47, 3052-3063.	3.7	22
51	Self-assembly of highly charged polyelectrolyte complexes with superior proton conductivity and methanol barrier properties for fuel cells. Journal of Power Sources, 2010, 195, 703-709.	7.8	32
52	Nonisothermal crystallization kinetics of poly(ethylene terephthalate)/clay nanocomposites prepared by melt processing. Polymer Composites, 2010, 31, 1056-1066.	4.6	42
53	Effects of additives on non-isothermal crystallization kinetics and morphology of isotactic polypropylene. Journal of Polymer Research, 2009, 16, 489-498.	2.4	23
54	A novel approach for highly proton conductive electrolyte membranes with improved methanol barrier properties: Layer-by-Layer assembly of salt containing polyelectrolytes. Journal of Membrane Science, 2009, 343, 137-146.	8.2	35

#	Article	IF	CITATIONS
55	Self-assembled polyelectrolyte multilayered films on Nafion with lowered methanol cross-over for DMFC applications. Journal of Membrane Science, 2009, 326, 643-649.	8.2	68
56	Dye removal by a novel hydrogelâ€clay nanocomposite with enhanced swelling properties. Polymers for Advanced Technologies, 2008, 19, 838-845.	3.2	186
57	Enhanced swelling and adsorption properties of AAmâ€AMPSNa/clay hydrogel nanocomposites for heavy metal ion removal. Polymers for Advanced Technologies, 2008, 19, 213-220.	3.2	196
58	Mechanical Properties of Linear Lowâ€density Polyethylene (LLDPE)/clay Nanocomposites: Estimation of Aspect Ratio and İnterfacial Strength by Composite Models. Journal of Macromolecular Science - Physics, 2008, 47, 608-619.	1.0	49
59	Nonisothermal crystallization kinetics and morphology of poly(ethylene terephthalate) modified with poly(lactic acid). Journal of Applied Polymer Science, 2007, 106, 4180-4191.	2.6	27
60	Intercalated linear low density polyethylene (LLDPE)/clay nanocomposites prepared with oxidized polyethylene as a new type compatibilizer: Structural, mechanical and barrier properties. European Polymer Journal, 2007, 43, 3737-3749.	5.4	172
61	Linear low density polyethylene (LLDPE)/clay nanocomposites. Part I: Structural characterization and quantifying clay dispersion by meltÂrheology. Polymer, 2007, 48, 4492-4502.	3.8	278
62	Thermal-catalytic degradation kinetics of polypropylene over BEA, ZSM-5 and MOR zeolites. Applied Catalysis B: Environmental, 2005, 61, 316-322.	20.2	79
63	Free-radical Reactions and Thermal Effects in PE during Pipe Extrusion. International Polymer Processing, 2002, 17, 333-338.	0.5	1