

SoÅ^a BalogovÃ¡

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4808994/publications.pdf>

Version: 2024-02-01

46
papers

1,730
citations

430874
18
h-index

276875
41
g-index

63
all docs

63
docs citations

63
times ranked

1851
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Hepatic Cavernous Hemangioma Mimicking Metastasis of Midgut Neuroendocrine Neoplasia on 18F-Fluorodihydroxyphenylalanine PET/CT. Clinical Nuclear Medicine, 2022, 47, 76-78. | 1.3 | 2 |
| 2 | Multiple endocrine neoplasia type 1 or 4: detection of hyperfunctioning parathyroid glands with 18F-fluorocholine PET/CT, illustrative cases and pitfalls. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2022, , . | 0.7 | 3 |
| 3 | Interference of Known or Suspected Endometriosis in Reporting FDG PET/CT Performed in Another Indication. Clinical Nuclear Medicine, 2022, 47, 305-313. | 1.3 | 11 |
| 4 | Nuclear endocrinology in the era of precision medicine. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2022, , . | 0.7 | 0 |
| 5 | Stage I testicular seminoma risk-adapted therapeutic management. Neoplasma, 2021, 68, 613-620. | 1.6 | 1 |
| 6 | Comparison of 18F-sodium fluoride PET/CT, 18F-fluorocholine PET/CT and diffusion-weighted MRI for the detection of bone metastases in recurrent prostate cancer: a cost-effectiveness analysis in France. BMC Medical Imaging, 2020, 20, 25. | 2.7 | 10 |
| 7 | European Association of Nuclear Medicine Practice Guideline/Society of Nuclear Medicine and Molecular Imaging Procedure Standard 2019 for radionuclide imaging of phaeochromocytoma and paraganglioma. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2112-2137. | 6.4 | 208 |
| 8 | Prognostic value of functional tumor burden on 68Ga-DOTATOC PET/CT in patients with pancreatic neuro-endocrine tumors. Neoplasma, 2019, 66, 140-148. | 1.6 | 9 |
| 9 | 18F-fluorocholine PET/CT in patients with occult biochemical recurrence of prostate cancer: Detection rate, impact on management and adequacy of impact. A prospective multicentre study. PLoS ONE, 2018, 13, e0191487. | 2.5 | 18 |
| 10 | Radiosynoviorthesis of acromioclavicular joint using 169Er-citrate: prospective evaluation of efficacy. Nuclear Medicine Review, 2018, 21, 26-31. | 0.5 | 5 |
| 11 | FDG and FCH PET/CT of Multiple Myeloma at Various Clinical Situations: Lesion Detection, Proposal for a Patient-Based "Summ" Score and Reproducibility of Scoring. Blood, 2018, 132, 4487-4487. | 1.4 | 0 |
| 12 | Guideline for PET/CT imaging of neuroendocrine neoplasms with 68Ga-DOTA-conjugated somatostatin receptor targeting peptides and 18F-DOPA. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 1588-1601. | 6.4 | 319 |
| 13 | Reply. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 172-172. | 6.4 | 0 |
| 14 | 32nd International Austrian Winter Symposium. EJNMMI Research, 2016, 6, 32. | 2.5 | 0 |
| 15 | 18F-fluorocholine versus 18F-fluorodeoxyglucose for PET/CT imaging in patients with suspected relapsing or progressive multiple myeloma: a pilot study. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1995-2004. | 6.4 | 67 |
| 16 | Paediatric and adolescent Hodgkin lymphoma: information derived from diffuse organ uptake of 18F-fluorodeoxyglucose on pre-treatment and on interim PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1220-1230. | 6.4 | 7 |
| 17 | Controversies in the management of clinical stage I testicular seminoma. Central European Journal of Urology, 2016, 69, 35-9. | 0.3 | 2 |
| 18 | A Pilot Comparison of 18F-fluorocholine PET/CT, Ultrasonography and 123I/99mTc-sestaMIBI Dual-Phase Dual-Isotope Scintigraphy in the Preoperative Localization of Hyperfunctioning Parathyroid Glands in Primary or Secondary Hyperparathyroidism. Medicine (United States), 2015, 94, e1701. | 1.0 | 145 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Is 18F-Fluorocholine-Positron Emission Tomography/Computerized Tomography a New Imaging Tool for Detecting Hyperfunctioning Parathyroid Glands in Primary or Secondary Hyperparathyroidism?. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4531-4536. | 3.6 | 132 |
| 20 | Whole-Body 18F-Fluorocholine (FCH) PET/CT and MRI of the Spine for Monitoring Patients With Castration-Resistant Prostate Cancer Metastatic to Bone. Clinical Nuclear Medicine, 2014, 39, 951-959. | 1.3 | 10 |
| 21 | Incidental uptake of ¹⁸ F-fluorocholine (FCH) in the head or in the neck of patients with prostate cancer. Radiology and Oncology, 2014, 48, 228-234. | 1.7 | 44 |
| 22 | Use of choline PET for studying hepatocellular carcinoma. Clinical and Translational Imaging, 2014, 2, 103-113. | 2.1 | 17 |
| 23 | Signification d'une hyperfixation prostatique du fluorod ¹⁸ F ⁻ oxyglucose (18F) chez un patient sans antécédent de cancer de la prostate. Cas cliniques, revue et métta-analyse de la littérature. Médecine Nucléaire, 2014, 38, 266-274. | 0.2 | 1 |
| 24 | Strengths and limitations of using ¹⁸ fluorine-fluorodihydroxyphenylalanine PET/CT for congenital hyperinsulinism. Expert Review of Endocrinology and Metabolism, 2014, 9, 477-485. | 2.4 | 1 |
| 25 | Consequence of the introduction of routine FCH PET/CT imaging for patients with prostate cancer: a dual centre survey. Radiology and Oncology, 2014, 48, 20-28. | 1.7 | 8 |
| 26 | ¹⁸ F-Fluorodihydroxyphenylalanine vs other radiopharmaceuticals for imaging neuroendocrine tumours according to their type. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 943-966. | 6.4 | 101 |
| 27 | Effect of Erythropoietin on Bone Marrow Uptake of ¹⁸ F-Fluorocholine in Prostate Cancer. Clinical Nuclear Medicine, 2013, 38, 200-202. | 1.3 | 12 |
| 28 | Can we achieve a radionuclide radiation dose equal to or less than that of ^{99m} Tc-hydroxymethane diphosphonate bone scintigraphy with a low-dose ¹⁸ F-sodium fluoride time-of-flight PET of diagnostic quality?. Nuclear Medicine Communications, 2013, 34, 417-425. | 1.1 | 21 |
| 29 | Metabolic syndrome and its effect on aortic stiffness in premenopausal women. Bratislava Medical Journal, 2013, 114, 279-282. | 0.8 | 3 |
| 30 | What is Currently the Best Radiopharmaceutical for the Hybrid PET/CT Detection of Recurrent Medullary Thyroid Carcinoma?. Current Radiopharmaceuticals, 2013, 6, 96-105. | 0.8 | 29 |
| 31 | Registered and potential indications of FDG PET/CT in breast carcinoma. Archive of Oncology, 2012, 20, 152-157. | 0.2 | 0 |
| 32 | A pilot comparison of ¹⁸ F-fluorodeoxyglucose and ¹⁸ F-fluorocholine PET/CT to predict early recurrence of unifocal hepatocellular carcinoma after surgical resection. Nuclear Medicine Communications, 2012, 33, 757-765. | 1.1 | 22 |
| 33 | Évolution de la demande des examens de médecine nucléaire pour cancer de la prostate depuis l'enregistrement de la fluorocholine (¹⁸ F): analyse sur deux ans à l'hôpital Tenon. Médecine Nucléaire, 2012, 36, 363-370. | 0.2 | 2 |
| 34 | Étude rétrospective des conséquences de l'administration d'une préparation de FDG contenant de 5% à 10% de fluorure (¹⁸ F) libre sur l'imagerie TEP/TDM de l'os sain et des foyers osseux pathologiques. Comparaison avec un groupe apparié de patients ayant reçu une préparation de FDG contenant moins de 5% de fluorure (¹⁸ F) libre. Médecine Nucléaire, 2012, 36, 371-377. | 0.2 | 0 |
| 35 | TEP/TDM au FDG et hibernome: À propos d'un cas. Médecine Nucléaire, 2012, 36, 408-412. | 0.2 | 0 |
| 36 | Diagnosis of bone metastasis: recent comparative studies of imaging modalities. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2011, 55, 374-410. | 0.7 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Fluorocholine (18F) and sodium fluoride (18F) PET/CT in the detection of prostate cancer: prospective comparison of diagnostic performance determined by masked reading. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 55, 448-57. | 0.7 | 76 |
| 38 | Detection of bronchioloalveolar cancer by means of PET/CT and 18F-fluorocholine, and comparison with 18F-fluorodeoxyglucose. <i>Nuclear Medicine Communications</i> , 2010, 31, 389-397. | 1.1 | 45 |
| 39 | Detection of Hepatocellular Carcinoma with PET/CT: A Prospective Comparison of ¹⁸ F-Fluorocholine and ¹⁸ F-FDG in Patients with Cirrhosis or Chronic Liver Disease. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1699-1706. | 5.0 | 183 |
| 40 | Tomographie d'mission de positons et radiopharmaceutiques spcifiques en oncologie: exemples dapplication. <i>Medecine Nucleaire</i> , 2009, 33, 152-160. | 0.2 | 1 |
| 41 | TEP/TDM au fluorure (18F) de sodium pour la dtection des mottastases osseuses du cancer de la prostate. Description de l'tude Fluprostic de comparaison de la TEP/TDM au fluorure (18F) de sodium ' la IRM corps entier'dans cette indication. <i>Medecine Nucleaire</i> , 2009, 33, 388-397. | 0.2 | 3 |
| 42 | Prospective Comparison of FDG and FET PET/CT in Patients with Head and Neck Squamous Cell Carcinoma. <i>Molecular Imaging and Biology</i> , 2008, 10, 364-373. | 2.6 | 33 |
| 43 | Tomographie par mission de positons et cancer de la prostate. <i>Medecine Nucleaire</i> , 2008, 32, 409-417. | 0.2 | 6 |
| 44 | Impact of FDG-PET to detect recurrence of head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2007, 137, 647-653. | 1.9 | 30 |
| 45 | TEP/TDM ' la fluoromothylcholine-(18F) dans l'imagerie de la rccidive du cancer de la prostate: jalons pour un PHRC national. <i>Medecine Nucleaire</i> , 2007, 31, 338-344. | 0.2 | 1 |
| 46 | Positron emission tomography with [18F]FDOPA and [18F]FDG in the imaging of small cell lung carcinoma: preliminary results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1266-1269. | 6.4 | 37 |