

Linda Huibers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4812524/publications.pdf>

Version: 2024-02-01

42
papers

1,243
citations

430874

18
h-index

377865

34
g-index

48
all docs

48
docs citations

48
times ranked

1344
citing authors

#	ARTICLE	IF	CITATIONS
1	Paper- or Web-Based Questionnaire Invitations as a Method for Data Collection: Cross-Sectional Comparative Study of Differences in Response Rate, Completeness of Data, and Financial Cost. <i>Journal of Medical Internet Research</i> , 2018, 20, e24.	4.3	216
2	Out-of-hours care in western countries: assessment of different organizational models. <i>BMC Health Services Research</i> , 2009, 9, 105.	2.2	144
3	Safety of telephone triage in out-of-hours care: A systematic review. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 198-209.	1.5	130
4	Quality of After-Hours Primary Care in the Netherlands: A Narrative Review. <i>Annals of Internal Medicine</i> , 2011, 155, 108.	3.9	102
5	Validity of telephone and physical triage in emergency care: The Netherlands Triage System. <i>Family Practice</i> , 2011, 28, 334-341.	1.9	74
6	Contacts with out-of-hours primary care for nonurgent problems: patients' beliefs or deficiencies in healthcare?. <i>BMC Family Practice</i> , 2015, 16, 157.	2.9	44
7	Patient safety in out-of-hours primary care: a review of patient records. <i>BMC Health Services Research</i> , 2010, 10, 335.	2.2	35
8	Antibiotic prescribing patterns in out-of-hours primary care: A population-based descriptive study. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 200-207.	1.5	32
9	EurOOHnet—the European research network for out-of-hours primary health care. <i>European Journal of General Practice</i> , 2014, 20, 229-232.	2.0	30
10	GP cooperative and emergency department: an exploration of patient flows. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 243-249.	1.8	28
11	Consumption in out-of-hours health care: Danes double Dutch?. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 44-50.	1.5	28
12	Telephone triage by GPs in out-of-hours primary care in Denmark: a prospective observational study of efficiency and relevance. <i>British Journal of General Practice</i> , 2016, 66, e667-e673.	1.4	28
13	Out-of-hours primary care in 26 European countries: an overview of organizational models. <i>Family Practice</i> , 2020, 37, 744-750.	1.9	26
14	Medical appropriateness of adult calls to Danish out-of-hours primary care: a questionnaire-based survey. <i>BMC Family Practice</i> , 2017, 18, 34.	2.9	22
15	Self-rated worry in acute care telephone triage: a mixed-methods study. <i>British Journal of General Practice</i> , 2018, 68, e197-e203.	1.4	22
16	Telephone triage in general practices: A written case scenario study in the Netherlands. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 28-36.	1.5	21
17	Out-of-hours primary care: a population-based study of the diagnostic scope of telephone contacts. <i>Family Practice</i> , 2016, 33, 504-509.	1.9	21
18	Patient satisfaction with out-of-hours GP cooperatives: A longitudinal study. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 206-213.	1.5	18

#	ARTICLE	IF	CITATIONS
19	Contact to the out-of-hours service among Danish parents of small children – a qualitative interview study. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 216-223.	1.5	16
20	Contacting out-of-hours primary care or emergency medical services for time-critical conditions – impact on patient outcomes. <i>BMC Health Services Research</i> , 2019, 19, 813.	2.2	16
21	Nurse telephone triage in Dutch out-of-hours primary care. <i>European Journal of Emergency Medicine</i> , 2012, 19, 309-315.	1.1	15
22	Follow-up After Telephone Consultations at Out-of-Hours Primary Care. <i>Journal of the American Board of Family Medicine</i> , 2013, 26, 373-379.	1.5	15
23	GPs' experiences with out-of-hours GP cooperatives: A survey study from the Netherlands. <i>European Journal of General Practice</i> , 2014, 20, 196-201.	2.0	14
24	Drug prescription by telephone consultation in Danish out-of-hours primary care: a population-based study of frequency and associations with clinical severity and diagnosis. <i>BMC Family Practice</i> , 2014, 15, 142.	2.9	13
25	Sociodemographic Characteristics Associated with Contacts to Emergency Medical Services and Out-of-Hours Primary Care: An Observational Study of 2.3 Million Citizens. <i>Clinical Epidemiology</i> , 2020, Volume 12, 393-401.	3.0	13
26	Self-rated worry is associated with hospital admission in out-of-hours telephone triage – a prospective cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 53.	2.6	13
27	Guidelines adherence to lower urinary tract infection treatment in out-of-hours primary care in European countries. <i>Quality in Primary Care</i> , 2014, 22, 221-31.	0.8	12
28	From Doctor to Nurse Triage in the Danish Out-of-Hours Primary Care Service: Simulated Effects on Costs. <i>International Journal of Family Medicine</i> , 2013, 2013, 1-5.	1.2	10
29	Factors related to out-of-hours help-seeking for acute health problems: a survey study using case scenarios. <i>BMC Public Health</i> , 2019, 19, 33.	2.9	9
30	Drug prescriptions in Danish out-of-hours primary care: a 1-year population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 453-458.	1.5	8
31	Preschool children in out-of-hours primary care – a questionnaire-based cross-sectional study of factors related to the medical relevance of health problems. <i>BMC Family Practice</i> , 2017, 18, 112.	2.9	8
32	Impact of caller's degree-of-worry on triage response in out-of-hours telephone consultations: a randomized controlled trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 44.	2.6	8
33	Help-seeking behaviour outside office hours in Denmark, the Netherlands and Switzerland: a questionnaire study exploring responses to hypothetical cases. <i>BMJ Open</i> , 2018, 8, e019295.	1.9	7
34	Preschool children in Danish out-of-hours primary care: a one-year descriptive study of face-to-face consultations. <i>BMC Family Practice</i> , 2019, 20, 36.	2.9	6
35	Communicative characteristics of general practitioner-led and nurse-led telephone triage at two Danish out-of-hours services: an observational study of 200 recorded calls. <i>BMJ Open</i> , 2019, 9, e028434.	1.9	6
36	Age-related differences in motives for contacting out-of-hours primary care: a cross-sectional questionnaire study in Denmark. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 272-280.	1.5	6

#	ARTICLE	IF	CITATIONS
37	Patient motives for contacting out-of-hours care in Denmark: a cross-sectional study. BMC Emergency Medicine, 2020, 20, 20.	1.9	6
38	Impact of alternative healthcare plans on out-of-hours help-seeking intentions in Switzerland. Swiss Medical Weekly, 2018, 148, w14686.	1.6	6
39	Communication quality in telephone triage conducted by general practitioners, nurses or physicians: a quasi-experimental study using the AQTIT to assess audio-recorded telephone calls to out-of-hours primary care in Denmark. BMJ Open, 2020, 10, e033528.	1.9	5
40	Acute care pathways for patients calling the out-of-hours services. BMC Health Services Research, 2020, 20, 146.	2.2	3
41	Use of acute care services by adults with a migrant background: a secondary analysis of a EurOOHnet survey. BMC Family Practice, 2021, 22, 119.	2.9	2
42	Variation of GP antibiotic prescribing tendency for contacts with out-of-hours primary care in Denmark – a cross-sectional register-based study. Scandinavian Journal of Primary Health Care, 0, , 1-10.	1.5	1