
Linda Huibers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4812524/publications.pdf Version: 2024-02-01



LINDA HUBERS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Use of acute care services by adults with a migrant background: a secondary analysis of a EurOOHnet survey. BMC Family Practice, 2021, 22, 119. | 2.9 | 2 |
| 2 | Out-of-hours primary care in 26 European countries: an overview of organizational models. Family Practice, 2020, 37, 744-750. | 1.9 | 26 |
| 3 | Age-related differences in motives for contacting out-of-hours primary care: a cross-sectional questionnaire study in Denmark. Scandinavian Journal of Primary Health Care, 2020, 38, 272-280. | 1.5 | 6 |
| 4 | <p>Sociodemographic Characteristics Associated with Contacts to Emergency Medical Services and Out-of-Hours Primary Care: An Observational Study of 2.3 Million Citizens</p> . Clinical Epidemiology, 2020, Volume 12, 393-401. | 3.0 | 13 |
| 5 | Self-rated worry is associated with hospital admission in out-of-hours telephone triage – a prospective cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 53. | 2.6 | 13 |
| 6 | Patient motives for contacting out-of-hours care in Denmark: a cross-sectional study. BMC Emergency Medicine, 2020, 20, 20. | 1.9 | 6 |
| 7 | Acute care pathways for patients calling the out-of-hours services. BMC Health Services Research, 2020, 20, 146. | 2.2 | 3 |
| 8 | Communication quality in telephone triage conducted by general practitioners, nurses or physicians: a quasi-experimental study using the AQTT to assess audio-recorded telephone calls to out-of-hours primary care in Denmark. BMJ Open, 2020, 10, e033528. | 1.9 | 5 |
| 9 | Impact of caller's degree-of-worry on triage response in out-of-hours telephone consultations: a randomized controlled trial. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 44. | 2.6 | 8 |
| 10 | Preschool children in Danish out-of-hours primary care: a one-year descriptive study of face-to-face consultations. BMC Family Practice, 2019, 20, 36. | 2.9 | 6 |
| 11 | Factors related to out-of-hours help-seeking for acute health problems: a survey study using case scenarios. BMC Public Health, 2019, 19, 33. | 2.9 | 9 |
| 12 | Communicative characteristics of general practitioner-led and nurse-led telephone triage at two Danish out-of-hours services: an observational study of 200 recorded calls. BMJ Open, 2019, 9, e028434. | 1.9 | 6 |
| 13 | Contacting out-of-hours primary care or emergency medical services for time-critical conditionsÂ-Âimpact on patient outcomes. BMC Health Services Research, 2019, 19, 813. | 2.2 | 16 |
| 14 | Self-rated worry in acute care telephone triage: a mixed-methods study. British Journal of General Practice, 2018, 68, e197-e203. | 1.4 | 22 |
| 15 | Help-seeking behaviour outside office hours in Denmark, the Netherlands and Switzerland: a questionnaire study exploring responses to hypothetical cases. BMJ Open, 2018, 8, e019295. | 1.9 | 7 |
| 16 | Contact to the out-of-hours service among Danish parents of small children – a qualitative interview study. Scandinavian Journal of Primary Health Care, 2018, 36, 216-223. | 1.5 | 16 |
| 17 | Paper- or Web-Based Questionnaire Invitations as a Method for Data Collection: Cross-Sectional Comparative Study of Differences in Response Rate, Completeness of Data, and Financial Cost. Journal of Medical Internet Research, 2018, 20, e24. | 4.3 | 216 |
| 18 | Impact of alternative healthcare plans on out-of-hours help-seeking intentions in Switzerland. Swiss Medical Weekly, 2018, 148, w14686. | 1.6 | 6 |

Linda Huibers

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Medical appropriateness of adult calls to Danish out-of-hours primary care: a questionnaire-based survey. BMC Family Practice, 2017, 18, 34. | 2.9 | 22 |
| 20 | Preschool children in out-of-hours primary care – a questionnaire-based cross-sectional study of factors related to the medical relevance of health problems. BMC Family Practice, 2017, 18, 112. | 2.9 | 8 |
| 21 | Telephone triage in general practices: A written case scenario study in the Netherlands. Scandinavian Journal of Primary Health Care, 2016, 34, 28-36. | 1.5 | 21 |
| 22 | Telephone triage by GPs in out-of-hours primary care in Denmark: a prospective observational study of efficiency and relevance. British Journal of General Practice, 2016, 66, e667-e673. | 1.4 | 28 |
| 23 | Out-of-hours primary care: a population-based study of the diagnostic scope of telephone contacts. Family Practice, 2016, 33, 504-509. | 1.9 | 21 |
| 24 | Drug prescriptions in Danish out-of-hours primary care: a 1-yearpopulation-based study. Scandinavian Journal of Primary Health Care, 2016, 34, 453-458. | 1.5 | 8 |
| 25 | Contacts with out-of-hours primary care for nonurgent problems: patients' beliefs or deficiencies in healthcare?. BMC Family Practice, 2015, 16, 157. | 2.9 | 44 |
| 26 | Antibiotic prescribing patterns in out-of-hours primary care: A population-based descriptive study. Scandinavian Journal of Primary Health Care, 2014, 32, 200-207. | 1.5 | 32 |
| 27 | Consumption in out-of-hours health care: Danes double Dutch?. Scandinavian Journal of Primary Health Care, 2014, 32, 44-50. | 1.5 | 28 |
| 28 | GPs' experiences with out-of-hours GP cooperatives: A survey study from the Netherlands. European Journal of General Practice, 2014, 20, 196-201. | 2.0 | 14 |
| 29 | EurOOHnet—the European research network for out-of-hours primary health care. European Journal of General Practice, 2014, 20, 229-232. | 2.0 | 30 |
| 30 | Drug prescription by telephone consultation in Danish out-of-hours primary care: a population-based study of frequency and associations with clinical severity and diagnosis. BMC Family Practice, 2014, 15, 142. | 2.9 | 13 |
| 31 | Guidelines adherence to lower urinary tract infection treatment in out-of-hours primary care in European countries. Quality in Primary Care, 2014, 22, 221-31. | 0.8 | 12 |
| 32 | GP cooperative and emergency department: an exploration of patient flows. Journal of Evaluation in Clinical Practice, 2013, 19, 243-249. | 1.8 | 28 |
| 33 | Follow-up After Telephone Consultations at Out-of-Hours Primary Care. Journal of the American Board of Family Medicine, 2013, 26, 373-379. | 1.5 | 15 |
| 34 | From Doctor to Nurse Triage in the Danish Out-of-Hours Primary Care Service: Simulated Effects on Costs. International Journal of Family Medicine, 2013, 2013, 1-5. | 1.2 | 10 |
| 35 | Patient satisfaction with out-of-hours GP cooperatives: A longitudinal study. Scandinavian Journal of Primary Health Care, 2012, 30, 206-213. | 1.5 | 18 |
| 36 | Nurse telephone triage in Dutch out-of-hours primary care. European Journal of Emergency Medicine, 2012, 19, 309-315. | 1.1 | 15 |

Linda Huibers

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Quality of After-Hours Primary Care in the Netherlands: A Narrative Review. Annals of Internal Medicine, 2011, 155, 108. | 3.9 | 102 |
| 38 | Validity of telephone and physical triage in emergency care: The Netherlands Triage System. Family Practice, 2011, 28, 334-341. | 1.9 | 74 |
| 39 | Safety of telephone triage in out-of-hours care: A systematic review. Scandinavian Journal of Primary Health Care, 2011, 29, 198-209. | 1.5 | 130 |
| 40 | Patient safety in out-of-hours primary care: a review of patient records. BMC Health Services Research, 2010, 10, 335. | 2.2 | 35 |
| 41 | Out-of-hours care in western countries: assessment of different organizational models. BMC Health Services Research, 2009, 9, 105. | 2.2 | 144 |
| 42 | Variation of GP antibiotic prescribing tendency for contacts with out-of-hours primary care in Denmark – a cross-sectional register-based study. Scandinavian Journal of Primary Health Care, 0, , 1-10. | 1.5 | 1 |