

Frans H Rutten

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4814601/publications.pdf>

Version: 2024-02-01

133
papers

29,655
citations

186265

28
h-index

14208

128
g-index

143
all docs

143
docs citations

143
times ranked

28357
citing authors

#	ARTICLE	IF	CITATIONS
1	Disease management with home telemonitoring aimed at substitution of usual care in the Netherlands: Post-hoc analyses of the e-Vita HF study. <i>Journal of Cardiology</i> , 2022, 79, 1-5.	1.9	1
2	Unequal prescription of anticoagulants among females and males with atrial fibrillation and similar stroke risk: Should we omit sex category from the CHA2DS2-VASc score?. <i>Heart Rhythm</i> , 2022, 19, 860-861.	0.7	1
3	Sex- and age specific association of new-onset atrial fibrillation with in-hospital mortality in hospitalised COVID-19 patients. <i>IJC Heart and Vasculature</i> , 2022, 39, 100970.	1.1	8
4	Evaluation of the cardiac amyloidosis clinical pathway implementation: a real-world experience. <i>European Heart Journal Open</i> , 2022, 2, .	2.3	13
5	Changes in the Diagnosis of Stroke and Cardiovascular Conditions in Primary Care During the First 2 COVID-19 Waves in the Netherlands. <i>Neurology</i> , 2022, 98, e564-e572.	1.1	9
6	Heart failure with preserved, mid-range, and reduced ejection fraction across health care settings: an observational study. <i>ESC Heart Failure</i> , 2022, 9, 363-372.	3.1	17
7	Cardiovascular vulnerability predicts hospitalisation in primary care clinically suspected and confirmed COVID-19 patients: A model development and validation study. <i>PLoS ONE</i> , 2022, 17, e0266750.	2.5	3
8	Optimising telephone triage of patients calling for acute shortness of breath during out-of-hours primary care: protocol of a multiple methods study (Opticall). <i>BMJ Open</i> , 2022, 12, e059549.	1.9	0
9	A systematic review and meta-analysis of diagnostic delay in pulmonary embolism. <i>European Journal of General Practice</i> , 2022, 28, 165-172.	2.0	8
10	Interactional implications of either/or-questions during telephone triage of callers with chest discomfort in out-of-hours primary care: A conversation analysis. <i>Patient Education and Counseling</i> , 2021, 104, 308-314.	2.2	8
11	Self-care of heart failure patients: practical management recommendations from the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2021, 23, 157-174.	7.1	181
12	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021, 42, 1289-1367.	2.2	3,048
13	Questions and answers on workup diagnosis and risk stratification: a companion document of the 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021, 42, 1379-1386.	2.2	11
14	Therapeutic inertia in the management of hypertension in primary care. <i>Journal of Hypertension</i> , 2021, 39, 1238-1245.	0.5	25
15	Persistent Symptoms and Health Needs of Women and Men With Non-Obstructed Coronary Arteries in the Years Following Coronary Angiography. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 670843.	2.4	5
16	MO446 THE ASSOCIATION BETWEEN RENAL FUNCTION AND LEFT VENTRICULAR DIASTOLIC DYSFUNCTION AND HEART FAILURE WITH PRESERVED EJECTION FRACTION. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
17	Gender-stratified analyses of symptoms associated with acute coronary syndrome in telephone triage: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e042406.	1.9	7
18	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 544.	0.6	33

#	ARTICLE	IF	CITATIONS
19	Call Characteristics of Patients Suspected of Transient Ischemic Attack (TIA) or Stroke During Out-of-Hours Service: A Comparison Between Men and Women. <i>Frontiers in Neurology</i> , 2021, 12, 669090.	2.4	0
20	Incidence of atrial fibrillation, ischaemic heart disease and heart failure in patients with diabetes. <i>Cardiovascular Diabetology</i> , 2021, 20, 123.	6.8	9
21	Debate: Prasugrel rather than ticagrelor is the preferred treatment for NSTEMI-ACS patients who proceed to PCI and pretreatment should not be performed in patients planned for an early invasive strategy. <i>European Heart Journal</i> , 2021, 42, 2973-2985.	2.2	21
22	The evidence for pharmacist care in outpatients with heart failure: a systematic review and meta-analysis. <i>ESC Heart Failure</i> , 2021, 8, 3566-3576.	3.1	20
23	Improving early diagnosis of cardiovascular disease in patients with type 2 diabetes and COPD: protocol of the RED-CVD cluster randomised diagnostic trial. <i>BMJ Open</i> , 2021, 11, e046330.	1.9	4
24	Electrocardiographic Features of Left Ventricular Diastolic Dysfunction and Heart Failure With Preserved Ejection Fraction: A Systematic Review. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 772803.	2.4	7
25	Accounting for time-dependent treatment use when developing a prognostic model from observational data: A review of methods. <i>Statistica Neerlandica</i> , 2020, 74, 38-51.	1.6	6
26	Clinical research study implementation of case-finding strategies for heart failure and chronic obstructive pulmonary disease in the elderly with reduced exercise tolerance or dyspnea: A cluster randomized trial. <i>American Heart Journal</i> , 2020, 220, 73-81.	2.7	2
27	The new Primary Care and Risk Factor Management (PCRFM) nucleus of the European Association of Preventive Cardiology: A call for action. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1328-1330.	1.8	2
28	Age at menarche and heart failure risk: The EPIC-NL study. <i>Maturitas</i> , 2020, 131, 34-39.	2.4	4
29	Accuracy of telephone triage in patients suspected of transient ischaemic attack or stroke: a cross-sectional study. <i>BMC Family Practice</i> , 2020, 21, 256.	2.9	4
30	Accuracy of telephone triage in primary care patients with chest discomfort: a cross-sectional study. <i>Open Heart</i> , 2020, 7, e001376.	2.3	14
31	Design and rationale of DUTCH-AF: a prospective nationwide registry programme and observational study on long-term oral antithrombotic treatment in patients with atrial fibrillation. <i>BMJ Open</i> , 2020, 10, e036220.	1.9	7
32	Sex-specific microRNAs in women with diabetes and left ventricular diastolic dysfunction or HFpEF associate with microvascular injury. <i>Scientific Reports</i> , 2020, 10, 13945.	3.3	12
33	Integration of a palliative approach into heart failure care: a European Society of Cardiology Heart Failure Association position paper. <i>European Journal of Heart Failure</i> , 2020, 22, 2327-2339.	7.1	88
34	Limited reliability of experts' assessment of telephone triage in primary care patients with chest discomfort. <i>Journal of Clinical Epidemiology</i> , 2020, 127, 117-124.	5.0	2
35	Sex Differences in Symptom Presentation in Acute Coronary Syndromes: A Systematic Review and Meta-analysis. <i>Journal of the American Heart Association</i> , 2020, 9, e014733.	3.7	96
36	Epidemiology of heart failure. <i>European Journal of Heart Failure</i> , 2020, 22, 1342-1356.	7.1	948

#	ARTICLE	IF	CITATIONS
37	Opportunistic screening versus usual care for diagnosing atrial fibrillation in general practice: a cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2020, 70, e427-e433.	1.4	30
38	How to diagnose heart failure with preserved ejection fraction: the HFAâ€PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Journal of Heart Failure</i> , 2020, 22, 391-412.	7.1	193
39	Proactive screening for symptoms: A simple method to improve early detection of unrecognized cardiovascular disease in primary care. Results from the Lifelines Cohort Study. <i>Preventive Medicine</i> , 2020, 138, 106143.	3.4	7
40	Sodiumâ€glucose coâ€transporter 2 inhibitors and acute heart failure. <i>European Journal of Heart Failure</i> , 2020, 22, 723-725.	7.1	6
41	Integrated management of atrial fibrillation in primary care: results of the ALL-IN cluster randomized trial. <i>European Heart Journal</i> , 2020, 41, 2836-2844.	2.2	43
42	Tinkering and overruling the computer decision support system: Working strategies of telephone triage nurses who assess the urgency of callers suspected of having an acute cardiac event. <i>Journal of Clinical Nursing</i> , 2020, 29, 1175-1186.	3.0	22
43	Chest discomfort at night and risk of acute coronary syndrome: cross-sectional study of telephone conversations. <i>Family Practice</i> , 2020, 37, 473-478.	1.9	6
44	Chest discomfort at night and risk of acute coronary syndrome: cross-sectional study of telephone conversations. <i>British Journal of General Practice</i> , 2020, 70, bjgp20X711317.	1.4	0
45	Missed acute coronary syndrome during telephone triage at out-of-hours primary care: lessons from a case-control study. <i>British Journal of General Practice</i> , 2020, 70, bjgp20X711329.	1.4	1
46	Time trends in the use and appropriateness of natriuretic peptide testing in primary care: an observational study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101074.	1.8	3
47	Real-life impact of clinical prediction rules for venous thromboembolism in primary care: a cross-sectional cohort study. <i>BMJ Open</i> , 2020, 10, e039913.	1.9	3
48	Missed Acute Coronary Syndrome During Telephone Triage at Out-of-Hours Primary Care. <i>Journal of Patient Safety</i> , 2020, Publish Ahead of Print, .	1.7	0
49	Is the time of calling helpful for differentiating transient ischaemic attack and stroke from mimics in primary care out-of-hours services? A cross-sectional study. <i>BMJ Open</i> , 2020, 10, e041408.	1.9	0
50	Patient delay in TIA: a systematic review. <i>Journal of Neurology</i> , 2019, 266, 1051-1058.	3.6	11
51	Optimisation of telephone triage of callers with symptoms suggestive of acute cardiovascular disease in out-of-hours primary care: observational design of the Safety First study. <i>BMJ Open</i> , 2019, 9, e027477.	1.9	16
52	Response by Dolmans et al to Letter Regarding Article, â€œDiagnostic Accuracy of the Explicit Diagnostic Criteria for Transient Ischemic Attack: A Validation Studyâ€ Stroke, 2019, 50, e336.	2.0	0
53	Candidate Biomarkers for the Diagnosis of Transient Ischemic Attack: A Systematic Review. <i>Cerebrovascular Diseases</i> , 2019, 47, 207-216.	1.7	15
54	How to diagnose heart failure with preserved ejection fraction: the HFAâ€PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2019, 40, 3297-3317.	2.2	944

#	ARTICLE	IF	CITATIONS
55	Mid-regional pro-atrial natriuretic peptide for the early detection of non-acute heart failure. <i>European Journal of Heart Failure</i> , 2019, 21, 1219-1227.	7.1	23
56	Determinants of Patient Delay in Transient Ischemic Attack. <i>European Neurology</i> , 2019, 81, 139-144.	1.4	2
57	Diagnostic Accuracy of the Explicit Diagnostic Criteria for Transient Ischemic Attack. <i>Stroke</i> , 2019, 50, 2080-2085.	2.0	24
58	Discovery of biomarkers for the presence and progression of left ventricular diastolic dysfunction and HEart failure with Preserved ejection Fraction in patients at risk for cardiovascular disease: rationale and design of the HELPFul case-cohort study in a Dutch cardiology outpatient clinic. <i>BMJ Open</i> , 2019, 9, e028408.	1.9	8
59	Delay in patients suspected of transient ischaemic attack: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027161.	1.9	5
60	Stroke Rate Variation and Anticoagulation Benefit in Atrial Fibrillation. <i>Annals of Internal Medicine</i> , 2019, 170, 816.	3.9	0
61	Are there gender disparities in symptom presentation or triage of patients with chest discomfort at primary care out-of-hours services? An observational study. <i>BMJ Open</i> , 2019, 9, e031613.	1.9	9
62	Validation and impact of a simplified clinical decision rule for diagnosing pulmonary embolism in primary care: design of the PECAN prospective diagnostic cohort management study. <i>BMJ Open</i> , 2019, 9, e031639.	1.9	8
63	Safety of switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulant in frail elderly with atrial fibrillation: rationale and design of the FRAIL-AF randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032488.	1.9	12
64	Decelerating trends in heart failure survival. <i>European Journal of Heart Failure</i> , 2019, 21, 1326-1328.	7.1	1
65	Opportunistic screening models for high-risk men and women to detect diastolic dysfunction and heart failure with preserved ejection fraction in the community. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 613-623.	1.8	16
66	Near-home heart failure care. <i>European Journal of Heart Failure</i> , 2019, 21, 110-111.	7.1	6
67	Effectiveness of the European Society of Cardiology/Heart Failure Association website heartfailurematters.org ™ and an e-health adjusted care pathway in patients with stable heart failure: results of the Vita HF ™ randomized controlled trial. <i>European Journal of Heart Failure</i> , 2019, 21, 238-246.	7.1	56
68	Serum biomarkers in patients suspected of transient ischaemic attack in primary care: a diagnostic accuracy study. <i>BMJ Open</i> , 2019, 9, e031774.	1.9	10
69	Incidence of superficial venous thrombosis in primary care and risk of subsequent venous thromboembolic sequelae: a retrospective cohort study performed with routine healthcare data from the Netherlands. <i>BMJ Open</i> , 2018, 8, e019967.	1.9	23
70	Sex-Specific Relations of Cardiovascular Risk Factors With Left Ventricular Diastolic Dysfunction/Heart Failure With Preserved Ejection Fraction Are Underreported: A Call for Action. <i>Journal of Cardiac Failure</i> , 2018, 24, 412-414.	1.7	9
71	Efficient selective screening for heart failure in elderly men and women from the community: A diagnostic individual participant data meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 437-446.	1.8	19
72	Opportunistic screening for heart failure with natriuretic peptides in patients with atrial fibrillation: a meta-analysis of individual participant data of four screening studies. <i>Heart</i> , 2018, 104, 1236.1-1237.	2.9	11

#	ARTICLE	IF	CITATIONS
73	Right heart dysfunction and failure in heart failure with preserved ejection fraction: mechanisms and management. Position statement on behalf of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2018, 20, 16-37.	7.1	239
74	Hartfalen en COPD. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2018, 34, 448-455.	0.0	0
75	Misclassification of Both Chronic Obstructive Pulmonary Disease and Heart Failure. <i>JAMA Network Open</i> , 2018, 1, e185486.	5.9	8
76	Risk of cardiac and non-cardiac adverse events in community-dwelling older patients with atrial fibrillation: a prospective cohort study in the Netherlands. <i>BMJ Open</i> , 2018, 8, e021681.	1.9	9
77	Routine primary care data for scientific research, quality of care programs and educational purposes: the Julius General Practitioners™ Network (JGPN). <i>BMC Health Services Research</i> , 2018, 18, 735.	2.2	57
78	Vascular extracellular vesicles in comorbidities of heart failure with preserved ejection fraction in men and women: The hidden players. A mini review. <i>Vascular Pharmacology</i> , 2018, 111, 1-6.	2.1	5
79	The prevalence of left ventricular diastolic dysfunction and heart failure with preserved ejection fraction in men and women with type 2 diabetes: A systematic review and meta-analysis. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 477-493.	2.0	88
80	Prospective Randomized Open-label Trial to evaluate risk faCTOR management in patients with Unruptured intracranial aneurysms: Study protocol. <i>International Journal of Stroke</i> , 2018, 13, 992-998.	5.9	29
81	Prevalence of left ventricular systolic dysfunction and heart failure with reduced ejection fraction in men and women with type 2 diabetes mellitus: a systematic review and meta-analysis. <i>Cardiovascular Diabetology</i> , 2018, 17, 58.	6.8	16
82	Frequency and prognostic impact of mid-expiratory flow reduction in stable patients six months after hospitalisation for heart failure with reduced ejection fraction. <i>International Journal of Cardiology</i> , 2017, 227, 727-733.	1.7	3
83	Integrated management of atrial fibrillation including tailoring of anticoagulation in primary care: study design of the ALL-IN cluster randomised trial. <i>BMJ Open</i> , 2017, 7, e015510.	1.9	8
84	“heartfailurematters.org”™, an educational website for patients and carers from the Heart Failure Association of the European Society of Cardiology: objectives, use and future directions. <i>European Journal of Heart Failure</i> , 2017, 19, 1447-1454.	7.1	21
85	Practical guidance on heart failure diagnosis and management in primary care: recent EPCCS recommendations. <i>British Journal of General Practice</i> , 2017, 67, 326-327.	1.4	18
86	Representativeness of Participants in Heart Failure E-Health Trials: A Report From the E-Vita HF Study. <i>Journal of Cardiac Failure</i> , 2017, 23, 88-89.	1.7	4
87	Interpretability of the European Heart Failure Self-care Behaviour scale. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1841-1849.	1.8	20
88	The role of beta-blockers in outcomes of patients hospitalized for heart failure and chronic obstructive pulmonary disease. <i>European Journal of Heart Failure</i> , 2016, 18, 849-850.	7.1	1
89	Extended prediction rule to optimise early detection of heart failure in older persons with non-acute shortness of breath: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e008225.	1.9	5
90	Effect of training general practitioners in drug treatment of newly detected heart failure patients with reduced or preserved ejection fraction: A cluster randomized trial. <i>International Journal of Cardiology</i> , 2016, 217, 174-182.	1.7	6

#	ARTICLE	IF	CITATIONS
91	2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. <i>European Heart Journal</i> , 2016, 37, 2129-2200.	2.2	13,008
92	How big a problem is heart failure with a normal ejection fraction?. <i>BMJ, The</i> , 2016, 353, i1706.	6.0	10
93	Overdiagnosis of heart failure in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2016, 66, e587-e592.	1.4	44
94	2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. <i>European Journal of Heart Failure</i> , 2016, 18, 891-975.	7.1	5,272
95	Yield of screening for atrial fibrillation in primary care with a hand-held, single-lead electrocardiogram device during influenza vaccination. <i>Europace</i> , 2016, 18, 1514-1520.	1.7	104
96	Cost-effectiveness of screening strategies to detect heart failure in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 48.	6.8	10
97	A nomogram was developed to enhance the use of multinomial logistic regression modeling in diagnostic research. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 51-57.	5.0	18
98	European Primary Care Cardiovascular Society (EPCCS) consensus guidance on stroke prevention in atrial fibrillation (SPAF) in primary care. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 460-473.	1.8	54
99	Health status of older patients with type 2 diabetes and screen-detected heart failure is significantly lower than those without. <i>International Journal of Cardiology</i> , 2016, 211, 79-83.	1.7	0
100	Epidemiology of heart failure: the prevalence of heart failure and ventricular dysfunction in older adults over time. A systematic review. <i>European Journal of Heart Failure</i> , 2016, 18, 242-252.	7.1	510
101	What the General Practitioner Needs to Know About Their Chronic Heart Failure Patient. <i>Cardiac Failure Review</i> , 2016, 2, 79-84.	3.0	12
102	Measurement of ECG abnormalities and cardiovascular risk classification: a cohort study of primary care patients in the Netherlands. <i>British Journal of General Practice</i> , 2015, 65, e1-e8.	1.4	15
103	Rationale, design and baseline results of the Treatment Optimisation in Primary care of Heart failure in the Utrecht region (TOPHU) study: a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2015, 16, 130.	2.9	3
104	Effectiveness of an interactive platform, and the ESC/HFA heartfailurematters.org website in patients with heart failure: design of the multicentre randomized eâ€Vita heart failure trial. <i>European Journal of Heart Failure</i> , 2015, 17, 1310-1316.	7.1	19
105	Natriuretic peptide tests in suspected acute heart failure. <i>BMJ, The</i> , 2015, 350, h1164-h1164.	6.0	1
106	The Impending Epidemic of Chronic Cardiopulmonary Disease and Multimorbidity. <i>Chest</i> , 2015, 148, 865-869.	0.8	11
107	Reasons for non-adherence to practice guidelines on stroke prevention in patients with atrial fibrillation: A cross-sectional study in primary care. <i>International Journal of Cardiology</i> , 2015, 187, 525-526.	1.7	7
108	Prognosis of screen-detected heart failure with reduced and preserved ejection fraction in patients with type 2 diabetes. <i>International Journal of Cardiology</i> , 2015, 185, 162-164.	1.7	7

#	ARTICLE	IF	CITATIONS
109	Diagnostic and prognostic utility of mid-expiratory flow rate in older community-dwelling persons with respiratory symptoms, but without chronic obstructive pulmonary disease. <i>BMC Pulmonary Medicine</i> , 2015, 15, 83.	2.0	11
110	Serum biomarkers for the early diagnosis of TIA: The MIND-TIA study protocol. <i>BMC Neurology</i> , 2015, 15, 119.	1.8	10
111	Resting Heart Rate Is a Risk Factor for Mortality in Chronic Obstructive Pulmonary Disease, but Not for Exacerbations or Pneumonia. <i>PLoS ONE</i> , 2014, 9, e105152.	2.5	22
112	COPD detected with screening: impact on patient management and prognosis. <i>European Respiratory Journal</i> , 2014, 44, 1571-1578.	6.7	20
113	Quality of drug label information on QT interval prolongation. <i>International Journal of Risk and Safety in Medicine</i> , 2014, 26, 89-98.	0.6	6
114	Prevalence of unrecognized heart failure in older persons with shortness of breath on exertion. <i>European Journal of Heart Failure</i> , 2014, 16, 772-777.	7.1	191
115	Unrecognized Heart Failure and Chronic Obstructive Pulmonary Disease (COPD) in Frail Elderly Detected Through a Near-Home Targeted Screening Strategy. <i>Journal of the American Board of Family Medicine</i> , 2014, 27, 811-821.	1.5	37
116	Safety information on QT-interval prolongation: comparison of European Union and United States drug labeling. <i>Drug Discovery Today</i> , 2014, 19, 1294-1297.	6.4	5
117	Â blockers for adults with chronic obstructive pulmonary disease. <i>BMJ, The</i> , 2013, 347, f7050-f7050.	6.0	3
118	Î ² -Blockers and All-Cause Mortality in Adults with Episodes of Acute Bronchitis: An Observational Study. <i>PLoS ONE</i> , 2013, 8, e67122.	2.5	8
119	Primary care patients with heart failure in the last year of their life. <i>Family Practice</i> , 2012, 29, 36-42.	1.9	32
120	Gender differences in pre-hospital time delay and symptom presentation in patients suspected of acute coronary syndrome in primary care. <i>Family Practice</i> , 2012, 29, 332-337.	1.9	28
121	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012. <i>European Journal of Heart Failure</i> , 2012, 14, 803-869.	7.1	2,307
122	Highlights of the 2011 Scientific Sessions of the Congress of the Heart Failure Association of the European Society of Cardiology. <i>Future Cardiology</i> , 2011, 7, 739-743.	1.2	0
123	Î ² -blockers and their mortality benefits: underprescribed in heart failure and chronic obstructive pulmonary disease. <i>Future Cardiology</i> , 2011, 7, 43-53.	1.2	3
124	Î ² -Blockers May Reduce Mortality and Risk of Exacerbations in Patients With Chronic Obstructive Pulmonary Disease. <i>Archives of Internal Medicine</i> , 2010, 170, 880.	3.8	261
125	B-type natriuretic peptide assays for detecting heart failure in the elderly: Same value as those in the younger?. <i>International Journal of Cardiology</i> , 2008, 125, 161-165.	1.7	12
126	Cardiovascular magnetic resonance imaging to identify left-sided chronic heart failure in stable patients with chronic obstructive pulmonary disease. <i>American Heart Journal</i> , 2008, 156, 506-512.	2.7	24

#	ARTICLE	IF	CITATIONS
127	Comparison of B-type natriuretic peptide assays for identifying heart failure in stable elderly patients with a clinical diagnosis of chronic obstructive pulmonary disease. <i>European Journal of Heart Failure</i> , 2007, 9, 651-659.	7.1	77
128	Heart failure and chronic obstructive pulmonary disease: An ignored combination?. <i>European Journal of Heart Failure</i> , 2006, 8, 706-711.	7.1	238
129	Improving the quality and clinical relevance of diagnostic studies. <i>BMJ: British Medical Journal</i> , 2006, 332, 1129.	2.3	3
130	Unrecognized heart failure in elderly patients with stable chronic obstructive pulmonary disease. <i>European Heart Journal</i> , 2005, 26, 1887-1894.	2.2	378
131	Is treatment of atrial fibrillation in primary care based on thromboembolic risk assessment?. <i>Family Practice</i> , 2003, 20, 16-21.	1.9	9
132	Differences between general practitioners and cardiologists in diagnosis and management of heart failure: a survey in everyday practice. <i>European Journal of Heart Failure</i> , 2003, 5, 337-344.	7.1	122
133	Diagnosis and management of heart failure: a questionnaire among general practitioners and cardiologists. <i>European Journal of Heart Failure</i> , 2003, 5, 345-348.	7.1	19