

Peter Nagy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4814744/publications.pdf>

Version: 2024-02-01

55
papers

8,848
citations

159585

30
h-index

155660

55
g-index

58
all docs

58
docs citations

58
times ranked

18552
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Polysulfides Link H ₂ S to Protein Thiol Oxidation. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 1749-1765.	5.4	410
3	Kinetics and Mechanisms of Thiol-Disulfide Exchange Covering Direct Substitution and Thiol Oxidation-Mediated Pathways. <i>Antioxidants and Redox Signaling</i> , 2013, 18, 1623-1641.	5.4	341
4	Autophagosome-lysosome fusion is independent of V-ATPase-mediated acidification. <i>Nature Communications</i> , 2015, 6, 7007.	12.8	314
5	Autophagosomal Syntaxin17-dependent lysosomal degradation maintains neuronal function in <i>Drosophila</i> . <i>Journal of Cell Biology</i> , 2013, 201, 531-539.	5.2	307
6	Chemical aspects of hydrogen sulfide measurements in physiological samples. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 876-891.	2.4	222
7	Rapid Reaction of Hydrogen Sulfide with the Neutrophil Oxidant Hypochlorous Acid to Generate Polysulfides. <i>Chemical Research in Toxicology</i> , 2010, 23, 1541-1543.	3.3	191
8	The Ccz1-Mon1-Rab7 module and Rab5 control distinct steps of autophagy. <i>Molecular Biology of the Cell</i> , 2016, 27, 3132-3142.	2.1	173
9	Reactive Sulfur Species: Kinetics and Mechanisms of the Oxidation of Cysteine by Hypohalous Acid to Give Cysteine Sulfenic Acid. <i>Journal of the American Chemical Society</i> , 2007, 129, 14082-14091.	13.7	164
10	Advantages and Limitations of Different p62-Based Assays for Estimating Autophagic Activity in <i>Drosophila</i> . <i>PLoS ONE</i> , 2012, 7, e44214.	2.5	145
11	Nitrosopersulfide (SSNO [•]) accounts for sustained NO bioactivity of S-nitrosothiols following reaction with sulfide. <i>Redox Biology</i> , 2014, 2, 234-244.	9.0	133
12	How and why to study autophagy in <i>Drosophila</i> : It's more than just a garbage chute. <i>Methods</i> , 2015, 75, 151-161.	3.8	106
13	Kinetics and Mechanisms of the Reaction of Hypothiocyanous Acid with 5-Thio-2-nitrobenzoic Acid and Reduced Glutathione. <i>Chemical Research in Toxicology</i> , 2009, 22, 1833-1840.	3.3	101
14	Model for the Exceptional Reactivity of Peroxiredoxins 2 and 3 with Hydrogen Peroxide. <i>Journal of Biological Chemistry</i> , 2011, 286, 18048-18055.	3.4	97
15	Interactions of hydrogen sulfide with myeloperoxidase. <i>British Journal of Pharmacology</i> , 2015, 172, 1516-1532.	5.4	96
16	Redox Chemistry of Biological Thiols. <i>Advances in Molecular Toxicology</i> , 2010, , 183-222.	0.4	94
17	Myc-Driven Overgrowth Requires Unfolded Protein Response-Mediated Induction of Autophagy and Antioxidant Responses in <i>Drosophila melanogaster</i> . <i>PLoS Genetics</i> , 2013, 9, e1003664.	3.5	81
18	Atg17/FIP200 localizes to perilyosomal Ref(2)P aggregates and promotes autophagy by activation of Atg1 in <i>Drosophila</i> . <i>Autophagy</i> , 2014, 10, 453-467.	9.1	75

#	ARTICLE	IF	CITATIONS
19	The reaction of hydrogen sulfide with disulfides: formation of a stable trisulfide and implications for biological systems. <i>British Journal of Pharmacology</i> , 2019, 176, 671-683.	5.4	73
20	A proof-of-concept, Phase 2 clinical trial of the gastrointestinal safety of a hydrogen sulfide-releasing anti-inflammatory drug. <i>British Journal of Pharmacology</i> , 2020, 177, 769-777.	5.4	72
21	Thiocyanate Is an Efficient Endogenous Scavenger of the Phagocytic Killing Agent Hypobromous Acid. <i>Chemical Research in Toxicology</i> , 2006, 19, 587-593.	3.3	64
22	Removal of amino acid, peptide and protein hydroperoxides by reaction with peroxiredoxins 2 and 3. <i>Biochemical Journal</i> , 2010, 432, 313-321.	3.7	52
23	Hypothiocyanous acid is a potent inhibitor of apoptosis and caspase 3 activation in endothelial cells. <i>Free Radical Biology and Medicine</i> , 2010, 49, 1054-1063.	2.9	46
24	Autophagy maintains stem cells and intestinal homeostasis in <i>Drosophila</i> . <i>Scientific Reports</i> , 2018, 8, 4644.	3.3	46
25	Lactoperoxidase-Catalyzed Oxidation of Thiocyanate by Hydrogen Peroxide: A Reinvestigation of Hypothiocyanite by Nuclear Magnetic Resonance and Optical Spectroscopy. <i>Biochemistry</i> , 2006, 45, 12610-12616.	2.5	45
26	Superoxide-mediated Formation of Tyrosine Hydroperoxides and Methionine Sulfoxide in Peptides through Radical Addition and Intramolecular Oxygen Transfer. <i>Journal of Biological Chemistry</i> , 2009, 284, 14723-14733.	3.4	45
27	Reactive Sulfur Species: Kinetics and Mechanism of the Oxidation of Cystine by Hypochlorous Acid to Give N,N'-Dichlorocystine. <i>Chemical Research in Toxicology</i> , 2005, 18, 919-923.	3.3	42
28	Nephrocytes Remove Microbiota-Derived Peptidoglycan from Systemic Circulation to Maintain Immune Homeostasis. <i>Immunity</i> , 2019, 51, 625-637.e3.	14.3	39
29	Reactive Sulfur Species: Kinetics and Mechanisms of the Reaction of Cysteine Thiosulfinate Ester with Cysteine to Give Cysteine Sulfenic Acid. <i>Journal of Organic Chemistry</i> , 2007, 72, 8838-8846.	3.2	37
30	A transcriptomic atlas of <i>Aedes aegypti</i> reveals detailed functional organization of major body parts and gut regional specializations in sugar-fed and blood-fed adult females. <i>ELife</i> , 2022, 11, .	6.0	36
31	Loss of Atg16 delays the alcohol-induced sedation response via regulation of Corazonin neuropeptide production in <i>Drosophila</i> . <i>Scientific Reports</i> , 2016, 6, 34641.	3.3	35
32	Reactive Sulfur Species: Kinetics and Mechanism of the Hydrolysis of Cysteine Thiosulfinate Ester. <i>Chemical Research in Toxicology</i> , 2007, 20, 1364-1372.	3.3	32
33	<i>Drosophila</i> Atg16 promotes enteroendocrine cell differentiation via regulation of intestinal Slit/Robo signaling. <i>Development (Cambridge)</i> , 2017, 144, 3990-4001.	2.5	31
34	Reactions of superoxide with the myoglobin tyrosyl radical. <i>Free Radical Biology and Medicine</i> , 2010, 48, 1540-1547.	2.9	30
35	Microbes affect gut epithelial cell composition through immune-dependent regulation of intestinal stem cell differentiation. <i>Cell Reports</i> , 2022, 38, 110572.	6.4	30
36	Kinetics and Mechanism of the Comproportionation of Hypothiocyanous Acid and Thiocyanate to Give Thiocyanogen in Acidic Aqueous Solution. <i>Inorganic Chemistry</i> , 2007, 46, 285-292.	4.0	29

#	ARTICLE	IF	CITATIONS
37	Rapid reaction of superoxide with insulin-tyrosyl radicals to generate a hydroperoxide with subsequent glutathione addition. <i>Free Radical Biology and Medicine</i> , 2014, 70, 86-95.	2.9	27
38	Metabolism of sulfur compounds in homocystinurias. <i>British Journal of Pharmacology</i> , 2019, 176, 594-606.	5.4	27
39	Kinetics and Mechanism of the Oxidation of the Glutathione Dimer by Hypochlorous Acid and Catalytic Reduction of the Chloroamine Product by Glutathione Reductase. <i>Chemical Research in Toxicology</i> , 2007, 20, 79-87.	3.3	25
40	Conjugation of Glutathione to Oxidized Tyrosine Residues in Peptides and Proteins. <i>Journal of Biological Chemistry</i> , 2012, 287, 26068-26076.	3.4	24
41	Neutrophil-mediated oxidation of enkephalins via myeloperoxidase-dependent addition of superoxide. <i>Free Radical Biology and Medicine</i> , 2010, 49, 792-799.	2.9	23
42	On the kinetics and mechanism of the reaction of cysteine and hydrogen peroxide in aqueous solution. <i>Journal of Pharmaceutical Sciences</i> , 2006, 95, 15-18.	3.3	22
43	Metal-Metal Bond or Isolated Metal Centers? Interaction of Hg(CN) ₂ with Square Planar Transition Metal Cyanides. <i>Inorganic Chemistry</i> , 2005, 44, 9643-9651.	4.0	19
44	Reactive Sulfur Species: Hydrolysis of Hypothiocyanite To Give Thiocarbamate-S-oxide. <i>Journal of the American Chemical Society</i> , 2007, 129, 15756-15757.	13.7	19
45	Revisiting a proposed kinetic model for the reaction of cysteine and hydrogen peroxide via cysteine sulfenic acid. <i>International Journal of Chemical Kinetics</i> , 2007, 39, 32-38.	1.6	19
46	Hydrogen sulfide inhibits calcification of heart valves; implications for calcific aortic valve disease. <i>British Journal of Pharmacology</i> , 2020, 177, 793-809.	5.4	19
47	Stem cell-specific endocytic degradation defects lead to intestinal dysplasia in <i>Drosophila</i> . <i>DMM Disease Models and Mechanisms</i> , 2016, 9, 501-12.	2.4	18
48	Solubility, Complex Formation, and Redox Reactions in the Tl ₂ O ₃ -HCN/CN-H ₂ O System. Crystal Structures of the Cyano Compounds Tl(CN) ₃ ·H ₂ O, Na[Tl(CN) ₄]·3H ₂ O, K[Tl(CN) ₄], and TlI[TlIII(CN) ₄] and of TlI ₂ C ₂ O ₄ . <i>Inorganic Chemistry</i> , 2005, 44, 2347-2357.	4.0	15
49	Recommendations for Effective Intersectoral Collaboration in Health Promotion Interventions: Results from Joint Action CHRODIS-PLUS Work Package 5 Activities. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6474.	2.6	15
50	Kinetics and mechanism of triethylamine-catalyzed 1,3-proton shift. <i>Journal of Fluorine Chemistry</i> , 2008, 129, 409-415.	1.7	11
51	Kinetics and Mechanism of Platinum-Thallium Bond Formation: The Binuclear [(CN) ₅ Pt-Tl(CN)]- and the Trinuclear [(CN) ₅ Pt-Tl-Pt(CN) ₅] ₃ -Complex. <i>Inorganic Chemistry</i> , 2004, 43, 5216-5221.	4.0	9
52	Kinetics and Mechanism of Formation of the Platinum-Thallium Bond: The [(CN) ₅ Pt-Tl(CN) ₃] ₃ -Complex. <i>Inorganic Chemistry</i> , 2003, 42, 6907-6914.	4.0	6
53	Hypertrophy of Rat Skeletal Muscle Is Associated with Increased SIRT1/Akt/mTOR/S6 and Suppressed Sestrin2/SIRT3/FOXO1 Levels. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7588.	4.1	6
54	The decomposition and formation of the platinum-thallium bond in the [(CN) ₅ Pt-Tl(edta)] ₄ complex: kinetics and mechanism. <i>Journal of Molecular Liquids</i> , 2005, 118, 195-207.	4.9	5

#	ARTICLE	IF	CITATIONS
55	Highlighted mechanistic aspects in the chemical biology of reactive sulfur species. British Journal of Pharmacology, 2019, 176, 511-513.	5.4	3