

Brian P Yaremko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4816075/publications.pdf>

Version: 2024-02-01

21
papers

2,397
citations

1040056

9
h-index

794594

19
g-index

23
all docs

23
docs citations

23
times ranked

2886
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost Minimization Analysis of Hypofractionated Radiotherapy. <i>Current Oncology</i> , 2021, 28, 716-725.	2.2	9
2	Predicting pathological complete response (pCR) after stereotactic ablative radiation therapy (SABR) of lung cancer using quantitative dynamic [18F]FDG PET and CT perfusion: a prospective exploratory clinical study. <i>Radiation Oncology</i> , 2021, 16, 11.	2.7	7
3	Intrafraction motion monitoring to determine PTV margins in early stage breast cancer patients receiving neoadjuvant partial breast SABR. <i>Radiation Oncology</i> , 2021, 158, 276-284.	0.6	3
4	DCE-MRI assessment of response to neoadjuvant SABR in early stage breast cancer: Comparisons of single versus three fraction schemes and two different imaging time delays post-SABR. <i>Clinical and Translational Radiation Oncology</i> , 2020, 21, 25-31.	1.7	12
5	Stereotactic Ablative Radiotherapy for the Comprehensive Treatment of Oligometastatic Cancers: Long-Term Results of the SABR-COMET Phase II Randomized Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 2830-2838.	1.6	683
6	Stereotactic ablative radiotherapy for the comprehensive treatment of 4-10 oligometastatic tumors (SABR-COMET-10): study protocol for a randomized phase III trial. <i>BMC Cancer</i> , 2019, 19, 816.	2.6	165
7	Quality of Life Outcomes After Stereotactic Ablative Radiation Therapy (SABR) Versus Standard of Care Treatments in the Oligometastatic Setting: A Secondary Analysis of the SABR-COMET Randomized Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 943-947.	0.8	46
8	Expanded validation of the EPIC bowel and urinary domains for use in women with gynecologic cancer undergoing postoperative radiotherapy. <i>Gynecologic Oncology</i> , 2019, 154, 183-188.	1.4	13
9	Stereotactic ablative radiotherapy versus standard of care palliative treatment in patients with oligometastatic cancers (SABR-COMET): a randomised, phase 2, open-label trial. <i>Lancet, The</i> , 2019, 393, 2051-2058.	13.7	1,333
10	Reducing the dose of gadolinium-based contrast agents for DCE-MRI guided SBRT: The effects on inter and intra observer variability for preoperative target volume delineation in early stage breast cancer patients. <i>Radiation Oncology</i> , 2019, 131, 60-65.	0.6	7
11	Measuring the Integration of Stereotactic Ablative Radiotherapy Plus Surgery for Early-Stage Non-Small Cell Lung Cancer. <i>JAMA Oncology</i> , 2019, 5, 681.	7.1	67
12	Assessment of tumour response after stereotactic ablative radiation therapy for lung cancer: A prospective quantitative hybrid 18 F-fluorodeoxyglucose-positron emission tomography and CT perfusion study. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2019, 63, 94-101.	1.8	10
13	A Phase II Multi-institutional Clinical Trial Assessing Fractionated Simultaneous In-Field Boost Radiotherapy for Brain Oligometastases. <i>Cureus</i> , 2019, 11, e6394.	0.5	2
14	Short report: interim safety results for a phase II trial measuring the integration of stereotactic ablative radiotherapy (SABR) plus surgery for early stage non-small cell lung cancer (MISSILE-NSCLC). <i>Radiation Oncology</i> , 2017, 12, 30.	2.7	13
15	Intensity-Modulated Radiation Therapy Versus 3D Conformal Radiotherapy for Postoperative Gynecologic Cancer: Are They Covering the Same Planning Target Volume?. <i>Cureus</i> , 2016, 8, e467.	0.5	8
16	Assessment of function and quality of life in a phase II multi-institutional clinical trial of fractionated simultaneous in-field boost radiotherapy for patients with 1-3 metastases. <i>Journal of Neuro-Oncology</i> , 2016, 128, 431-436.	2.9	1
17	A Single Institution Consensus on the Use of Sequential or Concurrent Hormonal Therapy for Breast Cancer Patients Receiving Radiation Therapy. <i>Cureus</i> , 2016, 8, e555.	0.5	0
18	A phase II trial to evaluate single-dose stereotactic body radiation therapy (SBRT) prior to surgery for early-stage breast carcinoma: SIGNAL (stereotactic image-guided neoadjuvant ablative radiation then) Tj ETQq0 0 OrgBT /Overlock 10 Tj		

#	ARTICLE	IF	CITATIONS
19	Dosimetry Study of [I-131] and [I-125]-Meta-Iodobenzyl Guanidine in a Simulating Model for Neuroblastoma Metastasis. <i>Technology in Cancer Research and Treatment</i> , 2013, 12, 79-90.	1.9	2
20	An early report on outcomes from computed tomographic-based high-dose-rate brachytherapy for locally advanced cervix cancer: A single institution experience. <i>Practical Radiation Oncology</i> , 2011, 1, 173-181.	2.1	8
21	The quality of life in neoadjuvant versus adjuvant therapy of esophageal cancer treatment trial () Tj ETQq1 1 0.784314 rgBT /Overlock	1.9	2