
Dulcenombre Gomez-Garre

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4816438/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mycophenolate mofetil prevents salt-sensitive hypertension resulting from angiotensin II exposure. Kidney International, 2001, 59, 2222-2232.	5.2	213
2	Mycophenolate mofetil prevents salt-sensitive hypertension resulting from nitric oxide synthesis inhibition. American Journal of Physiology - Renal Physiology, 2001, 281, F38-F47.	2.7	155
3	Activation of NF-κB in Tubular Epithelial Cells of Rats With Intense Proteinuria. Hypertension, 2001, 37, 1171-1178.	2.7	155
4	Effects and Interactions of Endothelin-1 and Angiotensin II on Matrix Protein Expression and Synthesis and Mesangial Cell Growth. Hypertension, 1996, 27, 885-892.	2.7	138
5	Angiotensin-Converting Enzyme Is Upregulated in the Proximal Tubules of Rats With Intense Proteinuria. Hypertension, 1999, 33, 732-739.	2.7	98
6	Aggregation of human polymorphonuclear leukocytes by endothelin: role of platelet-activating factor. European Journal of Pharmacology, 1992, 224, 167-172.	3.5	71
7	An orally active ETA/ETB receptor antagonist ameliorates proteinuria and glomerular lesions in rats with proliferative nephritis. Kidney International, 1996, 50, 962-972.	5.2	67
8	Persistent Proteinuria Up-Regulates Angiotensin II Type 2 Receptor and Induces Apoptosis in Proximal Tubular Cells. American Journal of Pathology, 2004, 164, 1817-1826.	3.8	53
9	Renal effects and mesangial cell contraction induced by endothelin are mediated by PAF. Kidney International, 1991, 39, 624-630.	5.2	52
10	Local Non-Esterified Fatty Acids Correlate With Inflammation in Atheroma Plaques of Patients With Type 2 Diabetes. Diabetes, 2010, 59, 1292-1301.	0.6	49
11	Renal expression of parathyroid hormone-related protein (PTHrP) and PTH/PTHrP receptor in a rat model of tubulointerstitial damage. Kidney International, 1999, 55, 82-90.	5.2	48
12	Renal Tubulointerstitial Damage Caused by Persistent Proteinuria Is Attenuated in AT1-Deficient Mice. American Journal of Pathology, 2001, 159, 1895-1904.	3.8	46
13	Gut Microbiota Profile Identifies Transition From Compensated Cardiac Hypertrophy to Heart Failure in Hypertensive Rats. Hypertension, 2020, 76, 1545-1554.	2.7	42
14	Rosuvastatin added to standard heart failure therapy improves cardiac remodelling in heart failure rats with preserved ejection fraction. European Journal of Heart Failure, 2010, 12, 903-912.	7.1	35
15	Ezetimibe inhibits PMA-induced monocyte/macrophage differentiation by altering microRNA expression: A novel anti-atherosclerotic mechanism. Pharmacological Research, 2012, 66, 536-543.	7.1	32
16	Diagnosis of subclinical atherosclerosis in HIV-infected patients: higher accuracy of the D:A:D risk equation over Framingham and SCORE algorithms. European Journal of Preventive Cardiology, 2014, 21, 739-748.	1.8	31
17	Endothelin-1 Upregulation in the Kidney of Uninephrectomized Spontaneously Hypertensive Rats and Its Modification by the Angiotensin-Converting Enzyme Inhibitor Quinapril. Hypertension, 1997, 29, 1178-1185.	2.7	29
18	Expression of Smac/Diablo in tubular epithelial cells and during acute renal failure. Kidney International, 2003, 64, S52-S56.	5.2	28

#	Article	IF	CITATIONS
19	The Interaction between Mitochondrial Oxidative Stress and Gut Microbiota in the Cardiometabolic Consequences in Diet-Induced Obese Rats. Antioxidants, 2020, 9, 640.	5.1	23
20	Eplerenone enhances cardioprotective effects of standard heart failure therapy through matricellular proteins in hypertensive heart failure. Journal of Hypertension, 2013, 31, 2309-2319.	0.5	21
21	Microglial <scp>CX3CR1</scp> production increases in Alzheimer's disease and is regulated by noradrenaline. Glia, 2021, 69, 73-90.	4.9	21
22	Platelet-Activating Factor Mediates Glycerol-Induced Acute Renal Failure in Rats. Clinical Science, 1990, 79, 551-558.	4.3	20
23	The Impact of Cardiac Lipotoxicity on Cardiac Function and Mirnas Signature in Obese and Non-Obese Rats with Myocardial Infarction. Scientific Reports, 2019, 9, 444.	3.3	19
24	Endothelin-1 induces loss of proteoglycans and enhances fibronectin and collagen production in cultured rabbit synovial cells. European Journal of Pharmacology, 1996, 302, 191-197.	3.5	18
25	Association of HIV-Infection and Antiretroviral Therapy With Levels of Endothelial Progenitor Cells and Subclinical Atherosclerosis. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 61, 545-551.	2.1	17
26	Activation of peroxisome proliferator-activated receptor-α and -γ in auricular tissue from heart failure patients. European Journal of Heart Failure, 2006, 8, 154-161.	7.1	14
27	Incipient Renal Impairment as a Predictor of Subclinical Atherosclerosis in HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 141-148.	2.1	14
28	Tight blood pressure control decreases apoptosis during renal damage. Kidney International, 2004, 65, 811-822.	5.2	13
29	Identification of a Plasma Microrna Signature as Biomarker of Subaneurysmal Aortic Dilation in Patients with High Cardiovascular Risk. Journal of Clinical Medicine, 2020, 9, 2783.	2.4	10
30	Relationship between plasma levels of soluble CD40L and insulin sensitivity and insulin secretion status in non-diabetic dyslipidemic patients. Diabetes Research and Clinical Practice, 2008, 79, 48-55.	2.8	9
31	Comparison of oxidative stress markers in HIV-infected patients on efavirenz or atazanavir/ritonavir-based therapy. Journal of the International AIDS Society, 2014, 17, 19544.	3.0	6
32	Endothelin-1 Expression During Early Response After Antigen Challenge in Brown–Norway Rats. Pulmonary Pharmacology and Therapeutics, 1998, 11, 215-219.	2.6	5
33	Lp-PLA2 levels in HIV-infected patients. Journal of the International AIDS Society, 2014, 17, 19721.	3.0	3
34	Effect of intensive multifactorial treatment on vascular progenitor cells in hypertensive patients. PLoS ONE, 2018, 13, e0190494.	2.5	3
35	Authors′ Reply. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, e23-e25.	2.1	2
36	Functionally Defective High-Density Lipoproteins Are Related to Heightened T-Cell Activation in Vertically HIV-Infected Adolescents. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 265-269.	2.1	1

#	Article	IF	CITATIONS
37	Relación entre la cuantificación de calcio coronario y la composición de la microbiota intestinal en sujetos sin enfermedad cardiovascular previa: estudio piloto. ClÃnica E Investigación En Arteriosclerosis, 2022, , .	0.8	1