

Dulcenombre Gomez-Garre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4816438/publications.pdf>

Version: 2024-02-01

37
papers

1,569
citations

361413

20
h-index

302126

39
g-index

40
all docs

40
docs citations

40
times ranked

1520
citing authors

#	ARTICLE	IF	CITATIONS
1	Relación entre la cuantificación de calcio coronario y la composición de la microbiota intestinal en sujetos sin enfermedad cardiovascular previa: estudio piloto. <i>Clínica E Investigación En Arteriosclerosis</i> , 2022, , .	0.8	1
2	Microglial <i>CX3CR1</i> production increases in Alzheimer's disease and is regulated by noradrenaline. <i>Glia</i> , 2021, 69, 73-90.	4.9	21
3	The Interaction between Mitochondrial Oxidative Stress and Gut Microbiota in the Cardiometabolic Consequences in Diet-Induced Obese Rats. <i>Antioxidants</i> , 2020, 9, 640.	5.1	23
4	Identification of a Plasma MicroRNA Signature as Biomarker of Subaneurysmal Aortic Dilatation in Patients with High Cardiovascular Risk. <i>Journal of Clinical Medicine</i> , 2020, 9, 2783.	2.4	10
5	Gut Microbiota Profile Identifies Transition From Compensated Cardiac Hypertrophy to Heart Failure in Hypertensive Rats. <i>Hypertension</i> , 2020, 76, 1545-1554.	2.7	42
6	The Impact of Cardiac Lipotoxicity on Cardiac Function and Mirnas Signature in Obese and Non-Obese Rats with Myocardial Infarction. <i>Scientific Reports</i> , 2019, 9, 444.	3.3	19
7	Effect of intensive multifactorial treatment on vascular progenitor cells in hypertensive patients. <i>PLoS ONE</i> , 2018, 13, e0190494.	2.5	3
8	Comparison of oxidative stress markers in HIV-infected patients on efavirenz or atazanavir/ritonavir-based therapy. <i>Journal of the International AIDS Society</i> , 2014, 17, 19544.	3.0	6
9	Lp-PLA2 levels in HIV-infected patients. <i>Journal of the International AIDS Society</i> , 2014, 17, 19721.	3.0	3
10	Functionally Defective High-Density Lipoproteins Are Related to Heightened T-Cell Activation in Vertically HIV-Infected Adolescents. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 265-269.	2.1	1
11	Diagnosis of subclinical atherosclerosis in HIV-infected patients: higher accuracy of the D:A:D risk equation over Framingham and SCORE algorithms. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 739-748.	1.8	31
12	Authors' Reply. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, e23-e25.	2.1	2
13	Eplerenone enhances cardioprotective effects of standard heart failure therapy through matricellular proteins in hypertensive heart failure. <i>Journal of Hypertension</i> , 2013, 31, 2309-2319.	0.5	21
14	Incipient Renal Impairment as a Predictor of Subclinical Atherosclerosis in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 141-148.	2.1	14
15	Association of HIV-Infection and Antiretroviral Therapy With Levels of Endothelial Progenitor Cells and Subclinical Atherosclerosis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 545-551.	2.1	17
16	Ezetimibe inhibits PMA-induced monocyte/macrophage differentiation by altering microRNA expression: A novel anti-atherosclerotic mechanism. <i>Pharmacological Research</i> , 2012, 66, 536-543.	7.1	32
17	Rosuvastatin added to standard heart failure therapy improves cardiac remodelling in heart failure rats with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2010, 12, 903-912.	7.1	35
18	Local Non-Esterified Fatty Acids Correlate With Inflammation in Atheroma Plaques of Patients With Type 2 Diabetes. <i>Diabetes</i> , 2010, 59, 1292-1301.	0.6	49

#	ARTICLE	IF	CITATIONS
19	Relationship between plasma levels of soluble CD40L and insulin sensitivity and insulin secretion status in non-diabetic dyslipidemic patients. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 48-55.	2.8	9
20	Activation of peroxisome proliferator-activated receptor- α and - β in auricular tissue from heart failure patients. <i>European Journal of Heart Failure</i> , 2006, 8, 154-161.	7.1	14
21	Tight blood pressure control decreases apoptosis during renal damage. <i>Kidney International</i> , 2004, 65, 811-822.	5.2	13
22	Persistent Proteinuria Up-Regulates Angiotensin II Type 2 Receptor and Induces Apoptosis in Proximal Tubular Cells. <i>American Journal of Pathology</i> , 2004, 164, 1817-1826.	3.8	53
23	Expression of Smac/Diablo in tubular epithelial cells and during acute renal failure. <i>Kidney International</i> , 2003, 64, S52-S56.	5.2	28
24	Renal Tubulointerstitial Damage Caused by Persistent Proteinuria Is Attenuated in AT1-Deficient Mice. <i>American Journal of Pathology</i> , 2001, 159, 1895-1904.	3.8	46
25	Mycophenolate mofetil prevents salt-sensitive hypertension resulting from nitric oxide synthesis inhibition. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F38-F47.	2.7	155
26	Mycophenolate mofetil prevents salt-sensitive hypertension resulting from angiotensin II exposure. <i>Kidney International</i> , 2001, 59, 2222-2232.	5.2	213
27	Activation of NF- κ B in Tubular Epithelial Cells of Rats With Intense Proteinuria. <i>Hypertension</i> , 2001, 37, 1171-1178.	2.7	155
28	Angiotensin-Converting Enzyme Is Upregulated in the Proximal Tubules of Rats With Intense Proteinuria. <i>Hypertension</i> , 1999, 33, 732-739.	2.7	98
29	Renal expression of parathyroid hormone-related protein (PTHrP) and PTH/PTHrP receptor in a rat model of tubulointerstitial damage. <i>Kidney International</i> , 1999, 55, 82-90.	5.2	48
30	Endothelin-1 Expression During Early Response After Antigen Challenge in Brown "Norway Rats. <i>Pulmonary Pharmacology and Therapeutics</i> , 1998, 11, 215-219.	2.6	5
31	Endothelin-1 Upregulation in the Kidney of Uninephrectomized Spontaneously Hypertensive Rats and Its Modification by the Angiotensin-Converting Enzyme Inhibitor Quinapril. <i>Hypertension</i> , 1997, 29, 1178-1185.	2.7	29
32	Endothelin-1 induces loss of proteoglycans and enhances fibronectin and collagen production in cultured rabbit synovial cells. <i>European Journal of Pharmacology</i> , 1996, 302, 191-197.	3.5	18
33	An orally active ETA/ETB receptor antagonist ameliorates proteinuria and glomerular lesions in rats with proliferative nephritis. <i>Kidney International</i> , 1996, 50, 962-972.	5.2	67
34	Effects and Interactions of Endothelin-1 and Angiotensin II on Matrix Protein Expression and Synthesis and Mesangial Cell Growth. <i>Hypertension</i> , 1996, 27, 885-892.	2.7	138
35	Aggregation of human polymorphonuclear leukocytes by endothelin: role of platelet-activating factor. <i>European Journal of Pharmacology</i> , 1992, 224, 167-172.	3.5	71
36	Renal effects and mesangial cell contraction induced by endothelin are mediated by PAF. <i>Kidney International</i> , 1991, 39, 624-630.	5.2	52

#	ARTICLE	IF	CITATIONS
37	Platelet-Activating Factor Mediates Glycerol-Induced Acute Renal Failure in Rats. <i>Clinical Science</i> , 1990, 79, 551-558.	4.3	20