

Lourdes Ibañez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4817155/publications.pdf>

Version: 2024-02-01

240
papers

14,489
citations

19608

61
h-index

24179

110
g-index

244
all docs

244
docs citations

244
times ranked

11303
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating GDF15 concentrations in girls with low birth weight: effects of prolonged metformin treatment. <i>Pediatric Research</i> , 2023, 93, 964-968.	1.1	2
2	A 24-month metformin treatment study of children with obesity: Changes in circulating GDF15 and associations with changes in body weight and visceral fat. <i>Pediatric Obesity</i> , 2022, 17, e12845.	1.4	3
3	Posterior Cervical Brown Fat and CXCL14 Levels in the First Year of Life: Sex Differences and Association With Adiposity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1148-e1158.	1.8	6
4	microRNAs in newborns with low birth weight: relation to birth size and body composition. <i>Pediatric Research</i> , 2022, 92, 829-837.	1.1	5
5	Bone Morphogenetic Protein-8B Levels at Birth and in the First Year of Life: Relation to Metabolic-Endocrine Variables and Brown Adipose Tissue Activity. <i>Frontiers in Pediatrics</i> , 2022, 10, 869581.	0.9	3
6	Gut microbiota in adolescent girls with polycystic ovary syndrome: Effects of randomized treatments. <i>Pediatric Obesity</i> , 2021, 16, e12734.	1.4	16
7	Letter to the Editor: Tackling NAFLD in Adolescent Polycystic Ovary Syndrome: Reducing Liver Fat to Mimic Weight Loss. <i>Hepatology</i> , 2021, 73, 1623-1624.	3.6	5
8	Development of a sensitive analytical method for the simultaneous analysis of Benzophenone-type UV filters and paraben preservatives in umbilical cord blood. <i>MethodsX</i> , 2021, 8, 101307.	0.7	10
9	The relative deficit of GDF15 in adolescent girls with PCOS can be changed into an abundance that reduces liver fat. <i>Scientific Reports</i> , 2021, 11, 7018.	1.6	10
10	Catch-up growth in juvenile rats, fat expansion, and dysregulation of visceral adipose tissue. <i>Pediatric Research</i> , 2021, , .	1.1	4
11	Circulating diazepam-binding inhibitor in infancy: Relation to markers of adiposity and metabolic health. <i>Pediatric Obesity</i> , 2021, 16, e12802.	1.4	1
12	From adolescent PCOS to adult MAFLD: opposing effects of randomised interventions. <i>BMJ Open Gastroenterology</i> , 2021, 8, e000574.	1.1	5
13	Fatty acids in the placenta of appropriate- versus small-for-gestational-age infants at term birth. <i>Placenta</i> , 2021, 109, 4-10.	0.7	8
14	On the rising incidence of early breast development: puberty as an adaptive escape from ectopic adiposity in mismatch girls. <i>European Journal of Endocrinology</i> , 2021, 185, L1-L2.	1.9	8
15	Longitudinal association of the anti-inflammatory serum marker GDF-15 with serum IgA and IgG in apparently healthy children. <i>Scientific Reports</i> , 2021, 11, 18215.	1.6	1
16	Methylation of the C19MC microRNA locus in the placenta: association with maternal and childhood body size. <i>International Journal of Obesity</i> , 2020, 44, 13-22.	1.6	10
17	Circulating growth-and-differentiation factor-15 in early life: relation to prenatal and postnatal growth and adiposity measurements. <i>Pediatric Research</i> , 2020, 87, 897-902.	1.1	17
18	Polycystic ovary syndrome in adolescent girls. <i>Pediatric Obesity</i> , 2020, 15, e12586.	1.4	19

#	ARTICLE	IF	CITATIONS
19	Low Circulating Levels of miR-451a in Girls with Polycystic Ovary Syndrome: Different Effects of Randomized Treatments. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e273-e281.	1.8	19
20	Differential DNA methylation profile in infants born small-for-gestational-age: association with markers of adiposity and insulin resistance from birth to age 24 months. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001402.	1.2	14
21	Effects of <i>Bifidobacterium animalis</i> Subsp. <i>lactis</i> (BPL1) Supplementation in Children and Adolescents with Prader-Willi Syndrome: A Randomized Crossover Trial. <i>Nutrients</i> , 2020, 12, 3123.	1.7	12
22	Circulating IGF-1 Independently Predicts Blood Pressure in Children With Higher Calcium-Phosphorus Product Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e610-e618.	1.8	2
23	Specific Dietary Components and Gut Microbiota Composition are Associated with Obesity in Children and Adolescents with Prader-Willi Syndrome. <i>Nutrients</i> , 2020, 12, 1063.	1.7	17
24	Toward a Treatment Normalizing Ovulation Rate in Adolescent Girls With Polycystic Ovary Syndrome. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa032.	0.1	21
25	Reduced circulating levels of chemokine CXCL14 in adolescent girls with polycystic ovary syndrome: normalization after insulin sensitization. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001035.	1.2	19
26	MON-029 Polycystic Ovary Syndrome (PCOS) in Adolescent Girls:Toward a Simple On-Treatment Predictor of Post-Treatment Ovulation Rate. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.1	0
27	Towards a simple marker of hepato-visceral adiposity and insulin resistance: The Z-score change from weight-at-birth to BMI-in-childhood. <i>Pediatric Obesity</i> , 2019, 14, e12533.	1.4	11
28	GHD Diagnostics in Europe and the US: An Audit of National Guidelines and Practice. <i>Hormone Research in Paediatrics</i> , 2019, 92, 150-156.	0.8	31
29	Umbilical Cord miRNAs in Small-for-Gestational-Age Children and Association With Catch-Up Growth: A Pilot Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5285-5298.	1.8	21
30	Towards a circulating marker of hepato-visceral fat excess: S100A4 in adolescent girls with polycystic ovary syndrome – Evidence from randomized clinical trials. <i>Pediatric Obesity</i> , 2019, 14, e12500.	1.4	9
31	<i>Dlk1</i> expression relates to visceral fat expansion and insulin resistance in male and female rats with postnatal catch-up growth. <i>Pediatric Research</i> , 2019, 86, 195-201.	1.1	5
32	Renal size and cardiovascular risk in prepubertal children. <i>Scientific Reports</i> , 2019, 9, 5265.	1.6	6
33	Exploring the use of metformin in pregnant women with polycystic ovary syndrome: new evidence, new wisdom. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 242-243.	5.5	1
34	Effects of metformin administration on endocrine-metabolic parameters, visceral adiposity and cardiovascular risk factors in children with obesity and risk markers for metabolic syndrome: A pilot study. <i>PLoS ONE</i> , 2019, 14, e0226303.	1.1	25
35	Brown adipose tissue in prepubertal children: associations with sex, birthweight, and metabolic profile. <i>International Journal of Obesity</i> , 2019, 43, 384-391.	1.6	25
36	Gain-of-function DNMT3A mutations cause microcephalic dwarfism and hypermethylation of Polycomb-regulated regions. <i>Nature Genetics</i> , 2019, 51, 96-105.	9.4	110

#	ARTICLE	IF	CITATIONS
37	OR25-3 Toward a Circulating Marker of Hepato-Visceral Fat Excess: S100A4 in Adolescent Girls with Polycystic Ovary Syndrome. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	0
38	Metformin for Rapidly Maturing Girls with Central Adiposity: Less Liver Fat and Slower Bone Maturation. <i>Hormone Research in Paediatrics</i> , 2018, 89, 136-140.	0.8	17
39	Body Composition and Circulating Polyunsaturated Fatty Acids at Age 6 Years: A Longitudinal Pilot Study. <i>Hormone Research in Paediatrics</i> , 2018, 90, 414-418.	0.8	0
40	Nerve Growth Factor Levels in Term Human Infants: Relationship to Prenatal Growth and Early Postnatal Feeding. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-6.	0.6	7
41	Serum alkaline phosphatase relates to cardiovascular risk markers in children with high calcium-phosphorus product. <i>Scientific Reports</i> , 2018, 8, 17864.	1.6	2
42	Central Obesity, Faster Maturation, and PCOS™ in Girls. <i>Trends in Endocrinology and Metabolism</i> , 2018, 29, 815-818.	3.1	57
43	Pediatric endocrinology: an overview of the last decade. <i>Hormones</i> , 2018, 17, 439-449.	0.9	1
44	Circulating sex hormone binding globulin: An integrating biomarker for an adverse cardio-metabolic profile in obese pregnant women. <i>PLoS ONE</i> , 2018, 13, e0205592.	1.1	14
45	Serum 25-hydroxyvitamin D and cardiovascular disease risk factors in women with excessive weight gain during pregnancy and in their offspring at age 5-6 years. <i>International Journal of Obesity</i> , 2018, 42, 1019-1028.	1.6	1
46	Low-Dose Spironolactone-Pioglitazone-Metformin Normalizes Circulating Fetuin-A Concentrations in Adolescent Girls with Polycystic Ovary Syndrome. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-5.	0.6	8
47	The placental imprinted DLK1-DIO3 domain: a new link to prenatal and postnatal growth in humans. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 350.e1-350.e13.	0.7	23
48	Differences in dietary and lifestyle habits between pregnant women with small fetuses and appropriate-for-gestational-age fetuses. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1145-1151.	0.6	14
49	Dysregulation of Placental miRNA in Maternal Obesity Is Associated With Pre- and Postnatal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2584-2594.	1.8	59
50	Placental and Cord Blood Methylation of Genes Involved in Energy Homeostasis: Association With Fetal Growth and Neonatal Body Composition. <i>Diabetes</i> , 2017, 66, 779-784.	0.3	62
51	Normalizing Ovulation Rate by Preferential Reduction of Hepato-Visceral Fat in Adolescent Girls With Polycystic Ovary Syndrome. <i>Journal of Adolescent Health</i> , 2017, 61, 446-453.	1.2	34
52	Reduced Prenatal Weight Gain and/or Augmented Postnatal Weight Gain Precedes Polycystic Ovary Syndrome in Adolescent Girls. <i>Obesity</i> , 2017, 25, 1486-1489.	1.5	35
53	An International Consortium Update: Pathophysiology, Diagnosis, and Treatment of Polycystic Ovarian Syndrome in Adolescence. <i>Hormone Research in Paediatrics</i> , 2017, 88, 371-395.	0.8	282
54	eRah: A Computational Tool Integrating Spectral Deconvolution and Alignment with Quantification and Identification of Metabolites in GC/MS-Based Metabolomics. <i>Analytical Chemistry</i> , 2016, 88, 9821-9829.	3.2	101

#	ARTICLE	IF	CITATIONS
55	Large for Gestational Age Newborns from Mothers Without Diabetes Mellitus Tend to Become Tall and Lean Toddlers. <i>Journal of Pediatrics</i> , 2016, 178, 278-280.	0.9	7
56	Circulating Fatty Acid Synthase in pregnant women: Relationship to blood pressure, maternal metabolism and newborn parameters. <i>Scientific Reports</i> , 2016, 6, 24167.	1.6	10
57	Soluble CRT3: A Newly Identified Protein Released by Adipose Tissue That Is Associated with Childhood Obesity. <i>Clinical Chemistry</i> , 2016, 62, 476-484.	1.5	11
58	Determination of parabens and benzophenone-type UV filters in human placenta. First description of the existence of benzyl paraben and benzophenone-4. <i>Environment International</i> , 2016, 88, 243-249.	4.8	114
59	Effects of ethinylestradiol+cyproterone acetate vs. pioglitazone+flutamide+metformin on plasma FGF21 levels in adolescent girls with androgen excess. <i>Diabetes and Metabolism</i> , 2016, 42, 196-199.	1.4	2
60	Metabolomics reveals impaired maturation of HDL particles in adolescents with hyperinsulinaemic androgen excess. <i>Scientific Reports</i> , 2015, 5, 11496.	1.6	15
61	Neutrophil-to-lymphocyte ratio: an inflammation marker related to cardiovascular risk in children. <i>Thrombosis and Haemostasis</i> , 2015, 114, 727-734.	1.8	20
62	Relationship between Foetal Growth Restriction and Maternal Nutrition Status Measured by Dual-Energy X-Ray Absorptiometry, Leptin, and Insulin-Like Growth Factor. <i>Gynecologic and Obstetric Investigation</i> , 2015, 80, 54-59.	0.7	9
63	Circulating FGF19 and FGF21 surge in early infancy from infra- to supra-adult concentrations. <i>International Journal of Obesity</i> , 2015, 39, 742-746.	1.6	26
64	The Diagnosis of Polycystic Ovary Syndrome during Adolescence. <i>Hormone Research in Paediatrics</i> , 2015, 83, 376-389.	0.8	2,130
65	Association Between Long Telomere Length and Insulin Sensitization in Adolescent Girls With Hyperinsulinemic Androgen Excess. <i>JAMA Pediatrics</i> , 2015, 169, 787.	3.3	9
66	Altered Circulating miRNA Expression Profile in Pregestational and Gestational Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E1446-E1456.	1.8	80
67	Metformin treatment to reduce central adiposity after prenatal growth restraint: a placebo-controlled pilot study in prepubertal children. <i>Pediatric Diabetes</i> , 2015, 16, 538-545.	1.2	23
68	Placental Sprouty 2 (SPRY2): Relation to Placental Growth and Maternal Metabolic Status. <i>Neonatology</i> , 2014, 106, 120-125.	0.9	2
69	Less Myostatin and More Lean Mass in Large-Born Infants From Nondiabetic Mothers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2367-E2371.	1.8	9
70	Mitochondrial DNA in Placenta: Associations with Fetal Growth and Superoxide Dismutase Activity. <i>Hormone Research in Paediatrics</i> , 2014, 82, 303-309.	0.8	21
71	Associations Between Genetic Obesity Susceptibility and Early Postnatal Fat and Lean Mass. <i>JAMA Pediatrics</i> , 2014, 168, 1122.	3.3	41
72	Balanced duo of anti-inflammatory SFRP5 and proinflammatory WNT5A in children. <i>Pediatric Research</i> , 2014, 75, 793-797.	1.1	19

#	ARTICLE	IF	CITATIONS
73	Hyperinsulinaemic androgen excess in adolescent girls. <i>Nature Reviews Endocrinology</i> , 2014, 10, 499-508.	4.3	46
74	Undercarboxylated osteocalcin relates to cardiovascular risk markers in offspring of families with metabolic syndrome. <i>Atherosclerosis</i> , 2014, 233, 272-277.	0.4	22
75	Pituitary dysfunction after traumatic brain injury in children: is there a need for ongoing endocrine assessment?. <i>Clinical Endocrinology</i> , 2013, 79, 853-858.	1.2	30
76	A common gene variant in STK11 is associated with metabolic risk markers and diabetes during gestation. <i>Fertility and Sterility</i> , 2013, 100, 788-792.	0.5	8
77	Decreased placental expression of pre-adipocyte factor-1 in children born small-for-gestational-age: Association to early postnatal weight gain. <i>Placenta</i> , 2013, 34, 331-334.	0.7	13
78	Variations in the obesity genes FTO, TMEM18 and NRXN3 influence the vulnerability of children to weight gain induced by short sleep duration. <i>International Journal of Obesity</i> , 2013, 37, 182-187.	1.6	38
79	Oral Contraception vs Insulin Sensitization for 18 Months in Nonobese Adolescents With Androgen Excess: Posttreatment Differences in C-Reactive Protein, Intima-Media Thickness, Visceral Adiposity, Insulin Sensitivity, and Menstrual Regularity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E902-E907.	1.8	35
80	Breast-feeding vs Formula-feeding for Infants Born Small-for-Gestational-Age: Divergent Effects on Fat Mass and on Circulating IGF-I and High-Molecular-Weight Adiponectin in Late Infancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1242-1247.	1.8	39
81	Ethinyl Estradiol-Cyproterone Acetate Versus Low Dose Pioglitazone+Flutamide Metformin for Adolescent Girls With Androgen Excess. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 205-206.	0.2	0
82	Body Composition and Circulating High-Molecular-Weight Adiponectin and IGF-I in Infants Born Small for Gestational Age. <i>Diabetes</i> , 2012, 61, 1969-1973.	0.3	52
83	Ethinyl Estradiol-Cyproterone Acetate Versus Low-Dose Pioglitazone-Flutamide-Metformin for Adolescent Girls with Androgen Excess: Divergent Effects on CD163, TWEAK Receptor, ANGPTL4, and LEPTIN Expression in Subcutaneous Adipose Tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3630-3638.	1.8	17
84	Abundance of Circulating Preadipocyte Factor 1 in Early Life. <i>Diabetes Care</i> , 2012, 35, 848-849.	4.3	28
85	Triple A Syndrome in a Patient with Genetic Growth Hormone Insensitivity: Phenotypic Effects of Two Genetic Disorders. <i>Hormone Research in Paediatrics</i> , 2012, 77, 63-68.	0.8	10
86	Treatment of Androgen Excess in Adolescent Girls. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 233-234.	0.2	0
87	Relative Hypoadiponectinemia, Insulin Resistance, and Increased Visceral Fat in Euthyroid Prepubertal Girls With Low-Normal Serum Free Thyroxine. <i>Obesity</i> , 2012, 20, 1455-1461.	1.5	21
88	IGF2/H19 hypomethylation in a patient with very low birthweight, precocious pubarche and insulin resistance. <i>BMC Medical Genetics</i> , 2012, 13, 42.	2.1	24
89	On the potential of metformin to prevent preterm delivery in women with polycystic ovary syndrome – an epí-analysis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2012, 91, 1460-1464.	1.3	27
90	Placental Expression of Peroxisome Proliferator-Activated Receptor β (PPAR β): Relation to Placental and Fetal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1468-E1472.	1.8	39

#	ARTICLE	IF	CITATIONS
91	Soluble fatty acid synthase relates to bone biomarkers in prepubertal children. <i>Osteoporosis International</i> , 2012, 23, 2053-2058.	1.3	5
92	Carotid Intima-Media Thickness at 7 Years of Age: Relationship to C-Reactive Protein Rather than Adiposity. <i>Journal of Pediatrics</i> , 2012, 160, 276-280.e1.	0.9	17
93	Divergent effects of ethinylestradiol+drospirenone and flutamide+metformin on follistatin in adolescents and women with hyperinsulinemic androgen excess. <i>Gynecological Endocrinology</i> , 2011, 27, 197-198.	0.7	5
94	Fatty acid-binding protein-4 plasma levels are associated to metabolic abnormalities and response to therapy in girls and young women with androgen excess. <i>Gynecological Endocrinology</i> , 2011, 27, 935-939.	0.7	12
95	Pharmacokinetics of Metformin in Girls Aged 9 Years. <i>Clinical Pharmacokinetics</i> , 2011, 50, 735-738.	1.6	14
96	Early metformin therapy to delay menarche and augment height in girls with precocious pubarche. <i>Fertility and Sterility</i> , 2011, 95, 727-730.	0.5	62
97	Catch-up growth in girls born small for gestational age precedes childhood progression to high adiposity. <i>Fertility and Sterility</i> , 2011, 96, 220-223.	0.5	52
98	Responsiveness to metformin in girls with androgen excess: collective influence of genetic polymorphisms. <i>Fertility and Sterility</i> , 2011, 96, 208-213.e2.	0.5	13
99	Flutamide for Androgen Excess: Low Dose is Best. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2011, 24, e43-e44.	0.3	4
100	Toward an Early Marker of Metabolic Dysfunction: Omentin-1 in Prepubertal Children. <i>Obesity</i> , 2011, 19, 1905-1907.	1.5	31
101	Metabolomics Reveals Reduction of Metabolic Oxidation in Women with Polycystic Ovary Syndrome after Pioglitazone-Flutamide-Metformin Polytherapy. <i>PLoS ONE</i> , 2011, 6, e29052.	1.1	41
102	Early Metformin Therapy to Delay Menarche and Augment Height in Girls With Precocious Pubarche. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 350-351.	0.2	0
103	Early Metformin Therapy (Age 8-12 Years) in Girls with Precocious Pubarche to Reduce Hirsutism, Androgen Excess, and Oligomenorrhea in Adolescence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1262-E1267.	1.8	104
104	Lower Free Thyroxin Associates with a Less Favorable Metabolic Phenotype in Healthy Pregnant Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3717-3723.	1.8	73
105	Metabolic Impact of Growth Hormone Treatment in Short Children Born Small for Gestational Age. <i>Hormone Research in Paediatrics</i> , 2011, 76, 254-261.	0.8	23
106	Endocrinology and Gynecology of Girls and Women with Low Birth Weight. <i>Fetal Diagnosis and Therapy</i> , 2011, 30, 243-249.	0.6	41
107	Association of p.His38Leu, a Rare CYP21A2 Mutation, with the Classical Simple Virilizing Phenotype of 21-Hydroxylase Deficiency in a 6-Year-Old Boy. <i>Hormone Research in Paediatrics</i> , 2011, 76, 214-217.	0.8	2
108	AStream: an R package for annotating LC/MS metabolomic data. <i>Bioinformatics</i> , 2011, 27, 1339-1340.	1.8	46

#	ARTICLE	IF	CITATIONS
109	Treatment of Androgen Excess in Adolescent Girls: Ethinylestradiol-Cyproteroneacetate Versus Low-Dose Pioglitazone-Flutamide-Metformin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3361-3366.	1.8	31
110	Low Body Adiposity and High Leptinemia in Breast-fed Infants Born Small-for-Gestational-Age. <i>Journal of Pediatrics</i> , 2010, 156, 145-147.	0.9	24
111	Pubertal Metformin Therapy to Reduce Total, Visceral, and Hepatic Adiposity. <i>Journal of Pediatrics</i> , 2010, 156, 98-102.e1.	0.9	39
112	Placental FTO expression relates to fetal growth. <i>International Journal of Obesity</i> , 2010, 34, 1365-1370.	1.6	29
113	A Single Nucleotide Polymorphism in <i>STK11</i> Influences Insulin Sensitivity and Metformin Efficacy in Hyperinsulinemic Girls With Androgen Excess. <i>Diabetes Care</i> , 2010, 33, 1544-1548.	4.3	31
114	Carboxylation of Osteocalcin Affects Its Association With Metabolic Parameters in Healthy Children. <i>Diabetes Care</i> , 2010, 33, 661-663.	4.3	59
115	Physiological Concentrations Of Serum Cortisol Are Related To Vascular Risk Markers In Prepubertal Children. <i>Pediatric Research</i> , 2010, 68, 1.	1.1	6
116	Growth Hormone Therapy in Short Children Born Small for Gestational Age: Effects on Abdominal Fat Partitioning and Circulating Follistatin and High-Molecular-Weight Adiponectin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2234-2239.	1.8	26
117	Association between a Common Variant near MC4R and Change in Body Mass Index Develops by Two Weeks of Age. <i>Hormone Research in Paediatrics</i> , 2010, 73, 275-280.	0.8	13
118	Efficacy of metformin therapy in adolescent girls with androgen excess: relation to sex hormone-binding globulin and androgen receptor polymorphisms. <i>Fertility and Sterility</i> , 2010, 94, 2800-2803.e1.	0.5	11
119	Low-dose pioglitazone, flutamide, metformin plus an estro-progestagen for non-obese young women with polycystic ovary syndrome: increasing efficacy and persistent safety over 30 months. <i>Gynecological Endocrinology</i> , 2010, 26, 869-873.	0.7	15
120	Low-dose flutamide for hirsutism: into the limelight, at last. <i>Nature Reviews Endocrinology</i> , 2010, 6, 421-422.	4.3	20
121	European Multicentre Study in Children Born Small for Gestational Age with Persistent Short Stature: Comparison of Continuous and Discontinuous Growth Hormone Treatment Regimens. <i>Hormone Research in Paediatrics</i> , 2009, 71, 52-59.	0.8	9
122	Early Origins of Polycystic Ovary Syndrome: Hypotheses May Change without Notice. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3682-3685.	1.8	28
123	Low-Birth Weight Children Develop Lower Sex Hormone Binding Globulin and Higher Dehydroepiandrosterone Sulfate Levels and Aggravate their Visceral Adiposity and Hypoadiponectinemia between Six and Eight Years of Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3696-3699.	1.8	68
124	Abdominal Fat Partitioning and High-Molecular-Weight Adiponectin in Short Children Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1049-1052.	1.8	44
125	High-Molecular-Weight Adiponectin in Children Born Small- or Appropriate-for-Gestational-Age. <i>Journal of Pediatrics</i> , 2009, 155, 740-742.	0.9	17
126	Clinical spectrum of premature pubarche: Links to metabolic syndrome and ovarian hyperandrogenism. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2009, 10, 63-76.	2.6	85

#	ARTICLE	IF	CITATIONS
127	Low-dose pioglitazone and low-dose flutamide added to metformin and oestrogen-progestagens for hyperinsulinaemic women with androgen excess: additional benefits disclosed by a randomized double-blind placebo study over 24 months. <i>Clinical Endocrinology</i> , 2009, 71, 351-357.	1.2	27
128	Adipose tissue expandability and the early origins of PCOS. <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 418-423.	3.1	88
129	Pioglitazone (7.5 mg/day) added to flutamide+metformin in women with androgen excess: additional increments of visfatin and high molecular weight adiponectin. <i>Clinical Endocrinology</i> , 2008, 68, 317-320.	1.2	23
130	Cord serum visfatin at term birth: maternal smoking unmasks the relation to foetal growth. <i>Clinical Endocrinology</i> , 2008, 68, 77-81.	1.2	14
131	The nuclear receptor coactivator AIB3 is a modulator of HOMA β -cell function in nondiabetic children. <i>Clinical Endocrinology</i> , 2008, 69, 730-736.	1.2	1
132	Pubertal adiposity after fetal growth restraint: toward a calorie restriction mimetic approach. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 672-675.	1.5	5
133	Evaluation and Treatment of Hirsutism in Premenopausal Women: An Endocrine Society Clinical Practice Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1105-1120.	1.8	372
134	Early Development of Visceral Fat Excess after Spontaneous Catch-Up Growth in Children with Low Birth Weight. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 925-928.	1.8	135
135	Gender Specificity of Body Adiposity and Circulating Adiponectin, Visfatin, Insulin, and Insulin Growth Factor-I at Term Birth: Relation to Prenatal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2774-2778.	1.8	90
136	Polycystic Ovaries in Nonobese Adolescents and Young Women with Ovarian Androgen Excess: Relation to Prenatal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 196-199.	1.8	34
137	Visceral Adiposity without Overweight in Children Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2079-2083.	1.8	137
138	Metformin Treatment for Four Years to Reduce Total and Visceral Fat in Low Birth Weight Girls with Precocious Pubarche. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1841-1845.	1.8	76
139	Prenatal Programming of Renal Function: The Estimated Glomerular Filtration Rate is Influenced by Size at Birth in Apparently Healthy Children. <i>Pediatric Research</i> , 2008, 64, 97-99.	1.1	23
140	The Association between the FTO Gene and Fat Mass in Humans Develops by the Postnatal Age of Two Weeks. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1501-1505.	1.8	110
141	Combined Low-Dose Pioglitazone, Flutamide, and Metformin for Women with Androgen Excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1710-1714.	1.8	51
142	Improvement in Growth after Two Years of Growth Hormone Therapy in Very Young Children Born Small for Gestational Age and without Spontaneous Catch-Up Growth: Results of a Multicenter, Controlled, Randomized, Open Clinical Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3095-3101.	1.8	44
143	Flutamide+metformin for post-menarcheal girls with preclinical ovarian androgen excess: evidence for differential response by androgen receptor genotype. <i>European Journal of Endocrinology</i> , 2007, 157, 661-668.	1.9	13
144	Lack of association between common polymorphisms in the 17 β -hydroxysteroid dehydrogenase type V gene (HSD17B5) and precocious pubarche. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007, 105, 176-180.	1.2	16

#	ARTICLE	IF	CITATIONS
145	Insulin resistance after precocious pubarche: relation to PAI-1?675 4G/5G polymorphism, and opposing influences of prenatal and postnatal weight gain. <i>Clinical Endocrinology</i> , 2007, 67, 070607050851001-???	1.2	3
146	Persisting benefits 12?18i;½months after discontinuation of pubertal metformin therapy in low birthweight girls. <i>Clinical Endocrinology</i> , 2007, 67, 468-471.	1.2	20
147	Low-dose flutamide-metformin therapy for hyperinsulinemic hyperandrogenism in nonobese adolescents and women. <i>Fertility and Sterility</i> , 2006, 86, S24-S25.	0.5	12
148	Prenatal growth restraint followed by catch-up of weight: a hyperinsulinemic pathway to polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2006, 86, S4-S5.	0.5	56
149	Puberty and prenatal growth. <i>Molecular and Cellular Endocrinology</i> , 2006, 254-255, 22-25.	1.6	60
150	Associations between common variation in the aromatase gene promoter region and testosterone concentrations in two young female populations. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006, 98, 199-206.	1.2	16
151	Absence of Hepatotoxicity After Long-Term, Low-Dose Flutamide in Hyperandrogenic Girls and Young Women. <i>Obstetrical and Gynecological Survey</i> , 2006, 61, 33-34.	0.2	1
152	The tumour necrosis factor (TNF)-alpha-308GA promoter polymorphism is related to prenatal growth and postnatal insulin resistance. <i>Clinical Endocrinology</i> , 2006, 64, 129-135.	1.2	13
153	Cerebral folate deficiency and leukoencephalopathy caused by a mitochondrial DNA deletion. <i>Annals of Neurology</i> , 2006, 59, 394-398.	2.8	122
154	Discontinuous low-dose flutamideâ€“metformin plus an oral or a transdermal contraceptive in patients with hyperinsulinaemic hyperandrogenism: normalizing effects on CRP, TNF-Î± and the neutrophil/lymphocyte ratio. <i>Human Reproduction</i> , 2006, 21, 451-456.	0.4	27
155	Early Development of Adiposity and Insulin Resistance after Catch-Up Weight Gain in Small-for-Gestational-Age Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2153-2158.	1.8	491
156	Metformin Therapy during Puberty Delays Menarche, Prolongs Pubertal Growth, and Augments Adult Height: A Randomized Study in Low-Birth-Weight Girls with Early-Normal Onset of Puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2068-2073.	1.8	113
157	Early Puberty-Menarche After Precocious Pubarche: Relation to Prenatal Growth. <i>Pediatrics</i> , 2006, 117, 117-121.	1.0	164
158	Metformin Treatment to Prevent Early Puberty in Girls with Precocious Pubarche. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2888-2891.	1.8	119
159	Low-dose flutamide-metformin therapy for hyperinsulinemic hyperandrogenism in non-obese adolescents and women. <i>Human Reproduction Update</i> , 2006, 12, 243-252.	5.2	89
160	Effects of Growth Hormone Treatment on Neutrophil Count in Children Born Small for Gestational Age. <i>Pediatrics</i> , 2006, 117, 1868-1869.	1.0	6
161	Neutrophil Count in Small-for-Gestational Age Children: Contrasting Effects of Metformin and Growth Hormone Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3435-3439.	1.8	46
162	High neutrophil count in girls and women with hyperinsulinaemic hyperandrogenism: normalization with metformin and flutamide overcomes the aggravation by oral contraception. <i>Human Reproduction</i> , 2005, 20, 2457-2462.	0.4	76

#	ARTICLE	IF	CITATIONS
163	Flutamide-Metformin plus Ethinylestradiol-Drospirenone for Lipolysis and Antiatherogenesis in Young Women with Ovarian Hyperandrogenism: The Key Role of Metformin at the Start and after More than One Year of Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 39-43.	1.8	60
164	Hyperandrogenism and Excess Weight Gain. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2005, 18, 1199-205.	0.4	2
165	Absent or Delayed Adrenarche in Pit-1/POU1F1 Deficiency. <i>Hormone Research in Paediatrics</i> , 2005, 64, 175-179.	0.8	23
166	Association of aromatase (CYP 19) gene variation with features of hyperandrogenism in two populations of young women. <i>Human Reproduction</i> , 2005, 20, 1837-1843.	0.4	98
167	Absence of hepatotoxicity after long-term, low-dose flutamide in hyperandrogenic girls and young women. <i>Human Reproduction</i> , 2005, 20, 1833-1836.	0.4	54
168	Insulin Sensitization for Girls with Precocious Pubarche and with Risk for Polycystic Ovary Syndrome: Effects of Prepubertal Initiation and Postpubertal Discontinuation of Metformin Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4331-4337.	1.8	120
169	Flutamide-Metformin Plus Ethinylestradiol-Drospirenone for Lipolysis and Antiatherogenesis in Young Women with Ovarian Hyperandrogenism: The Key Role of Early, Low-Dose Flutamide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4716-4720.	1.8	59
170	Opposing Influences of Prenatal and Postnatal Weight Gain on Adrenarche in Normal Boys and Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2647-2651.	1.8	251
171	Ethinylestradiol-Drospirenone, Flutamide-Metformin, or Both for Adolescents and Women with Hyperinsulinemic Hyperandrogenism: Opposite Effects on Adipocytokines and Body Adiposity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 1592-1597.	1.8	161
172	Both intrauterine growth restriction and postnatal growth influence childhood serum concentrations of adiponectin. <i>Clinical Endocrinology</i> , 2004, 61, 339-346.	1.2	30
173	Flutamide-metformin plus an oral contraceptive (OC) for young women with polycystic ovary syndrome: switch from third- to fourth-generation OC reduces body adiposity. <i>Human Reproduction</i> , 2004, 19, 1725-1727.	0.4	40
174	Insulin sensitization early after menarche prevents progression from precocious pubarche to polycystic ovary syndrome. <i>Journal of Pediatrics</i> , 2004, 144, 23-29.	0.9	141
175	Fat distribution in non-obese girls with and without precocious pubarche: central adiposity related to insulinaemia and androgenaemia from prepuberty to postmenarche. <i>Clinical Endocrinology</i> , 2003, 58, 372-379.	1.2	124
176	Fasting insulin sensitivity and post-oral glucose hyperinsulinaemia related to cardiovascular risk factors in adolescents with precocious pubarche. <i>Clinical Endocrinology</i> , 2003, 59, 756-762.	1.2	17
177	Low-Dose Flutamide-Metformin Therapy Reverses Insulin Resistance and Reduces Fat Mass in Nonobese Adolescents with Ovarian Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 2600-2606.	1.8	99
178	Androgen Receptor Gene CAG Repeat Polymorphism in the Development of Ovarian Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3333-3338.	1.8	163
179	Flutamide-Metformin Therapy to Reduce Fat Mass in Hyperinsulinemic Ovarian Hyperandrogenism: Effects in Adolescents and in Women on Third-Generation Oral Contraception. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 4720-4724.	1.8	51
180	Hypergonadotrophinaemia with reduced uterine and ovarian size in women born small-for-gestational-age. <i>Human Reproduction</i> , 2003, 18, 1565-1569.	0.4	113

#	ARTICLE	IF	CITATIONS
181	Low-dose combination of flutamide, metformin and an oral contraceptive for non-obese, young women with polycystic ovary syndrome. <i>Human Reproduction</i> , 2003, 18, 57-60.	0.4	54
182	Rapid Corticotropin Versus Corticotropin-Releasing Hormone Test in Girls with Precocious Pubarche. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2002, 15, 89-91.	0.4	0
183	Early Menarche and Subclinical Ovarian Hyperandrogenism in Girls with Reduced Adult Height after Low Birth Weight. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2002, 15, 431-3.	0.4	16
184	Anovulation in Eumenorrheic, Nonobese Adolescent Girls Born Small for Gestational Age: Insulin Sensitization Induces Ovulation, Increases Lean Body Mass, and Reduces Abdominal Fat Excess, Dyslipidemia, and Subclinical Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 5702-5705.	1.8	83
185	Additive Effects of Insulin-Sensitizing and Anti-Androgen Treatment in Young, Nonobese Women with Hyperinsulinism, Hyperandrogenism, Dyslipidemia, and Anovulation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2870-2874.	1.8	109
186	Hypersecretion of FSH in Infant Boys and Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1986-1988.	1.8	88
187	Reduced Ovulation Rate in Adolescent Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3391-3393.	1.8	133
188	Consensus Statement on 21-Hydroxylase Deficiency from The Lawson Wilkins Pediatric Endocrine Society and The European Society for Paediatric Endocrinology. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 4048-4053.	1.8	358
189	Plasminogen Activator Inhibitor-1 in Girls with Precocious Pubarche: A Premenarcheal Marker for Polycystic Ovary Syndrome?. <i>Pediatric Research</i> , 2002, 51, 244-248.	1.1	30
190	Molecular defects of the CYP21 gene in Spanish girls with isolated precocious pubarche. <i>European Journal of Endocrinology</i> , 2002, 147, 485-488.	1.9	13
191	Leuteinizing hormone responses to leuprolide acetate discriminate between hypogonadotropic hypogonadism and constitutional delay of puberty. <i>Fertility and Sterility</i> , 2002, 77, 555-560.	0.5	15
192	Increased frequency of the G972R variant of the insulin receptor substrate-1 (irs-1) gene among girls with a history of precocious pubarche. <i>Fertility and Sterility</i> , 2002, 78, 1288-1293.	0.5	23
193	Hypersecretion of FSH in Infant Boys and Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1986-1988.	1.8	23
194	Additive Effects of Insulin-Sensitizing and Anti-Androgen Treatment in Young, Nonobese Women with Hyperinsulinism, Hyperandrogenism, Dyslipidemia, and Anovulation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2870-2874.	1.8	33
195	Reduced Ovulation Rate in Adolescent Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3391-3393.	1.8	52
196	Polycystic ovary syndrome after precocious pubarche: ontogeny of the low-birthweight effect. <i>Clinical Endocrinology</i> , 2001, 55, 667-672.	1.2	130
197	Insulin Gene Variable Number of Tandem Repeat Genotype and the Low Birth Weight, Precocious Pubarche, and Hyperinsulinism Sequence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5788-5793.	1.8	48
198	Insulin Gene Variable Number of Tandem Repeat Genotype and the Low Birth Weight, Precocious Pubarche, and Hyperinsulinism Sequence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5788-5793.	1.8	20

#	ARTICLE	IF	CITATIONS
199	Sensitization to Insulin Induces Ovulation in Nonobese Adolescents with Anovulatory Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3595-3598.	1.8	53
200	Early Puberty: Rapid Progression and Reduced Final Height in Girls With Low Birth Weight. <i>Pediatrics</i> , 2000, 106, e72-e72.	1.0	184
201	Adrenal hyperandrogenism in adolescent girls with a history of low birthweight and precocious pubarche. <i>Clinical Endocrinology</i> , 2000, 53, 523-527.	1.2	49
202	Identification of three novel mutations in the insulin receptor gene in type A insulin resistant patients. <i>Clinical Genetics</i> , 2000, 57, 67-69.	1.0	17
203	21-Hydroxylase-deficient nonclassic adrenal hyperplasia is a progressive disorder: A multicenter study. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1468-1474.	0.7	163
204	Increased Bone Mineral Density and Serum Leptin in Non-Obese Girls with Precocious Pubarche: Relation to Low Birthweight and Hyperinsulinism. <i>Hormone Research in Paediatrics</i> , 2000, 54, 192-197.	0.8	34
205	Reduced Uterine and Ovarian Size in Adolescent Girls Born Small for Gestational Age. <i>Pediatric Research</i> , 2000, 47, 575-577.	1.1	179
206	Sensitization to Insulin in Adolescent Girls to Normalize Hirsutism, Hyperandrogenism, Oligomenorrhea, Dyslipidemia, and Hyperinsulinism after Precocious Pubarche. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3526-3530.	1.8	125
207	Ovarian Hyporesponsiveness to Follicle Stimulating Hormone in Adolescent Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2624-2626.	1.8	30
208	Treatment of Hirsutism, Hyperandrogenism, Oligomenorrhea, Dyslipidemia, and Hyperinsulinism in Nonobese, Adolescent Girls: Effect of Flutamide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3251-3255.	1.8	83
209	Exaggerated Adrenarche and Hyperinsulinism in Adolescent Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 4739-4741.	1.8	190
210	Anovulation after Precocious Pubarche: Early Markers and Time Course in Adolescence ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2691-2695.	1.8	118
211	Pronounced Adrenarche and Precocious Pubarche in Boys. <i>Hormone Research in Paediatrics</i> , 1999, 51, 238-241.	0.8	24
212	Sexual dimorphism in the maturation of the pituitary-gonadal axis, assessed by GnRH agonist challenge. <i>European Journal of Endocrinology</i> , 1999, 141, 27-34.	1.9	38
213	Increased prevalence of type 2 diabetes mellitus and impaired glucose tolerance in first-degree relatives of girls with a history of precocious pubarche. <i>Clinical Endocrinology</i> , 1999, 51, 395-401.	1.2	31
214	Iron metabolism in burned children. <i>European Journal of Pediatrics</i> , 1999, 158, 556-559.	1.3	9
215	Precocious Pubarche, Dyslipidemia, and Low IGF Binding Protein-1 in Girls: Relation to Reduced Prenatal Growth. <i>Pediatric Research</i> , 1999, 46, 320-322.	1.1	49
216	Corticotropin-Releasing Hormone as Adrenal Androgen Secretagogue. <i>Pediatric Research</i> , 1999, 46, 351-353.	1.1	35

#	ARTICLE	IF	CITATIONS
217	Corticotropin-Releasing Hormone: A Potent Androgen Secretagogue in Girls with Hyperandrogenism after Precocious Pubarche. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 4602-4606.	1.8	20
218	Exaggerated Adrenarche and Hyperinsulinism in Adolescent Girls Born Small for Gestational Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 4739-4741.	1.8	80
219	Anovulation after Precocious Pubarche: Early Markers and Time Course in Adolescence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2691-2695.	1.8	94
220	Hyperinsulinaemia, dyslipaemia and cardiovascular risk in girls with a history of premature pubarche. <i>Diabetologia</i> , 1998, 41, 1057-1063.	2.9	154
221	Insulin Resistance, Premature Adrenarche, and a Risk of the Polycystic Ovary Syndrome (PCOS). <i>Trends in Endocrinology and Metabolism</i> , 1998, 9, 72-77.	3.1	38
222	Growth Hormone Treatment of Short Children Born Small for Gestational Age. <i>Trends in Endocrinology and Metabolism</i> , 1998, 9, 233-237.	3.1	38
223	Premature pubarche, ovarian hyperandrogenism, hyperinsulinism and the polycystic ovary syndrome: From a complex constellation to a simple sequence of prenatal onset. <i>Journal of Endocrinological Investigation</i> , 1998, 21, 558-566.	1.8	82
224	Precocious Pubarche, Hyperinsulinism, and Ovarian Hyperandrogenism in Girls: Relation to Reduced Fetal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 3558-3562.	1.8	450
225	Androgens and Fetal Growth. <i>Hormone Research in Paediatrics</i> , 1998, 50, 243-244.	0.8	65
226	Precocious Pubarche, Hyperinsulinism, and Ovarian Hyperandrogenism in Girls: Relation to Reduced Fetal Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 3558-3562.	1.8	183
227	Ovarian 17 α -hydroxyprogesterone responses to GnRH analog testing in oligomenorrheic insulin-dependent diabetic adolescents. <i>European Journal of Endocrinology</i> , 1997, 136, 624-629.	1.9	19
228	Bone Mineral Density in Prepubertal and in Adolescent and Young Adult Patients With the Salt-wasting Form of Congenital Adrenal Hyperplasia. <i>Pediatrics</i> , 1997, 100, 671-674.	1.0	86
229	Girls diagnosed with premature pubarche show an exaggerated ovarian androgen synthesis from the early stages of puberty: evidence from gonadotropin-releasing hormone agonist testing. <i>Fertility and Sterility</i> , 1997, 67, 849-855.	0.5	83
230	Routine detection of point mutations in non-classic steroid 21-hydroxylase. <i>International Journal of Clinical and Laboratory Research</i> , 1997, 27, 257-260.	1.0	0
231	Hyperinsulinemia and Decreased Insulin-Like Growth Factor-Binding Protein-1 Are Common Features in Prepubertal and Pubertal Girls with a History of Premature Pubarche. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 2283-2288.	1.8	134
232	Ovarian 17-hydroxyprogesterone hyperresponsiveness to gonadotropin-releasing hormone (GnRH) agonist challenge in women with polycystic ovary syndrome is not mediated by luteinizing hormone hypersecretion: evidence from GnRH agonist and human chorionic gonadotropin stimulation testing. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 4103-4107.	1.8	60
233	Pituitary-ovarian responses to leuprolide acetate testing in patients with congenital adrenal hyperplasia due to 21-hydroxylase deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 601-606.	1.8	22
234	Hyperinsulinemia in postpubertal girls with a history of premature pubarche and functional ovarian hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 1237-1243.	1.8	101

#	ARTICLE	IF	CITATIONS
235	Growth hormone, insulin-like growth factor-I axis, and insulin secretion in hyperandrogenic adolescents. <i>Fertility and Sterility</i> , 1995, 64, 1113-1119.	0.5	32
236	Use of leuprolide acetate response patterns in the early diagnosis of pubertal disorders: comparison with the gonadotropin-releasing hormone test. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 30-35.	1.8	70
237	Source localization of androgen excess in adolescent girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 79, 1778-1784.	1.8	51
238	Postpubertal outcome in girls diagnosed of premature pubarche during childhood: increased frequency of functional ovarian hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1993, 76, 1599-1603.	1.8	221
239	Incidence of Type 1 (insulin-dependent) diabetes mellitus in Catalonia, Spain. <i>Diabetologia</i> , 1992, 35, 267-271.	2.9	72
240	Natural history of premature pubarche: an auxological study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1992, 74, 254-257.	1.8	99