

Alfonso Castiñeiras Campos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4823161/publications.pdf>

Version: 2024-02-01

450
papers

10,692
citations

44069
48
h-index

98798
67
g-index

462
all docs

462
docs citations

462
times ranked

6778
citing authors

#	ARTICLE	IF	CITATIONS
1	Lead(<i><scp>ii</scp></i>) supramolecular structures formed through a cooperative influence of the hydrazinecarbothioamide derived and ancillary ligands. <i>CrystEngComm</i> , 2022, 24, 368-378.	2.6	7
2	Multicomponent Solids of DL-2-Hydroxy-2-phenylacetic Acid and Pyridinecarboxamides. <i>Crystals</i> , 2022, 12, 142.	2.2	4
3	Experimental and Theoretical Evidence of a Pb...–Pb Ditetrel Bond Without a f^{∞} -Hole. <i>ChemPhysChem</i> , 2022, 23, .	2.1	4
4	H-Bonds, π -Stacking and (Water)O-H/ π Interactions in (μ 4-EDTA)Bis(Imidazole) Dicopper(II) Dihydrate. <i>Crystals</i> , 2021, 11, 48.	2.2	4
5	Weak Interactions in Cocrystals of Isoniazid with Glycolic and Mandelic Acids. <i>Crystals</i> , 2021, 11, 328.	2.2	8
6	Deciphering the H-Bonding Preference on Nucleoside Molecular Recognition through Model Copper(II) Compounds. <i>Pharmaceuticals</i> , 2021, 14, 244.	3.8	4
7	Supramolecular, spectroscopic and computational analysis of weak interactions in some thiosemicarbazones derived from 5-acetylbarbituric acid. <i>Journal of Molecular Structure</i> , 2021, 1245, 131031.	3.6	1
8	Synthesis, crystal structure and DFT study of a dinuclear Cu ^{II} complex with (E)-2-benzylidene-N-methylhydrazinecarbothioamide: Role of halogen-hydrogen bonds in copper-copper bridge bonding. <i>Journal of Coordination Chemistry</i> , 2021, 74, 942-954.	2.2	8
9	Multicomponent Crystalline Solid Forms of Pyridinecarboxamides and DL-2-Hydroxy-2-phenylacetic Acid. , 2021, 8, .		0
10	New sulfonamide complexes with essential metal ions [Cu (II), Co (II), Ni (II) and Zn (II)]. Effect of the geometry and the metal ion on DNA binding and nuclease activity. BSA protein interaction. <i>Journal of Inorganic Biochemistry</i> , 2020, 202, 110823.	3.5	37
11	Structural basis and effect of copper(II) complexes with 4-oxo-thiazolidine ligands on DNA binding and nuclease activity. <i>Journal of Inorganic Biochemistry</i> , 2020, 203, 110902.	3.5	9
12	Molecular and supramolecular recognition patterns in ternary copper(II) or zinc(II) complexes with selected rigid-planar chelators and a synthetic adenine-nucleoside. <i>Journal of Inorganic Biochemistry</i> , 2020, 203, 110920.	3.5	5
13	Recurrent motifs in pharmaceutical cocrystals involving glycolic acid: X-ray characterization, Hirshfeld surface analysis and DFT calculations. <i>CrystEngComm</i> , 2020, 22, 6674-6689.	2.6	19
14	Novel Cd (II) Coordination Polymers Afforded with EDTA or Trans-1,2-Cdta Chelators and Imidazole, Adenine, or 9-(2-Hydroxyethyl) Adenine Coligands. <i>Crystals</i> , 2020, 10, 391.	2.2	2
15	Anion- π Cation Recognition Pattern, Thermal Stability and DFT-Calculations in the Crystal Structure of H2dap[Cd(HEDTA)(H ₂ O)] Salt (H2dap = H ₂ (N ₃ ,N ₇)-2,6-Diaminopurinium Cation). <i>Crystals</i> , 2020, 10, 304.	2.2	4
16	Interactions between Isoniazid and β -Hydroxycarboxylic Acids. <i>Chemistry Proceedings</i> , 2020, 3, .	0.1	0
17	Structural Study of Three 1,2,4-triazole Derivatives Prepared by Oxidative Cyclization of Thiosemicarbazides. <i>Proceedings (mdpi)</i> , 2019, 9, 20.	0.2	0
18	Probing the effect of N-alkylation on the molecular recognition abilities of the major groove N7-binding site of purine ligands. <i>Journal of Inorganic Biochemistry</i> , 2019, 200, 110801.	3.5	2

#	ARTICLE	IF	CITATIONS
19	Effect of Solvent on the Structural Diversity of Quasi-Aromatic Möbius Cadmium(II) Complexes Fabricated from the Bulky N6 Tetradeinate Helical Ligand. <i>Crystal Growth and Design</i> , 2019, 19, 1649-1659.	3.0	11
20	Design and synthesis of methyl 2-{{4-phenyl-5-(pyridin-2-yl)-4 <i>H</i> -1,2,4-triazol-3-yl}sulfanyl}acetate (phpy2NS) as a ligand for complexes of Group 12 elements: structural assessment and hydrogen-bonded supramolecular assembly analysis. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 891-903.	0.5	6
21	Synthesis and Characterization of Some 5-Acetylbarbituric Based Thiosemicarbazone Derivatives. <i>Proceedings (mdpi)</i> , 2019, 41, .	0.2	1
22	Hexanuclear Cu ₃ O ₄ “3Cu triazole-based units as novel core motifs for high nuclearity copper(ii) frameworks. <i>RSC Advances</i> , 2019, 9, 29357-29367.	3.6	6
23	The influence of substituents at C2/N1 atoms of pyridine-2-formaldehyde-/benzaldehyde-N1-substituted thiosemicarbazones on the type of copper(I) complexes. <i>Polyhedron</i> , 2019, 158, 449-457.	2.2	6
24	Copper(II) polyamine chelates as efficient receptors for acyclovir: syntheses, crystal structures and dft study. <i>Polyhedron</i> , 2018, 145, 218-226.	2.2	7
25	Quasi-aromatic Möbius Metal Chelates. <i>Inorganic Chemistry</i> , 2018, 57, 4395-4408.	4.0	32
26	Chiral and achiral 1D copper(<i>ii</i>) coordination polymers based on glycolato and chelating aromatic diamine ligands. <i>CrystEngComm</i> , 2018, 20, 2455-2464.	2.6	8
27	Synthesis and Structural Assessment of Methyl 2-(4-Phenyl-5-(Pyridin-2-yl)-4 <i>H</i> -1,2,4-Triazol-3-yl)Thioacetate (phpy2NS) and Its Complex with HgCl ₂ . <i>Proceedings (mdpi)</i> , 2018, 2, 1115.	0.2	0
28	Multicomponent Supramolecular Assemblies of Melamine and $\hat{\pm}$ -Hydroxycarboxylic Acids: Understanding the Hydrogen Bonding Patterns and Their Physicochemical Consequences. <i>Crystal Growth and Design</i> , 2018, 18, 6786-6800.	3.0	21
29	Highest Reported Denticity of a Synthetic Nucleoside in the Unprecedented Tetradentate Mode of Acyclovir. <i>Crystal Growth and Design</i> , 2018, 18, 4282-4286.	3.0	6
30	The effect of substituents at C2/N1 atoms of salicylaldehyde and 2-hydroxyacetophenone based thiosemicarbazones on the nature of nickel(II) complexes with 1,10-phenanthroline and terpyridine as co-ligands. <i>Inorganica Chimica Acta</i> , 2018, 482, 268-274.	2.4	2
31	New Tin-Oxometallates from the Hydrolysis of SnEt ₂ ²⁺ in the Presence of 2,6-Lutidine- $\hat{\pm}$ 2,3-Diol and different Anions. <i>ChemistrySelect</i> , 2017, 2, 1983-1991.	1.5	2
32	Dinuclear Pd ^{II} /Pt ^{II} complexes [M ₂ (phosphine) ₃]Cl incorporating N,S-bridged pyridine-2-thiolate and benzimidazoline-2-thiolate. <i>Polyhedron</i> , 2017, 127, 25-35.	2.2	4
33	Metal binding pattern of acyclovir in ternary copper(II) complexes having an S-thioether or S-disulfide NO ₂ S-tripodal tetradentate chelator. <i>Inorganica Chimica Acta</i> , 2016, 452, 258-267.	2.4	10
34	In situ generation of functionalized 1,2,4-triazole-5-thiones containing pyridine or pyrazine moieties and their coordination to Hg ^{II} . <i>CrystEngComm</i> , 2016, 18, 3428-3446.	2.6	9
35	Synthesis, X-ray characterization, DFT calculations and Hirshfeld surface analysis of thiosemicarbazone complexes of M ⁿ⁺ ions (n = 2, 3; M = Ni, Cd, Mn, Co and Cu). <i>CrystEngComm</i> , 2016, 18, 1009-1023.	2.6	29
36	Tin Oxometallates from the Hydrolysis of SnMe ₂ 2+ in the Presence of 2,6-Lutidine- $\hat{\pm}$ 2,3-diol and Different Anions. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 2387-2401.	2.0	3

#	ARTICLE	IF	CITATIONS
37	Stabilization of Cu(I) Bonds Using 2-Benzoylpyridine Thiosemicarbazones - Synthesis, Structure, Spectroscopy, Fluorescence, and Cyclic Voltammetry. European Journal of Inorganic Chemistry, 2015, 2015, 5106-5117.	2.0	11
38	Chemistry of heterocyclic-2-thiones: in situ generated 1-(4,5-dihydro-3-alkyl-imidazolidin-2-yl)-3-alkyl-imidazolidine-2-thione and triiodide form novel mixed valent Cu ¹⁺ /Cu ²⁺ complexes. RSC Advances, 2015, 5, 100579-100588.	3.6	11
39	Metal complexes with N-(trifluoromethylbenzyl)iminodiacetate chelators (x-3F ligands). Part I. Copper(II) chelates of p-3F, m-3F, and o-3F with or without imidazole-like ligands. Journal of Coordination Chemistry, 2015, 68, 2739-2759.	2.2	0
40	Molecular recognition between adenine or 2,6-diaminopurine and copper(II) chelates with N,O2,S-tripodal tetradentate chelators having thioether or disulfide donor groups. Journal of Inorganic Biochemistry, 2015, 151, 75-86.	3.5	5
41	Lights and shadows in the challenge of binding acyclovir, a synthetic purine-like nucleoside with antiviral activity, at an apical/distal coordination site in copper(II)-polyamine chelates. Journal of Inorganic Biochemistry, 2015, 148, 84-92.	3.5	19
42	Two Novel Ternary Dicopper(II) 1/4-Guanazole Complexes with Aromatic Amines Strongly Activated by Quantum Dots for DNA Cleavage. Inorganic Chemistry, 2014, 53, 578-593.	4.0	20
43	Metallo-Supramolecular Structures by Self-Assembly through Weak Interactions in Mixed Ligand Metal Complexes of Adenine and Malonate. Crystal Growth and Design, 2014, 14, 249-260.	3.0	23
44	Coordination variability of Cu ¹⁺ in multidonor heterocyclic thioamides: synthesis, crystal structures, luminescent properties and ESI-mass studies of complexes. RSC Advances, 2014, 4, 30511.	3.6	24
45	Synthesis, thermogravimetric study and crystal structure of an N-rich copper(II) compound with tren ligands and nitrate counter-anions. Thermochimica Acta, 2014, 593, 7-11.	2.7	6
46	Synthesis, structure and spectroscopy of mono- and di-nuclear copper(I) complexes incorporating anionic thiophene based thiosemicarbazones-first examples. Polyhedron, 2014, 80, 34-40.	2.2	9
47	Unprecedented 4/5-methylimidazole linkage isomerism within a binuclear copper(II) complex molecule. Inorganic Chemistry Communication, 2014, 42, 20-22.	3.9	1
48	Cocrystallization of Mononuclear and Trinuclear Metallacycle Molecules from an Aqueous Mixed-Ligand Copper(II) Solution. Crystal Growth and Design, 2014, 14, 889-892.	3.0	9
49	Supramolecular interactions in biologically relevant compounds. 2-Pyrazineformamide thiosemicarbazones and some products of their cyclization. Journal of Molecular Structure, 2014, 1074, 1-18.	3.6	14
50	Structural features of palladium(II) complexes with ±-hydroxycarboxylate and aromatic ±,±-diimine ligands. Polyhedron, 2013, 50, 512-523.	2.2	6
51	Molecular recognition modes between adenine or adeninium(1+) ion and binary M ^{II} (pdc) chelates (M=Co,Zn; pdc=pyridine-2,6-dicarboxylate(2-) ion). Journal of Inorganic Biochemistry, 2013, 127, 211-219.	3.5	11
52	From 7-azaindole to adenine: molecular recognition aspects on mixed-ligand Cu(II) complexes with deaza-adenine ligands. Dalton Transactions, 2013, 42, 6119.	3.3	19
53	Novel Hexanuclear Copper(II) Complex Built from a Simple Tetrachelating Triazole Ligand: Synthesis, Structure, and Magnetism. Inorganic Chemistry, 2013, 52, 2289-2291.	4.0	21
54	Coordination of ±-hydroxycarboxylic acids with first-row transition ions. Coordination Chemistry Reviews, 2013, 257, 2639-2651.	18.8	35

#	ARTICLE	IF	CITATIONS
55	Metal derivatives of N1-substituted thiosemicarbazones: Synthesis, structures and spectroscopy of nickel(II) and cobalt(III) complexes. <i>Inorganica Chimica Acta</i> , 2013, 394, 605-615.	2.4	23
56	Heterocyclic-2-thione derivatives of silver(I): Synthesis, spectroscopy and structures of mono- and di-nuclear silver(I) halide complexes. <i>Journal of Organometallic Chemistry</i> , 2013, 745-746, 460-469.	1.8	21
57	Structural insights on the molecular recognition patterns between N6-substituted adenines and N-(aryl-methyl)iminodiacetate copper(II) chelates. <i>Journal of Inorganic Biochemistry</i> , 2013, 127, 141-149.	3.5	6
58	DNA binding, nuclease activity, DNA photocleavage and cytotoxic properties of Cu(II) complexes of N-substituted sulfonamides. <i>Journal of Inorganic Biochemistry</i> , 2013, 121, 167-178.	3.5	44
59	Unravelling the versatile metal binding modes of adenine: Looking at the molecular recognition patterns of deaza- and aza-adenines in mixed ligand metal complexes. <i>Coordination Chemistry Reviews</i> , 2013, 257, 2814-2838.	18.8	34
60	Two copper complexes from two novel naphthalene-sulfonyl-triazole ligands: Different nuclearity and different DNA binding and cleavage capabilities. <i>Journal of Inorganic Biochemistry</i> , 2013, 125, 50-63.	3.5	16
61	Mixed-ligand copper(ii)-sulfonamide complexes: effect of the sulfonamide derivative on DNA binding, DNA cleavage, genotoxicity and anticancer activity. <i>Dalton Transactions</i> , 2013, 42, 10244.	3.3	39
62	The Effect of C ₆ O ₂ Substituents of Salicylaldehyde-Based Thiosemicarbazones on the Synthesis, Spectroscopy, Structures, and Fluorescence of Nickel(II) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3557-3566.	2.0	20
63	Structural Consequences of the N7 and C8 Translocation on the Metal Binding Behavior of Adenine. <i>Inorganic Chemistry</i> , 2013, 52, 1916-1925.	4.0	7
64	Chemistry of Heterocyclic 2-Thiones: In Situ Generation of 3-(2-Thiazolin-2-yl)thiazolidine-2-thione and 1,1-Dimethyl-2,2-diimidazolyl Sulfide and Their Coordination to Culand Cull. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 5161-5170.	2.0	17
65	N-(5-Amino-1H-1,2,4-triazol-3-yl)pyridine-2-carboxamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o227-o228.	0.2	4
66	Solid State Structures of Cadmium Complexes with Relevance for Biological Systems. <i>Metal Ions in Life Sciences</i> , 2013, 11, 145-189.	2.8	2
67	Aurophilicity in gold($\langle\text{sc}\rangle\text{i}\langle/\text{sc}\rangle$) thiosemicarbazone clusters. <i>Dalton Transactions</i> , 2012, 41, 1363-1372.	3.3	27
68	Luminescent complexes of silver(i) with pyridylbis(3-hexamethyleneimino thiosemicarbazone): effect of the counterion on the nuclearity. <i>Dalton Transactions</i> , 2012, 41, 3787.	3.3	15
69	The influence of substituents (R) at N1 atom of furan-2-carbaldehyde thiosemicarbazones {[(C ₄ H ₃ O)HC ₂ N ₃] _n H} on bonding, nuclearity, H-bonded networks of copper(I) complexes. <i>Polyhedron</i> , 2012, 47, 134-142.	2.2	23
70	Neutral Ni ^{II} , Pd ^{II} and Pt ^{II} ONS-pincer complexes of 5-acetylbarbituric-4N-dimethylthiosemicarbazone: synthesis, characterization and properties. <i>Dalton Transactions</i> , 2012, 41, 13486.	3.3	53
71	Supramolecular Architecture in Gold(I) and Gold(III) 2-Pyridineformamide Thiosemicarbazone Complexes by Secondary Interactions: Synthesis, Structures, and Luminescent Properties. <i>Crystal Growth and Design</i> , 2012, 12, 1432-1442.	3.0	23
72	A Unique Discrete Tetranuclear Cu ²⁺ -Cu(N-N)2Cu ²⁺ Cu ²⁺ Copper(II) Complex, Built from a 1/43-1,2,4-Triazolato-1/4-carboxylato Ligand, as an Effective DNA Cleavage Agent. <i>Inorganic Chemistry</i> , 2012, 51, 9809-9819.	4.0	33

#	ARTICLE	IF	CITATIONS
73	Isotype 1D polymers of cobalt(II) or zinc(II) constructed with square-planar tetraqua-metal(2+) units and the bis-zwitterionic form of the $\text{[}\frac{1}{4}\text{2-O,O}^{\text{2-}}\text{-trans-1,4-dihydrogen-cyclohexanediaminetetraacetate(2a)}^{\text{2-}}\text{]}$ ligand. <i>Polyhedron</i> , 2012, 31, 463-471.	2.2	2
74	Thiosemicarbazone derivatives of nickel and copper: the unprecedented coordination of furan ring in octahedral nickel(II) and of triphenylphosphine in three-coordinate copper(I) complexes. <i>Dalton Transactions</i> , 2011, 40, 3219.	3.3	46
75	Three-Dimensional Mixed-Ligand Coordination Polymers with Ferromagnetically Coupled Cyclic Tetranuclear Copper(II) Units Bonded by Weak Interactions. <i>Crystal Growth and Design</i> , 2011, 11, 4344-4352.	3.0	14
76	Chelating Ligand Conformation Driving the Hypoxanthine Metal Binding Patterns. <i>Inorganic Chemistry</i> , 2011, 50, 10549-10551.	4.0	19
77	Syntheses, structures and efficient catalysis for C-C coupling of some benzaldehyde thiosemicarbazone complexes of palladium. <i>Journal of Molecular Catalysis A</i> , 2011, 344, 62-73.	4.8	44
78	Metal ion binding patterns of acyclovir: Molecular recognition between this antiviral agent and copper(II) chelates with iminodiacetate or glycylglycinate. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 616-623.	3.5	27
79	Molecular recognition patterns of 2-aminopurine versus adenine: A view through ternary copper(II) complexes. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 1073-1080.	3.5	18
80	Synthesis, crystal structures and spectroscopy of meclofenamic acid and its metal complexes with manganese(II), copper(II), zinc(II) and cadmium(II). Antiproliferative and superoxide dismutase activity. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 1187-1195.	3.5	73
81	Kojic acid derivatives as powerful chelators for iron(III) and aluminium(III). <i>Dalton Transactions</i> , 2011, 40, 5984.	3.3	44
82	Spectroscopic, magnetic, and electrochemical studies of a dimeric N-substituted-sulfanilamide copper(II) complex. X-ray and molecular structure of the $\text{Cu}_2(\text{N-(pyridin-2-yl)biphenyl-4-sulfonamidate})_4$ complex. <i>Inorganica Chimica Acta</i> , 2010, 363, 3139-3144.	2.4	4
83	Zinc(II) complexes of 2-acetyl pyridine 1-(4-fluorophenyl)-piperazinyl thiosemicarbazone: Synthesis, spectroscopic study and crystal structures – Potential anticancer drugs. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 467-476.	3.5	58
84	Iron(III) and aluminum(III) complexes with hydroxypyrrone ligands aimed to design kojic acid derivatives with new perspectives. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 560-569.	3.5	55
85	Restricting the versatile metal-binding behaviour of adenine by using deaza-purine ligands in mixed-ligand copper(II) complexes. <i>Polyhedron</i> , 2010, 29, 170-177.	2.2	14
86	Nickel(II) derivatives of N-benzyliminodiacetate(2a ⁻) ligands, with and without imidazole: Synthesis, crystal structure and properties. <i>Polyhedron</i> , 2010, 29, 683-690.	2.2	8
87	C-P bond forming reactivity of N-heteropentacene: Isolation and characterization of a phospho-ylide complex of ruthenium(II). <i>Inorganica Chimica Acta</i> , 2010, 363, 2840-2847.	2.4	0
88	Heterocyclic thioamide derivatives of coinage metals (Cu, Ag): Synthesis, structures and spectroscopy. <i>Inorganica Chimica Acta</i> , 2010, 363, 3432-3441.	2.4	33
89	Synthesis of an Unprecedented Cu ^I Polymer with Alternate Cu(1/4-C) ₂ Cu and Cu(1/4-C) ₂ Cu Cores Bridged by Pyridine-2-carbaldehyde Thiosemicarbazone. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 454-456.	1.2	22
90	Thiosemicarbazone Derivatives of Copper(I): Influence of Substituents ($(\text{R})_{\text{i}}$) at N ¹ atom of [(C ₅ H ₄ NHC ₂) ₂ N] ²⁺ in the Formation of 1D or 2D Networks of Copper(I) Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 2698-2703.		

#	ARTICLE	IF	CITATIONS
91	An unusual (H ₂ O) ₂₀ discrete water cluster in the supramolecular host of a charge transfer platinum(II) complex: cytotoxicity and DNA cleavage activities. <i>Dalton Transactions</i> , 2010, 39, 9514.	3.3	24
92	A thiosemicarbazone ligand functionalized by a phosphine group: Reactivity toward coinage metal ions. <i>Dalton Transactions</i> , 2010, 39, 3572.	3.3	29
93	The Influence of Substituents at C ₂ Carbon of Thiosemicarbazones on the Bonding Pattern of Bis(diphenylphosphano)alkanes in Palladium(II) Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 1447-1453.	1.2	9
94	The influence of substituents (R) at N1 atom of thiophene-2-carbaldehyde thiosemicbazones {C(4H3S)HC2N3-N(H)-C1(S)N1HR} on bonding, nuclearity and H-bonded networks of copper(I) complexes. <i>Inorganica Chimica Acta</i> , 2009, 362, 3547-3554.	2.4	27
95	Synthesis of CuI polymers {Cu ₈ (^{1/4} -SN ₂ C ₃ H ₆) ₄ (^{1/4} -SN ₂ C ₃ H ₆) ₄ (¹ -Cl) ₈ } _n and {Cu ₆ (^{1/4} -SC ₃ H ₆ N ₂) ₂ (^{1/4} -SC ₃ H ₆ N ₂) ₄ Cl ₂ (^{1/4} -Cl) ₄ } _n with imidazolidine-2-thione. <i>Inorganica Chimica Acta</i> , 2009, 362, 5265-5270.	2.4	23
96	Oxidative nuclease activity of ferromagnetically coupled ^{1/4} -hydroxo- ^{1/4} -propionato copper(II) complexes [Cu ₃ (L) ₂ (^{1/4} -OH) ₂ (^{1/4} -propionato) ₂] (L=N-(pyrid-2-ylmethyl)R-sulfonamido, R=benzene, toluene,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
97	A manganese(II) coordination polymer with a 3D porous structure: Synthesis, structure, and spectroscopic and magnetic behaviour. <i>Polyhedron</i> , 2009, 28, 860-864.	2.2	5
98	Tin(IV) complexes with 2-pyridineformamide-derived thiosemicbazones: Antimicrobial and potential antineoplastic activities. <i>Polyhedron</i> , 2009, 28, 1179-1185.	2.2	34
99	Synthesis and crystal structures of polynuclear complexes of CuI with 1-methyl-1,3-imidazoline-2-thione. <i>Polyhedron</i> , 2009, 28, 1573-1577.	2.2	25
100	Oxidative DNA cleavage by copper ternary complexes of 1,10-phenanthroline and ethylenediamine-sulfonamide derivatives. <i>Polyhedron</i> , 2009, 28, 2537-2544.	2.2	24
101	Mono- and di-nuclear complexes of thiosemicbazones with copper(I): Synthesis, spectroscopy and structures. <i>Polyhedron</i> , 2009, 28, 3899-3906.	2.2	38
102	Novel Fluorescent Cationic Silver Thiosemicarbazone Clusters Containing Different Eight-Membered Ag ₄ S ₄ Metallacycles. <i>Inorganic Chemistry</i> , 2009, 48, 4847-4855.	4.0	27
103	Synthesis, crystal structure and properties of three different derivatives of bis[di(2-pyridyl)methanediol]copper(II), [Cu(bpmd) ₂] ²⁺ . <i>Journal of Coordination Chemistry</i> , 2009, 62, 120-129.	2.2	2
104	Stabilization of gold(I) and gold(III) complexes by pyridil bis{3-hexamethylene-iminylthiosemicarbazone}: spectroscopic, structural and computational study. <i>Dalton Transactions</i> , 2009, , 2731.	3.3	22
105	Metal derivatives of thiosemicbazones: crystal and molecular structures of mono- and di-nuclear copper(I) complexes with N1-substituted thiosemicbazones. <i>Journal of Coordination Chemistry</i> , 2009, 62, 1754-1765.	2.2	11
106	Synthesis, crystal and molecular structures of an isomorphic N, S-bridged [Cu ₂ (^{1/4} -I) ₂ (PPh ₃) ₂ (^{1/4} -N ₂)] Tj ETQq0 0 0 rgBT /Overlock 10 2008, 19, 727-733.	2.0	14
107	Variable Bonding Modes of Pyrimidine-2-thione in Pd ^{II} /Pt ^{II} Complexes [M(¹ - ² -N, S-pymS)(¹ - ¹ -S-pymS)(PPh ₃) ₂] and [M(¹ - ¹ -S-pymS) ₂ (L ^{dppm}) ₂] (L ^{dppm} = dppm, dppe). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 747-753.	1.2	17
108	Synthesis, Structural Characterization and Properties of the Palladium(II) and Platinum(II) Complexes of 2-[pyridin-2-yl]aminomethylene]hydrazone-4-one and the 3-methyl Derivative. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 2281-2290.		9

#	ARTICLE	IF	CITATIONS
109	Desulfuration and Cyclization of (<i>i</i> -Z <i>i</i>) ₂ Amino(pyridine-2-yl)methylene]•hydrazonecarbothioamide in the Presence of Manganese(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2008, 634, 2907-2916.	1.2	14
110	Variable Coordination Modes of Benzaldehyde Thiosemicarbazones – Synthesis, Structure, and Electrochemical Properties of Some Ruthenium Complexes. European Journal of Inorganic Chemistry, 2008, 2008, 4538-4546.	2.0	48
111	A Convenient Mode to Stabilize MIMetal Ions by Using Thiosemicarbazones. European Journal of Inorganic Chemistry, 2008, 2008, 5106-5111.	2.0	17
112	3-(Aryl)-2-sulfanylpropenoates of mercury(II) and phenylmercury(II). Polyhedron, 2008, 27, 2436-2446.	2.2	19
113	Mononuclear, dinuclear and hydroxo-bridged tetranuclear complexes from reactions of Cull ions, mandelic acid and diimine ligands. Polyhedron, 2008, 27, 2921-2930.	2.2	34
114	Organotin(IV) complexes of 2-pyridineformamide-derived thiosemicarbazones: Antimicrobial and cytotoxic effects. European Journal of Medicinal Chemistry, 2008, 43, 1454-1461.	5.5	62
115	Interligand interactions involved in the molecular recognition between copper(II) complexes and adenine or related purines. Coordination Chemistry Reviews, 2008, 252, 1241-1256.	18.8	72
116	Bis(diphenylphosphino)methane Induces Unusual Cyclometalation of Thiophene and Phenyl Rings (R) at the C ₂ Carbon of Thiosemicarbazones {R-C ₂ (H)=N ₃ -N ₂ H-C(=O)-N ₁ H ₂ } in Ruthenium(II) Complexes. Organometallics, 2008, 27, 175-180.	2.3	55
117	Versatility of Thiosemicarbazones in the Construction of Monomers, Dimers and Hydrogen-Bonded Networks of Silver(I) Complexes. Crystal Growth and Design, 2008, 8, 1203-1212.	3.0	58
118	Factors Involved in the Nuclearity of Silver Thiosemicarbazone Clusters: Cocrystallization of Two Different Sized Tetranuclear Silver(I) Clusters Derived from a Phosphinothiosemicarbazone Ligand. Inorganic Chemistry, 2008, 47, 5534-5536.	4.0	33
119	Novel Chelate Ring-Opening Induced by Silver(I) of Five-Coordinate Palladium(II) and Platinum(II) Complexes Containing Tripodal Polyphosphines. Inorganic Chemistry, 2008, 47, 5685-5695.	4.0	13
120	Crystal Structure of Bis[acetatotetrabutyl-.MU.-hydroxy-.MU.3-oxoditin], [(AcO) ₂ Sn(OH)OSnBu ₂] ₂ . Analytical Sciences: X-ray Structure Analysis Online, 2007, 23, X111-X112.	0.1	0
121	A Dinuclear Copper(II) Complex with Adeninate Bridge Ligands and Prominent DNA Cleavage Activity. Structural and Spectroscopic Characterization and Magnetic Properties. Inorganic Chemistry, 2007, 46, 7178-7188.	4.0	65
122	Singlet Diradical Complexes of Chromium, Molybdenum, and Tungsten with Azo Anion Radical Ligands from M(CO) ₆ Precursors. Inorganic Chemistry, 2007, 46, 8584-8593.	4.0	44
123	One-Dimensional Metal-Organic Framework with Unprecedented Heptanuclear Copper Units. Inorganic Chemistry, 2007, 46, 372-374.	4.0	49
124	Two Novel Reactions of a Ruthenium-Coordinated Phenazine – Oxidative Aromatic Ring Hydroxylation and Dimerization via a New C=N Bond Formation. European Journal of Inorganic Chemistry, 2007, 2007, 412-421.	2.0	11
125	1,4-Bis(alkylamino)benzo[g]phthalazines able to form dinuclear complexes of Cu(II) which as free ligands behave as SOD inhibitors and show efficient in vitro activity against Trypanosoma cruzi. Bioorganic and Medicinal Chemistry, 2007, 15, 2081-2091.	3.0	24
126	First example of pyrrole-2-carbaldehyde thiosemicarbazone as tridentate dianion in [Pd(<i>i</i> -3-N ₄ ,N ₃ S-ptsc)(PPh ₃)] complex. Inorganic Chemistry Communication, 2007, 10, 506-509.	3.9	33

#	ARTICLE	IF	CITATIONS
127	Sulfur bridging by acetophenone thiosemicarbazone in $[\text{Ag}(\text{1/4-dppm})_2(\text{1/4-SR})\text{Ag}(\text{ONO}_2)](\text{NO}_3)$ dimer with a new $\{\text{Ag}_2(\text{1/4-P,P})_2(\text{1/4-SR})\}$ core. <i>Inorganic Chemistry Communication</i> , 2007, 10, 1307-1310.	3.9	18
128	Synthesis and structures of monomeric $[\text{chloro(isatin-3-thiosemicarbazone)bis(triphenylphosphine)}]\text{copper(I)}$ and dimeric $[\text{dichlorobis(thiophene-2-carbaldehyde thiosemicarbazone)bis(triphenylphosphine)}]\text{dicopper(I)}$ complexes. <i>Polyhedron</i> , 2007, 26, 2621-2628.	2.2	47
129	Copper(II) complexes of N4 tetradentate ligands with flexible alkyl spacers: Crystal structure, DNA binding and cleavage studies. <i>Polyhedron</i> , 2007, 26, 3008-3016.	2.2	44
130	Crystal structures and spectroscopic properties of copper(II)-bis(2-pyridylcarbonyl)amide-chlorobenzoate complexes. <i>Polyhedron</i> , 2007, 26, 5009-5015.	2.2	13
131	Synthesis, structure and cytotoxicity of diorganotin(IV) complexes of 2,6-lutidine-1,2,3-diol (Lu): The crystal structures of Lu and $[\text{SnMe}_2(\text{H}_2\text{O})(\text{Lu}-2\text{H})]$. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 3547-3554.	1.8	6
132	DNA interaction of new copper(II) complexes with sulfonamides as ligands. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 444-451.	3.5	70
133	Tetramethylammonium bis(2-benzoylbenzoato- l^{o} O)triphenylstannate(IV). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, m465-m467.	0.2	0
134	Synthese und Struktur der Cluster $[\text{Cu}_{50}\text{Se}_{24}(\text{S-thiaz})_2(\text{dppm})_{10}]$ und $[\text{Cu}_{48}\text{Se}_{24}(\text{S-thiazH})_2(\text{dppm})_{10}]$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 700-704.	1.2	9
135	Structural Evidences for the Oxidation of L^{\pm} -Hydroxycarboxilic Acids to Oxalate Assisted by Copper(II) Ions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 717-723.	1.2	10
136	Supramolecular Architecture of a Copper(II) Complex with Lactato and 2,2'-Dipyridylamine Showing Embedded Water Chains. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 687-689.	1.2	11
137	$\text{Pt}_{4\text{sub}}\text{S}_{4\text{sub}}$ Clusters with Functionalized Thiosemicarbazones derived from 5-Acetylbarbituric Acid. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 2255-2261.	1.2	6
138	Hydrothermal Synthesis and Characterization of a Layered Copper(II) Compound with Glycolate $[\text{HGLYCO}]^{n^-}$ and Lactate $[\text{HLACO}]^{n^-}$ Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 2420-2424.	1.2	5
139	Supramolecular architectures of neutral and cationic complexes of transition metals with lactate and 1,10-phenanthroline. <i>CrystEngComm</i> , 2006, 8, 167.	2.6	22
140	A Windmill-Shaped Hexacopper(II) Molecule Built Up by Template Core-Controlled Expansion of Diaquatetrakis($\text{1/4-adeninato-N}_3\text{N}_9$)dicopper(II) with Aqua(oxydiacetato)copper(II). <i>Inorganic Chemistry</i> , 2006, 45, 877-882.	4.0	51
141	Bonding Trends of Thiosemicarbazones in Mononuclear and Dinuclear Copper(I) Complexes: Syntheses, Structures, and Theoretical Aspects. <i>Inorganic Chemistry</i> , 2006, 45, 1535-1542.	4.0	126
142	Metal Chelates of N-(2-pyridylmethyl)iminodiacetate(2-) Ion (pmda). Part II. Ternary pmda Chelates with M = Co, Cu or Zn and Creatinine as Auxiliary Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 845-850.	1.2	6
143	Dinuclear EGTA-copper(II) chelates with imidazole as auxiliary ligand. <i>Inorganic Chemistry Communication</i> , 2006, 9, 903-906.	3.9	5
144	Synthesis, characterization and DFT calculations of a novel hexanuclear silver(I) cluster-complex containing 4-ethyl-5-pyridin-2-yl-2,4-dihydro-[1,2,4]triazol-3-thione as a result from the cyclization of 2-pyridinformamide N-4-ethylthiosemicarbazone. <i>Polyhedron</i> , 2006, 25, 3653-3660.	2.2	40

#	ARTICLE	IF	CITATIONS
145	Synthesis, Characterization, and Properties of Some Copper(II) Complexes of 2-Pyridineformamide Thiosemicarbazone (HAm4DH). European Journal of Inorganic Chemistry, 2006, 2006, 1231-1244.	2.0	31
146	Symmetrisation in the Interaction of Chloro[2-(dimethylaminomethyl)phenyl-C1]mercury(II) with Thiosemicarbazone Derivatives of Pyridine-2-carboxamide and Pyrazin-2-carboxamide. European Journal of Inorganic Chemistry, 2006, 2006, 3079-3087.	2.0	21
147	Characterization and biological activities of two copper(II) complexes with diethylenetriamine and 2,2'-bipyridine or 1,10-phenanthroline as ligands. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2005, 62, 261-268.	3.9	59
148	Synthesis and cytotoxicity of new Pt(IV) complexes of 2,2'-biimidazole and derivatives. Polyhedron, 2005, 24, 1196-1202.	2.2	21
149	Thiodiacetato-copper(II) chelates with or without N-heterocyclic donor ligands: molecular and/or crystal structures of [Cu(tda)] _n , [Cu(tda)(Him)2(H ₂ O)] and [Cu(tda)(5Mphen)]·2H ₂ O (Him=imidazole.) Tj ETQql240.7843d4 rgBT /O		
150	Influence of the phosphine arrangement on the reactivity of palladium(II) and platinum(II) polyphosphine complexes with copper(I) chloride. Inorganica Chimica Acta, 2005, 358, 2575-2584.	2.4	16
151	The first metal chelate of un-substituted 2,6-pyridine-dicarboxamide (pdcam): synthesis, molecular and crystal structure, and properties of [Cu(l(pdc)(pdcm))·2H ₂ O (pdc=2,6-pyridine-dicarboxylato(2 ⁻))] Tj ETQql 1 03784314 rgBT /Overl		
152	First discrete six-coordinate [Hg(N ₄ N ₃ S-pytsc)2] complex with a uninegative pyridine-2-carbaldehyde thiosemicarbazone. Inorganic Chemistry Communication, 2005, 8, 1094-1096.	3.9	5
153	Mixed-ligand Complexes with 2,6-Pyridinedicarboxylato(2-) and 4,7-Diphenyl-1,10-Phenanthroline Ligands, [M(l(pdc)(DPphen))(H ₂ O)]·H ₂ O (M = Co or Cu). Synthesis, Crystal Structures and Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2081-2085.	1.2	8
154	Ternary copper(II) complexes with N-carboxymethyl-L-prolinato(2 ⁻) ion and imidazole or creatinine: A comparative study of the interligand interactions influencing the molecular recognition and stability. Journal of Inorganic Biochemistry, 2005, 99, 1424-1432.	3.5	8
155	Spectral and Structural Studies of Transition Metal Complexes of 2-Pyridineformamide N(4)-ethylthiosemicarbazone. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 728-738.	1.2	18
156	Mixed-Ligand Complexes of Zinc(II) with β -Hydroxycarboxylates and Aromatic N-N Donor Ligands: Synthesis, Crystal Structures and Effect of Weak Interactions on their Crystal Packing. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 785-792.	1.2	34
157	Hydrothermal Synthesis, Crystal Structures and Effect of Non Bonding Interactions in Crystal Packing of Two Mixed-Ligand Metal Complexes with Glycolato and 2,2'-Dipiridylamine and with Benzilato and Imidazole. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2006-2010.	1.2	35
158	Variability in the Coordination Modes of 2-Pyridineformamide Thiosemicarbazone (HAm4DH) in some Zinc(II), Cadmium(II), and Mercury(II) Complexes. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2011-2019.	1.2	23
159	Mixed-ligand Copper(II) Complexes with N-isopropyl-iminodiacetato(2-) and C-phenyl-imidazole Ligands. Crystal Structures of H ₂ iPIDA, [Cu(iPIDA)(H ₂ l ⁺ im)(H ₂ O)]·3H ₂ O and [Cu(iPIDA)(H ₅ l ⁺ im)] _n . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2156-2160.	1.2	5
160	Synthesis, Characterization and Magnetic Properties of New Dinuclear Copper(II) Complexes with N,N'-Disubstituted Dithioxamides derived from L [±] -Amino Acids. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2221-2226.	1.2	5
161	Synthesis and Cytotoxicity of 2-(2 ⁻ -Pyridyl)benzimidazole Complexes of Palladium(II) and Platinum(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2005, 631, 2258-2264.	1.2	26
162	Steric control of tritylphosphines on the nuclearity of Cu(I) complexes: Syntheses and structures of the iodo-bridged [Cu ₄ (l ^{1/4} -I) ₄ (p-tolyl3P) ₄] cubane and the [Cu ₂ (l ^{1/4} -I) ₂ (o-tolyl3P) ₂] dimer. Journal of Coordination Chemistry, 2005, 58, 849-855.	2.2	14

#	ARTICLE	IF	CITATIONS
163	Syntheses, NMR (1H, 31P) spectroscopy and crystal structures of complexes of copper(I) halides with isatin-3-thiosemicarbazones. <i>Journal of Coordination Chemistry</i> , 2005, 58, 803-809.	2.2	42
164	Synthesis, spectroscopy and structure of cis,cis,trans:N,N;P,P;S,S-[bis(triphenylphosphine)][bis(pyrimidine-2-thiolato)]ruthenium(II). <i>Journal of Coordination Chemistry</i> , 2005, 58, 429-435.	2.2	11
165	Versatility of Heterocyclic Thioamides in the Construction of a Trinuclear Cluster [Cu3I3(dppe)3(SC5H4NH)] and CulLinear Polymers {Cu6(SC5H4NH)6}n·2nCH3CN and {Cul6(SC3H6N2)6X6}n(X = Br, I). <i>Inorganic Chemistry</i> , 2005, 44, 1914-1921.	4.0	77
166	Variable Coordination Mode of Chloranilic Acid. Synthesis, Structure, and Electrochemical Properties of Some Osmium Complexes. <i>Inorganic Chemistry</i> , 2005, 44, 2081-2088.	4.0	31
167	Platinum complexes of diazo ligands. Studies of regioselective aromatic ring amination, oxidative halogen addition and reductive halogen elimination reactions. <i>Dalton Transactions</i> , 2005, , 1249-1255.	3.3	37
168	Synthesis, Structure, Properties And Biological Behaviour Of The Complex [RuV(H2L) Cl2].2H2O (H4L=) Tj ETQq0 4.1 rgBT /Overlock 10		
169	Diorganotin(IV) complexes of dideprotonated pyridoxine (PN, vitamin B6). The crystal structures of [SnEt2(PN ²⁻) ² H] ⁺ ·CH3OH, [SnEt2(PN ²⁻) ² H](DMSO)] and [SnBu2(PN ²⁻) ² H] ⁺ . <i>Journal of Organometallic Chemistry</i> , 2004, 689, 620-626.	1.8	20
170	Structural and Coordinative Variability in Zinc(II), Cadmium(II), and Mercury(II) Complexes of 2-Pyridineformamide 3-Hexamethyleneiminylothiosemicarbazone. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 1096-1109.	1.2	20
171	Crystallographic report: Bis(2-diphenylglycolato-O)bis(1,10-phenanthroline-N,N ²)zinc(II),[Zn(C14H11O3)2(C12H8N2)2]. <i>Applied Organometallic Chemistry</i> , 2004, 18, 201-202.	3.5	7
172	Magnetic, spectroscopic, structural and biological properties of mixed-ligand complexes of copper(II) with N,N,N ² ,N ³ -pentamethyldiethylenetriamine and polypyridine ligands. <i>Inorganica Chimica Acta</i> , 2004, 2,4 357, 2469-2476.		77
173	Palladium(II) and platinum(II) complexes of 2-hydroxy acetophenone N(4)-ethylthiosemicarbazone – crystal structure and description of bonding properties. <i>Inorganica Chimica Acta</i> , 2004, 357, 4113-4120.	2.4	32
174	X-ray, spectral and biological (antimicrobial and superoxide dismutase) studies of oxalato bridged Cull ²⁺ Nill and Cull ²⁺ Znil complexes with pentamethyldiethylenetriamine as capping ligand. <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 231-237.	3.5	58
175	Solid state coordination chemistry of mononuclear mixed-ligand complexes of Ni(II), Cu(II) and Zn(II) with $\text{L}\pm$ -hydroxycarboxylic acids and imidazole. <i>Polyhedron</i> , 2004, 23, 1505-1518.	2.2	71
176	Spectral and structural studies of Zn and Cd complexes of 2-pyridineformamide N(4)-ethylthiosemicarbazone. <i>Polyhedron</i> , 2004, 23, 2303-2313.	2.2	30
177	Structural correlations in nickel(II)-thiodiacetato complexes: molecular and crystal structures and properties of [Ni(tda)(H2O)3]. <i>Inorganic Chemistry Communication</i> , 2004, 7, 1277-1280.	3.9	25
178	Ring-opening reactions induced by gold(I) of five- and four-coordinate palladium(II) and platinum(II) complexes containing tripodal or linear polyphosphines. <i>Dalton Transactions</i> , 2004, , 2526-2533.	3.3	8
179	Functional Superoxide Dismutase Mimics. Structural Characterization and Magnetic Exchange Interactions of Copper(II)-N-Substituted Sulfonamide Dimer Complexes. <i>Inorganic Chemistry</i> , 2004, 43, 6805-6814.	4.0	46
180	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2003, 33, 11-18.	1.1	4

#	ARTICLE	IF	CITATIONS
181	Structural Characterization of N-Methylpyridoxine (MePN; PN = Vitamin B6) and Its Diorganotin Complexes [SnR ₂ (MePN-H)]I (R = Me, Et, Bu and Ph). European Journal of Inorganic Chemistry, 2003, 2003, 2790-2797.	2.0	13
182	Dihalodimethyltin(IV) complexes of 2-(pyrazol-1-ylmethyl)pyridine. Applied Organometallic Chemistry, 2003, 17, 725-729.	3.5	6
183	An aqua-adenine H-bonding interaction controlling the formation of the rare Zn(II)-N9(adenine) bond in crystal structure of diaqua(adenine)(iminodiacetato)zinc(II). Inorganic Chemistry Communication, 2003, 6, 1354-1357.	3.9	32
184	Mono- and di-functional aromatic amines with p-alkoxy substituents as novel arylimido ligands for the hexamolybdate ion. Inorganica Chimica Acta, 2003, 342, 37-47.	2.4	39
185	Copper complexes with sulfonamides: crystal structure and interaction with pUC18 plasmid and hydrogen peroxide. Inorganica Chimica Acta, 2003, 342, 241-246.	2.4	20
186	Diphenylthallium(III) thiosemicarbazones: flexibility of coordination in the solid state and polymorphism in chloroform solution. Inorganica Chimica Acta, 2003, 347, 23-32.	2.4	20
187	Gold(III) complexes of amides of EDTA (L, L1) and PDTA (L2, L3) as model systems for gold(III)-peptide/protein interactions.. Inorganica Chimica Acta, 2003, 349, 91-96.	2.4	12
188	Structural characterisation and nuclease activity of mixed copper(II) complexes with sulfonamides and bipyridil. Inorganica Chimica Acta, 2003, 353, 139-144.	2.4	18
189	Complexes of tin(IV) halides and diorganotin(IV) dihalides with 3,5-dimethyl-1-(2-pyridyl)pyrazole. Inorganica Chimica Acta, 2003, 353, 8-14.	2.4	17
190	Crystal and molecular structure of 6-5,6-diphenyl-5-methoxy-1,2,4-triazacyclohexene-3-thione and 6-4-methyl-5,6-diphenyl-5-ethoxy-1,2,4-triazacyclohexene-3-thione. Journal of Molecular Structure, 2003, 650, 93-97.	3.6	4
191	Supramolecular self-assembly of Ph ₂ Tl(S ₂ COMe) based on a rare coordination mode of the xanthate ligand and thallium-phenyl interactions. Journal of Molecular Structure, 2003, 656, 225-230.	3.6	11
192	Oxidative DNA damage of mixed copper(II) complexes with sulfonamides and 1,10-phenanthroline. Journal of Inorganic Biochemistry, 2003, 96, 367-374.	3.5	54
193	Structural and spectral characterization of transition metal complexes of 2-pyridineformamide N(4)-dimethylthiosemicarbazone. Polyhedron, 2003, 22, 83-92.	2.2	83
194	Diorganotin(IV)-promoted deamination of amino acids by pyridoxal: SnR ₂₂₊ complexes of pyridoxal 5'-phosphate and of the Schiff base pyridoxal-pyridoxamine (PLPM), and antibacterial activities of PLPM and [SnR ₂ (PLPM-2H)] (R=Me, Et, Bu, Ph). Polyhedron, 2003, 22, 53-65.	2.2	45
195	Synthesis, crystal structure and properties of N-tert-butyliminodiacetic acid (H ₂ TEBIDA), [Cu(TEBIDA)(H ₂ O) ₂], {[Cu(TEBIDA)(Him)]·2H ₂ O} _n , {Cu(TEBIDA) (5MeHim)·H ₂ O} _n , and [Cu(TEBIDA)(2,2'-bipy)(H ₂ O)]·4.5H ₂ O, (Him=imidazole, 5MeHim=5-methylimidazole and) Tj ETQql 1 0.784314 ² gBT /Overlock 10		
196	Ring- or nitro-ring -interactions in N-(p-nitrobenzyl)iminodiacetic acid (H ₂ NBIDA) and mixed-ligand copper(II) complexes of NBIDA and imidazole (Him), 2,2'-bipyridine (bipy) or 1,10-phenanthroline (phen). Crystal structures of H ₂ NBIDA, [Cu(NBIDA)(Him)(H ₂ O)], [Cu(NBIDA)(bipy)]·3H ₂ O and [Cu(NBIDA)(phen)]·2H ₂ O. Polyhedron, 2003, 22, 1039-1049.	2.2	27
197	The interaction of 2-methyllactic acid (H ₂ mL) with divalent metal cations. The structures of [M(HmL) ₂ (H ₂ O) ₂], M=Mn(II), Zn(II). Polyhedron, 2003, 22, 1051-1057.	2.2	18
198	Pd(II) and Pt(II) complexes of 2,2'-biimidazole and its N,N-dimethyl derivative. The crystal structure of [{PtBr(DMSO)} ₂ (Me ₂ bim)] (Me ₂ bim=N,N-dimethyl-2,2'-biimidazole). Polyhedron, 2003, 22, 1113-1121.	2.2	37

#	ARTICLE	IF	CITATIONS
199	Spectral and structural studies of mercury(II) complexes of 2-pyridineformamide N(4)-dimethylthiocarbazone. <i>Polyhedron</i> , 2003, 22, 1147-1154.	2.2	35
200	A structural evidence for the preferential coordination of the primary amide group versus the unionised carboxyl group: synthesis, molecular and crystal structure, and properties of $[\text{Cu}(\text{HADA})_2]$, a new copper(II) bis-chelate ($\text{H}_2\text{ADA} = \text{N}-(2\text{-carbamoylmethyl})\text{iminodiacetic acid}$). <i>Inorganic Chemistry Communication</i> , 2003, 6, 71-73.	3.9	15
201	Two intra-molecular inter-ligand C(aromatic)-H-O(carboxyl) interactions reinforce the formation of a single Cu(II)-N(4)pza bond in the molecular recognition between pyrazine-2-carboxamide (pza) and the (iminodiacetato)copper(II) chelate. Synthesis, molecular and crystal structure and properties of $[\text{Cu}(\text{IDA})(\text{pza})(\text{H}_2\text{O})]\text{A}\cdot\text{H}_2\text{O}$. <i>Inorganic Chemistry Communication</i> , 2003, 6, 270-273.	3.9	21
202	Interligand π-π-stacking interactions giving a bi-layered 2D framework in the crystal of poly-{(N4-2,4-2-bipyridine)-1/4-(N,O,O-2,3-iminodiacetato)copper(II) hydrate}, $\{[\text{Cu}(\text{IDA})(2,4\text{-bipy})]\text{A}\cdot\text{H}_2\text{O}\}_n$. <i>Inorganic Chemistry Communication</i> , 2003, 6, 343-345.	19	
203	(OC-6-32)-Diaquabis(glycolato)cobalt(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m588-m590.	0.2	1
204	Magnetic Exchange Interactions in Dinuclear Copper(II) and Nickel(II) Complexes with -Oxalato Bridges. The Structure of -Oxalato(O, O-2, O-3, O-4)-bis{[1, 8-di(2-pyridyl)-3, 6-dithiaoctane-N, N-2, S, S-2]nickel(II)} Dinitrate Dihydrate. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1096-1103.	1.2	13
205	Design and Synthesis of a New Binucleating Ligand via Cobalt-Promoted C≡N Bond Fusion Reaction. Ligand Isolation and Its Coordination to Nickel, Palladium, and Platinum. <i>Inorganic Chemistry</i> , 2003, 42, 5367-5375.	4.0	37
206	Metal-“Heterocyclic thione interactions-15 “ reactivity of coordinated thiones of bis(pyridine-) synthesis of polynuclear complexes. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1489-1498.	2.2	5
207	Oxidative Cleavage of DNA by a New Ferromagnetic Linear Trinuclear Copper(II) Complex in the Presence of H_2O_2 /Sodium Ascorbate. <i>Inorganic Chemistry</i> , 2003, 42, 2992-2998.	4.0	131
208	Construction of a Novel Copper(I) Chain Polymer of Hexanuclear $\text{Cu}_6(2\text{-SC5H4NH})_6\text{I}_6$ Cores with A New (1/3-S) Mode of Bonding of Pyridine-2-thione and of an Unusual Triangular $\text{Cu}_3\text{I}_3(\text{dppe})_3(2\text{-SC5H4NH})$ Cluster. <i>Inorganic Chemistry</i> , 2003, 42, 7728-7730.	4.0	58
209	Copper-“Selenium Interactions: Influence of Alkane Spacer and Halide Anion in the Synthesis of Unusual Polynuclear Copper(I) Complexes with Bis(diphenylselenophosphoryl)alkanes. <i>Inorganic Chemistry</i> , 2003, 42, 4731-4737.	4.0	30
210	Synthesis and Structural Characterization of the Mixed Ligand Complex $[\text{Cu}(\text{Hml})_{2-}(\text{Phen})] \text{A}\cdot 2\text{H}_2\text{O}$ ($\text{H}_{\text{sub}}\text{ml} = 2\text{-Methyllactic Acid}$). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2003, 58, 151-154.	0.7	7
211	Chromium Complexes of an Isomeric N-Donor Ligand, 2-[(N-Arylamino)phenylazo]pyridine:“ Amination Reactions, X-ray Structure, and Redox Properties. <i>Inorganic Chemistry</i> , 2002, 41, 4531-4538.	4.0	24
212	Metal-Selenium Interactions. Crystal Structures of [Dihalo-{1, 1'-Methylene-Bis(Diphenyl Phosphine)}] H_2O /Overlock 10 Tf 5		
213	Interligand Interactions Controlling the 1/4-N7,N9-Metal Bonding of Adenine (AdeH) to the N-Benzyliminodiacetato(2-) Copper(II) Chelate and Promoting the N9 versus N3 Tautomeric Proton Transfer: Molecular and Crystal Structure of $[\text{Cu}_2(\text{NBzIDDA})_2(\text{H}_2\text{O})_2] \text{A}\cdot 3\text{H}_2\text{O}$. <i>Inorganic Chemistry</i> , 2002, 41, 6190-6192.	4.0	62
214	Intramolecular “Aryl-“Metal Chelate Ring-“-Interactions as Structural Evidence for Metalloaromaticity in (Aromatic 1,1-Diimine)-“Copper(II) Chelates: Molecular and Crystal Structure of Aqua(1,10-phenanthroline)(2-benzylmalonato)copper(II) Three-hydrate. <i>Inorganic Chemistry</i> , 2002, 41, 6956-6958.	4.0	108
215	Structural Study of Nickel(II), Copper(II), and Palladium(II) Complexes of 2-Pyridineformamide 3-Hexamethyleneiminyldithiocarbazone. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 409-415.	1.2	13
216	The Interaction of 1-Hydroxycarboxylic Acids with Metal Ions: Lactic Acid (H2L1) and 2-Methyllactic Acid (H2L2) with Cobalt(II) Crystal and Molecular Structures of $[\text{Co}(\text{HL1})_2(\text{H}_2\text{O})_2]\text{A}\cdot\text{H}_2\text{O}$ and $[\text{Co}(\text{HL2})_2(\text{H}_2\text{O})_2]$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 468-472.	1.2	19

#	ARTICLE	IF	CITATIONS
217	Coordination of ZnII, CdII, and HgII by 2-Pyridineformamide-3-piperidyl-thiosemicarbazone. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2002, 628, 492-504.	1.2	17
218	Weak Antiferromagnetism in Carboxylato Copper(II) Complexes of Bipyridines. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2002, 628, 1116.	1.2	31
219	A New Preparative Route of the “Stepped-Cubane” Tetranuclear Copper(II) Compound, $[\text{Cu}_4(\text{1/4-OH})_2(\text{1/3-OH})_2\text{Cl}_2(\text{bipy})_4]\text{Cl}_2 \cdot 6\text{H}_2\text{O}$ Dedicated to Professor Joachim Strähle on the Occasion of his 65th Birthday. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2002, 628, 907.	1.2	10
220	Strong Ferromagnetic Coupling in Linear Mixed $\text{1/4-Acetato}, \text{1/4-Hydroxo}$ Trinuclear Copper(II) Complexes with N-sulfonamide derivatives “ Synthesis, Structure, EPR and Magnetic Properties. European Journal of Inorganic Chemistry, 2002, 2002, 2094-2102.	2.0	61
221	Complexes of Co(II) and Zn(II) with Ofloxacin. Crystal Structure of $[\text{Co}(\text{oflo})_2(\text{MeOH})_2] \cdot 4\text{MeOH}$. Journal of Pharmaceutical Sciences, 2002, 91, 2416-2423.	3.3	42
222	Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with N -benzyliminodiacetato(2 \ddagger) ligands. Inorganic Chemistry Communication, 2002, 5, 800-802.	3.9	46
223	Metal-phosphine chalcogenide interactions. Crystal structures of palladium(II)/mercury(II) complexes with 1,2-bis(diphenylthiophosphinyl)ethane containing seven-membered metallacyclic rings. Polyhedron, 2002, 21, 205-209.	2.2	20
224	Structural studies of metal complexes of 2-pyridineformamide N(4)-methylthiosemicarbazone. Polyhedron, 2002, 21, 729-737.	2.2	46
225	Spectral studies and X-ray crystal structures of three nickel(II) complexes of 2-pyridineformamide 3-piperidylthiosemicarbazone. Polyhedron, 2002, 21, 859-865.	2.2	37
226	New copper(II) compound having protonated forms of ethylenediaminetetraacetate(4 \ddagger) ion (EDTA) and adenine (AdeH): synthesis, crystal structure, molecular recognition and physical properties of (AdeH2)[Cu(HEDTA)(H2O)]·2H2O. Polyhedron, 2002, 21, 1451-1457.	2.2	22
227	Metal chelates of N-(2-pyridylmethyl)iminodiacetate(2-) ion (pmda). Part I. Two mixed-ligand copper(II) complexes of pmda with N,N-chelating bases. Synthesis, crystal structure and properties of $\text{H}_2\text{pmda} \cdot 0.5\text{H}_2\text{O}$, $[\text{Cu}(\text{pmda})(\text{pca})]\text{A} \cdot 3\text{H}_2\text{O}$ ($\text{pca}=\text{1-picolylamine}$) and $[\text{Cu}(\text{pmda})(\text{Hpb})]\text{A} \cdot 5\text{H}_2\text{O}$ ($\text{Hpb}=2-(2\text{-pyridyl})\text{benzimidazole}$). Polyhedron, 2002, 21, 1485-1495.	2.2	33
228	Synthesis and characterization of sulfonamides containing 8-aminoquinoline and their Ni(II) complexes. Crystalline structures of the Ni complexes. Polyhedron, 2002, 21, 1229-1234.	2.2	30
229	Metal–heterocyclic thione interactions. 13. Pyridine-2-thione derivatives of copper(I): crystal structure of dinuclear $[\text{bromo}(\text{pyridine-2-thione})(\text{tri-p-tolylphosphine})\text{copper(I)}]_2$ complex. Polyhedron, 2002, 21, 1603-1611.	2.2	55
230	Structural studies of pyrazineformamide N4-methylthiosemicarbazone and its zinc(II) and cadmium(II) complexes formed by electrochemical oxidation. Polyhedron, 2002, 21, 1553-1559.	2.2	19
231	Copper complexes with dithiocarbamates derived from natural occurring amino acids. Crystal and molecular structure of $[\text{Cu}(\text{en})(\text{EtOH})(\text{H}_2\text{O})_3][\text{Cu}(\text{dtc-pro})_2]$. Polyhedron, 2002, 21, 1899-1904.	2.2	33
232	Solid state coordination chemistry of copper(II)/ $\text{1}\pm\text{hydroxycarboxylato}/2,2\text{-bipyridine}$ systems. Polyhedron, 2002, 21, 2811-2818.	2.2	49
233	Structural study of a zinc(II) complex with acetone 3-hexamethyleneiminylthiosemicarbazone. Journal of Molecular Structure, 2002, 604, 113-118.	3.6	15
234	The supramolecular chemistry of thiosemicarbazones derived from pyrrole: a structural view. Journal of Molecular Structure, 2002, 606, 155-173.	3.6	18

#	ARTICLE	IF	CITATIONS
235	The unexpected tridentate role of the tripodal ligand N-(carbamoylmethyl)iminodiacetato(2 ⁻) (ADA) in a new mixed-ligand nickel(II) complex with 2,2'-bipyridine (bipy) as secondary ligand: structure of [Ni(ADA)(bipy)(H ₂ O)]·4H ₂ O. Inorganic Chemistry Communication, 2002, 5, 727-729.	3.9	16
236	Crystal structure of [Cu(N-quinolin-8-yl-p-toluenesulfonamido)2]: study of its interaction with DNA and hydrogen peroxide. Journal of Inorganic Biochemistry, 2002, 88, 101-107.	3.5	33
237	Synthesis, solution and spectral studies of palladium(II) complexes with 2-hydroxyacetophenone N(3)-propylthiosemicarbazone. Crystal structure of a tripalladium complex. Inorganica Chimica Acta, 2002, 332, 204-209.	2.4	27
238	Three new modes of adenine-copper(II) coordination: interligand interactions controlling the selective N3-, N7- and bridging 1/4-N3,N7-,metal-bonding of adenine to different N-substituted iminodiacetato-copper(II) chelates. Inorganica Chimica Acta, 2002, 339, 160-170.	2.4	88
239	Copper(II) Complexes with 4-Amino-N-[4,6-dimethyl-2-pyrimidinyl]benzenesulfonamide. Synthesis, Crystal Structure, Magnetic Properties, EPR, and Theoretical Studies of a Novel Mixed 1/4 Carboxylato, NCN-Bridged Dinuclear Copper Compound. Inorganic Chemistry, 2001, 40, 3089-3096.	4.0	56
240	Unusual binding mode of the biimidazolate bridging ligand in two novel heteropolynuclear complexes with an M ₂ Ag ₂ [M = Ru(II) or Os(II)] core. Chemical Communications, 2001, , 1292-1293.	4.1	30
241	NEW ORGANOTIN XANTHATES R ₂ Sn(S ₂ COR ²⁻) ₂ AND R ₃ SnS ₂ COR ²⁻ (R = Me, Ph and R = Me, CH ₂ Ph). MOLECULAR STRUCTURE OF BIS(O-METHYL-DITHIOCARBONATO)-DIPHENYLTIN(IV), Ph ₂ Sn(S ₂ COMe) ₂ . Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2001, 31, 725-736.	1.8	9
242	Metal-selenium interactions. Crystal structure of binuclear [(1 ^l -ido)-(2 ^l -i ^o e-ido) (triphenyl) Tj ETQq0 0 0 rgBT /Overlock 10 _{1.5} ^{Tf} 50 462 T		
243	Complexes of Ni(II) and Cu(II) with ofloxacinCrystal structure of a new Cu(II) ofloxacin complex. Journal of Inorganic Biochemistry, 2001, 84, 163-170.	3.5	119
244	Crystal structure and reactivity of mononuclear cationic palladium(II) and platinum(II) triphos complexes with phenyltin(IV) anions. The formation of polynuclear platinum ⁺ triphos ionic and covalent complexes. Polyhedron, 2001, 20, 855-868.	2.2	16
245	Influence of tetrahedral distortion of CuN ₄ complexes on spectroscopic properties. Synthesis, characterization and crystal structures of [Cu(N-(2-methylpyridyl)benzenesulfonylamido)2], [Cu(N-(2-methylpyridyl)toluenesulfonylamido)2] and [Cu(N-(2-methylpyridyl)naphthalenesulfonylamido)2] compounds. Polyhedron, 2001, 20, 703-709.	2.2	27
246	Coordination polymers of copper(II) based on mixed N- and O-donor ligands: the crystal structures of [CuL ₂ (4,4'-bipy)] _n (L=lactate or 2-methyllactate). Polyhedron, 2001, 20, 899-904.	2.2	34
247	Synthesis, structure and reactivity of bromo- and aquatricarbonylrhenium(I) phosphinite and phosphonite derivatives. Polyhedron, 2001, 20, 2371-2383.	2.2	20
248	Synthesis and characterization of a potassium complex of magneson: [K(HL)(OH ₂) ₂] ²⁻ [H ₂ L=4-(4-nitrophenylazo)resorcinol (magneson)]. Polyhedron, 2001, 20, 2415-2420.	2.2	10
249	Iron(III), cobalt(II,III), copper(II) and zinc(II) complexes of 2-pyridineformamide 3-piperidylthiosemicarbazone. Polyhedron, 2001, 20, 3265-3273.	2.2	38
250	Synthesis and structural characterization of complexes of Zn(II), Cd(II) and Hg(II) halides with 2-formylpyrrole thiosemicarbazone and 2-acetylpyrrole thiosemicarbazone. Polyhedron, 2001, 20, 441-448.	2.2	36
251	Structural and spectral study of platinum(II) complexes of pyridil bis{3-piperidyl-, bis{hexamethyleneiminy-, bis{N(4)-diethyl- and bis{N(4)-dipropylthiosemicarbazones}. Polyhedron, 2001, 20, 449-454.	2.2	10
252	Structural and Spectral Study of Copper(II) Complexes of Pyridilbis{3-piperidyl-,bis{hexamethyleneiminy-,bis{N(4)-diethyl-, andbis{N(4)-dipropylthiosemicarbazones}. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2001, 627, 827-835.	1.2	13

#	ARTICLE	IF	CITATIONS
253	Mixed-Ligand Complexes of Copper(II) with $\tilde{\text{L}}$ -Hydroxycarboxylic Acids and 1,10-Phenanthroline. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2001, 627, 948-954.	1.2	44
254	Synthesis, Characterization, and Magnetic Behaviour of Dinuclear Nickel(II) Complexes of N,N a^2 -Substituted Dithiooxamides derived from $\tilde{\text{L}}$ -Amino AAcids . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2001, 627, 1553-1559.	1.2	13
255	Structural Studies of a Copper(II) Complex with Inequivalent z -Acetylpyridine 3-Piperidylthiosemicarbazone Ligands and a Nickel(II) Complex with Different Modes of Coordination by the Two Thiosemicarbazone Moieties of 1-Phenylglyoxal Bis{N(4)-diethylthiosemicarbazone}. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2001, 627, 1966-1971	1.2	20
256	Synthesis and Structural Characterization of Metal Complexes of 2-Formylpyrrole-4N-ethylthiosemicarbazone (4 a^{SEL1}) and 2-Acetylpyrrole-4N-ethylthiosemicarbazone (4 a^{SEL2}). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2001, 627, 2377-2385.	1.2	17
257	Influence on reactivity of chloro ligand substitution in mononuclear cationic Pd(II) and Pt(II) triphos complexes: X-ray structure of the nitrate derivatives. Inorganica Chimica Acta, 2001, 312, 40-52.	2.4	17
258	The crystal and molecular structures of cyclohexanone thiosemicarbazone. Journal of Chemical Crystallography, 2001, 31, 329-332.	1.1	12
259	Title is missing!. Transition Metal Chemistry, 2001, 26, 440-444.	1.4	22
260	MEPIRIZOLE COMPLEXES OF TIN(IV) HALIDES AND DIMETHYLTIN(IV) DIHALIDES. THE CRYSTAL AND MOLECULAR STRUCTURES OF [SnMe $2\text{X}_2(\text{M})$] (X = Cl, Br). Main Group Metal Chemistry, 2001, 24, .	1.6	2
261	Group 12 Metal Complexes of 2-Formylpyrrole-(4PL1) and 2-Acetylpyrrole-N(4)-phenylthiosemicarbazone (4PL2), as Examples form Different Donor Modes. Crystal and Molecular Structures of [Hg(4PL1-) $\text{Tj ETQq1 1 0.784314 rgBT /Overlock 14}$ Sciences, 2001, 56, 881-888.	0.7	14
262	Synthesis and Crystal Structure of [Bis(N-oxo-2-acetylpyridine 4N-Methylthiosemicarbazone)zinc(II)] Monohydrate. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 927-930.	0.7	0
263	THE CRYSTAL STRUCTURE OF PHENYL(THIOPHENE-2-CARBALDEHYDE) $\text{Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50.342 Td 8 (THIOSEMICARBAZONE)}$	1.6	1
264	Structural Study of a Binuclear Zinc Complex of 2,6-Diacetylpyridine Bis{N(4)-dimethylthiosemicarbazone}, [Zn(2,6Ac4DM)] 2 A^- MeCN. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 229-232.	0.7	6
265	Synthesis and Crystal Structure of a Novel Polymeric Lead(II) Complex with Thiosemicarbazone and Thiocyanate Ligands. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 517-520.	0.7	4
266	Synthesis, Characterization and Molecular Structure of 2-Pyridyl-formamide N(4)-Dimethylthiosemicarbazone and Some Five-Coordinated Zinc(II) and Cadmium(II) Complexes. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 1297-1305.	0.7	17
267	Synthesis, Spectroscopic Characterization and Crystal and Molecular Structures of $\{\text{Ph}_{\text{4}}\text{P}[(\text{SeO}_{\text{4}})_2(\text{SnPh}_{\text{3}}\text{X})]\}_n$ (X = Cl, Br). Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 233-238.	0.7	4
268	Structural Study of an N(4)-Substituted Thiosemicarbazone Prepared from 1-Phenyl-1,2-propanedione-2-oxime, and of a Related Nickel(II) Complex. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 369-374.	0.7	4
269	Homonuclear PdII and PtII and heteronuclear PdII-AuI and PtII-AuI complexes of a tripod triphosphine ligand: synthesis, characterization and reactions with molecules of biological relevance. Australian Journal of Chemistry, 2000, 53, 635.	0.9	16
270	Title is missing!. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2000, 626, 2353-2360.	1.2	8

#	ARTICLE	IF	CITATIONS
271	Triphenyltin(IV) sulfanylpropenoates: synthesis, crystal structures and antimicrobial activities. <i>Applied Organometallic Chemistry</i> , 2000, 14, 421-431.	3.5	27
272	2-(2,3-Dihydro-1,3-benzothiazol-2-yl)phenyl(diphenyl) phosphine oxide. Synthesis and characterization by IR and NMR spectroscopy and X-ray diffractometry. <i>Journal of Molecular Structure</i> , 2000, 554, 301-306.	3.6	10
273	Structural and spectral studies of a 1-N(4)-substituted thiosemicarbazone derived from 2-hydroxy-1,4-naphthaquinone. <i>Journal of Molecular Structure</i> , 2000, 520, 103-106.	3.6	8
274	Synthesis, spectroscopic characterization and X-ray crystal structure of 2-(4-methylpyridinium)-5-(4-pyridinium)-1,3-dithiolane-2,4-dicarboxylic acid dithiocyanate monohydrate. <i>Journal of Molecular Structure</i> , 2000, 522, 193-199.	3.6	1
275	Structural study of two N(3)-substituted thiosemicarbazide copper(II) complexes. <i>Journal of Molecular Structure</i> , 2000, 522, 271-278.	3.6	9
276	Crystal structure of 3 ¹² ,12 ^{1±} -dihydroxy-5 ¹² -cholan-24-oic acid (iso-deoxycholic acid). <i>Journal of Molecular Structure</i> , 2000, 523, 299-307.	3.6	6
277	Reaction of the diethyltin(IV) cation with pyridoxine (PN, vitamin B6) in the presence of various anionic species: the crystal structure of [SnEt ₂ (PNH ₂ H)]Cl. <i>Polyhedron</i> , 2000, 19, 813-819.	2.2	33
278	Coordination behaviour of sulfanilamide derivatives.. <i>Polyhedron</i> , 2000, 19, 991-1004.	2.2	74
279	Structures of 2-pyridineformamide thiosemicarbazone and its complexes with cadmium halides. <i>Polyhedron</i> , 2000, 19, 1873-1880.	2.2	39
280	Coordination chemistry of sulfamethizole: crystal structures of [Cu(sulfamethizolate) ₂ (py) ₂ (OH ₂)] \cdot H ₂ O, [M(sulfamethizolate) ₂ (py) ₂ (OH ₂) ₂] [M=Co and Ni] and {Cu(sulfamethizolate) ₂ (dmf) ₂ } \cdot z. <i>Polyhedron</i> , 2000, 19, 1859-1866.	2.2	36
281	Interactions of metal ions with a 2,4-diaminopyrimidine derivative (trimethoprim). <i>Journal of Inorganic Biochemistry</i> , 2000, 81, 275-283.	3.5	38
282	Metal \cdot heterocyclic thione interactions.. <i>Polyhedron</i> , 2000, 19, 899-906.	2.2	45
283	Title is missing!. <i>Structural Chemistry</i> , 2000, 11, 249-256.	2.0	8
284	Structural and Spectral Studies of 2-Pyridineformamide Thiosemicarbazone and its Complexes Prepared with Zinc Halides. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2000, 55, 511-518.	0.7	40
285	Electrochemical Synthesis of a 6-Coordinate Cadmium(II) Complex with N-Methylisatin N(4)-cyclohexylthiosemicarbazone. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2000, 55, 162-166.	0.7	3
286	Structural and Spectral Studies of Palladium (II) Complexes of Pyridil bis{3-Piperidyl-, bis{Hexamethyleneiminy}, bis{N(4)-Diethyl- and bis{N(4)-Dipropylthiosemicarbazone}}}. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2000, 55, 863-870.	0.7	9
287	Spectral and structural studies of metal complexes of isatin 3-hexamethyleneiminythiosemicarbazone prepared electrochemically. <i>Polyhedron</i> , 2000, 19, 1255-1262.	2.2	74
288	Reactions of diorganotin(IV) oxides with isatin 3- and 2-thiosemicarbazones and with isatin 2,3-bis(thiosemicarbazone): influence of diphenyldithiophosphinic acid (isatin \cdot ...=H-indole-2,3-dione). <i>Dalton Transactions RSC</i> , 2000, , 4056-4063.	2.3	35

#	ARTICLE	IF	CITATIONS
289	Chiral channels in a 3-D network of self-assembled tetranuclear copper(II) aggregates. <i>Chemical Communications</i> , 2000, , 1547-1548.	4.1	41
290	Diorganotin(IV) complexes of imidazole-2-carbaldehyde thiosemicarbazone ($H_2\text{ImTSC}$). The crystal and molecular structures of the SnMe_2 -free ligand and of $[\text{SnMe}_2(\text{ImTSC})]$. <i>Dalton Transactions RSC</i> , 2000, , 2267-2272.	2.3	34
291	Countercomplementarity and Strong Ferromagnetic Coupling in a Linear Mixed $\text{^{1/4}}\text{-Acetato}, \text{^{1/4}}\text{-Hydroxo}$ Trinuclear Copper(II) Complex. <i>Synthesis, Structure, Magnetic Properties, EPR, and Theoretical Studies</i> . <i>Inorganic Chemistry</i> , 2000, 39, 3608-3614.	4.0	119
292	Complexes of Group 12 Metals with 2-Acetylpyridine 4N-Dimethylthiosemicarbazone and with 2-Acetylpyridine-N-oxide 4N-Dimethylthiosemicarbazone: Synthesis, Structure and Antifungal Activity. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1999, 54, 777-787.	0.7	30
293	Structural and spectral characterization of two bis{N(4)-alkylthiosemicarbazones} of 1-phenylglyoxal. <i>Journal of Molecular Structure</i> , 1999, 477, 1-6.	3.6	14
294	Synthesis and crystal structure of $\text{^{1/6}}$ 4-methyl-5,6-diphenyl-5-hydroxy-1,2,4-triazacyclohexene-3-thione, a 1-dimensional supramolecule. <i>Journal of Molecular Structure</i> , 1999, 478, 73-79.	3.6	9
295	Structural and spectral characterization of two 1-phenyl-1,2-propanedione bis{N(4)-alkylthiosemicarbazones}. <i>Journal of Molecular Structure</i> , 1999, 510, 157-163.	3.6	9
296	Structural and spectral studies of 1-phenylglyoxal bis(3-piperidylthiosemicarbazone) and its zinc(II), cadmium(II) and platinum(II) complexes. <i>Polyhedron</i> , 1999, 18, 1463-1469.	2.2	35
297	Spectral and structural studies of iron(III), cobalt(II,III) and nickel(II) complexes of 2-pyridineformamide N(4)-methylthiosemicarbazone. <i>Polyhedron</i> , 1999, 18, 2919-2929.	2.2	205
298	N,N ^2 -substituted dithiooxamides derived from alkyl- \pm -amino acids or from glycylglycine: acid dissociation properties in aqueous solution and crystal and molecular structures of N,N ^2 -bis(carboxymethyl) dithiooxamide (GLYDTO) and N,N ^2 -bis(1-carboxyethyl) dithiooxamide (ALADTO). <i>Polyhedron</i> , 1999, 18, 3313-3319.	2.2	7
299	Methylmercury and dimethylthallium complexes of 5-(4 ^2 -dimethylaminobenzylidene)-2-thiohydantoin (HDABTd). <i>Polyhedron</i> , 1999, 18, 3653-3659.	2.2	12
300	Synthesis, characterization and antifungal activity of group 12 metal complexes of 2-acetylpyridine-4N-ethylthiosemicarbazone (H4EL) and 2-acetylpyridine-N-oxide-4N-ethylthiosemicarbazone (H4ELO). <i>Polyhedron</i> , 1999, 18, 3695-3702.	2.2	87
301	Synthesis, structure, spectroscopic properties and biological activity of mixed diorganotin(IV) complexes containing pyridine-2-carbaldehyde thiosemicarbazone and diphenyldithiophosphinate ligands. <i>Journal of Inorganic Biochemistry</i> , 1999, 76, 277-284.	3.5	32
302	[CuCl(C ₁₂ H ₉ N ₂ O ₅)(C ₁₂ H ₁₀ N ₂ O ₅)(H ₂ O)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999, 55, 878-880.	0.4	4
303	Structural study of the electrochemically synthesized binuclear complex bis{1-phenylglyoxal bis(3-piperidylthiosemicarbazone)zinc(II)}. <i>Inorganica Chimica Acta</i> , 1999, 294, 79-82.	2.4	14
304	Synthesis, characterization and crystal structures of rhenium(V) complexes with diphosphines. <i>Inorganica Chimica Acta</i> , 1999, 294, 47-55.	2.4	34
305	Crystal structures of two new heptamolybdates and of a pyrazole incorporating a $\text{^{13}}$ -octamolybdate anion. <i>Inorganica Chimica Acta</i> , 1999, 295, 106-114.	2.4	39
306	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 642-647.	1.4	26

#	ARTICLE	IF	CITATIONS
307	Synthesis, Structural Characteristics and Biological Activities of Complexes of ZnII, CdII, HgII, PdII, and PtII with 2-Acetylpyridine 4-Methylthiocarbazole. <i>European Journal of Inorganic Chemistry</i> , 1999, 1999, 965-973.	2.0	60
308	Diorganotin dihalide complexes of N-bidentate ligands: crystal structures of diethyldibromo- and dibutylchloro[bis(1-methyl-2-imidazolylthio)methane]tin(IV). <i>Applied Organometallic Chemistry</i> , 1999, 13, 69-77.	3.5	22
309	Preparation, Structural Characterization, and Antifungal Activities of Complexes of Group 12 Metals with 2-Acetylpyridine- and 2-Acetylpyridine-N-oxide-4N-phenylthiocarbazones. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 1999, 625, 961-968.	1.2	40
310	Gold(II)-induced chelate ring-opening of palladium(II) and platinum(II) triphos complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2861-2870.	1.1	33
311	Pyridine-2-thione derivatives of silver(I) and mercury(II): crystal structures of dimeric [bis(diphenylphosphino)methane][(1-oxo-pyridine-2-thionato)silver(I)], [2-(benzylsulfanyl)pyridine 1-oxide]dichloromercury(II) and phenyl(pyridine-2-thionato)mercury(II)â€Sâ€. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1819-1824.	1.1	29
312	Lanthanide(III) complexes of two oxaazadiamine macrocyclic ligands derived from 2,6-diformylpyridine: the crystal structures of a reduced macrocyclic ligand and the corresponding diprotonated macrocycle. <i>Inorganica Chimica Acta</i> , 1998, 282, 42-49.	2.4	16
313	Cyclometallated semicarbazone complexes of palladium(II). Crystal and molecular structure of [{Pd[C6H4C(Et)â€...NN(H)C(â€...O)NH2]}2(Ph2P(CH2)3PPh2)][ClO4]2. <i>Journal of Organometallic Chemistry</i> , 1998, 556, 21-30.	1.8	43
314	Reactivity of functionalised cyclometallated complexes of palladium(II). Crystal and molecular structure of [Pd{3-(CHO)C6H3C(H)â€...NCy}(Br)(PEtPh2)]. <i>Journal of Organometallic Chemistry</i> , 1998, 556, 31-39.	1.8	18
315	1-Cyclopentyluracils: Synthesis and conformational analysis by X-ray crystallography and AM1 theoretical calculations. <i>Journal of Molecular Structure</i> , 1998, 448, 69-75.	3.6	3
316	New mixed-ligand copper(II) complex as a model for the metal-binding role of 2-aminomethylbenzimidazole, a chelating anchor group used in ion-exchanger polymers. <i>Synthesis, molecular and crystal structure and properties of (2-aminomethylbenzimidazole)(iminodiacetato)copper(II), [Cu(IDA)(2AMB zImH)]</i> . <i>Reactive and Functional Polymers</i> , 1998, 36, 211-216.	4.1	20
317	1-Acetyl-2-thiohydantoin. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 427-428.	0.4	5
318	N,N'-Bis(2-pyridylmethyl)dithioxamide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 1130-1131.	0.4	1
319	(1,1'-Dimethyl-2,2'-biimidazole-N3,N3')diiodoplatinum(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 1777-1779.	0.4	8
320	Spectral and structural studies of metal complexes of 1-phenylglyoxal bis { {N (3 -diethylthiocarbazole} }. <i>Polyhedron</i> , 1998, 17, 2751-2757.	2.2	47
321	Synthesis of [2-(pyridin-2â€²-yl)phenyl]-mercury(II) arylthiocarbazonates: An unusual coordination mode of a deprotonated 2-formyl-(2-hydroxy-benzene)-thiocarbazole. <i>Polyhedron</i> , 1998, 17, 3701-3709.	2.2	39
322	Palladium(II) complexes of 2-acetyl- and 2-formylpyridine 3-hexamethyleneimino- thiosemicarbazones; a synthetic, spectral and structural study. <i>Polyhedron</i> , 1998, 17, 3739-3745.	2.2	24
323	The chemistry of pyridine thiols and related ligandsâ€”8. Synthesis, NMR spectroscopy and crystal structure of first trans-[bis(pyridine-2-thiolato-S)-bis(triphenyl phosphine) platinum(II)]. <i>Polyhedron</i> , 1998, 17, 3753-3758.	2.2	30
324	Reactions of N,Nâ€²-dicarboxamido-N,Nâ€²-dicarboxymethyl-1,2-diaminoethane (EDTAâ€“diamide) with hydrated ruthenium(III) chloride and potassium tetrachloroplatinate(II). Crystal and molecular structures of the pentadentate EDTAâ€“H complex NH4[Ru(EDTAâ€“H)Cl] â· 2H2O and the EDTAâ€“imide complex PtCl2[2(HOOCCH2)NCH2CH2NCH2CONHCOCH2] â· 2H2O. <i>Polyhedron</i> , 1998, 18, 49-55.	2.2	14

#	ARTICLE	IF	CITATIONS
325	Chelate ring-opening of Pd(II) triphos complexes:. Polyhedron, 1998, 18, 383-389.	2.2	23
326	Chemistry of ruthenium(II) complexes of N-substituted 1,2-benzoquinone diimines. Synthesis, structure and redox properties. Journal of the Chemical Society Dalton Transactions, 1998, , 2901-2906.	1.1	46
327	Supramolecular organization in catena-poly{diethyl[3-(2-pyridyl)-2-sulfanylpropenoato]tin(IV)} and related diorganotin(IV) sulfanylcarboxylato compounds. Journal of the Chemical Society Dalton Transactions, 1998, , 1513-1522.	1.1	45
328	Different Ground Spin States in Iron(III) Complexes with Quadridentate Schiff Bases: Synthesis, Crystal Structures, and Magnetic Properties. Inorganic Chemistry, 1998, 37, 5102-5108.	4.0	65
329	Synthesis and Crystal Structure of a Novel Neutral Polymeric Lead(II)-thiosemicarbazone Complex. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1998, 53, 81-86.	0.7	6
330	In Search of New Tyrosinase Mimetics: Acyclic Polyaminic Ligands of Benzo[g]Phthalazine Able to Form Dinuclear Complexes with Cu(II)., 1998, , 475-478.	0	
331	Ruthenium(iii)-promoted oxidative dimerization of aniline to N-phenyl-1,2-phenylenediamine. Definitive proof for the template reaction. Chemical Communications, 1997, , 1267-1268.	4.1	45
332	Symmetrisation, isomerism and structural studies on novel phenylmercury(II) thiosemicarbazones: correlation of the energy barrier to rotation of the amino group with the bonding parameters of the thioamide group. Journal of the Chemical Society Dalton Transactions, 1997, , 4289-4300.	1.1	105
333	Direct electrochemical synthesis and crystal structure of tris(pyridine-2-selenolato)indium(III). Inorganica Chimica Acta, 1997, 255, 307-311.	2.4	32
334	Title is missing!. Transition Metal Chemistry, 1997, 23, 25-28.	1.4	28
335	Cobalt(III) complexes of formyl- and acetylpyrazine N(4)-substituted thiosemicarbazones. Transition Metal Chemistry, 1997, 22, 447-452.	1.4	20
336	Synthesis and structure of 5-methoxy-4-methylbenzopsoralen. Structural Chemistry, 1997, 8, 453-457.	2.0	1
337	The crystal structure and hydrolysis equilibrium of triphenyl(2-mercaptop-1-methylimidazolato)tin(IV). Polyhedron, 1997, 16, 795-800.	2.2	77
338	Supramolecular self-organization in methyl(di phenylphosphinothioato)mercury(II), HgMeOPPh ₂ , a polymer containing 1 Hg ²⁺ P ₂ S ₂ eight-membered rings interconnected through secondary Hg-S bonds. Polyhedron, 1997, 16, 781-787.	2.2	22
339	The chemistry of pyridinethiols and related ligands VII. Preparation and spectroscopy of mixed-ligand copper(I) complexes: the crystal structure of first mixed-ligand dinuclear [iodo(pyridine-2-thione)(tri-p-tolylphosphine)copper(I)] ₂ complex. Polyhedron, 1997, 16, 4023-4031.	2.2	37
340	Cyclometallated complexes of palladium(II) with 1-methyl-2-phenylimidazole and tertiary diphosphines. Crystal and molecular structure of [Pd[<i>o</i> -C ₆ H ₄ C=NC(H)=C(H)NMe](Ph ₂ PCH(Me)PPh ₂ -P,P)][PF ₆]. Journal of Organometallic Chemistry, 1997, 547, 297-307.	1.8	19
341	Tandem Benzyne Cycloadditions Leading to Polycyclic Compounds. Australian Journal of Chemistry, 1997, 50, 751.	0.9	4
342	Electrochemical Synthesis of Zinc and Cadmium Complexes with N-[{(2-pyrrolyl)methylidyne]-N'-tosylbenzene-1,2-diamine. The Crystal Structure of Bis-{N-[{(2-pyrrolyl)methylidene]-N'-tosylbenzene-1,2-diaminato}zinc(II)}. Acta Chemica Scandinavica, 1997, 51, 672-675.	0.7	23

#	ARTICLE	IF	CITATIONS
343	Electronic and steric effects in manganese Schiff-base complexes as models for the water oxidation complex in photosystem II. The isolation of manganese-(II) and -(III) complexes of 3- and 3,5-substituted N,N'-bis(salicylidene)ethane-1,2-diamine (H ₂ salen) ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 2935-2944.	1.1	110
344	Electrosynthesis and studies of adducts of 2-amino-1-methylbenzimidazole with metal chelates based on 2-tosylamino-N-salicylideneaniline. <i>Russian Chemical Bulletin</i> , 1996, 45, 1988-1992.	1.5	8
345	Mixed-ligand copper(II) complexes with N-methyl derivatives of iminodiacetato or imidazole: crystal structures of (N-methyl-iminodiacetato) (imidazole) copper(II), [Cu(MIDA) (ImH)] and diaqua <i>Inorganica Chimica Acta</i> , 1996, 241, 39-45.	2.4	27
346	Reactions of 1,2-diaminoethane-N,N,N',N'-tetra(N-methylacetamide), L, with potassium tetrachloroplatinate(II). Crystal and molecular structures of Pt(LH ₂) ₂ Cl ₂ ·2H ₂ O, a novel platinum(IV) complex containing deprotonated amide ligands, and of (2H ⁺ +L) [PtCl ₄]. <i>Inorganica Chimica Acta</i> , 1996, 245, 257-263.	2.4	11
347	Synthesis and characterization of metal(II)-8-quinolinsulfonamido (sa ⁻) complexes (M = Co, Ni, Cu,) Tj ETQq1 1 0.784314 rgBT /Over <i>Journal of Inorganic Biochemistry</i> , 1996, 62, 31-39.	3.5	38
348	The influence of hydrogen bonding, hydration and the R substituent on the structure of [SnR ₂ (Hmimt) ₄] (NO ₃) ₂ complexes [Hmimt = 1-methyl-2(3H)-imidazolinethione]. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diphenyltin(IV) nitrate dihydrate. <i>Polyhedron</i> , 1996, 15, 891-896.	2.2	16
349	Aqua(IODO)(pyridine-1-oxide-2-carboxylate)cadmium(II), [Cd(C ₆ H ₄ NO ₃)I(H ₂ O)], A compound with bidimensional supramolecular self-organization. <i>Polyhedron</i> , 1996, 15, 1923-1930.	2.2	10
350	Synthesis, characterization and potentiometric studies of trans-dioxorhenium(V) complexes. X-ray crystal structure of [ReO ₂ (tn) ₂]I ₂ ·H ₂ O. <i>Polyhedron</i> , 1996, 15, 4341-4347.	2.2	19
351	Thiazole complexes of diorganotin(IV) dihalides: the crystal structure of dichlorodiphenylbis(thiazole) tin(IV). <i>Journal of Organometallic Chemistry</i> , 1996, 506, 253-258.	1.8	18
352	The crystal structure of the salts [Hthiamine][SnMe ₂ (H ₂ O)Cl ₃]Cl and [Hthiamine][SnPh ₂ Cl ₄]H ₂ O: competition between water and chloride for coordination to diorganotin dihalides. <i>Journal of Organometallic Chemistry</i> , 1996, 517, 165-172.	1.8	36
353	Tris{2-[4-chlorophenyl]iminomethyl}pyrrolato-N,N'cobalt(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996, 52, 2734-2736.	0.4	5
354	SYNTHESIS, STRUCTURE AND SPECTROSCOPIC PROPERTIES OF DIMETHYL(DIETHYLMONOTHOICARBAMATO)THALLIUM(III), [TlMe ₂ {S(O)CNEt ₂ }]. <i>Main Group Metal Chemistry</i> , 1996, 19, .	1.6	8
355	PHOTOCHEMICAL ACTIVATION OF CARBON DIOXIDE BY VISIBLE LIGHT MEDIATED BY COBALT(II) AND NICKEL(II) COMPLEXES OF 1,6-BIS(BENZIMIDAZOL-2-YL)-2,5-DITHIAHEXANE (BBDH). <i>Journal of Coordination Chemistry</i> , 1996, 40, 253-271.	2.2	6
356	1,1'-Dimethyl-4,5'-dinitro-2,2'-biimidazole, C ₈ H ₈ N ₆ O ₄ . <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995, 51, 1414-1416.	0.4	0
357	Bis(1,1'-dimethyl-5-nitro-2,2'-biimidazol-3'-ium) trans-Tetrachlorodimethylstannate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995, 51, 2561-2563.	0.4	3
358	Dinuclear complexes of cobalt(II) with N,N'-substituted dithioxamides derived from α -aminoacids. <i>Transition Metal Chemistry</i> , 1995, 20, 477-480.	1.4	10
359	Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclo[3.2.2]nonylthiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3.2.2]nonylthiosemicarbazone complex. <i>Transition Metal Chemistry</i> , 1995, 20, 228.	1.4	24
360	Electrochemical synthesis and structural characterization of nickel(II) and copper(II) complexes of tridentate schiff bases: Molecular structure of the five-coordinated copper(II) complex: 1,10-phenanthroline {2-[2-(oxyphenyl)iminomethyl]phenolato}copper(II). <i>Polyhedron</i> , 1995, 14, 663-670.	2.2	48

#	ARTICLE	IF	CITATIONS
361	Crystal and molecular structure of diphenylthallium(III) tetraphenyldithioimidodiphosphinate, $[TlPh_2\{SPh_2\}N]$, containing a new inorganic (carbon-free) TlS_2P_2N metallocycle. <i>Polyhedron</i> , 1995, 14, 805-809.	2.2	19
362	The $CdCl_2$ /thiamine (vitamin B1) system: Crystal structure and spectroscopic properties of the new complex trans-[$Cd(\text{thiamine})_2Cl_4$]. <i>Polyhedron</i> , 1995, 14, 1825-1829.	2.2	13
363	The X-ray crystal structure of bis(dicyclohexyldithiophosphato)cadmium(II). <i>Polyhedron</i> , 1995, 14, 2055-2058.	2.2	19
364	Electrochemical synthesis of manganese(II) complexes of pyrimidine-2-thiones: The crystal structures of bis-4,6-dimethylpyrimidyl-2,2- μ -disulphide and 1,10-phenanthroline-bis(4,6-dimethylpyrimidine-2-thiolato)manganese(II). <i>Polyhedron</i> , 1995, 14, 2841-2847.	2.2	33
365	Synthesis, characterization, and crystal structure of $[Cu(\text{cinnoxinate})_2] \cdot 2H_2O$ complex: A square-planar CuO_4 chromophore. Antibacterial studies. <i>Journal of Inorganic Biochemistry</i> , 1995, 59, 801-810.	3.5	110
366	COPPER(II) COMPLEXES OF N-CARBOXYMETHYL-D,L-THREONINE IN AQUEOUS SOLUTION. STRUCTURE OF AQUA (N-CARBOXYMETHYL-D,L-THREONINATO (2-)) COPPER(II). <i>Journal of Coordination Chemistry</i> , 1995, 34, 139-148.	2.2	4
367	Protodemettalation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal and molecular structures of $[TlPh_2\{S_2P(C_6H_{11})_2\}]$, $[Tl\{S_2P(C_6H_{11})_2\}_2]_2$ and $[Tl\{S_2P(C_6H_{11})_2\}_3] \cdot CHCl_3$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 1403-1409.	1.1	19
368	STRUCTURES AND PROPERTIES OF COPPER(II) COMPLEXES WITH IMINODIACETATO AND IMIDAZOLE OR RELATED LIGANDS. I. CRYSTAL STRUCTURE OF AQUA(IMIDAZOLE) (IMINODIACETATO)COPPER(II) MONOHYDRATE AND (IMIDAZOLE)(<i>N</i> -CARBOXYMETHYL-D,L-THREONINATO)COPPER(II). <i>Journal of Coordination Chemistry</i> , 1995, 35, 61-72.	2.2	22
369	The first reported structure of a platinum(IV) complex containing deprotonated amide ligands—a model for platinum(IV)-peptide/protein interactions. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, .	2.0	5
370	Synthesis and structure of 1,10-phenanthroline bis {2-[(2-pyrrole) methylimino]phenolato}cobalt(II). <i>Journal of Chemical Crystallography</i> , 1994, 24, 469-472.	1.1	11
371	Dicyclohexyldithiophosphinates and diethyldithiophosphinates of methylmercury(II) and phenylmercury(II): crystal and molecular structure of $[HgPh(S_2PEt_2)]$. <i>Journal of Organometallic Chemistry</i> , 1994, 468, 1-6.	1.8	29
372	Crystal and molecular structure of spirobicyclic bis(tetraphenyldithioimidodiphosphinato)lead(II), $[Pb(SPh_2)_2N]_2$, containing a new inorganic (carbon-free) PbS_2P_2N chelate ring and $Pb(\bar{I}\cdot C_6H_5)$ interactions. <i>Polyhedron</i> , 1994, 13, 2873-2879.	2.2	52
373	Synthesis and structure of 1,10-phenanthroline bis{[2-(2-pyrrole)-methylimino]4-methylphenolato}nickel(II). <i>Transition Metal Chemistry</i> , 1994, 19, 343.	1.4	15
374	Cobalt(III) complexes with 2-acetyl- and 2-formylpyridine 4N-methylthiosemicarbazones. <i>Inorganica Chimica Acta</i> , 1994, 216, 229-236.	2.4	48
375	Synthesis, characterization and crystal structure of $(C_3H_5N_2)_2[Sn_2(NO_3)_4\overset{\sim}{(1/4-OH)}_2Me_4]$, a di- $\bar{I}\cdot$ hydroxo-bridged compound with heptacoordinated tin(IV). <i>Inorganica Chimica Acta</i> , 1994, 216, 257-260.	2.4	16
376	Synthesis and spectroscopic properties of diorganotin(IV) derivatives of 2,6-diacylpyridine bis(thiosemicarbazone). Crystal structure of diphenyl{2,6-diacylpyridine bis(thiosemicarbazone)}tin(IV) bis(dimethylformamide) solvate. <i>Inorganica Chimica Acta</i> , 1994, 221, 61-68.	2.4	46
377	Direct electrochemical synthesis of tin(IV) complexes of 2-(2-mercptoethyl)iminomethyl-phenols; the molecular structure of bis{2-(2-mercptoethyl)iminomethyl-5-bromo-phenoxy}tin(IV). <i>Inorganica Chimica Acta</i> , 1994, 223, 87-92.	2.4	23
378	Supramolecular self-organization in catena-poly [dimethyl(diphenylphosphinothioato)thallium(III)], $[TlMe_2\{S(O)PPh_2\}_n$, a polymer with secondary interactions between the chain segments. <i>Polyhedron</i> , 1994, 13, 1805-1809.	2.2	23

#	ARTICLE	IF	CITATIONS
379	The crystal structure of tetraethylammonium trichlorodiphenylstannate(IV). Journal of Organometallic Chemistry, 1994, 469, 41-44.	1.8	13
380	Stereochemistry of copper(II) complexes of 1-(pyridine-2-yl)-3-methyl-3,6-diazahheptane (PDAHP). Crystal structures of Cu(PDAHP)X2 (X → Cl, Br, NO3). Polyhedron, 1994, 13, 435-440.	2.2	2
381	Thiamin acetate, C ₁₂ H ₁₇ N ₄ O ₅ ·C ₂ H ₃ O ₂ ·. Acta Crystallographica Section C: Crystal Structure Communications, 1994, 50, 1265-1267.	0.4	0
382	SYNTHESIS AND CRYSTAL STRUCTURE OF $\tilde{\text{I}}^+$, L-TRIS-METHYLENEBIS-[DIPHENYLPHOSPHINE OXIDE]NICKE(II) DIPERCHLORATE METHANOL SOLVATE. Journal of Coordination Chemistry, 1994, 33, 353-362.	2.2	9
383	Synthesis of 3-trimethylsilylpyridine-2-thione (3-Me ₃ SiPytH) complexes of nickel, copper, zinc and cadmium: crystal and molecular structure of [Cd(3-Me ₃ SiPyt) ₂]. Inorganica Chimica Acta, 1993, 211, 47-54.	2.4	39
384	Ni(II) and Zn(II) complexes with cinoxacin. Synthesis and characterization of M(Cx) ₂ (DMSO) _n (H ₂ O) _m (n=0, 2; m=2, 4). Crystal structures of [M(Cx) ₂ (DMSO) ₂] \cdot 4H ₂ O (M=Ni(II), Zn(II)). Inorganica Chimica Acta, 1993, 211, 133-139.	2.4	69
385	A Co(III) complex of carbonic anhydrase inhibitor methazolamide and the amino-imino a^- ab e^{TM} ligand formed by reaction of acetone and ammonia. Inorganica Chimica Acta, 1993, 205, 79-84.	2.4	14
386	Electrochemical synthesis of Co, Ni, and Zn complexes with 2-Pyrrole-[N-(o-hydroxyphenyl)methylimines]: The crystal structure of 2,2'-Bipyridine bis{2-[{(2-pyrrole)methylimino}5-methylphenolato]}nickel(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1993, 619, 601-607.	1.2	24
387	Crystal and molecular structure of [diaqua{1,6-bis(benzimidazol-2-yl)-2,5-dithiahexane} cobalt(II)] dinitrate monohydrate. Journal of Crystallographic and Spectroscopic Research, 1993, 23, 891-893.	0.2	3
388	Crystal and molecular structure of cadmium(II) dihydroxy-bis(1,10-phenanthroline). Journal of Crystallographic and Spectroscopic Research, 1993, 23, 895-897.	0.2	5
389	Molecular structure and spectral studies of bis(acetylpyrazine) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 342 Td (4N-dimethylthiose	2.2	22
390	Complexes of 1,6-bis(benzimidazol-2-YL)-2,5-dithiahexane (BBDH) with zinc(II), cadmium(II) and mercury(II) halides. Crystal structure of [Hg(BBDH)][Cl ₂] \cdot C ₂ H ₅ OH. Polyhedron, 1993, 12, 1655-1660.	2.2	11
391	Nickel(II) complexes of 1,7-bis(benzimidazol-2-yl)-2,6-dithiaheptane (BBDHP). Crystal and molecular structure of [Ni ₂ (BBDHP) ₂ ($\text{Cl}^{\frac{1}{2}}$) ₂]Cl ₂ \cdot 5H ₂ O \cdot 2EtOH and Ni(BBDHP)Br ₂ \cdot EtOH \cdot ButOH. Polyhedron, 1993, 12, 1083-1092.	2.2	20
392	Structure of diaqua[1,8-bis(2-pyridyl)-3,6-dithiaoctane-N,N',S,S']nickel(II) diperchlorate at 243 K. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 324-326.	0.4	7
393	Aqua[1,8-di(2-pyridyl)-3,6-dithiaoctane-N,N',S,S'](nitrate-O)nickel(II) nitrate. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 1918-1920.	0.4	5
394	OBSERVATIONS ON THE CONFORMATION OF IMINODIACETATE(2-) ION IN MIXED LIGAND COPPER(II) COMPLEXES WITH NITROGEN HETEROCYCLES AS SECONDARY LIGANDS. CRYSTAL STRUCTURE OF (2,2 a^2 -BYPYRIDINE)(IMINODIACETATO)COPPER(II) HEXAHYDRATE. Journal of Coordination Chemistry, 1993, 30, 273-281.	2.2	28
395	Electrochemical Synthesis of N-Oxopyridine-2-thionate Complexes of Cd(II): The Crystal Structure of Bis(2,2 a^2 -bipyridine)(N-oxopyridine-2-thionate) Cadmium(II) Perchlorate 1/4 (Bipyridine). Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1993, 48, 431-437.	0.7	12
396	Direct Electrochemical Synthesis of Pyrimidine-2-thionato Complexes of Zinc(II) and Cadmium(II): The Crystal Structure of (1,10-Phenanthroline)bis(pyrimidine-2-thionato)cadmium(II). Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1992, 47, 1067-1074.	0.7	42

#	ARTICLE	IF	CITATIONS
397	Electrochemical synthesis of metal complexes of schiff bases: The crystal structure of bis{2-[(4-methylphenyl)iminomethyl]pyrrolato}copper(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1992, 615, 155-160.	1.2	23
398	The electrochemical synthesis of zinc(II) complexes of 2-(2-mercaptophenyl)-imino-phenols and the crystal structure of bis[N,N ² -dithiobis(ethylene)](4,6-dimethoxysalicylideneiminato)zinc(II). Polyhedron, 1992, 11, 53-57.	2.2	27
399	Coordination compounds of methazolamide. Synthesis, spectroscopic studies and crystal structures of [M(Methazolamidato)2(py)2(OH2)2] (M → Coll, Nill and Cull). Polyhedron, 1992, 11, 2849-2856.	2.2	15
400	Synthesis and crystal structure of [Cu2(phen)2(1/4-TTFTCH)2Cd2(hFacac)2]·2CH3CN [TTFTCH = 1,3,5-tris(trifluoromethyl)-1,3,5-trioxycyclohexane trianion]. Polyhedron, 1992, 11, 1195-1200.	2.2	9
401	Phenylmercury(II) dithiophosphates. Crystal structure of (O,O ² -diethyldithiophosphate) phenylmercury(II). Journal of Crystallographic and Spectroscopic Research, 1992, 22, 403-409.	0.2	17
402	Synthesis, and spectral and X-ray characterization, of methylmercury(II) and dimethylthallium(III) complexes of 2-furanthiocarboxyhydrazide. Inorganica Chimica Acta, 1992, 197, 163-168.	2.4	5
403	Structure of tetrakis(N,N-dimethylbenzenecarbothioamide-S)cadmium(II) diperchlorate monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 1992, 48, 2215-2218.	0.4	1
404	Coordination behaviour of methazolamide. II. Synthesis and characterization of Co(II) and Zn(II) methazolamide complexes. Crystal structure of [Co(methazolamide)(4-imino-2-methyl-2-pentamine)2(NH3)][NO3]2 2H2O.. Journal of Inorganic Biochemistry, 1991, 43, 687.	3.5	0
405	Reaction of dimethylhydroxythallium(III) with 2-thiorotic acid. Crystal structure of dimethyl(2-thiorotato)thallium(III) monohydrate. Inorganica Chimica Acta, 1991, 181, 43-49.	2.4	22
406	Synthesis of cyclometallated compounds of N-(3-methoxy)benzylidenecyclohexylamine. Crystal structure of the novel cyclometallated bipalladium(II) complex [(mbcy-C6,N)Pd{1/4-Ph2PC(→CH2)PPh2}(1/4-Cl)Pd(mbcy-C6,N)]Cl·4CHCl3. Inorganica Chimica Acta, 1991, 179, 171-178. ^{2,4}	2.4	16
407	Electrochemical synthesis of pyridine-2-thionato complexes of zinc(II) and cadmium(II): the crystal structure of 1,10-phenanthroline-bis(pyridine-2-thionato)zinc(II). Polyhedron, 1991, 10, 197-202.	2.2	43
408	Structure of mer-trichlorotris(N-methylimidazole)thallium(III). Acta Crystallographica Section C: Crystal Structure Communications, 1991, 47, 1406-1408.	0.4	4
409	Structure of diaqua-1,6-bis(benzimidazol-2-yl)-2,5-dithiahexanecobalt(II) iodide monohydrate at 233 K. Acta Crystallographica Section C: Crystal Structure Communications, 1991, 47, 1725-1727.	0.4	2
410	Structure of dichloro(iodo)bis(triphenylphosphine oxide)thallium(III) at 223 K. Acta Crystallographica Section C: Crystal Structure Communications, 1991, 47, 1738-1740.	0.4	4
411	Structure of 1,7-bis(benzimidazol-2-yl)-2,6-dithiaheptanecopper(I) perchlorate at 233 K. Acta Crystallographica Section C: Crystal Structure Communications, 1991, 47, 1736-1738.	0.4	3
412	Crystal and molecular structure of tribromo(pyridine-N-oxide)thallium(III). Journal of Crystallographic and Spectroscopic Research, 1991, 21, 93-96.	0.2	8
413	Copper(II) complexes of 1-(pyridine-2-yl)-3-methyl-3,6-diazahexane (PDAHP). X-ray crystal structure of Cu(PDAHP)Cl2. Polyhedron, 1991, 10, 1675-1682.	2.2	7
414	Synthesis and characterization of copper(II) complexes of 1,5-bis(quinoline-8-yl)-1,5-dithiapentane. crystal and molecular structure of [Cu(BQDTP)(NO3)(OH2)](NO3). Polyhedron, 1991, 10, 1579-1585.	2.2	17

#	ARTICLE	IF	CITATIONS
415	Kristallstruktur von [Co(C ₁₈ H ₁₈ N ₄ S ₂)(OH ₂)(ONO ₂)](NO ₃) · H ₂ O. Zeitschrift Fur Kristallographie - Crystalline Materials, 1990, 193, 251-259.	0.8	6
416	Structure of bis{N-[2-(2-pyridyl)ethyl]-3-ethoxysalicylideneaminato}copper(II). Acta Crystallographica Section C: Crystal Structure Communications, 1990, 46, 770-772.	0.4	5
417	Structure of diaqua[1,6-bis(2-benzimidazolyl)-2,5-dithiahexane]nickel(II) diperchlorate monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 1990, 46, 1739-1741.	0.4	2
418	Direct electrochemical synthesis and crystal structure of the Zinc(II) Carbamato Complex { [N-methyl-N ² -[(2-pyrrolyl)-methylene]ethylenediamine] [N-methyl-N-[2-[(2-pyrrolato)-methyleneamino]ethyl]carbamato] } zinc(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1990, 586, 203-208.		
419	Darstellung, Eigenschaften und Kristallstruktur von [Diaqua-1,6-bis(benzimidazol-2-yl)-2,5-dithiahexan-nickel(II)]dibromid-Dihydrat / Synthesis, Properties and Molecular Structure of [Diaqua-1,6-bis(benzimidazol-2-yl)-2,5-dithiahexane-nickel(I I)]dibromide Dihydrate. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1990, 45, 1267-1272.	0.7	7
420	Electrochemical Syntheses of Pyrimidine-2-thiolato Complexes of Nickel(II) / Crystal and Molecular Structure of 2,2- \AA -Bipyridine-bis(pyrimidine-2-thiolato)nickel(II) Monohydrate. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1990, 45, 1632-1636.	0.7	34
421	Direct electrochemical synthesis of pyridine-2-thionato complexes of nickel(II): the crystal structure of (2,2- \AA -bipyridine)bis(pyridine-2-thionato)nickel(II)-2,2- \AA -bipyridine(2/1). Journal of the Chemical Society Dalton Transactions, 1990, , 531-534.	1.1	52
422	Synthesis of nickel(II), copper(II), zinc(II), and cadmium(II) complexes of 2-[(2-mercaptophenyl)iminomethyl] pyrrole and 2-[(2-mercaptoethyl)-iminomethyl]pyrrole by the electrochemical cleavage of a disulphide bond: the crystal structure of bis{2-[(pyrrol-2-yl)methyleneamino]thiophenolato-S,N}zinc(II). Journal of the Chemical Society Dalton Transactions, 1990, , 3255-3258.	1.1	42
423	Comparative structural study of dimethyl(pyridine-2-thiolato)thallium(III) and dimethylbis(pyridine-2-thiolato)tin(IV). Journal of the Chemical Society Dalton Transactions, 1990, , 1001-1005.	1.1	54
424	Structure of (tert-butylisonitrile)(chloro)(1-methyl-2-phenylimidazolato-C ₂ ',N ₃)palladium(II) dichloromethane solvate at 213 K. Acta Crystallographica Section C: Crystal Structure Communications, 1989, 45, 1431-1433.	0.4	1
425	The electrochemical synthesis of neutral copper(II) complexes of schiff base ligands: The crystal structures of bis-{n-[2-(3-methylpyridyl)]-5-methoxysalicylideneiminato}copper(II) and bis-{n-[2-(6-metylpyridyl)]-salicylideneiminato}copper(II). Polyhedron, 1989, 8, 2543-2549.	2.2	46
426	Crystal and molecular structure of tetraiodo (1,8-di-2-pyridyl-3,6-dithiaoctane-N,S,S?,N?)dimercury(II). Journal of Crystallographic and Spectroscopic Research, 1988, 18, 395-401.	0.2	10
427	The preparation and characterization of TlClBrI complexes. X-ray crystal structure of chlorobromoiodo-bis-(triphenylphosphine oxide)thallium(III). Polyhedron, 1988, 7, 2561-2567.	2.2	12
428	Zinc(II), cadmium(II), and mercury(II) halide coordination compounds with 1,8-bis(2-pyridyl)-3,6-dithiaoctane. The crystal and molecular structure of Hg ₂ (C ₁₆ H ₂₀ N ₂ S ₂)Br ₄ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1988, 567, 101-110.	1.2	11
429	Thione complexes of group IIB dihalides. X-ray crystal structure of Cd(ETTC) ₂ I ₂ . Polyhedron, 1988, 7, 2503-2508.	2.2	11
430	Complexes of diethyldihalotin (IV) with imidazole and pyrazole. The crystal structure of dibromobis (pyrazole) diethyltin (IV). Journal of Organometallic Chemistry, 1988, 353, 169-176.	1.8	21
431	The Crystal Structure of TlBrI ₂ (4-methylpyridine-N-oxide) ₂ . Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1988, 43, 132-133.	0.7	8
432	Complexes of TlCl ₂ I with Pyridine N-Oxide and some Substituted Pyridine N-Oxides. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1987, 17, 693-707.	1.8	4

#	ARTICLE	IF	CITATIONS
433	Complexes of TlBr ₂ I with Pyridine N-Oxide and Some Substituted Pyridine N-Oxides. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1987, 17, 79-92.	1.8	3
434	Synthesis and molecular structures of complexes of TlBr ₂ I with pyridine N-oxide and some substituted pyridine N-oxides. Polyhedron, 1987, 6, 315-317.	2.2	11
435	Performance characteristics of active cavity radiometers in unshuttered applications. Applied Optics, 1986, 25, 3705.	2.1	1
436	Darstellung, Eigenschaften und Kristallstruktur von [2-(1?-methyl-4-imidazoly)phenyl-1-C,3?-N]acetylacetonatopalladium(II). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1986, 535, 213-218.	1.2	22
437	Complexes of IIB Metal Halides with N,N-Diethylbenzenecarbothioamide crystal structure of [Hg{C ₆ H ₅ C(S)N(C ₂ H ₅) ₂ }I ₂] ₂ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1986, 539, 219-228.	1.2	20
438	Structure of dibromoiodobis(triphenylphosphine oxide)thallium(III). Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1289-1291.	0.4	4
439	Struktur von Di-1/4-acetato(O,O')-bis[N-(2,3,4-trimethoxybenziliden)-2,4,6-trimethylanilinato-N,C]dipalladium(II). Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1136-1138.	0.4	7
440	Di-1/4-ido-bis[ido(thiobenzamid-S)quecksilber(II)]. Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 151-153.	0.4	3
441	N,N-Dimethylbenzenecarbothioamide Complexes of IIB metal halides. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1985, 531, 183-187.	1.2	9
442	Synthesis of two complexes of cadmium(II) iodide with benzenecarbothioamide (BCTA): Crystal and molecular structure of [Cd(BCTA)2I ₂]. Polyhedron, 1985, 4, 143-148.	2.2	11
443	Diaqua(1,8-di-2-pyridyl-3,6-dithiaoctan-N,S,S',N')cobalt(II)-diperchlorat, [Co(C ₁₆ H ₂₀ N ₂ S ₂)(H ₂ O) ₂](ClO ₄) ₂ . Acta Crystallographica Section C: Crystal Structure Communications, 1985, 41, 41-43.	0.4	13
444	Synthese und Kristallstruktur von TlI ₃ (3-CH ₃ C ₅ H ₄ NO) ₂ , einem Komplex des dreiwertigen Thalliums / Synthesis and Crystal Structure of TlI ₃ (3-CH ₃ C ₅ H ₄ NO) ₂ , a Complex of Trivalent Thallium. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1984, 39, 1159-1161.	0.7	15
445	Struktur von 1,8-Di-2-pyridyl-3,6-dithiaoctan, C ₁₆ H ₂₀ N ₂ S ₂ . Acta Crystallographica Section C: Crystal Structure Communications, 1984, 40, 2078-2079.	0.4	5
446	Benzencarbothioamide complexes of IIB metal halides. Transition Metal Chemistry, 1984, 9, 273-276.	1.4	9
447	The crystal structure of S-cis-diaqua[bis(2-pyridyl)-3,6-dithiaoctane]cobalt(III) diperchlorate. Acta Crystallographica Section A: Foundations and Advances, 1984, 40, C302-C302.	0.3	5
448	Complexes of 1,8-bis(2-pyridyl)-3,6-dithiaoctane with cobalt(II) halides. Transition Metal Chemistry, 1983, 8, 129-131.	1.4	5
449	Donor-acceptor compoundsâ€”X. Complexes of gallium trichloride with some aromatic amine oxides. Journal of Inorganic and Nuclear Chemistry, 1978, 40, 355-357.	0.5	4
450	Quasi-aromatic Möbius chelates of Cadmium(II) nitrite and/or nitrate.. CrystEngComm, 0, , .	2.6	0