

Akira Ito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4823321/publications.pdf>

Version: 2024-02-01

420
papers

13,243
citations

23567

58
h-index

45317

90
g-index

430
all docs

430
docs citations

430
times ranked

6130
citing authors

#	ARTICLE	IF	CITATIONS
1	Status and perspective of asian neglected tropical diseases. <i>Acta Tropica</i> , 2022, 225, 106212.	2.0	6
2	Investigating the Optimal Initiation Time of Ultrasound Therapy for Peripheral Nerve Regeneration after Axonotmesis in Rats. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 304-312.	1.5	4
3	Implementation of <i>Taenia solium</i> control measures in Bali, Indonesia: Survey findings and a historical overview. <i>Acta Tropica</i> , 2022, 227, 106297.	2.0	0
4	The effect of a rehabilitation program after mesenchymal stromal cell transplantation for advanced osteonecrosis of the femoral head: a 10-year follow-up study. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2022, 4, 100179.	0.9	0
5	Effects of in vivo cyclic compressive loading on the distribution of local Col2 and superficial lubricin in rat knee cartilage. <i>Journal of Orthopaedic Research</i> , 2021, 39, 543-552.	2.3	4
6	Perspectives on intestinal tapeworm infections: An evaluation of direct and indirect life-cycles with a special emphasis on species of <i>Hymenolepis</i> . <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100023.	1.9	1
7	New insights on the <i>Taenia solium</i> tapeworm using molecular tools: age-based human definitive host prevalence and deliberation on parasite life span. <i>Pathogens and Global Health</i> , 2021, , 1-8.	2.3	0
8	Low-Intensity Pulsed Ultrasound Prompts Both Functional and Histologic Improvements While Upregulating the Brain-Derived Neurotrophic Factor Expression after Sciatic Crush Injury in Rats. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 1586-1595.	1.5	12
9	Interfacial polarization of in vivo rat sciatic nerve with crush injury studied via broadband dielectric spectroscopy. <i>PLoS ONE</i> , 2021, 16, e0252589.	2.5	1
10	A Non-Invasive Method for Generating the Cyclic Loading-Induced Intra-Articular Cartilage Lesion Model of the Rat Knee. <i>Journal of Visualized Experiments</i> , 2021, , .	0.3	1
11	Origin of the pork tapeworm <i>Taenia solium</i> in Bali and Papua, Indonesia. <i>Parasitology International</i> , 2021, 83, 102285.	1.3	7
12	Intra-Articular Injections of Curcumin Monoglucuronide TBP1901 Suppresses Articular Cartilage Damage and Regulates Subchondral Bone Alteration in an Osteoarthritis Rat Model. <i>Cartilage</i> , 2021, 13, 153S-167S.	2.7	9
13	Risk factors and prevalence of taeniasis among the Karen people of Tha Song Yang District, Tak Province, Thailand. <i>Parasite</i> , 2021, 28, 53.	2.0	5
14	Mechanism of Peripheral Nerve Regeneration Using a Bio 3D Conduit Derived from Normal Human Dermal Fibroblasts. <i>Journal of Reconstructive Microsurgery</i> , 2021, 37, 357-364.	1.8	6
15	Genetic Diversity of and its Relation to Clinical Presentation of Cysticercosis. <i>Yale Journal of Biology and Medicine</i> , 2021, 94, 343-349.	0.2	6
16	Regenerative Rehabilitation. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2021, 58, 1149-1155.	0.0	0
17	Neurocysticercosis cases identified at Sanglah Hospital, Bali, Indonesia from 2014 to 2018. <i>Acta Tropica</i> , 2020, 201, 105208.	2.0	6
18	Soil-transmitted helminth infections and taeniasis on Samosir Island, Indonesia. <i>Acta Tropica</i> , 2020, 202, 105250.	2.0	3

#	ARTICLE	IF	CITATIONS
19	Quantitative Parameters for the Degeneration in Cartilage and Subchondral Bone of Human Knee by 3-D Ultrasound Scanning System. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 3239-3248.	1.5	1
20	A VCP modulator, KUS121, as a promising therapeutic agent for post-traumatic osteoarthritis. <i>Scientific Reports</i> , 2020, 10, 20787.	3.3	5
21	Kozen Yoshino's experimental infections with <i>Taenia solium</i> tapeworms: An experiment never to be repeated. <i>Acta Tropica</i> , 2020, 205, 105378.	2.0	10
22	Regenerative Rehabilitation for Stroke Recovery by Inducing Synergistic Effects of Cell Therapy and Neurorehabilitation on Motor Function: A Narrative Review of Pre-Clinical Studies. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3135.	4.1	8
23	Ultrasound therapy with optimal intensity facilitates peripheral nerve regeneration in rats through suppression of pro-inflammatory and nerve growth inhibitor gene expression. <i>PLoS ONE</i> , 2020, 15, e0234691.	2.5	19
24	Taking the Next Steps in Regenerative Rehabilitation: Establishment of a New Interdisciplinary Field. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 917-923.	0.9	24
25	3D Kinematic Analysis for the Functional Evaluation in the Rat Model of Sciatic Nerve Crush Injury. <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	1
26	Co-occurrence of swine cysticercosis due to <i>Taenia solium</i> and <i>Taenia hydatigena</i> in ethnic minority villages at the Thai-Myanmar border. <i>Journal of Helminthology</i> , 2019, 93, 681-689.	1.0	5
27	High prevalence of taeniasis and <i>Taenia solium</i> cysticercosis in children in western Sichuan, China. <i>Acta Tropica</i> , 2019, 199, 105133.	2.0	20
28	Taeniasis and cysticercosis in Asia: A review with emphasis on molecular approaches and local lifestyles. <i>Acta Tropica</i> , 2019, 198, 105075.	2.0	25
29	Evidence for camels (<i>Camelus bactrianus</i>) as the main intermediate host of <i>Echinococcus granulosus sensu lato</i> G6/G7 in Mongolia. <i>Parasitology Research</i> , 2019, 118, 2583-2590.	1.6	4
30	Morphological and genetic characterizations of <i>Avitellina</i> tapeworms from domestic ruminants in Senegal: An evidence of specificity among sheep and cattle host. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2019, 18, 100337.	0.5	0
31	A preliminary study to assess the use of a "Snakes and Ladders" board game in improving the knowledge of elementary school children about taeniasis. <i>Acta Tropica</i> , 2019, 199, 105117.	2.0	3
32	Therapeutic effects of combined cell transplantation and locomotor training in rats with brain injury. <i>Npj Regenerative Medicine</i> , 2019, 4, 13.	5.2	7
33	Lower-body positive pressure diminishes surface blood flow reactivity during treadmill walking. <i>BMC Research Notes</i> , 2019, 12, 733.	1.4	0
34	Towards a cysticercosis-free tropical resort island: A historical overview of taeniasis/cysticercosis in Bali. <i>Acta Tropica</i> , 2019, 190, 273-283.	2.0	15
35	Periodic mild heat stimuli diminish extracellular matrix synthesis in pellet cultured human chondrocytes. <i>BMC Research Notes</i> , 2019, 12, 16.	1.4	1
36	Identification of a previously unidentified endemic region for taeniasis in North Sumatra, Indonesia. <i>Acta Tropica</i> , 2019, 189, 114-116.	2.0	12

#	ARTICLE	IF	CITATIONS
37	Three-dimensional motion analysis for evaluating motor function in rodents with peripheral nerve injury. <i>Neural Regeneration Research</i> , 2019, 14, 2077.	3.0	3
38	Genetic and morphological characterization of <i>Thysaniezia</i> tapeworms from cattle and sheep in Senegal. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2018, 11, 27-31.	0.5	1
39	Functional evaluation outcomes correlate with histomorphometric changes in the rat sciatic nerve crush injury model: A comparison between sciatic functional index and kinematic analysis. <i>PLoS ONE</i> , 2018, 13, e0208985.	2.5	26
40	Three-dimensional motion analysis for comprehensive understanding of gait characteristics after sciatic nerve lesion in rodents. <i>Scientific Reports</i> , 2018, 8, 13585.	3.3	12
41	Cerebral cystic echinococcosis in Mongolian children caused by <i>Echinococcus canadensis</i> . <i>Parasitology International</i> , 2018, 67, 584-586.	1.3	8
42	Assessment on the effects of high and low in vivo cyclic compressive loading on the progression of cartilage degeneration in rat knee joint. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S398.	1.3	0
43	Ultrasound Parameters for Human Osteoarthritic Subchondral Bone ex Vivo: Comparison with Micro-Computed Tomography Parameters. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2115-2130.	1.5	3
44	Gait kinematics changes in post traumatic knee osteoarthritis with destabilized medial meniscus in rat. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S390.	1.3	1
45	The limited knee range of motion causes progression of cartilage degeneration in the osteoarthritic knee joint: an experimental study using a preclinical model of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S399.	1.3	0
46	CD8+ T cell-mediated interface dermatitis during combination chemotherapy with mogamulizumab in a patient with adult T-cell leukaemia/lymphoma. <i>Clinical and Experimental Dermatology</i> , 2018, 43, 736-737.	1.3	6
47	<i>Taenia solium</i> , <i>Taenia saginata</i> , <i>Taenia asiatica</i> , their hybrids and other helminthic infections occurring in a neglected tropical diseases' highly endemic area in Lao PDR. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006260.	3.0	42
48	Cysticercosis/taeniasis endemicity in Southeast Asia: Current status and control measures. <i>Acta Tropica</i> , 2017, 165, 121-132.	2.0	32
49	Seroprevalence and risk factors of human cysticercosis and taeniasis prevalence in a highly endemic area of epilepsy in Bangoua, west Cameroon. <i>Acta Tropica</i> , 2017, 165, 116-120.	2.0	15
50	Cystic echinococcosis: Future perspectives of molecular epidemiology. <i>Acta Tropica</i> , 2017, 165, 3-9.	2.0	41
51	Neurocysticercosis: A case study of a Mongolian traveler who visited China and India with an updated review in Asia. <i>Travel Medicine and Infectious Disease</i> , 2017, 20, 31-36.	3.0	8
52	Relationships Between Quantitative Pulse-Echo Ultrasound Parameters from the Superficial Zone of the Human Articular Cartilage and Changes in Surface Roughness, Collagen Content or Collagen Orientation Caused by Early Degeneration. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1703-1715.	1.5	4
53	Physiological exercise loading suppresses post-traumatic osteoarthritis progression via increase in bone morphogenetic proteins expression in an experimental rat knee model. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S391-S392.	1.3	0
54	Physiological exercise loading suppresses post-traumatic osteoarthritis progression via an increase in bone morphogenetic proteins expression in an experimental rat knee model. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 964-975.	1.3	45

#	ARTICLE	IF	CITATIONS
55	Genetic survey of alveolar and cystic echinococcoses in Romania: first molecular evidence of <i>Echinococcus multilocularis</i> in humans in the country. <i>Helminthologia</i> , 2017, 54, 189-198.	0.9	5
56	The echinococcoses in Asia: The present situation. <i>Acta Tropica</i> , 2017, 176, 11-21.	2.0	35
57	Specific status of <i>Echinococcus canadensis</i> (Cestoda: Taeniidae) inferred from nuclear and mitochondrial gene sequences. <i>International Journal for Parasitology</i> , 2017, 47, 971-979.	3.1	20
58	Taeniasis caused by <i>Taenia saginata</i> in Gianyar town and <i>Taenia solium</i> in Karangasem villages of Bali, Indonesia, 2011–2016: How to detect tapeworm carriers, anamnesis or microscopy?. <i>Acta Tropica</i> , 2017, 174, 19-23.	2.0	14
59	Pathohistological investigation of osteochondral tissue obtained during total knee arthroplasty after osteochondral autologous transfer: a case report. <i>BMC Research Notes</i> , 2017, 10, 194.	1.4	0
60	Serological validation of an alveolar echinococcosis rat model with a single hepatic lesion. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 308-313.	0.9	2
61	The efficacy of a scaffold-free Bio 3D conduit developed from human fibroblasts on peripheral nerve regeneration in a rat sciatic nerve model. <i>PLoS ONE</i> , 2017, 12, e0171448.	2.5	100
62	Review of “Echinococcus and Echinococcosis, Part A.” edited by R. C. Andrew Thompson, Alan J. Lymbery and Peter Deplazes. <i>Parasites and Vectors</i> , 2017, 10, 408.	2.5	10
63	History of <i>Taenia saginata</i> Tapeworms in Northern Russia. <i>Emerging Infectious Diseases</i> , 2017, 23, 2030-2037.	4.3	8
64	Regenerative Rehabilitation. , 2017, , 1-20.		0
65	Intestinal Protozoa Infections and Associated Risk Factors in Rural Community of Samosir Island Indonesia. , 2017, , .		0
66	Gastrointestinal helminths and <i>Taenia</i> spp. in parenteral tissues of free-roaming pigs (<i>Sus scrofa</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 464-470.	0.7	4
67	Immunology in Cestode Infections. , 2016, , 159-165.		2
68	The Effect of Exercise on the Early Stages of Mesenchymal Stromal Cell-Induced Cartilage Repair in a Rat Osteochondral Defect Model. <i>PLoS ONE</i> , 2016, 11, e0151580.	2.5	27
69	Site specific influence of weight or non-weight bearing condition on the stiffness of the cartilage during short-term immobilization intervention on rat knee joint. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S340.	1.3	0
70	Simple Identification of Human <i>Taenia</i> Species by Multiplex Loop-Mediated Isothermal Amplification in Combination with Dot Enzyme-Linked Immunosorbent Assay. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 1318-1323.	1.4	25
71	Effect of Low-Intensity Pulsed Ultrasound after Mesenchymal Stromal Cell Injection to Treat Osteochondral Defects: An In Vivo Study. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2903-2913.	1.5	17
72	Remobilization causes site-specific cyst formation in immobilization-induced knee cartilage degeneration in an immobilized rat model. <i>Journal of Anatomy</i> , 2016, 228, 929-939.	1.5	8

#	ARTICLE	IF	CITATIONS
73	Swine cysticercosis in the Karangasem district of Bali, Indonesia: An evaluation of serological screening methods. <i>Acta Tropica</i> , 2016, 163, 46-53.	2.0	13
74	Exercise intervention increases expression of bone morphogenetic proteins and prevents the progression of cartilage-subchondral bone lesions in a post-traumatic rat knee model. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1092-1102.	1.3	38
75	Subchondral plate porosity colocalizes with the point of mechanical load during ambulation in a rat knee model of post-traumatic osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 354-363.	1.3	36
76	Cryptic diversity in hymenolepidid tapeworms infecting humans. <i>Parasitology International</i> , 2016, 65, 83-86.	1.3	27
77	Recent advances and perspectives in molecular epidemiology of <i>Taenia solium</i> cysticercosis. <i>Infection, Genetics and Evolution</i> , 2016, 40, 357-367.	2.3	37
78	Comparison of the Diagnostic Accuracy of Three Rapid Tests for the Serodiagnosis of Hepatic Cystic Echinococcosis in Humans. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004444.	3.0	46
79	The present situation of echinococcoses in Mongolia. <i>Journal of Helminthology</i> , 2015, 89, 680-688.	1.0	12
80	Alteration of cartilage surface collagen fibers differs locally after immobilization of knee joints in rats. <i>Journal of Anatomy</i> , 2015, 226, 447-457.	1.5	15
81	Beyond our conceived concepts. <i>Parasite Immunology</i> , 2015, 37, 430-431.	1.5	2
82	Unique MRI findings for differentiation of an early stage of hepatic alveolar echinococcosis. <i>BMJ Case Reports</i> , 2015, 2015, bcr2014208123-bcr2014208123.	0.5	16
83	Culture Temperature Affects Human Chondrocyte Messenger RNA Expression in Monolayer and Pellet Culture Systems. <i>PLoS ONE</i> , 2015, 10, e0128082.	2.5	15
84	Comparative Study of Paired Serum and Cerebrospinal Fluid Samples from Neurocysticercosis Patients for the Detection of Specific Antibody to <i>Taenia solium</i> ; Immunodiagnostic Antigen. <i>Tropical Medicine and Health</i> , 2015, 43, 171-176.	2.8	9
85	Discordance in Recovery Between Altered Locomotion and Muscle Atrophy Induced by Simulated Microgravity in Rats. <i>Journal of Motor Behavior</i> , 2015, 47, 397-406.	0.9	6
86	Culture temperature affects redifferentiation and cartilaginous extracellular matrix formation in dedifferentiated human chondrocytes. <i>Journal of Orthopaedic Research</i> , 2015, 33, 633-639.	2.3	15
87	Effect of microfabricated microgroove-surface devices on the morphology of mesenchymal stem cells. <i>Biomedical Microdevices</i> , 2015, 17, 116.	2.8	3
88	Genetic characterization of <i>Moniezia</i> species in Senegal and Ethiopia. <i>Parasitology International</i> , 2015, 64, 256-260.	1.3	33
89	The effect of low intensity pulsed ultrasound treatment combined with mesenchymal stromal cell injection for cartilage regeneration in a knee osteochondral defect model of rats. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A147.	1.3	0
90	The influence of re-mobilization on degenerated cartilage induced by joint immobilization $\hat{=}$ ¼ pathological process of the cyst formation $\hat{=}$ ¼. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A269-A270.	1.3	0

#	ARTICLE	IF	CITATIONS
91	Effect of initiation timing of gentle treadmill exercise on cartilage and subchondral bone in a model of destabilization of medial meniscus of rats. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A308.	1.3	0
92	Intermittent application of hypergravity by centrifugation attenuates disruption of rat gait induced by 2 weeks of simulated microgravity. <i>Behavioural Brain Research</i> , 2015, 287, 276-284.	2.2	11
93	The present situation and towards the prevention and control of neurocysticercosis on the tropical island, Bali, Indonesia. <i>Parasites and Vectors</i> , 2015, 8, 148.	2.5	31
94	Malignant Transformation of <i>Hymenolepis nana</i> in a Human Host. <i>New England Journal of Medicine</i> , 2015, 373, 1845-1852.	27.0	76
95	Evaluation of a New Immunochromatographic Test Using Recombinant Antigen B8/1 for Diagnosis of Cystic Echinococcosis. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3859-3863.	3.9	18
96	Effects of short-term gentle treadmill walking on subchondral bone in a rat model of instability-induced osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1563-1574.	1.3	70
97	Basic and applied problems in developmental biology and immunobiology of cestode infections: <i>Hymenolepis</i> , <i>Taenia</i> and <i>Echinococcus</i> . <i>Parasite Immunology</i> , 2015, 37, 53-69.	1.5	29
98	Solitary Cysticercosis in Eye: Literature Review and A Hypothesis on Transmission of Infection. <i>Journal of Ocular Diseases and Therapeutics</i> , 2015, 3, 13-19.	1.0	2
99	The Present Situation of Human Taeniasis and Cysticercosis in Asia. <i>Recent Patents on Anti-infective Drug Discovery</i> , 2015, 9, 173-185.	0.8	28
100	The effects of short-term hypoxia on human mesenchymal stem cell proliferation, viability and p16INK4A mRNA expression: Investigation using a simple hypoxic culture system with a deoxidizing agent. <i>Journal of Stem Cells and Regenerative Medicine</i> , 2015, 11, 25-31.	2.2	17
101	Effects of the Thermal Environment on Articular Chondrocyte Metabolism: A Fundamental Study to Facilitate Establishment of an Effective Thermotherapy for Osteoarthritis. <i>Journal of the Japanese Physical Therapy Association</i> , 2014, 17, 14-21.	0.1	14
102	Evaluation of reference genes for human chondrocytes cultured in several different thermal environments. <i>International Journal of Hyperthermia</i> , 2014, 30, 210-216.	2.5	6
103	Cystic Echinococcoses in Mongolia: Molecular Identification, Serology and Risk Factors. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2937.	3.0	41
104	Optimum temperature for extracellular matrix production by articular chondrocytes. <i>International Journal of Hyperthermia</i> , 2014, 30, 96-101.	2.5	15
105	Regional comparisons of porcine menisci. <i>Journal of Orthopaedic Research</i> , 2014, 32, 1602-1611.	2.3	11
106	Contributions of biarticular myogenic components to the limitation of the range of motion after immobilization of rat knee joint. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 224.	1.9	38
107	Effects of culturing temperature on extracellular matrix formation and redifferentiation of expanded human chondrocyte. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S170.	1.3	0
108	Reloading does not attenuate the hindlimb unload-induced gait alternation: the influence of tail suspension to gait pattern of rats. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S334.	1.3	0

#	ARTICLE	IF	CITATIONS
109	Re-mobilization of knees aggravated cartilage degeneration in an immobilization model of rats. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S305.	1.3	0
110	Regional changes of early osteoarthritis cartilage and subchondral bone fracture in a rat knee model of OA. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S356-S357.	1.3	1
111	Phylogenetic characterisation of <i>Taenia</i> tapeworms in spotted hyenas and reconsideration of the "Out of Africa" hypothesis of <i>Taenia</i> in humans. <i>International Journal for Parasitology</i> , 2014, 44, 533-541.	3.1	32
112	A survey of seropositivity to antigen B, an immunodiagnostic antigen for human cystic echinococcosis, in domestic animals in Mongolia. <i>Parasitology International</i> , 2014, 63, 324-326.	1.3	9
113	Culinary delights and travel? A review of zoonotic cestodiasis and metacestodiasis. <i>Travel Medicine and Infectious Disease</i> , 2014, 12, 582-591.	3.0	45
114	Immature articular cartilage and subchondral bone covered by menisci are potentially susceptible to mechanical load. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 101.	1.9	21
115	Treadmill exercise post bone marrow mesenchymal stromal cells transplantation stimulates the regeneration of articular cartilage on rat knee joint osteochondral defect. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S30-S31.	1.3	0
116	Destabilization of the medial meniscus leads to subchondral bone defects and site-specific cartilage degeneration in an experimental rat model. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1036-1043.	1.3	81
117	Molecular identification of species of <i>Taenia</i> causing bovine cysticercosis in Ethiopia. <i>Journal of Helminthology</i> , 2014, 88, 376-380.	1.0	9
118	Comparison of the serological tests ICT and ELISA for the diagnosis of alveolar echinococcosis in France. <i>Parasite</i> , 2014, 21, 34.	2.0	21
119	Genetics of the Pig Tapeworm in Madagascar Reveal a History of Human Dispersal and Colonization. <i>PLoS ONE</i> , 2014, 9, e109002.	2.5	32
120	Recent Situation of Taeniasis in Mongolia (2002-2012). <i>Korean Journal of Parasitology</i> , 2014, 52, 211-214.	1.3	7
121	Mechanical and Histological Properties of Articular Cartilage that Load Through Menisci: Experiment Study Using Porcine Knee. <i>Journal of the Japanese Physical Therapy Association</i> , 2014, 17, 53-53.	0.1	0
122	Culturing temperature affects chondrocyte differentiation and extracellular matrix formation. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S131.	1.3	0
123	Phylogenetic systematics of the genus <i>Echinococcus</i> (Cestoda: Taeniidae). <i>International Journal for Parasitology</i> , 2013, 43, 1017-1029.	3.1	246
124	Priorities for research and control of cestode zoonoses in Asia. <i>Infectious Diseases of Poverty</i> , 2013, 2, 16.	3.7	22
125	Recombinant AgB8/1 ELISA test vs. commercially available IgG ELISA test in the diagnosis of cystic echinococcosis. <i>Parasite Immunology</i> , 2013, 35, 433-440.	1.5	28
126	Gene Cloning and Characterization of the Protein Encoded by the <i>Neospora caninum</i> Bradyzoite-Specific Antigen Gene <i>Bag1</i> . <i>Journal of Parasitology</i> , 2013, 99, 453-458.	0.7	9

#	ARTICLE	IF	CITATIONS
127	Comparative study of protective activities of <i>Neospora caninum</i> bradyzoite antigens, NcBAG1, NcBSR4, NcMAG1, and NcSAG4, in a mouse model of acute parasitic infection. <i>Parasitology Research</i> , 2013, 112, 655-663.	1.6	14
128	<i>Echinococcus multilocularis</i> : Single hepatic lesion experimentally established without metastasis in rats. <i>Experimental Parasitology</i> , 2013, 135, 320-324.	1.2	4
129	Immunodiagnosis of alveolar echinococcosis using urine samples. <i>Parasitology International</i> , 2013, 62, 514-516.	1.3	3
130	Changes on the expression of CD44 in immobilized knee in rats. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S208.	1.3	0
131	Molecular phylogeny of the genus <i>Taenia</i> (Cestoda: Taeniidae): Proposals for the resurrection of <i>Hydatigera</i> Lamarck, 1816 and the creation of a new genus <i>Versteria</i> . <i>International Journal for Parasitology</i> , 2013, 43, 427-437.	3.1	120
132	Drivers of <i>Echinococcus multilocularis</i> Transmission in China: Small Mammal Diversity, Landscape or Climate?. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2045.	3.0	67
133	Simple and reliable preparation of immunodiagnostic antigens for <i>Taenia solium</i> cysticercosis. <i>Parasitology</i> , 2013, 140, 1589-1594.	1.5	26
134	Advances in diagnosis and spatial analysis of cysticercosis and taeniasis. <i>Parasitology</i> , 2013, 140, 1578-1588.	1.5	15
135	Rare Case of Disseminated Cysticercosis and Taeniasis in a Japanese Traveler after Returning from India. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 89, 58-62.	1.4	34
136	Genetic diversity of <i>Echinococcus</i> spp. in Russia. <i>Parasitology</i> , 2013, 140, 1637-1647.	1.5	82
137	Effects of exercise level on biomarkers in a rat knee model of osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2013, 31, 1026-1031.	2.3	25
138	Nothing is perfect! Trouble-shooting in immunological and molecular studies of cestode infections. <i>Parasitology</i> , 2013, 140, 1551-1565.	1.5	22
139	Transmission ecosystems of <i>Echinococcus multilocularis</i> in China and Central Asia. <i>Parasitology</i> , 2013, 140, 1655-1666.	1.5	66
140	Reinfection studies of canine echinococcosis and role of dogs in transmission of <i>Echinococcus multilocularis</i> in Tibetan communities, Sichuan, China. <i>Parasitology</i> , 2013, 140, 1685-1692.	1.5	40
141	Control of cestode zoonoses in Asia: role of basic and applied science. <i>Parasitology</i> , 2013, 140, 1547-1550.	1.5	8
142	Genotypic relationships between <i>Taenia saginata</i> , <i>Taenia asiatica</i> and their hybrids. <i>Parasitology</i> , 2013, 140, 1595-1601.	1.5	38
143	Taeniasis and cysticercosis in Indonesia: past and present situations. <i>Parasitology</i> , 2013, 140, 1608-1616.	1.5	29
144	<i>Echinococcus</i> species from red foxes, corsac foxes, and wolves in Mongolia. <i>Parasitology</i> , 2013, 140, 1648-1654.	1.5	30

#	ARTICLE	IF	CITATIONS
145	Mitochondrial phylogeny of the genus <i>Echinococcus</i> (Cestoda: Taeniidae) with emphasis on relationships among <i>Echinococcus canadensis</i> genotypes. <i>Parasitology</i> , 2013, 140, 1625-1636.	1.5	113
146	Detection of human taeniasis in Tibetan endemic areas, China. <i>Parasitology</i> , 2013, 140, 1602-1607.	1.5	26
147	Loop-Mediated Isothermal Amplification Method for a Differential Identification of Human Taenia Tapeworms. <i>Methods in Molecular Biology</i> , 2013, 1039, 109-120.	0.9	12
148	Serological and Molecular Characteristics of the First Korean Case of <i>Echinococcus multilocularis</i> . <i>Korean Journal of Parasitology</i> , 2013, 51, 595-597.	1.3	5
149	Immediate Effect of Low-intensity Pulsed Ultrasound on Cartilage Metabolism: A Study Used Different Intensities. <i>Journal of the Japanese Physical Therapy Association</i> , 2013, 16, 53.	0.1	0
150	Mini review on chemotherapy of taeniasis and cysticercosis due to <i>Taenia solium</i> in Asia, and a case report with 20 tapeworms in China. <i>Tropical Biomedicine</i> , 2013, 30, 164-73.	0.7	20
151	Low-Intensity Pulsed Ultrasound Inhibits Messenger RNA Expression of Matrix Metalloproteinase-13 Induced by Interleukin-1 β in Chondrocytes in an Intensity-Dependent Manner. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1726-1733.	1.5	23
152	<i>Echinococcus</i> and <i>Taenia</i> spp. from captive mammals in the United Kingdom. <i>Veterinary Parasitology</i> , 2012, 190, 95-103.	1.8	53
153	Comparison of the usefulness of hydatid cyst fluid, native antigen B and recombinant antigen B8/1 for serological diagnosis of cystic echinococcosis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2012, 106, 371-375.	1.8	48
154	The first report on cystic echinococcosis in a cat caused by <i>Echinococcus granulosus</i> sensu stricto (G1). <i>Journal of Helminthology</i> , 2012, 86, 391-394.	1.0	24
155	Usefulness of pumpkin seeds combined with areca nut extract in community-based treatment of human taeniasis in northwest Sichuan Province, China. <i>Acta Tropica</i> , 2012, 124, 152-157.	2.0	51
156	An ocular cysticercosis in Bali, Indonesia caused by <i>Taenia solium</i> Asian genotype. <i>Parasitology International</i> , 2012, 61, 378-380.	1.3	33
157	Recent hybridization between <i>Taenia asiatica</i> and <i>Taenia saginata</i> . <i>Parasitology International</i> , 2012, 61, 351-355.	1.3	40
158	Molecular identification of unilocular hydatid cysts from domestic ungulates in Ethiopia: Implications for human infections. <i>Parasitology International</i> , 2012, 61, 375-377.	1.3	39
159	Molecular identification of human echinococcosis in the Altai region of Russia. <i>Parasitology International</i> , 2012, 61, 711-714.	1.3	38
160	Genetic polymorphisms of <i>Echinococcus granulosus</i> sensu stricto in the Middle East. <i>Parasitology International</i> , 2012, 61, 599-603.	1.3	125
161	A loop-mediated isothermal amplification method for a differential identification of <i>Taenia</i> tapeworms from human: Application to a field survey. <i>Parasitology International</i> , 2012, 61, 723-725.	1.3	37
162	Molecular identification of <i>Echinococcus</i> species from eastern and southern Qinghai, China, based on the mitochondrial <i>cox1</i> gene. <i>Parasitology Research</i> , 2012, 111, 179-184.	1.6	37

#	ARTICLE	IF	CITATIONS
163	Taeniasis and cysticercosis due to <i>Taenia solium</i> in Japan. <i>Parasites and Vectors</i> , 2012, 5, 18.	2.5	26
164	Phylogenetic relationships within <i>Echinococcus</i> and <i>Taenia</i> tapeworms (Cestoda: Taeniidae): An inference from nuclear protein-coding genes. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 628-638.	2.7	121
165	Isolated Intradural–Extramedullary Spinal Cysticercosis: A Case Report. <i>Journal of Travel Medicine</i> , 2011, 18, 284-287.	3.0	36
166	<i>Echinococcus multilocularis</i> : Identification and functional characterization of cathepsin B-like peptidases from metacestode. <i>Experimental Parasitology</i> , 2011, 127, 693-701.	1.2	18
167	Should possible recurrence of disease contraindicate liver transplantation in patients with end-stage alveolar echinococcosis? A 20-year follow-up study. <i>Liver Transplantation</i> , 2011, 17, 855-865.	2.4	81
168	A possible nuclear DNA marker to differentiate the two geographic genotypes of <i>Taenia solium</i> tapeworms. <i>Parasitology International</i> , 2011, 60, 108-110.	1.3	11
169	A Case of Pulmonary and Hepatic Cystic Echinococcosis of CE1 Stage in a Healthy Japanese Female that Was Suspected to Have Been Acquired During Her Stay in the United Kingdom. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 85, 456-459.	1.4	11
170	Immunochromatographic Test with Recombinant Em18 Antigen for the Follow-Up Study of Alveolar Echinococcosis. <i>Vaccine Journal</i> , 2011, 18, 1302-1305.	3.1	25
171	Post-Treatment Follow-Up Study of Abdominal Cystic Echinococcosis in Tibetan Communities of Northwest Sichuan Province, China. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1364.	3.0	56
172	Cysticercosis and taeniosis: <i>Taenia solium</i> , <i>Taenia saginata</i> and <i>Taenia asiatica</i> . , 2011, , .		7
173	Neurocysticercosis case with tuberculoma-like epithelioid granuloma strongly suspected by serology and confirmed by mitochondrial DNA. <i>BMJ Case Reports</i> , 2011, 2011, bcr0420114125-bcr0420114125.	0.5	3
174	Serological and molecular tools to detect neurologic parasitic zoonoses in rural Cameroon. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2011, 42, 1365-74.	1.0	7
175	Taeniasis/cysticercosis in Bali, Indonesia. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2011, 42, 793-802.	1.0	17
176	Genetic polymorphisms of <i>Echinococcus</i> tapeworms in China as determined by mitochondrial and nuclear DNA sequences. <i>International Journal for Parasitology</i> , 2010, 40, 379-385.	3.1	118
177	State-of-the-art <i>Echinococcus</i> and <i>Taenia</i> : Phylogenetic taxonomy of human-pathogenic tapeworms and its application to molecular diagnosis. <i>Infection, Genetics and Evolution</i> , 2010, 10, 444-452.	2.3	112
178	Neurocysticercosis: Assessing Where the Infection Was Acquired From. <i>Journal of Travel Medicine</i> , 2010, 17, 206-208.	3.0	37
179	Capsule endoscopy is a feasible procedure for identifying a <i>Diphyllobothrium nihonkaiense</i> infection and determining the indications for vermifuge treatment. <i>BMJ Case Reports</i> , 2010, 2010, bcr0520103023-bcr0520103023.	0.5	4
180	Histopathological, Serological, and Molecular Confirmation of Indigenous Alveolar Echinococcosis Cases in Mongolia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 266-269.	1.4	41

#	ARTICLE	IF	CITATIONS
181	Immunoglobulin G Subclass Responses to Recombinant Em18 in the Follow-Up of Patients with Alveolar Echinococcosis in Different Clinical Stages. <i>Vaccine Journal</i> , 2010, 17, 944-948.	3.1	33
182	Specific IgG Responses to Recombinant Antigen B and Em18 in Cystic and Alveolar Echinococcosis in China. <i>Vaccine Journal</i> , 2010, 17, 470-475.	3.1	38
183	Multiplex PCR for Differential Identification of Broad Tapeworms (<i>Cestoda</i> : <i>Diphyllobothrium</i>) Infecting Humans. <i>Journal of Clinical Microbiology</i> , 2010, 48, 3111-3116.	3.9	76
184	Cerebral sparganosis. <i>Neurology</i> , 2010, 74, 180-180.	1.1	33
185	Evaluation of a Loop-Mediated Isothermal Amplification Method Using Fecal Specimens for Differential Detection of <i>Taenia</i> Species from Humans. <i>Journal of Clinical Microbiology</i> , 2010, 48, 3350-3352.	3.9	86
186	Inter- and intra-specific characterization of tapeworms of the genus <i>Diphyllobothrium</i> (<i>Cestoda</i>): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 International, 2010, 59, 35-39.	1.3	43
187	Evidence of hybridization between <i>Taenia saginata</i> and <i>Taenia asiatica</i> . <i>Parasitology International</i> , 2010, 59, 70-74.	1.3	61
188	Anomalous segmentation of <i>Diphyllobothrium nihonkaiense</i> . <i>Parasitology International</i> , 2010, 59, 268-270.	1.3	17
189	Molecular and serological survey on taeniasis and cysticercosis in Kanchanaburi Province, Thailand. <i>Parasitology International</i> , 2010, 59, 326-330.	1.3	27
190	Mongolian and Japanese Joint Conference on "Echinococcosis: diagnosis, treatment and prevention in Mongolia" June 4, 2009. <i>Parasites and Vectors</i> , 2010, 3, 8.	2.5	12
191	Widespread co-endemicity of human cystic and alveolar echinococcosis on the eastern Tibetan Plateau, northwest Sichuan/southeast Qinghai, China. <i>Acta Tropica</i> , 2010, 113, 248-256.	2.0	78
192	Serological Studies of Neurologic Helminthic Infections in Rural Areas of Southwest Cameroon: Toxocariasis, Cysticercosis and Paragonimiasis. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e732.	3.0	28
193	Taeniasis/cysticercosis among Family Members in Villages of Jayawijaya District, Papua. <i>Makara Journal of Health Research</i> , 2010, 9, .	0.1	0
194	<i>Echinococcus vogeli</i> Infection in a Hunter, French Guiana. <i>Emerging Infectious Diseases</i> , 2009, 15, 2029-2031.	4.3	22
195	Serological Monitoring of Progression of Alveolar Echinococcosis with Multiorgan Involvement by Use of Recombinant Em18. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3191-3196.	3.9	28
196	Loop-Mediated Isothermal Amplification Method for Differentiation and Rapid Detection of <i>Taenia</i> Species. <i>Journal of Clinical Microbiology</i> , 2009, 47, 168-174.	3.9	108
197	Natural Infection of the Ground Squirrel (<i>Spermophilus</i> spp.) with <i>Echinococcus granulosus</i> in China. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e518.	3.0	16
198	Development of an Immunochromatographic Test To Detect Antibodies against Recombinant Em18 for Diagnosis of Alveolar Echinococcosis. <i>Journal of Clinical Microbiology</i> , 2009, 47, 252-254.	3.9	27

#	ARTICLE	IF	CITATIONS
199	Cystic echinococcosis in Turkey: genetic variability and first record of the pig strain (G7) in the country. <i>Parasitology Research</i> , 2009, 105, 145-154.	1.6	84
200	Paragonimiasis in Cameroon: molecular identification, serodiagnosis and clinical manifestations. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009, 103, 255-261.	1.8	26
201	Molecular identification of Echinococcus isolates from Peru. <i>Parasitology International</i> , 2009, 58, 184-186.	1.3	61
202	Geographic pattern of genetic variation in the fox tapeworm Echinococcus multilocularis. <i>Parasitology International</i> , 2009, 58, 384-389.	1.3	133
203	Isolation of Nucleic Acids from Helminthes. , 2009, , .		0
204	Close Relationship between Clinical Regression and Specific Serology in the Follow-up of Patients with Alveolar Echinococcosis in Different Clinical Stages. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 80, 792-797.	1.4	61
205	Close relationship between clinical regression and specific serology in the follow-up of patients with alveolar echinococcosis in different clinical stages. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 80, 792-7.	1.4	28
206	Study on identifying genotypes of Echinococcus granulosus by microsatellite markers. <i>Cell Biology International</i> , 2008, 32, S61-S61.	3.0	0
207	Taenia solium cysticercosis in Bali, Indonesia: serology and mtDNA analysis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 96-98.	1.8	16
208	Species identification of human echinococcosis using histopathology and genotyping in northwestern China. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 585-590.	1.8	53
209	Genetic characterization and phylogenetic position of Echinococcus felidis (Cestoda: Taeniidae) from the African lion. <i>International Journal for Parasitology</i> , 2008, 38, 861-868.	3.1	242
210	Echinococcoses and Tibetan Communities. <i>Emerging Infectious Diseases</i> , 2008, 14, 1674-1675.	4.3	53
211	Small mammal assemblages and habitat distribution in the northern Junggar Basin, Xinjiang, China: a pilot survey. <i>Mammalia</i> , 2008, 72, .	0.7	14
212	Progress in Diagnostic Method for Echinococcosis. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2008, 97, 1900-1909.	0.0	1
213	Evaluation of Three PCR Assays for the Identification of the Sheep Strain (Genotype 1) of Echinococcus granulosus in Canid Feces and Parasite Tissues. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 777-783.	1.4	35
214	Genetic Analysis of Echinococcus multilocularis Originating from a Patient with Alveolar Echinococcosis Occurring in Minnesota in 1977. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 79, 245-247.	1.4	24
215	Genetic analysis of Echinococcus multilocularis originating from a patient with alveolar echinococcosis occurring in Minnesota in 1977. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 79, 245-7.	1.4	8
216	Assessment of Use of Microsatellite Polymorphism Analysis for Improving Spatial Distribution Tracking of <i>Echinococcus multilocularis</i> . <i>Journal of Clinical Microbiology</i> , 2007, 45, 2943-2950.	3.9	60

#	ARTICLE	IF	CITATIONS
217	Echinococcosis: serological detection of patients and molecular identification of parasites. Future Microbiology, 2007, 2, 439-449.	2.0	44
218	Neurocysticercosis as Solitary Parenchymal Lesion Confirmed by Mitochondrial Deoxyribonucleic Acid Sequence Analysis-Case Report-. Neurologia Medico-Chirurgica, 2007, 47, 40-44.	2.2	10
219	Summary of the recent 8-year research on echinococcosis at Department of Parasitology(Special) Tj ETQq1 1 0.784314 rgBT /Overloc Zoology, 2007, 58, 111.	0.1	0
220	Intestinal cestodes. Current Opinion in Infectious Diseases, 2007, 20, 524-532.	3.1	128
221	Comparison of several commercial serologic kits and Em18 serology for detection of human alveolar echinococcosis. Diagnostic Microbiology and Infectious Disease, 2007, 59, 93-95.	1.8	25
222	Intraspecific variation of <i>Spirometra erinaceieuropaei</i> and phylogenetic relationship between <i>Spirometra</i> and <i>Diphyllobothrium</i> inferred from mitochondrial CO1 gene sequences. Parasitology International, 2007, 56, 235-238.	1.3	46
223	Molecular characterization of a novel gene encoding an 8-kDa-subunit of antigen B from <i>Echinococcus granulosus</i> genotypes 1 and 6. Parasitology International, 2007, 56, 313-316.	1.3	21
224	Current Situation of Taeniasis and Cysticercosis in Indonesia. Tropical Medicine and Health, 2007, 35, 323-328.	2.8	15
225	Significance of Molecular Diagnosis using Histopathological Specimens in Cestode Zoonoses. Tropical Medicine and Health, 2007, 35, 307-321.	2.8	33
226	Human Echinococcosis: A Neglected Disease?. Tropical Medicine and Health, 2007, 35, 283-292.	2.8	92
227	<i>Echinococcus Multilocularis</i> : Why are multidisciplinary and multiscale approaches essential in infectious disease ecology?. Tropical Medicine and Health, 2007, 35, 293-299.	2.8	12
228	Sympatric Occurrence of <i>Taenia solium</i> , <i>T. saginata</i> , and <i>T. asiatica</i> Thailand. Emerging Infectious Diseases, 2007, 13, 1413-1416.	4.3	63
229	Diphyllobothriasis and sparganosis in Indonesia. Tropical Medicine and Health, 2007, 35, 301-305.	2.8	11
230	A correlative study of ultrasound with serology in an area in China endemic for human alveolar and cystic echinococcosis. Tropical Medicine and International Health, 2007, 12, 637-646.	2.3	35
231	Cloning and characterization of cathepsin L-like peptidases of <i>Echinococcus multilocularis</i> metacestodes. Molecular and Biochemical Parasitology, 2007, 154, 181-189.	1.1	25
232	Mitochondrial genomes of the human broad tapeworms <i>Diphyllobothrium latum</i> and <i>Diphyllobothrium nihonkaiense</i> (Cestoda: Diphyllobothriidae). Parasitology Research, 2007, 101, 233-236.	1.6	54
233	Specific detection of <i>Taenia saginata</i> eggs by PCR. , 2007, , 225-228.		1
234	Taeniasis in Mongolia, 2002-2006. American Journal of Tropical Medicine and Hygiene, 2007, 77, 342-346.	1.4	14

#	ARTICLE	IF	CITATIONS
235	The Study on Distribution of <i>Echinococcus granulosus</i> in Ulaanbaatar. IFMBE Proceedings, 2007, , 229-233.	0.3	0
236	Taeniasis in Mongolia, 2002-2006. American Journal of Tropical Medicine and Hygiene, 2007, 77, 342-6.	1.4	7
237	Risk factors for epilepsy in rural Lao PDR: a case-control study. Southeast Asian Journal of Tropical Medicine and Public Health, 2007, 38, 537-42.	1.0	16
238	Simultaneous alveolar and cystic echinococcosis of the liver. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2006, 100, 597-600.	1.8	24
239	A molecular phylogeny of the genus <i>Echinococcus</i> inferred from complete mitochondrial genomes. Parasitology, 2006, 134, 713-722.	1.5	389
240	Brief historical remarks as an introduction for the international symposium on taeniasis/cysticercosis and echinococcosis. Parasitology International, 2006, 55, S3-S5.	1.3	1
241	Recent advances in characterization of <i>Echinococcus antigen B</i> . Parasitology International, 2006, 55, S57-S62.	1.3	53
242	Recombinant antigens for serodiagnosis of cysticercosis and echinococcosis. Parasitology International, 2006, 55, S69-S73.	1.3	28
243	Mitochondrial DNA diagnosis for taeniasis and cysticercosis. Parasitology International, 2006, 55, S81-S85.	1.3	21
244	Usefulness of severe combined immunodeficiency (scid) and inbred mice for studies of cysticercosis and echinococcosis. Parasitology International, 2006, 55, S91-S97.	1.3	28
245	Genetic variation in <i>Taenia solium</i> . Parasitology International, 2006, 55, S121-S126.	1.3	49
246	Taeniasis and cysticercosis in Bali and North Sumatra, Indonesia. Parasitology International, 2006, 55, S155-S160.	1.3	41
247	Challenges for control of taeniasis/cysticercosis in Indonesia. Parasitology International, 2006, 55, S161-S165.	1.3	26
248	<i>Echinococcus shiquicus</i> , a new species from the Qinghai-Tibet plateau region of China: Discovery and epidemiological implications. Parasitology International, 2006, 55, S233-S236.	1.3	60
249	Taeniasis/cysticercosis in Papua (Irian Jaya), Indonesia. Parasitology International, 2006, 55, S143-S148.	1.3	21
250	A case of intramuscular cysticercosis diagnosed definitively by mitochondrial DNA analysis of extremely calcified cysts. Parasitology International, 2006, 55, 127-130.	1.3	42
251	Taeniasis/cysticercosis in a Tibetan population in Sichuan Province, China. Acta Tropica, 2006, 100, 223-231.	2.0	68
252	Magnetic Resonance Imaging of Alveolar Echinococcosis Experimentally Induced in the Rat Lung. Journal of Veterinary Medical Science, 2006, 68, 15-20.	0.9	12

#	ARTICLE	IF	CITATIONS
253	Genotyping of human cystic echinococcosis in Xinjiang, PR China. <i>Parasitology</i> , 2006, 133, 571.	1.5	77
254	High prevalence of <i>Taenia saginata</i> taeniasis and status of <i>Taenia solium</i> cysticercosis in Bali, Indonesia, 2002–2004. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2006, 100, 346-353.	1.8	50
255	<i>Echinococcus multilocularis</i> : Developmental stage-specific expression of Antigen B 8-kDa-subunits. <i>Experimental Parasitology</i> , 2006, 113, 75-82.	1.2	39
256	Conservation of the vaccine antigen gene, TSOL18, among genetically variant isolates of <i>Taenia solium</i> . <i>Molecular and Biochemical Parasitology</i> , 2006, 146, 101-104.	1.1	14
257	Evaluation of Purified <i>Taenia solium</i> Glycoproteins and Recombinant Antigens in the Serologic Detection of Human and Swine Cysticercosis. <i>Journal of Infectious Diseases</i> , 2006, 194, 1783-1790.	4.0	42
258	Distribution of small mammals in a pastoral landscape of the Tibetan plateaus (Western Sichuan, China). <i>Mammalia</i> , 2006, 70, .	0.7	33
259	Community surveys and risk factor analysis of human alveolar and cystic echinococcosis in Ningxia Hui Autonomous Region, China. <i>Bulletin of the World Health Organization</i> , 2006, 84, 714-721.	3.3	89
260	UNIQUE FAMILY CLUSTERING OF HUMAN ECHINOCOCCOSIS CASES IN A CHINESE COMMUNITY. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 74, 487-494.	1.4	39
261	DUAL INFECTION OF ANIMAL HOSTS WITH DIFFERENT ECHINOCOCCUS SPECIES IN THE EASTERN QINGHAI-TIBET PLATEAU REGION OF CHINA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 292-294.	1.4	37
262	EVIDENCE AND POTENTIAL FOR TRANSMISSION OF HUMAN AND SWINE <i>TAENIA SOLIUM</i> CYSTICERCOSIS IN THE PIRACURUCA REGION, PIAU, BRAZIL. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 933-935.	1.4	16
263	Dual infection of animal hosts with different <i>Echinococcus</i> species in the eastern Qinghai-Tibet plateau region of China. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 292-4.	1.4	17
264	Neurocysticercosis: clinical manifestation, neuroimaging, serology and molecular confirmation of histopathologic specimens. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2006, 37 Suppl 3, 74-81.	1.0	8
265	Towards the international collaboration for detection, surveillance and control of taeniasis/ cysticercosis and echinococcosis in Asia and the Pacific. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2006, 37 Suppl 3, 82-90.	1.0	3
266	Evaluation of clinical and serological data from <i>Taenia solium</i> cysticercosis patients in eastern Inner Mongolia Autonomous Region, China. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2005, 99, 625-630.	1.8	15
267	<i>Echinococcus shiquicus</i> n. sp., a taeniid cestode from Tibetan fox and plateau pika in China. <i>International Journal for Parasitology</i> , 2005, 35, 693-701.	3.1	162
268	Usefulness of recombinant Em18-ELISA to evaluate efficacy of treatment in patients with alveolar echinococcosis. <i>Journal of Gastroenterology</i> , 2005, 40, 426-431.	5.1	32
269	Treatment of taeniasis and cysticercosis with praziquantel and albendazole. <i>Medical Journal of Indonesia</i> , 2005, 14, 253.	0.5	0
270	Echinococcosis in Tibetan Populations, Western Sichuan Province, China. <i>Emerging Infectious Diseases</i> , 2005, 11, 1866-1873.	4.3	127

#	ARTICLE	IF	CITATIONS
271	PREVALENCE OF TOXOCARIASIS IN NORTHEASTERN BRAZIL BASED ON SEROLOGY USING RECOMBINANT TOXOCARA CANIS ANTIGEN. American Journal of Tropical Medicine and Hygiene, 2005, 72, 103-107.	1.4	33
272	SHORT REPORT: ECHINOCOCCUS MULTILOULARIS CONFIRMED ON KUNASHIRI ISLAND, 15 KILOMETERS FROM THE EASTERN PART OF HOKKAIDO, JAPAN. American Journal of Tropical Medicine and Hygiene, 2005, 72, 284-288.	1.4	7
273	Prevalence of toxocariasis in northeastern Brazil based on serology using recombinant Toxocara canis antigen. American Journal of Tropical Medicine and Hygiene, 2005, 72, 103-7.	1.4	11
274	Taeniasis and cysticercosis in Asia and the Pacific: present state of knowledge and perspectives. Southeast Asian Journal of Tropical Medicine and Public Health, 2005, 36 Suppl 4, 123-30.	1.0	6
275	Molecular identification of Taenia solium cysticercus genotype in the histopathological specimens. Southeast Asian Journal of Tropical Medicine and Public Health, 2005, 36 Suppl 4, 131-4.	1.0	6
276	Fundamental study of expression-library immunization against Taenia taeniaeformis in rats. Southeast Asian Journal of Tropical Medicine and Public Health, 2005, 36 Suppl 4, 135-8.	1.0	1
277	Molecular Cloning, Expression, and Serological Evaluation of an 8-Kilodalton Subunit of Antigen B from Echinococcus multilocularis. Journal of Clinical Microbiology, 2004, 42, 1082-1088.	3.9	51
278	Solitary Neurocysticercosis Case Caused by Asian Genotype of Taenia solium Confirmed by Mitochondrial DNA Analysis. Journal of Clinical Microbiology, 2004, 42, 3891-3893.	3.9	25
279	DNA Differential Diagnosis of Taeniasis and Cysticercosis by Multiplex PCR. Journal of Clinical Microbiology, 2004, 42, 548-553.	3.9	213
280	Cysticercosis/Taeniasis in Asia and the Pacific. Vector-Borne and Zoonotic Diseases, 2004, 4, 95-107.	1.5	53
281	Response to Dorny et al.: Immunodiagnostic approaches for detecting Taenia solium. Trends in Parasitology, 2004, 20, 260-261.	3.3	4
282	The Tibetan hare Lepus oiostolus : a novel intermediate host for Echinococcus multilocularis. Parasitology Research, 2004, 92, 352-353.	1.6	19
283	Functional expression and characterization of Echinococcus granulosus thioredoxin peroxidase suggests a role in protection against oxidative damage. Gene, 2004, 326, 157-165.	2.2	75
284	Immunization of Rodents Against <i>Hymenolepis</i> Infections using Non-viable Homologous Oncospheres. Kaohsiung Journal of Medical Sciences, 2004, 20, 575-579.	1.9	3
285	Hymenolepis microstoma: direct life cycle in immunodeficient mice. Journal of Helminthology, 2004, 78, 1-5.	1.0	24
286	Cysticercosis: IgG-ELISA evaluations of peak1 antigen and <30 kDa antigen of delipidized extract of Taenia solium metacestodes. Southeast Asian Journal of Tropical Medicine and Public Health, 2004, 35, 1-9.	1.0	82
287	Immunodiagnostic and molecular approaches for the detection of taeniid cestode infections. Trends in Parasitology, 2003, 19, 377-381.	3.3	93
288	Evaluation of tongue inspection and serology for diagnosis of Taenia solium cysticercosis in swine: usefulness of ELISA using purified glycoproteins and recombinant antigen. Veterinary Parasitology, 2003, 111, 309-322.	1.8	45

#	ARTICLE	IF	CITATIONS
289	Isolation of polymorphic microsatellite loci from the tapeworm <i>Echinococcus multilocularis</i> . <i>Infection, Genetics and Evolution</i> , 2003, 3, 159-163.	2.3	86
290	Neurocysticercosis and epilepsy in Cameroon. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2003, 97, 683-686.	1.8	28
291	The Mitochondrial Genome of the Tapeworm <i>Taenia solium</i> : A Finding of the Abbreviated Stop Codon U. <i>Journal of Parasitology</i> , 2003, 89, 633-635.	0.7	60
292	Development of Em18-immunoblot and Em18-ELISA for specific diagnosis of alveolar echinococcosis. <i>Acta Tropica</i> , 2003, 85, 173-182.	2.0	46
293	Control of echinococcosis and cysticercosis: a public health challenge to international cooperation in China. <i>Acta Tropica</i> , 2003, 86, 3-17.	2.0	110
294	Multiple genotypes of <i>Taenia solium</i> —ramifications for diagnosis, treatment and control. <i>Acta Tropica</i> , 2003, 87, 95-101.	2.0	59
295	Human taeniasis and cysticercosis in Asia. <i>Lancet, The</i> , 2003, 362, 1918-1920.	13.7	145
296	Evaluation of Use of Recombinant Em18 and Affinity-Purified Em18 for Serological Differentiation of Alveolar Echinococcosis from Cystic Echinococcosis and Other Parasitic Infections. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3351-3353.	3.9	40
297	A Novel Recombinant Antigen for Immunodiagnosis of Human Cystic Echinococcosis. <i>Journal of Infectious Diseases</i> , 2003, 188, 1951-1960.	4.0	47
298	<i>Taenia solium</i> taeniasis/cysticercosis in Papua, Indonesia in 2001: detection of human worm carriers. <i>Journal of Helminthology</i> , 2003, 77, 39-42.	1.0	35
299	Infection of rats with <i>Taenia taeniformis</i> metacestodes increases hepatic CYP450, induces the activity of CYP1A1, CYP2B1 and COH isoforms and increases the genotoxicity of the procarcinogens benzo[a]pyrene, cyclophosphamide and aflatoxin B1. <i>Mutagenesis</i> , 2003, 18, 211-216.	2.6	18
300	Perspective on control options for <i>Echinococcus multilocularis</i> with particular reference to Japan. <i>Parasitology</i> , 2003, 127, S159-S172.	1.5	70
301	Echinococcosis on the Tibetan Plateau: prevalence and risk factors for cystic and alveolar echinococcosis in Tibetan populations in Qinghai Province, China. <i>Parasitology</i> , 2003, 127, S109-S120.	1.5	103
302	<i>Taenia solium</i> Cysticercosis, Irian Jaya, Indonesia. <i>Emerging Infectious Diseases</i> , 2003, 9, 884-885.	4.3	34
303	SHORT REPORT: IDENTIFICATION OF ECHINOCOCCUS SPECIES FROM A YAK IN THE QINGHAI-TIBET PLATEAU REGION OF CHINA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 69, 445-446.	1.4	37
304	Short report: Identification of <i>Echinococcus</i> species from a yak in the Qinghai-Tibet plateau region of China. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 69, 445-6.	1.4	15
305	Magnetic resonance imaging and immunoblot analyses in rats with experimentally induced cerebral alveolar echinococcosis. <i>Comparative Medicine</i> , 2003, 53, 649-56.	1.0	8
306	Echinococcosis on the Tibetan Plateau: prevalence and risk factors for cystic and alveolar echinococcosis in Tibetan populations in Qinghai Province, China. <i>Parasitology</i> , 2003, 127 Suppl, S109-20.	1.5	46

#	ARTICLE	IF	CITATIONS
307	Perspective on control options for <i>Echinococcus multilocularis</i> with particular reference to Japan. <i>Parasitology</i> , 2003, 127 Suppl, S159-72.	1.5	21
308	Echinococcosis and cysticercosis in Asia: evaluation of the modern technology for epidemiological study. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2003, 34 Suppl 2, 103-7.	1.0	1
309	Usefulness of Hydatid Cyst Fluid of <i>Echinococcus granulosus</i> Developed in Mice with Secondary Infection for Serodiagnosis of Cystic Echinococcosis in Humans. <i>Vaccine Journal</i> , 2002, 9, 573-576.	3.1	19
310	Dogs as alternative intermediate hosts of <i>Taenia solium</i> in Papua (Irian Jaya), Indonesia confirmed by highly specific ELISA and immunoblot using native and recombinant antigens and mitochondrial DNA analysis. <i>Journal of Helminthology</i> , 2002, 76, 311-314.	1.0	73
311	DNA Differential Diagnosis of Human Taeniid Cestodes by Base Excision Sequence Scanning Thymine-Base Reader Analysis with Mitochondrial Genes. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3818-3821.	3.9	50
312	Evaluation of an Enzyme-Linked Immunosorbent Assay (ELISA) with Affinity-Purified Em18 and an ELISA with Recombinant Em18 for Differential Diagnosis of Alveolar Echinococcosis: Results of a Blind Test. <i>Journal of Clinical Microbiology</i> , 2002, 40, 4161-4165.	3.9	51
313	Alveolar Echinococcosis: Characterization of Diagnostic Antigen Em18 and Serological Evaluation of Recombinant Em18. <i>Journal of Clinical Microbiology</i> , 2002, 40, 2760-2765.	3.9	67
314	Serologic and molecular diagnosis of zoonotic larval cestode infections. <i>Parasitology International</i> , 2002, 51, 221-235.	1.3	38
315	The complete mitochondrial DNA sequence of the cestode <i>Echinococcus multilocularis</i> (Cyclophyllidea: Taeniidae). <i>Mitochondrion</i> , 2002, 1, 497-509.	3.4	87
316	Characterisation and expression of the <i>Fasciola gigantica</i> cathepsin L gene. <i>International Journal for Parasitology</i> , 2002, 32, 1031-1042.	3.1	34
317	Cry wolf!. <i>Trends in Parasitology</i> , 2002, 18, 47-48.	3.3	2
318	A phylogenetic hypothesis for the distribution of two genotypes of the pig tapeworm <i>Taenia solium</i> worldwide. <i>Parasitology</i> , 2002, 124, 657-662.	1.5	138
319	Mitochondrial DNA of <i>Taenia solium</i> : from basic to applied science.. , 2002, , 47-55.		9
320	Recent advances in basic and applied science for the control of taeniasis/cysticercosis in Asia. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2002, 33 Suppl 3, 79-82.	1.0	1
321	Collaboration for the control of cysticercosis/echinococcosis in Vietnam. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2002, 33 Suppl 3, 83-5.	1.0	0
322	Comparison of the antigenicity of protoscoleces and microvesicles of <i>Echinococcus multilocularis</i> prepared from rats. <i>Journal of Helminthology</i> , 2001, 75, 355-358.	1.0	8
323	Determination of pharmacokinetic parameters of stavudine in Japanese patients infected with HIV-1, using a Gaussian-like input rate function. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2001, 26, 137-140.	1.6	1
324	Monoclonal antibody (5F3) defining renal cell carcinoma-associated antigen disialosyl globopentaosylceramide (V3NeuAcIV6NeuAcGb5), and distribution pattern of the antigen in tumor and normal tissues. <i>Glycoconjugate Journal</i> , 2001, 18, 475-485.	2.7	23

#	ARTICLE	IF	CITATIONS
325	Taenia solium infection in Irian Jaya (West Papua), Indonesia: a pilot serological survey of human and porcine cysticercosis in Jayawijaya District. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2001, 95, 388-390.	1.8	41
326	Immunodiagnostic differentiation of alveolar and cystic echinococcosis using ELISA test with 18-kDa antigen extracted from Echinococcus protoscoleces. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2001, 95, 285-288.	1.8	21
327	Comparison of the antigenicity of protoscoleces and microvesicles of Echinococcus multilocularis prepared from rats. Journal of Helminthology, 2001, 75, 355-8.	1.0	4
328	Differential serodiagnosis of cystic and alveolar echinococcosis using native and recombinant antigens in Japan. Southeast Asian Journal of Tropical Medicine and Public Health, 2001, 32 Suppl 2, 111-5.	1.0	1
329	Cysticercosis in Indonesia: epidemiological aspects. Southeast Asian Journal of Tropical Medicine and Public Health, 2001, 32 Suppl 2, 79-84.	1.0	2
330	NOD-scid mouse as an experimental animal model for cysticercosis. Southeast Asian Journal of Tropical Medicine and Public Health, 2001, 32 Suppl 2, 85-9.	1.0	3
331	Molecular variation of Taenia solium in the world. Southeast Asian Journal of Tropical Medicine and Public Health, 2001, 32 Suppl 2, 90-3.	1.0	5
332	Recent advances in serodiagnosis for cysticercosis. Southeast Asian Journal of Tropical Medicine and Public Health, 2001, 32 Suppl 2, 98-104.	1.0	4
333	Investigation of risk factors for development of human hydatidosis among households raising livestock in Tibetan areas of western Sichuan province. Zhongguo Ji Sheng Chong Xue Yu Ji Sheng Chong Bing Za Zhi = Chinese Journal of Parasitology & Parasitic Diseases, 2001, 19, 93-6.	0.7	13
334	Resurgence of cases of epileptic seizures and burns associated with cysticercosis in Assologaima, Jayawijaya, Irian Jaya, Indonesia, 1991-1995. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2000, 94, 46-50.	1.8	49
335	Mitochondrial genetic code in cestodes. Molecular and Biochemical Parasitology, 2000, 111, 415-424.	1.1	126
336	Molecular Characterization and Diagnostic Value of Taenia solium Low-Molecular-Weight Antigen Genes. Journal of Clinical Microbiology, 2000, 38, 4439-4444.	3.9	94
337	An epidemiological and ecological study of human alveolar echinococcosis transmission in south Gansu, China. Acta Tropica, 2000, 77, 167-177.	2.0	159
338	Neurocysticercosis and echinococcosis in Asia: recent advances in the establishment of highly reliable differential serodiagnosis for international collaboration. Southeast Asian Journal of Tropical Medicine and Public Health, 2000, 31 Suppl 1, 16-20.	1.0	1
339	Cystic Echinococcosis in a Jordanian Patient: Albendazole in a Short-Term Immigrant. Journal of Travel Medicine, 1999, 6, 249-253.	3.0	6
340	Human Taenia in Severe Combined Immunodeficiency (SCID) Mice. Parasitology Today, 1999, 15, 64-67.	3.0	12
341	Oncospheres of Taenia solium and T. saginata asiatica develop into metacestodes in normal and immunosuppressed mice. Journal of Helminthology, 1999, 73, 183-186.	1.0	11
342	Neurocysticercosis case with a single cyst in the brain showing dramatic drop in specific antibody titers within 1 year after curative surgical resection. Parasitology International, 1999, 48, 95-99.	1.3	29

#	ARTICLE	IF	CITATIONS
343	ELISA and immunoblot using purified glycoproteins for serodiagnosis of cysticercosis in pigs naturally infected with <i>Taenia solium</i> . <i>Journal of Helminthology</i> , 1999, 73, 363-365.	1.0	32
344	Novel Mechanism for Endothelial Dysfunction. <i>Circulation</i> , 1999, 99, 3092-3095.	1.6	605
345	Neurocysticercosis without Detectable Specific Antibody.. <i>Internal Medicine</i> , 1999, 38, 67-70.	0.7	21
346	Differential serodiagnosis for cystic and alveolar echinococcosis using fractions of <i>Echinococcus granulosus</i> cyst fluid (antigen B) and <i>E. multilocularis</i> protoscolex (EM18).. <i>American Journal of Tropical Medicine and Hygiene</i> , 1999, 60, 188-192.	1.4	98
347	Congenital transmission of <i>Schistosoma japonicum</i> in pigs.. <i>American Journal of Tropical Medicine and Hygiene</i> , 1999, 60, 311-312.	1.4	30
348	Ultrasonographic and serologic studies of experimental cysticercosis in rats infected with <i>Taenia taeniaeformis</i> . <i>Parasite Immunology</i> , 1998, 20, 105-110.	1.5	5
349	Immunoblot analysis of a 10â€ƒkDa antigen in cyst fluid of <i>Taenia solium</i> metacestodes. <i>Parasite Immunology</i> , 1998, 20, 483-488.	1.5	41
350	Evaluation of Em18-, Em16-, Antigen B-Western blots, Em2plus-ELISA and four other tests for differential serodiagnosis of alveolar and cystic echinococcosis patients in Poland. <i>Parasitology International</i> , 1998, 47, 95-99.	1.3	12
351	Eosinophil chemotactic factors from cysticercoids of <i>Hymenolepis nana</i> . <i>Journal of Helminthology</i> , 1998, 72, 273-275.	1.0	9
352	Experimental infection of larval <i>Echinococcus multilocularis</i> in the rodent brain as a model for cerebral alveolar echinococcosis. <i>Journal of Helminthology</i> , 1998, 72, 59-64.	1.0	7
353	Immunoglobulin G (IgG) Subclass and IgE Responses in Human Paragonimiasis Caused by Three Different Species. <i>Vaccine Journal</i> , 1998, 5, 474-478.	2.6	25
354	Short report: An imported case of cystic echinococcosis in Japan diagnosed by imaging and serology with confirmation of <i>Echinococcus granulosus</i> -specific DNA sequences.. <i>American Journal of Tropical Medicine and Hygiene</i> , 1998, 58, 790-792.	1.4	16
355	Novel antigens for neurocysticercosis: simple method for preparation and evaluation for serodiagnosis.. <i>American Journal of Tropical Medicine and Hygiene</i> , 1998, 59, 291-294.	1.4	110
356	Human <i>Taenia</i> eggs develop into cysticerci in scid mice. <i>Parasitology</i> , 1997, 114, 85-88.	1.5	30
357	Geographical genetic structure within the human lung fluke, <i>Paragonimus westermani</i> , detected from DNA sequences. <i>Parasitology</i> , 1997, 115, 411-417.	1.5	116
358	Phylogenetic relationships of three hymenolepidid species inferred from nuclear ribosomal and mitochondrial DNA sequences. <i>Parasitology</i> , 1997, 115, 661-666.	1.5	46
359	<i>Echinococcus multilocularis</i> : mouse strain difference in hydatid development. <i>Journal of Helminthology</i> , 1997, 71, 53-56.	1.0	17
360	In vitro hatched oncospheres of Asian <i>Taenia</i> from Korea and Taiwan develop into cysticerci in the peritoneal cavity of female scid (severe combined immunodeficiency) mice. <i>International Journal for Parasitology</i> , 1997, 27, 631-633.	3.1	23

#	ARTICLE	IF	CITATIONS
361	Cystic metacestodes of a rat-adapted <i>Taenia taeniaeformis</i> established in the peritoneal cavity of scid and nude mice. <i>International Journal for Parasitology</i> , 1997, 27, 903-905.	3.1	8
362	Basic and applied immunology in cestode infections: from <i>Hymenolepis</i> to <i>Taenia</i> and <i>Echinococcus</i> . <i>International Journal for Parasitology</i> , 1997, 27, 1203-1211.	3.1	27
363	Taeniasis/cysticercosis in Indonesia as an emerging disease. <i>Parasitology Today</i> , 1997, 13, 321-323.	3.0	82
364	Alveolar echinococcosis: Em2plus-ELISA,¢ and Em18-Western blots for follow-up after treatment with albendazole. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1997, 91, 476-478.	1.8	37
365	Immunodiagnosis of alveolar echinococcosis by enzyme-linked immunosorbent assay using a partially purified Em18/16 enriched fraction. <i>Vaccine Journal</i> , 1997, 4, 57-59.	2.6	20
366	ANTIBODY RESPONSES AGAINST EM18 AND EM16 SERODIAGNOSTIC MARKERS IN ALVEOLAR AND CYSTIC ECHINOCOCCOSIS PATIENTS FROM NORTHWEST CHINA. <i>Japanese Journal of Medical Science and Biology</i> , 1997, 50, 19-26.	0.4	9
367	Antibody responses against <i>Echinococcus multilocularis</i> antigens in naturally infected <i>Rattus norvegicus</i> . <i>Journal of Helminthology</i> , 1996, 70, 355-357.	1.0	8
368	Cestocidal activity of <i>Acacia auriculiformis</i> . <i>Journal of Helminthology</i> , 1996, 70, 171-172.	1.0	36
369	Em18 and Em16, new serologic marker epitopes for alveolar echinococcosis in Western blot analysis, are the only two epitopes recognized by commercially available weak positive (cut off) sera for Em2plus-ELISA. <i>Journal of Helminthology</i> , 1995, 69, 369-371.	1.0	3
370	The minimum effective dose of praziquantel in treatment of <i>Hymenolepis diminuta</i> in rats. <i>Journal of Helminthology</i> , 1995, 69, 91-92.	1.0	4
371	Immunoblot evaluation of IgG and IgG-subclass antibody responses for immunodiagnosis of human alveolar echinococcosis. <i>Annals of Tropical Medicine and Parasitology</i> , 1995, 89, 485-495.	1.6	28
372	Intraspecific variation of isoenzymes in <i>Taenia taeniaeformis</i> . <i>International Journal for Parasitology</i> , 1995, 25, 221-228.	3.1	15
373	A simple method for collecting eggs of taeniid cestodes from fresh, frozen or ethanol-fixed segments. <i>International Journal for Parasitology</i> , 1995, 25, 537-538.	3.1	9
374	EM18, a New Serodiagnostic Marker for Differentiation of Active and Inactive Cases of Alveolar Hydatid Disease. <i>American Journal of Tropical Medicine and Hygiene</i> , 1995, 52, 41-44.	1.4	61
375	Effect of luminal administration of glutamine to suppress preservation graft injury in small bowel transplants. <i>Transplantation Proceedings</i> , 1995, 27, 780-2.	0.6	8
376	A sterol with an unusual side chain from <i>Anoectochilus koshunensis</i> . <i>Phytochemistry</i> , 1994, 36, 1465-1467.	2.9	25
377	Protective antibodies against <i>Taenia taeniaeformis</i> in rats infected with eggs or injected with non-viable oncospheres or recombinant antigens of oncospheres. <i>Parasite Immunology</i> , 1994, 16, 463-468.	1.5	3
378	Adoptive transfer of protection to <i>Taenia taeniaeformis</i> infection in rats with immune spleen cells. <i>International Journal for Parasitology</i> , 1994, 24, 413-415.	3.1	3

#	ARTICLE	IF	CITATIONS
379	Cross protection against <i>Taenia taeniaeformis</i> in rats vaccinated with non-viable oncospheres of Asian <i>Taenia</i> or <i>T. saginata</i> . Journal of Helminthology, 1994, 68, 83-85.	1.0	7
380	Antibody responses in the wild vole, <i>Clethrionomys rufocanus bedfordiae</i> , naturally infected with <i>Echinococcus multilocularis</i> by Western blotting. Journal of Helminthology, 1994, 68, 267-269.	1.0	7
381	In vitro hatching of oncospheres of <i>Taenia taeniaeformis</i> using eggs isolated from fresh, frozen, formalin-fixed and ethanol-fixed segments. Journal of Helminthology, 1994, 68, 271-272.	1.0	10
382	Serodiagnosis of alveolar hydatid disease by Western blotting. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1993, 87, 170-172.	1.8	56
383	The role of OX22 ⁺ helper T cells in protective immunity to reinfection with <i>Taenia taeniaeformis</i> in rats. Parasite Immunology, 1993, 15, 663-668.	1.5	3
384	Vaccination with hatched but non-activated, non-viable oncospheres of <i>Taenia taeniaeformis</i> in rats. Journal of Helminthology, 1993, 67, 165-168.	1.0	10
385	Differential Serodiagnosis of Alveolar and Cystic Hydatid Disease in the People's Republic of China. American Journal of Tropical Medicine and Hygiene, 1993, 49, 208-213.	1.4	28
386	Cysticercosis in Asian-Pacific Regions. Parasitology Today, 1992, 8, 182-183.	3.0	23
387	Macrophages in protective immunity to <i>Hymenolepis nana</i> in mice. Immunology and Cell Biology, 1992, 70, 417-420.	2.3	8
388	<i>Hymenolepis nana</i> : Immunity against oncosphere challenge in mice previously given viable or non-viable oncospheres of <i>H. nana</i> , <i>H. diminuta</i> , <i>H. microstoma</i> and <i>Taenia taeniaeformis</i> . International Journal for Parasitology, 1991, 21, 241-245.	3.1	17
389	Vaccination against <i>Taenia taeniaeformis</i> infection in rats using a recombinant protein and preliminary analysis of the induced antibody response. Molecular and Biochemical Parasitology, 1991, 44, 43-49.	1.1	22
390	Vaccine Effect of Intact Metacestodes of <i>Taenia crassiceps</i> against <i>T. taeniaeformis</i> Infection in Rats. American Journal of Tropical Medicine and Hygiene, 1991, 44, 696-701.	1.4	4
391	<i>Hymenolepis microstoma</i> oncospheres invade the intestinal tissue of the definitive host. Journal of Helminthology, 1990, 64, 168-170.	1.0	6
392	Trombiculid Mites (Acari: Trombiculidae) and <i>Rickettsia tsutsugamushi</i> Isolated from Wild Rodents in a New Endemic Area of Japan. Journal of Medical Entomology, 1990, 27, 501-508.	1.8	18
393	Stage-specific antigens of <i>Hymenolepis microstoma</i> recognized in BALB/c mice. Parasite Immunology, 1989, 11, 453-462.	1.5	16
394	Lumen phase specific cross immunity between <i>Hymenolepis microstoma</i> and <i>H. nana</i> in mice. International Journal for Parasitology, 1988, 18, 1019-1027.	3.1	12
395	Cross-resistance between <i>Taenia taeniaeformis</i> and <i>Hymenolepis nana</i> infections in C3H/HE mice. International Journal for Parasitology, 1988, 18, 691-694.	3.1	4
396	Failure of auto-infection with <i>Hymenolepis nana</i> in seven inbred strains of mice initially given beetle-derived cysticercoids. International Journal for Parasitology, 1988, 18, 321-324.	3.1	6

#	ARTICLE	IF	CITATIONS
397	Analysis of antibody responses to <i>Hymenolepis nana</i> infection in mice by the enzyme-linked immunosorbent assay and immunoprecipitation. <i>Parasite Immunology</i> , 1988, 10, 265-277.	1.5	13
398	Changes in surface antigens of <i>Hymenolepis nana</i> during differentiation and maturation in mice. <i>Journal of Helminthology</i> , 1987, 61, 129-136.	1.0	12
399	Cortisone-sensitive, innate resistance to <i>Hymenolepis nana</i> infection in congenitally athymic nude rats. <i>Journal of Helminthology</i> , 1987, 61, 124-128.	1.0	12
400	Collagenase-like (CL) peptidase activity in synovial fluid from patients with rheumatoid arthritis. <i>Clinica Chimica Acta</i> , 1987, 170, 291-296.	1.1	8
401	<i>Hymenolepis diminuta</i> and <i>H. nana</i> : Cross immunity against the lumen phase in mice. <i>Experimental Parasitology</i> , 1987, 64, 48-56.	1.2	9
402	Complete resistance to challenges with <i>Hymenolepis nana</i> cysticercoids derived from mouse, rat and beetle in mice. <i>International Journal for Parasitology</i> , 1986, 16, 623-628.	3.1	9
403	Correlation between protective antibody response and patent infection with <i>Hymenolepis nana</i> in mice. <i>International Journal for Parasitology</i> , 1986, 16, 197-203.	3.1	4
404	Reduced fecundity of <i>Hymenolepis nana</i> due to thymus-dependent immunological responses in mice. <i>International Journal for Parasitology</i> , 1986, 16, 81-85.	3.1	14
405	Thymus dependency of induced immune responses against <i>Hymenolepis nana</i> (cestode) using congenitally athymic nude mice. <i>Clinical and Experimental Immunology</i> , 1985, 60, 87-94.	2.6	15
406	IgG and IgE Antibodies to <i>Hymenolepis nana</i> Detected in Infected Mouse Sera by Gel Diffusion and Passive Cutaneous Anaphylaxis Tests. <i>Journal of Parasitology</i> , 1984, 70, 170.	0.7	6
407	<i>Hymenolepis nana</i> : Worm recovery from congenitally athymic nude and phenotypically normal rats and mice. <i>Experimental Parasitology</i> , 1984, 58, 132-137.	1.2	18
408	Stage-specific immunogens of <i>Hymenolepis nana</i> in mice. <i>Journal of Helminthology</i> , 1984, 58, 235-238.	1.0	11
409	<i>Hymenolepis nana</i> : Maturation in an immunosuppressed unnatural rat host. <i>Experimental Parasitology</i> , 1983, 56, 318-326.	1.2	13
410	<i>Hymenolepis nana</i> : Immunogenicity of a lumen phase of the direct cycle and failure of autoinfection in mice. <i>Experimental Parasitology</i> , 1982, 54, 113-120.	1.2	14
411	Comparative Activities of AM-715 and Pipemidic and Nalidixic Acids Against Experimentally Induced Systemic and Urinary Tract Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 1981, 19, 188-189.	3.2	46
412	<i>Hymenolepis nana</i> : Survival in the immunized mouse. <i>Experimental Parasitology</i> , 1980, 49, 248-257.	1.2	16
413	<i>Hymenolepis nana</i> : Protective immunity against mouse-derived cysticercoids induced by initial inoculation with eggs. <i>Experimental Parasitology</i> , 1978, 46, 12-19.	1.2	9
414	Primary infection with mouse-derived cysticercoids of <i>Hymenolepis nana</i> prepared from baby or adult mice and secondary infections with eggs or cysticercoids. <i>International Journal for Parasitology</i> , 1978, 8, 149-153.	3.1	3

#	ARTICLE	IF	CITATIONS
415	A Simple Method for Collecting Infective Cysticercoids of <i>Hymenolepis nana</i> from the Mouse Intestine. <i>Journal of Parasitology</i> , 1977, 63, 167.	0.7	16
416	The mode of passive protection against <i>Hymenolepis nana</i> induced by serum transfer. <i>International Journal for Parasitology</i> , 1977, 7, 67-71.	3.1	21
417	In vitro oncospherical agglutination given by immune sera from mice infected, and rabbits injected, with eggs of <i>Hymenolepis nana</i> . <i>Parasitology</i> , 1975, 71, 465-473.	1.5	16
418	The problem of Taeniasis and Cysticercosis in Irian Jaya, Indonesia. <i>Medical Journal of Indonesia</i> , 0, 10, 110.	0.5	6
419	Multiple cysticercus nodules in skin and brain in a Balinese woman: A case report. <i>Medical Journal of Indonesia</i> , 0, 11, 169.	0.5	8
420	Biology of the Cestodes. , 0, , 37-42.		1