Ole Bernt Fasmer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4825772/publications.pdf

Version: 2024-02-01

52 papers

1,465 citations

³⁶¹⁴¹³
20
h-index

36 g-index

55 all docs 55 docs citations

55 times ranked 2252 citing authors

#	Article	IF	CITATIONS
1	Occupational Outcome in Adult ADHD: Impact of Symptom Profile, Comorbid Psychiatric Problems, and Treatment. Journal of Attention Disorders, 2009, 13, 175-187.	2.6	241
2	Adult ADHD and Comorbid Somatic Disease: A Systematic Literature Review. Journal of Attention Disorders, 2018, 22, 203-228.	2.6	148
3	Clinical assessment and diagnosis of adults with attention-deficit/hyperactivity disorder. Expert Review of Neurotherapeutics, 2010, 10, 1569-1580.	2.8	100
4	Actigraphic Assessment of Motor Activity in Acutely Admitted Inpatients with Bipolar Disorder. PLoS ONE, 2014, 9, e89574.	2.5	89
5	Nonlinear Analysis of Motor Activity Shows Differences between Schizophrenia and Depression: A Study Using Fourier Analysis and Sample Entropy. PLoS ONE, 2011, 6, e16291.	2.5	72
6	Clinical Characteristics of Patients with Major Affective Disorders and Comorbid Migraine. World Journal of Biological Psychiatry, 2001, 2, 149-155.	2.6	59
7	Depresjon., 2018,,.		54
8	Adult attention deficit hyperactivity disorder is associated with asthma. BMC Psychiatry, 2011, 11, 128.	2.6	43
9	Adult attention deficit hyperactivity disorder is associated with migraine headaches. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 595-602.	3.2	42
10	Applying machine learning in motor activity time series of depressed bipolar and unipolar patients compared to healthy controls. PLoS ONE, 2020, 15, e0231995.	2.5	40
11	Actigraphically Assessed Activity in Unipolar Depression. Journal of Clinical Psychiatry, 2015, 76, 1181-1187.	2.2	39
12	Blocking blue light during mania – markedly increased regularity of sleep and rapid improvement of symptoms: a case report. Bipolar Disorders, 2014, 16, 894-898.	1.9	34
13	Do medical students and young physicians assess reliably their self-efficacy regarding communication skills? A prospective study from end of medical school until end of internship. BMC Medical Education, 2017, 17, 107.	2.4	34
14	A pilot study to determine whether combinations of objectively measured activity parameters can be used to differentiate between mixed states, mania, and bipolar depression. International Journal of Bipolar Disorders, 2017, 5, 5.	2.2	33
15	Comorbidity of Asthma With ADHD. Journal of Attention Disorders, 2011, 15, 564-571.	2.6	29
16	Linear and non-linear analyses of Conner's Continuous Performance Test-II discriminate adult patients with attention deficit hyperactivity disorder from patients with mood and anxiety disorders. BMC Psychiatry, 2016, 16, 284.	2.6	27
17	Variability of activity patterns across mood disorders and time of day. BMC Psychiatry, 2017, 17, 404.	2.6	27
18	Effect of Acupuncture at Ht7 on Heart Rate Variability: An Exploratory Study. Acupuncture in Medicine, 2015, 33, 30-35.	1.0	25

#	Article	IF	CITATIONS
19	Mood and motor activity in euthymic bipolar disorder with sleep disturbance. Journal of Affective Disorders, 2016, 202, 23-31.	4.1	23
20	Blueâ€blocking glasses as additive treatment for mania: Effects on actigraphyâ€derived sleep parameters. Journal of Sleep Research, 2020, 29, e12984.	3.2	22
21	Distribution of Active and Resting Periods in the Motor Activity of Patients with Depression and Schizophrenia. Psychiatry Investigation, 2016, 13, 112.	1.6	22
22	Prevalence and clinical features associated to bipolar disorder–migraine comorbidity: a systematic review. Comprehensive Psychiatry, 2015, 56, 1-16.	3.1	20
23	Comorbidity of Migraine With ADHD. Journal of Attention Disorders, 2012, 16, 339-345.	2.6	19
24	Actigraphy as an objective intra-individual marker of activity patterns in acute-phase bipolar disorder: a case series. International Journal of Bipolar Disorders, 2018, 6, 8.	2.2	19
25	Graph theory applied to the analysis of motor activity in patients with schizophrenia and depression. PLoS ONE, 2018, 13, e0194791.	2.5	19
26	Non-right-handedness is associated with migraine and soft bipolarity in patients with mood disorders. Journal of Affective Disorders, 2008, 108, 217-224.	4.1	16
27	Circadian rest-activity rhythms during benzodiazepine tapering covered by melatonin versus placebo add-on: data derived from a randomized clinical trial. BMC Psychiatry, 2016, 16, 348.	2.6	16
28	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. Journal of Affective Disorders, 2015, 172, 453-461.	4.1	15
29	Diabetes is associated with decreased migraine risk: A nationwide cohort study. Cephalalgia, 2018, 38, 1759-1764.	3.9	14
30	Cyclothymic temperament: Associations with ADHD, other psychopathology, and medical morbidity in the general population. Journal of Affective Disorders, 2020, 260, 440-447.	4.1	14
31	Long–Short Ensemble Network for Bipolar Manic-Euthymic State Recognition Based on Wrist-Worn Sensors. IEEE Pervasive Computing, 2022, 21, 20-31.	1.3	13
32	Motor activity patterns in acute schizophrenia and other psychotic disorders can be differentiated from bipolar mania and unipolar depression. Psychiatry Research, 2018, 270, 418-425.	3.3	12
33	Laterality of pain in migraine with comorbid unipolar depressive and bipolar II disorders. Bipolar Disorders, 2002, 4, 290-295.	1.9	11
34	A Naturalistic Study of the Effect of Acupuncture on Heart-Rate Variability. JAMS Journal of Acupuncture and Meridian Studies, 2012, 5, 15-20.	0.7	11
35	Individual Variability in Reaction Time and Prediction of Clinical Response to Methylphenidate in Adult ADHD: A Prospective Open Label Study Using Conners' Continuous Performance Test II. Journal of Attention Disorders, 2021, 25, 657-671.	2.6	9
36	Complexity and variability analyses of motor activity distinguish mood states in bipolar disorder. PLoS ONE, 2022, 17, e0262232.	2.5	9

3

#	Article	IF	CITATIONS
37	Patterns of motor activity in spontaneously hypertensive rats compared to Wistar Kyoto rats. Behavioral and Brain Functions, 2016, 12, 32.	3.3	7
38	The influence of glutamatergic antagonism on motor variability, and comparison to findings in schizophrenia patients. Acta Neuropsychiatrica, 2013, 25, 105-112.	2.1	6
39	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. PLoS ONE, 2020, 15, e0241991.	2.5	6
40	Distribution and Characteristics of Active and Inactive Periods Distinguish Unipolar Depression With and Without Motor Retardation. Journal of Clinical Psychiatry, 2016, 77, 841-842.	2.2	5
41	Motor Activity in Adult Patients with Attention Deficit Hyperactivity Disorder. Psychiatry Investigation, 2015, 12, 474.	1.6	4
42	HYPERAKTIV., 2021,,.		3
43	Lower Cardiac Vagal Activity Predicts Self-Reported Difficulties With Emotion Regulation in Adolescents With ADHD. Frontiers in Psychiatry, 2020, 11, 244.	2.6	2
44	Innovative approaches in investigating interâ€beat intervals: Graph theoretical method suggests altered autonomic functioning in adolescents with ADHD. Psychophysiology, 2022, , e14005.	2.4	1
45	Title is missing!. , 2020, 15, e0231995.		0
46	Title is missing!. , 2020, 15, e0231995.		0
47	Title is missing!. , 2020, 15, e0231995.		0
48	Title is missing!. , 2020, 15, e0231995.		0
49	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. , 2020, 15, e0241991.		0
50	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. , 2020, 15, e0241991.		0
51	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. , 2020, 15, e0241991.		0
52	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. , 2020, 15, e0241991.		0