

# Elena B Pasquale

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4826034/publications.pdf>

Version: 2024-02-01

74  
papers

8,113  
citations

87888

38  
h-index

82547

72  
g-index

80  
all docs

80  
docs citations

80  
times ranked

7720  
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery of novel furanylbenzamide inhibitors that target oncogenic tyrosine phosphatase SHP2 in leukemia cells. <i>Journal of Biological Chemistry</i> , 2022, 298, 101477.	3.4	6
2	Phosphorylation of guanosine monophosphate reductase triggers a GTP-dependent switch from pro-to anti-oncogenic function of EPHA4. <i>Cell Chemical Biology</i> , 2022, 29, 970-984.e6.	5.2	4
3	Ligands with different dimeric configurations potently activate the EphA2 receptor and reveal its potential for biased signaling. <i>IScience</i> , 2022, 25, 103870.	4.1	8
4	Direct Quantification of Ligand-Induced Lipid and Protein Microdomains with Distinctive Signaling Properties**. <i>ChemSystemsChem</i> , 2022, 4, .	2.6	1
5	EphB4 and ephrinB2 act in opposition in the head and neck tumor microenvironment. <i>Nature Communications</i> , 2022, 13, .	12.8	9
6	Noncanonical EphA2 Signaling Is a Driver of Tumor-Endothelial Cell Interactions and Metastatic Dissemination in BRAF Inhibitor-Resistant Melanoma. <i>Journal of Investigative Dermatology</i> , 2021, 141, 840-851.e4.	0.7	19
7	A cancer mutation promotes EphA4 oligomerization and signaling by altering the conformation of the SAM domain. <i>Journal of Biological Chemistry</i> , 2021, 297, 100876.	3.4	9
8	Regulation of the EphA2 receptor intracellular region by phosphomimetic negative charges in the kinase-SAM linker. <i>Nature Communications</i> , 2021, 12, 7047.	12.8	11
9	Environmental enrichment during the chronic phase after experimental stroke promotes functional recovery without synergistic effects of EphA4 targeted therapy. <i>Human Molecular Genetics</i> , 2020, 29, 605-617.	2.9	8
10	Ligand bias in receptor tyrosine kinase signaling. <i>Journal of Biological Chemistry</i> , 2020, 295, 18494-18507.	3.4	28
11	Protein kinase C phosphorylates the EphA2 receptor on serine 892 in the regulatory linker connecting the kinase and SAM domains. <i>Cellular Signalling</i> , 2020, 73, 109668.	3.6	5
12	Matrix Rigidity Controls Epithelial-Mesenchymal Plasticity and Tumor Metastasis via a Mechanoresponsive EPHA2/LYN Complex. <i>Developmental Cell</i> , 2020, 54, 302-316.e7.	7.0	128
13	Soluble SORLA Enhances Neurite Outgrowth and Regeneration through Activation of the EGF Receptor/ERK Signaling Axis. <i>Journal of Neuroscience</i> , 2020, 40, 5908-5921.	3.6	17
14	A cellular target engagement assay for the characterization of SHP2 (PTPN11) phosphatase inhibitors. <i>Journal of Biological Chemistry</i> , 2020, 295, 2601-2613.	3.4	16
15	Engineering nanomolar peptide ligands that differentially modulate EphA2 receptor signaling. <i>Journal of Biological Chemistry</i> , 2019, 294, 8791-8805.	3.4	31
16	Inhibition of EphB4-Ephrin-B2 Signaling Reprograms the Tumor Immune Microenvironment in Head and Neck Cancers. <i>Cancer Research</i> , 2019, 79, 2722-2735.	0.9	36
17	Eph receptors and ephrins engage in cellular cannibalism. <i>Journal of Cell Biology</i> , 2019, 218, 3168-3170.	5.2	2
18	Genetically Encoded FRET Biosensor for Visualizing EphA4 Activity in Different Compartments of the Plasma Membrane. <i>ACS Sensors</i> , 2019, 4, 294-300.	7.8	11

#	ARTICLE	IF	CITATIONS
19	The EphA2 receptor is activated through induction of distinct, ligand-dependent oligomeric structures. <i>Communications Biology</i> , 2018, 1, 15.	4.4	62
20	Structure-Guided Strategy for the Development of Potent Bivalent ERK Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2017, 8, 726-731.	2.8	31
21	SORLA attenuates EphA4 signaling and amyloid $\beta$ -induced neurodegeneration. <i>Journal of Experimental Medicine</i> , 2017, 214, 3669-3685.	8.5	35
22	The SAM domain inhibits EphA2 interactions in the plasma membrane. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 31-38.	4.1	43
23	Evaluation of EphA2 and EphB4 as Targets for Image-Guided Colorectal Cancer Surgery. <i>International Journal of Molecular Sciences</i> , 2017, 18, 307.	4.1	14
24	Protein kinase A can block EphA2 receptor-mediated cell repulsion by increasing EphA2 S897 phosphorylation. <i>Molecular Biology of the Cell</i> , 2016, 27, 2757-2770.	2.1	59
25	Modifications of a Nanomolar Cyclic Peptide Antagonist for the EphA4 Receptor To Achieve High Plasma Stability. <i>ACS Medicinal Chemistry Letters</i> , 2016, 7, 841-846.	2.8	15
26	Enhancing radiosensitization in EphB4 receptor-expressing Head and Neck Squamous Cell Carcinomas. <i>Scientific Reports</i> , 2016, 6, 38792.	3.3	18
27	Regional expression and ultrastructural localization of EphA7 in the hippocampus and cerebellum of adult rat. <i>Journal of Comparative Neurology</i> , 2016, 524, 2462-2478.	1.6	3
28	Exosomes expand the sphere of influence of Eph receptors and ephrins. <i>Journal of Cell Biology</i> , 2016, 214, 5-7.	5.2	18
29	A small peptide promotes EphA2 kinase-dependent signaling by stabilizing EphA2 dimers. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 1922-1928.	2.4	28
30	Unliganded EphA3 dimerization promoted by the SAM domain. <i>Biochemical Journal</i> , 2015, 471, 101-109.	3.7	45
31	EphA2 Receptor Unliganded Dimers Suppress EphA2 Pro-tumorigenic Signaling. <i>Journal of Biological Chemistry</i> , 2015, 290, 27271-27279.	3.4	58
32	Ligand-Independent EPHA2 Signaling Drives the Adoption of a Targeted Therapy-Mediated Metastatic Melanoma Phenotype. <i>Cancer Discovery</i> , 2015, 5, 264-273.	9.4	82
33	Eph Receptors and Ephrins: Therapeutic Opportunities. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 465-487.	9.4	242
34	Knockdown of EphB1 receptor decreases medulloblastoma cell growth and migration and increases cellular radiosensitization. <i>Oncotarget</i> , 2015, 6, 8929-8946.	1.8	25
35	Targeting the Eph System with Peptides and Peptide Conjugates. <i>Current Drug Targets</i> , 2015, 16, 1031-1047.	2.1	48
36	Design, Synthesis and Bioevaluation of an EphA2 Receptor-Based Targeted Delivery System. <i>ChemMedChem</i> , 2014, 9, 1403-1412.	3.2	31

#	ARTICLE	IF	CITATIONS
37	Development and Structural Analysis of a Nanomolar Cyclic Peptide Antagonist for the EphA4 Receptor. <i>ACS Chemical Biology</i> , 2014, 9, 2787-2795.	3.4	40
38	Association of the Breast Cancer Antiestrogen Resistance Protein 1 (BCAR1) and BCAR3 Scaffolding Proteins in Cell Signaling and Antiestrogen Resistance. <i>Journal of Biological Chemistry</i> , 2014, 289, 10431-10444.	3.4	29
39	EphA4 Activation of c-Abl Mediates Synaptic Loss and LTP Blockade Caused by Amyloid- $\beta^2$ Oligomers. <i>PLoS ONE</i> , 2014, 9, e92309.	2.5	75
40	Role of the EphA4 and EphA7 genes in mediating the growth and aggressiveness of medulloblastoma tumors in the Smo/Smo medulloblastoma mouse model. <i>Journal of Clinical Oncology</i> , 2014, 32, e22137-e22137.	1.6	0
41	Eph Receptor Signaling and Ephrins. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a009159-a009159.	5.5	325
42	Structure of ERK2 bound to PEA-15 reveals a mechanism for rapid release of activated MAPK. <i>Nature Communications</i> , 2013, 4, 1681.	12.8	69
43	Design and Synthesis of Potent Bivalent Peptide Agonists Targeting the EphA2 Receptor. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 344-348.	2.8	37
44	Targeted Delivery of Paclitaxel to EphA2-Expressing Cancer Cells. <i>Clinical Cancer Research</i> , 2013, 19, 128-137.	7.0	53
45	Attenuation of Eph Receptor Kinase Activation in Cancer Cells by Coexpressed Ephrin Ligands. <i>PLoS ONE</i> , 2013, 8, e81445.	2.5	47
46	Profiling Eph receptor expression in cells and tissues. <i>Cell Adhesion and Migration</i> , 2012, 6, 102-156.	2.7	54
47	The EphA2 Receptor Drives Self-Renewal and Tumorigenicity in Stem-like Tumor-Propagating Cells from Human Glioblastomas. <i>Cancer Cell</i> , 2012, 22, 765-780.	16.8	179
48	Novel Targeted System To Deliver Chemotherapeutic Drugs to EphA2-Expressing Cancer Cells. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 2427-2436.	6.4	79
49	Targeting Eph receptors with peptides and small molecules: Progress and challenges. <i>Seminars in Cell and Developmental Biology</i> , 2012, 23, 51-57.	5.0	89
50	Crosstalk of the EphA2 receptor with a serine/threonine phosphatase suppresses the Akt-mTORC1 pathway in cancer cells. <i>Cellular Signalling</i> , 2011, 23, 201-212.	3.6	95
51	PEGylation Potentiates the Effectiveness of an Antagonistic Peptide That Targets the EphB4 Receptor with Nanomolar Affinity. <i>PLoS ONE</i> , 2011, 6, e28611.	2.5	36
52	Eph receptors and ephrins in cancer: bidirectional signalling and beyond. <i>Nature Reviews Cancer</i> , 2010, 10, 165-180.	28.4	1,050
53	Structure-Activity Relationship Analysis of Peptides Targeting the EphA2 Receptor. <i>Biochemistry</i> , 2010, 49, 6687-6695.	2.5	56
54	Glial ephrin-A3 regulates hippocampal dendritic spine morphology and glutamate transport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12524-12529.	7.1	181

#	ARTICLE	IF	CITATIONS
55	Journal club. Nature, 2009, 461, 149-149.	27.8	2
56	Neuron-glia communication via EphA4/ephrin-A3 modulates LTP through glial glutamate transport. Nature Neuroscience, 2009, 12, 1285-1292.	14.8	258
57	Structural and Binding Study on the Interaction of Small Molecule Antagonists with the EphA4 Receptor. FASEB Journal, 2009, 23, LB297.	0.5	0
58	Eph-Ephrin Bidirectional Signaling in Physiology and Disease. Cell, 2008, 133, 38-52.	28.9	1,121
59	Small Molecules Can Selectively Inhibit Ephrin Binding to the EphA4 and EphA2 Receptors. Journal of Biological Chemistry, 2008, 283, 29461-29472.	3.4	123
60	The EphA4 Receptor Regulates Neuronal Morphology through SPAR-Mediated Inactivation of Rap GTPases. Journal of Neuroscience, 2007, 27, 14205-14215.	3.6	74
61	EPH Receptors and Ephrins. , 2007, , 27-66.		1
62	Eph receptor signalling casts a wide net on cell behaviour. Nature Reviews Molecular Cell Biology, 2005, 6, 462-475.	37.0	933
63	Inhibition of Integrin-mediated Cell Adhesion but Not Directional Cell Migration Requires Catalytic Activity of EphB3 Receptor Tyrosine Kinase. Journal of Biological Chemistry, 2005, 280, 923-932.	3.4	92
64	EphB Receptor-binding Peptides Identified by Phage Display Enable Design of an Antagonist with Ephrin-like Affinity. Journal of Biological Chemistry, 2005, 280, 17301-17311.	3.4	124
65	Ephrin promiscuity is now crystal clear. Nature Neuroscience, 2004, 7, 417-418.	14.8	140
66	Eph receptors in the adult brain. Current Opinion in Neurobiology, 2004, 14, 288-296.	4.2	138
67	Control of hippocampal dendritic spine morphology through ephrin-A3/EphA4 signaling. Nature Neuroscience, 2003, 6, 153-160.	14.8	466
68	Targeting the EphA4 receptor in the nervous system with biologically active peptides. Molecular and Cellular Neurosciences, 2003, 24, 1000-1011.	2.2	93
69	An Ephrin Mimetic Peptide That Selectively Targets the EphA2 Receptor. Journal of Biological Chemistry, 2002, 277, 46974-46979.	3.4	179
70	Ephrin-A6, a New Ligand for EphA Receptors in the Developing Visual System. Developmental Biology, 2001, 230, 74-88.	2.0	56
71	Replacing two conserved tyrosines of the EphB2 receptor with glutamic acid prevents binding of SH2 domains without abrogating kinase activity and biological responses. Oncogene, 2000, 19, 177-187.	5.9	108
72	The ephrin-A1 ligand and its receptor, EphA2, are expressed during tumor neovascularization. Oncogene, 2000, 19, 6043-6052.	5.9	336

#	ARTICLE	IF	CITATIONS
73	Complex formation between EphB2 and Src requires phosphorylation of tyrosine 611 in the EphB2 juxtamembrane region. <i>Oncogene</i> , 1998, 16, 2657-2670.	5.9	107
74	The Eph family: a multitude of receptors that mediate cell recognition signals. <i>Cell and Tissue Research</i> , 1997, 290, 217-226.	2.9	58