

Shan Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4826166/publications.pdf>

Version: 2024-02-01

594
papers

31,150
citations

5430

85
h-index

11608

140
g-index

622
all docs

622
docs citations

622
times ranked

13799
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
2	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
6	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
7	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \mu^{\pm} \nu_{\mu} (\rightarrow \pi^{\pm} \nu_{\mu}) \nu_{\tau}$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
8	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s}=13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
10	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
15	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13, \sqrt{s}=14$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13, \sqrt{s} = 14$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
18	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19

#	ARTICLE	IF	CITATIONS
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
24	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- u \bar{u}$ final states using 139 fb ⁻¹ of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b} H$ and $e^+e^- \rightarrow W W H$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
28	Measurements of $W+W^{\prime} + \geq 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \bar{l}_τ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
32	Search for supersymmetry in events with four or more charged leptons in 139 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W_{\pm} and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
34	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
35	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82

#	ARTICLE	IF	CITATIONS
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
39	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
40	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
41	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
45	Highlights of light meson spectroscopy at the BESIII experiment. National Science Review, 2021, 8, nwab198.	4.6	11
46	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
47	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
48	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
49	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
50	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
51	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
52	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
53	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
54	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW production in the $e\bar{\nu}_e$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3

#	ARTICLE	IF	CITATIONS
55	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
56	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
57	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
58	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
59	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
60	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
61	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
62	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
63	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
64	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
65	Measurement of the transverse momentum distribution of dilepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
66	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
67	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
68	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
69	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
70	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
71	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
72	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Measurement of the $Z(\hat{t}^+ \hat{t}^-, \hat{t}^+ \hat{t}^0, \hat{t}^+ \hat{t}^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
74	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
75	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{\text{NN}}}=8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
76	Measurement of J/ψ production in association with a W^\pm boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
77	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
78	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
79	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
80	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
81	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
82	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
83	Evidence for $t\bar{t}t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
84	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
85	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
86	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
87	Measurement of the $\langle \sigma(e^+e^- \rightarrow e^+e^- \hat{t}^+ \hat{t}^-) \rangle$ cross section between 600 and 900 MeV using initial state radiation. , 2020, , .		0
88	Observation of a Charged Charmoniumlike Structure in $e^+e^- \rightarrow \hat{t}^+ \hat{t}^- J/\psi$ at $s=4.26 \text{ GeV}$. , 2020, , .		0
89	Measurements of Absolute Hadronic Branching Fractions of the \hat{b}_c^+ Baryon. , 2020, , .		0
90	Observation of $e^+e^- \rightarrow \hat{t}^+ \hat{t}^- X(3802)$ at BESIII. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
91	Observation of a Near-Threshold Enhancement in the $pp\bar{A}^-$ Mass Spectrum from Radiative $J/\psi\bar{A}^0\bar{A}^0$ Decays. , 2020, , .		0
92	Partial wave analysis of $\bar{A}^0\bar{A}^0\bar{A}^0$ at BESII. , 2020, , .		0
93	Observation of the Decay $\bar{A}^0(2S)\bar{A}^0$. , 2020, , .		0
94	Observation of a Resonance $X(1835)$ in $J/\psi\bar{A}^0\bar{A}^0$. , 2020, , .		0
95	Evidence of $\bar{A}^0(3770)$ non- $DD\bar{A}^-$ decay to $\bar{A}^0\bar{A}^0$. , 2020, , .		0
96	Precise Measurement of the $\bar{A}^0\bar{A}^0\bar{A}^0$ Cross Section at Center-of-Mass Energies from 3.77 to 4.60 GeV. , 2020, , .		0
97	Observation of a Charged Charmoniumlike Structure $Z_c(4020)$ and Search for the $Z_c(3900)$ in $e^+e^-\bar{A}^0\bar{A}^0$. , 2020, , .		0
98	Observation of an Anomalous Line Shape of the $\bar{A}^0\bar{A}^0$ Mass Spectrum near the $pp\bar{A}^-$ Mass Threshold in $J/\psi\bar{A}^0\bar{A}^0$. , 2020, , .		0
99	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
100	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{--}13\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
101	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
102	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{--}13\text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
103	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
104	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
105	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{--}13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
106	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
107	Search for scalar resonances decaying into $\frac{1}{4}\bar{A}^0$ in events with and without b -tagged jets produced in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
108	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
109	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
110	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
111	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
112	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
113	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
114	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
115	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	22
116	Amplitude Analysis of $D^0 \rightarrow \ell^+ \ell^-$ and First Observation of the W^- Annihilation Dominance. Physical Review Letters, 2019, 123, 112001.	2.9	22
117	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
118	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
119	Measurement of VH , $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
120	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
121	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
122	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
123	Evidence of a Resonant Structure in the $D^0 \rightarrow \ell^+ \ell^-$ Decays. Physical Review Letters, 2019, 123, 112001.	2.9	22
124	Measurement of the Dynamics of the Decays $D^0 \rightarrow \ell^+ \ell^-$. Physical Review Letters, 2019, 123, 112001.	2.9	24
125	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
126	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61

#	ARTICLE	IF	CITATIONS
127	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
128	In situ calibration of large-radius jet energy and mass in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
129	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
130	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
131	Measurement of the top quark mass in the $t \rightarrow t \gamma$. European Physical Journal C, 2019, 79, 1.	1.4	47
132	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
133	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
134	Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
135	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
136	Measurement of ZZ production in the $\gamma\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
137	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
138	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
139	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
140	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
141	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
142	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and lead-proton collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
143	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
144	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14

#	ARTICLE	IF	CITATIONS
145	Study of the $\langle mml:math \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" } \langle mml:msup \rangle \langle mml:mi \rangle D \langle /mml:mi \rangle \langle mml:mn \rangle 0 \langle /mml:mn \rangle \langle /mml:msup \rangle \langle mml:mo \text{ stretchy="false" } \rangle \hat{t} \langle /mml:mo \rangle \langle mml:msup \rangle \langle mml:mi \rangle K \langle /mml:mi \rangle \langle mml:mo \rangle \hat{t} \langle /mml:mo \rangle \langle /mml:msup \rangle \langle mml:msup \rangle \langle mml:mi \rangle \hat{1} \langle /mml:mi \rangle \hat{4} \langle /mml:msup \rangle \langle mml:mi \rangle$ Dynamics and Test of Lepton Flavor Universality with $\langle mml:math \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" } \langle mml:msup \rangle \langle mml:mi \rangle D \langle . \text{ Physical Review Letters, 2019, 122, 011804.}$	2.9	29
146	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb $^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
147	Measurement of S^0 and Λ^0 production in ar_{tt} dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
148	Precision Measurement of the $\langle mml:math \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" } \langle mml:mrow \rangle \langle mml:msup \rangle \langle mml:mrow \rangle \langle mml:mi \rangle e \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle mml:mrow \rangle \langle mml:mi \rangle \text{ stretchy="false" } \rangle \hat{t} \langle /mml:mi \rangle \langle mml:msubsup \rangle \langle mml:mrow \rangle \langle mml:mi \text{ mathvariant="normal" } \rangle \hat{1} \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle mml:mrow \rangle \langle mml:mi \rangle c \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle mml:mrow \rangle \langle mml:mo \rangle + \langle /mml:mo \rangle \langle /mml:mrow \rangle \langle mml:mi \rangle$ Physical Review Letters, 2018, 120, 132001.	2.9	66
149	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
150	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
151	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
152	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at \sqrt{s} . European Physical Journal C, 2018, 78, 102.	1.4	13
153	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
154	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
155	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
156	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
157	Search for heavy ZZ resonances in the $ell^+ ell^- ell^+ ell^- \hat{a}, \hat{a}, \hat{a}, \hat{a}$ and $ell^+ ell^- u$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
158	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
159	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
160	Search for heavy resonances decaying into WW in the $e \mu u e \hat{1} \hat{1} \hat{2}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
161	Direct top-quark decay width measurement in the $t \tau$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
162	Search for W/W Z resonance production in $\hat{a}, \hat{1} \hat{2} qq$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31

#	ARTICLE	IF	CITATIONS
163	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
164	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\ell\ell$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
165	Measurement of the $Z\gamma \rightarrow u\bar{u}\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
166	Prompt and non-prompt $\psi(2S)$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
167	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow W^+W^-$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
168	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
169	Angular analysis of $B^0 \rightarrow \ell^+\ell^-\bar{K}^{*0}$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
170	Measurement of the Branching Fraction For the Semileptonic Decay $D^0 \rightarrow \ell^+\ell^-\bar{K}^{*0}$ and Test of Lepton Flavor Universality. Physical Review Letters, 2018, 121, 171803.	2.9	42
171	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb $^{-1}$ of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
172	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
173	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
174	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
175	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
176	Measurement of the Absolute Branching Fraction of the Inclusive Semileptonic $D^0 \rightarrow \ell^+\ell^-\bar{K}^{*0}$ Decay. Physical Review Letters, 2018, 121, 251801.	2.9	19
177	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
178	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
179	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
180	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56

#	ARTICLE	IF	CITATIONS
181	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
182	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
183	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
184	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
185	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
186	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
187	Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tau^{\pm} \bar{\nu}_{\tau}$, in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb ⁻¹ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
188	Prompt and non-prompt $\psi(2S) \rightarrow J/\psi \bar{\nu}$ and $\psi(2S) \rightarrow \bar{\nu} (2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
189	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
190	Search for exclusive Higgs and Z boson decays to $\tau^{\pm} \tau^{\mp}$ and $\tau^{\pm} \bar{\nu}_{\tau}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
191	Measurements of b-jet tagging efficiency with the ATLAS detector using $\tau^{\pm} \bar{\nu}_{\tau}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
192	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
193	Measurement of the inclusive and fiducial $t \bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
194	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
195	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	2.9	19
196	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
197	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
198	Precision Study of $\tau^{\pm} \bar{\nu}_{\tau}$ Decay Dynamics. Physical Review Letters, 2018, 120, 242003.	9.35	35

#	ARTICLE	IF	CITATIONS
199	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
200	Observation of $\langle \mathcal{A} \rangle$ in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.		

#	ARTICLE	IF	CITATIONS
217	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
218	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
219	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
220	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
221	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
222	Optimization of an hybrid positron source using channeling. Nuclear Instruments & Methods in Physics Research B, 2017, 402, 58-62.	0.6	8
223	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
224	Search for triboson $W^+W^+W^-$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
225	Observation of χ_{c1} production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review Letters, 2017, 118, 112001.	1.4	31
226	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
227	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
228	Measurements of electroweak Wj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
229	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
230	Measurement of multi-particle azimuthal correlations in pp, $p\bar{p}$ and low-multiplicity $Pb\bar{Pb}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
231	Determination of the Spin and Parity of the $Z\gamma$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.4	74
232	Measurement of inclusive and differential cross sections in the $H\rightarrow ZZ^*\rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
233	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
234	Measurement of the $\overline{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9

#	ARTICLE	IF	CITATIONS
235	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
236	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
237	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
238	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV using the ZZ $\rightarrow \mu\mu, \mu\tau, \tau\tau$ and ZZ $\rightarrow \mu\mu, \mu\tau, \tau\tau$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
239	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
240	Observation of $\chi(3686) \rightarrow \mu\mu$ and $\chi(3686) \rightarrow \mu\tau$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review Letters, 2017, 118, 221802.	2.9	13
241	Measurements of $\chi(2S)$ and $\chi(3686) \rightarrow \mu\mu$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
242	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s}=13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
243	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
244	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
245	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
246	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
247	Precision measurement and interpretation of inclusive W^+W^+ , W^+W^- . European Physical Journal C, 2017, 77, 367.	1.4	145
248	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
249	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
250	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
251	Search for direct top squark pair production in final states with two leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
252	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
253	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
254	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
255	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
256	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
257	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
258	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
259	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ and $WW/WZ \rightarrow \ell q \bar{q}'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
260	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
261	Searches for the $Z\bar{1}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
262	Studies of $Z\bar{1}^3$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
263	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
264	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow Z\bar{1}^3$, in $s = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
265	Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
266	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
267	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
268	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
269	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
270	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
271	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
272	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
273	Measurement of the k t splitting scales in Z $\hat{t}^+ \hat{a}, \hat{a},$ events in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
274	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
275	Evidence for the H $\hat{t}^+ b b \hat{A}^-$ $\text{Ho boverline{b}}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
276	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at $s = 13 \sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
277	Determination of the strong coupling constant $\alpha_{\text{s}}(\mu)$ from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 872.	1.4	32
278	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
279	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
280	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^- Z \hat{t}^+ \hat{a}, + \hat{a},$ - events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
281	Charged-particle distributions in pp interactions at $\sqrt{s}=8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
282	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
283	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
284	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z^{\prime} boson in the $\text{au au } \ell, \bar{\ell},$ final state produced in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
285	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
286	Measurement of the $\text{b b } \hat{A}^-$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
287	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
288	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23

#	ARTICLE	IF	CITATIONS
289	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
290	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	1.4	453
291	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
292	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
293	Measurement of Singly Cabibbo Suppressed Decays $\hat{b} \rightarrow \hat{c} \ell^+ \ell^-$ and $\hat{b} \rightarrow \hat{c} \ell^+ \nu_{\ell}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2016, 117, 232002.	2.9	25
294	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
295	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
296	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	1.4	39
297	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	1.4	39
298	Search for direct top quark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
299	Search for charged Higgs bosons in the $H^{\pm} \rightarrow \tau b$ decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
300	Study of the rare decays of $B^0 \rightarrow B^0 s$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
301	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517.	1.4	24
302	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
303	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
304	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
305	Observation of an Anomalous Line Shape of the $\pi^0 \rightarrow \gamma \gamma$ Spectrum near the $\pi^0 \rightarrow \gamma \gamma$ Annihilations at $\sqrt{s} = 3.65 \text{ GeV}$. Physical Review Letters, 2016, 116, 042002.	2.9	42
306	Measurement of Azimuthal Asymmetries in Inclusive Charged Dipion Production $e^+e^- \rightarrow \pi^+\pi^-$ Annihilations at $\sqrt{s} = 3.65 \text{ GeV}$. Physical Review Letters, 2016, 116, 042001.	2.9	42

#	ARTICLE	IF	CITATIONS
307	Measurements of Absolute Hadronic Branching Fractions of the Λ_b^0 Baryon. https://arxiv.org/abs/1610.07937 . Physical Review Letters, 2016, 116, 052001. http://www.w3.org/1998/Math/MathML display="inline"></mml:math>Radiative Decay http://www.w3.org/1998/Math/MathML display="inline"></mml:math>	2.9	94
308	Observation of Λ_b^0 Baryon. https://arxiv.org/abs/1610.07937 . Physical Review Letters, 2016, 116, 052001. http://www.w3.org/1998/Math/MathML display="inline"></mml:math>Radiative Decay http://www.w3.org/1998/Math/MathML display="inline"></mml:math>	2.9	13
309	Measurement of the Λ_b^0 Baryon. https://arxiv.org/abs/1610.07937 . Physical Review Letters, 2016, 116, 052001. http://www.w3.org/1998/Math/MathML display="inline"></mml:math>Evidence for http://www.w3.org/1998/Math/MathML display="inline"></mml:math>	2.9	13
310	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
311	Performance of pile-up mitigation techniques for jets in $\sqrt{s}=8$ TeV pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
312	Improved measurement of the absolute branching fraction of $D^+ \rightarrow \mu^+ \nu_\mu K^0$. European Physical Journal C, 2016, 76, 1.	1.4	39
313	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV $\sqrt{s}=8$ TeV $\sqrt{s}=8$ TeV collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
314	Measurement of jet activity in top quark events using the e^+e^- final state with two b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
315	Measurement of the transverse momentum and p_T distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
316	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
317	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
318	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
319	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
320	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
321	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
322	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
323	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
324	Luminosity determination in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279

#	ARTICLE	IF	CITATIONS
325	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	1.4	11
326	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e\bar{e}$ events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and $8\sqrt{s}$ TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	1.4	19
327	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	33
328	Searches for heavy diboson resonances in pp collisions at $s=13\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	25
329	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s=8\sqrt{s}=8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	16
330	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	21
331	Measurement of the CP-violating phase $\arg(\lambda)$ and the B_s^0 meson decay width difference with B_s^0 decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	13
332	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	1.4	73
333	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	38
334	A search for prompt lepton-jets in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	31
335	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	13
336	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	1.4	60
337	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	14
338	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	19
339	Search for strong gravity in multijet final states produced in pp collisions at $s=13\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	15
340	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 154.	1.4	62
341	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	1.4	95
342	Probing lepton flavour violation via neutrinoless $\mu\rightarrow 3e$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	1.4	19

#	ARTICLE	IF	CITATIONS
343	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
344	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
345	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
346	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
347	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
348	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
349	Measurements of fiducial cross-sections for $t\bar{t}\hat{A}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
350	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
351	Search for an additional, heavy Higgs boson in the $H \hat{A}^+ Z Z$ decay channel at $\sqrt{s}=8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
352	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
353	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8$, TeV) with the ATLAS detector. , 2016, 76, 1.		1
354	Freezeout concept and dynamical transport model in intermediate-energy heavy-ion reactions. Physical Review C, 2015, 92, .	1.1	18
355	Observation of the $X \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 47.	2.9	47
356	Observation and Spin-Parity Determination of the $X \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 34.	2.9	34
357	Measurement of the Absolute Branching Fraction for $X \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 101.	2.9	101
358	Measurement of the Absolute Branching Fraction for $X \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. Physical Review Letters, 2015, 115, 221805.	2.9	71
359	Observation of $X \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. Physical Review Letters, 2015, 115, 221805.	2.9	70
360	Measurement of the Absolute Branching Fraction for $X \rightarrow J/\psi D_s^+ B_c^+ \hat{A}^+ J/\psi D_s^+$ decays with the ATLAS detector. Physical Review Letters, 2015, 115, 221805.	2.9	106

#	ARTICLE	IF	CITATIONS
361	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	4
362	A search for high-mass resonances decaying to \tilde{l}, \tilde{l}^* in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	23
363	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	55
364	Search for lepton-flavour-violating $H \rightarrow \tilde{l} \tilde{l}^*$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	52
365	Measurement of four-jet differential cross sections in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	1.6	11
366	A search for $t \tilde{A}^{\pm}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	66
367	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	28
368	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	67
369	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	108
370	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	1.6	78
371	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s}=7$ TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	40
372	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	84
373	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	71
374	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	20
375	Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	60
376	Determination of the top-quark pole mass using $t \tilde{A}^{\pm} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	25
377	Measurement of the $t \tilde{A}^{\pm} W$ and $t \tilde{A}^{\pm} Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
378	Search for flavour-changing neutral current top quark decays $t \rightarrow H q$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	1.6	19

#	ARTICLE	IF	CITATIONS
379	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
380	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
381	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
382	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
383	Search for $W' \rightarrow t\bar{t} \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
384	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
385	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
386	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
387	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
388	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
389	Study of $e^+e^- \rightarrow \tau^+\tau^-$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
390	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
391	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
392	Search for resonant diboson production in the $q\bar{q} \rightarrow \gamma^*/Z \rightarrow W^+W^-$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
393	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
394	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
395	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
396	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27

#	ARTICLE	IF	CITATIONS
397	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
398	Search for the $b \bar{b} \hat{A}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
399	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
400	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
401	Search for charged Higgs bosons decaying via $H \hat{A} \pm \hat{A} \pm \hat{I}, \hat{A} \pm \hat{I} \pm 1/2$ in fully hadronic final states using pp collision data at $s \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
402	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
403	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 120.	1.4	62
404	Search for Higgs boson pair production in the $\bar{b} b \hat{A} b \hat{A}$ final state from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
405	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu u \bar{u} - \hat{A} \pm \hat{I} \pm 1/4 \hat{I} \pm 1/2$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
406	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
407	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell \ell u / \ell \ell u + \bar{b} \hat{A}, \hat{A}, \hat{I} \pm 1/2 / \hat{I} \pm 1/2 + b \hat{A}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
408	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
409	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
410	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 303.	1.4	70
411	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
412	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
413	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\bar{b} b \hat{A}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
414	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56

#	ARTICLE	IF	CITATIONS
415	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
416	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
417	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
418	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
419	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. , 2015, 2015, 1.		3
420	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
421	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
422	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
423	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
424	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
425	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
426	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
427	Improvement of main drift chamber Monte-Carlo tuning model at BESIII. Chinese Physics C, 2014, 38, 026201.	1.5	0
428	A measurement of the ratio of the production cross sections for WW and ZZ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
429	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
430	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
431	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
432	Measurement of the $t \bar{t}$ production cross-section using e^+e^- events with b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143

#	ARTICLE	IF	CITATIONS
433	Observation of $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" stretchy="false">\hat{+}$	2.9	22
434	Physical Review Letters, 2014, 112, 251801. Observation of $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" stretchy="false">\hat{+}$	2.9	116
435	Physical Review Letters, 2014, 113, 212002. $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" stretchy="false">\hat{+}$	2.9	116



#	ARTICLE	IF	CITATIONS
451	Observation of a Charged $\tilde{\chi}_1^0$ (100%) meson in $\sqrt{s} = 7\text{ TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.6	252
452	Design of multifunctional alkali ion doped CaF_2 upconversion nanoparticles for simultaneous bioimaging and therapy. Dalton Transactions, 2014, 43, 3861.	1.6	36
453	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
454	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{ TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
455	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
456	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
457	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
458	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
459	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
460	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
461	Measurement of the production cross section of prompt J/ψ mesons in association with a W^\pm boson in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
462	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
463	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
464	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
465	Search for supersymmetry at $\sqrt{s} = 8\text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
466	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
467	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
468	Measurement of $\tilde{\chi}_1^0 c_1$ and $\tilde{\chi}_1^0 c_2$ production with $\sqrt{s} = 7\text{ TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32

#	ARTICLE	IF	CITATIONS
469	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
470	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
471	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
472	Measurement of the τ production cross-section using $(\mu\nu)$ events with (b)-tagged jets in (pp) collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
473	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
474	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
475	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
476	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
477	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0_1$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
478	Search for charged Higgs bosons through the violation of lepton universality in τ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
479	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
480	Measurement of k T splitting scales in $W\tau^+\nu_\tau$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
481	Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in τ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
482	A new near infrared photosensitizing nanoplatfrom containing blue-emitting up-conversion nanoparticles and hypocrellin A for photodynamic therapy of cancer cells. Nanoscale, 2013, 5, 11910.	2.8	85
483	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
484	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
485	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
486	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52

#	ARTICLE	IF	CITATIONS
487	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
488	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
489	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34

490

#	ARTICLE	IF	CITATIONS
505	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
506	Measurement of the $\text{Star}\{t\}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
507	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
508	Study of $\langle m \rangle$ production cross section at BESIII. Physical Review D, 2013, 87, 012001.	1.6	20
509	Mass Threshold Structure in $\langle m \rangle$ and $\langle m \rangle$ and $\langle m \rangle$. http://www.w3.org/1998/Math/MathML	2.9	75
510	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = \{7\}, \{\text{TeV}\}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
511	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7; \{\text{TeV}\}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
512	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
513	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7; \text{TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
514	A search for \overline{t} resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
515	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7; \{\text{TeV}\}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
516	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7; \text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
517	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
518	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
519	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
520	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7; \text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
521	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7; \text{TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
522	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7; \text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
523	Lanthanide-doped GdVO ₄ upconversion nanophosphors with tunable emissions and their applications for biomedical imaging. <i>Journal of Materials Chemistry</i> , 2012, 22, 6974.	6.7	124
524	Controllable synthesis of Gd ₂ O(CO ₃) ₂ ·H ₂ O@silica@FITC nanoparticles with size-dependent optical and magnetic resonance imaging properties. <i>New Journal of Chemistry</i> , 2012, 36, 2599.	1.4	15
525	TWEEN coated NaYF ₄ :Yb,Er/NaYF ₄ core/shell upconversion nanoparticles for bioimaging and drug delivery. <i>RSC Advances</i> , 2012, 2, 7037.	1.7	98
526	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	248
527	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	100
528	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	13
529	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2043.	1.4	109
530	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb ⁻¹ of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	1.4	25
531	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	37
532	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	16
533	Measurement of $W \hat{\Delta} Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	59
534	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	25
535	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	22
536	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	13
537	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	31
538	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	36
539			

#	ARTICLE	IF	CITATIONS
541	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS. European Physical Journal C, 2012, 72, 1.	1.4	230
542	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
543	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
544	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^- \nu_\tau$ in t events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
545	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
546	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
547	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
548	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36

549

#	ARTICLE	IF	CITATIONS
559	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
560	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
561	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ -TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
562	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
563	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
564	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
565	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
566	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
567	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ -TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
568	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ -TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
569	Magnetization Studies of $\text{K}_0.8\text{Fe}_{1.7}\text{Se}_2$ Single Crystals. Journal of Superconductivity and Novel Magnetism, 2011, 24, 2033-2036.	0.8	2
570	Measurement of $W^{\pm}Z$ and $Z^{\pm}Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
571	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
572	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
573	Application of Quantum Dots in Biological Imaging. Journal of Nanomaterials, 2011, 2011, 1-13.	1.5	118
574	Search for $\tilde{\chi}(3770)^{\pm}$ charmless final states involving $\hat{1}$ or $\hat{0}$ mesons. European Physical Journal C, 2010, 66, 11-16.	1.4	3
575	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
576	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18

#	ARTICLE	IF	CITATIONS
577	Measurement of the $W^+ \rightarrow \pi^+ \pi^+ \pi^-$ and $Z \rightarrow \pi^+ \pi^- \pi^+ \pi^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
578	Chapter 12 Two-Photon Physics. International Journal of Modern Physics A, 2009, 24, 267-275.	0.5	4
579	Chapter 9 Meson Spectroscopy. International Journal of Modern Physics A, 2009, 24, 173-232.	0.5	2
580	Chapter 11 Physics of Soft Pions and the Lightest Scalars at BES-III. International Journal of Modern Physics A, 2009, 24, 251-265.	0.5	0
581	RECENT RESULTS FROM BESII J/ψ DECAYS. International Journal of Modern Physics A, 2009, 24, 428-433.	0.5	1
582	Chapter 10 Baryon Spectrum. International Journal of Modern Physics A, 2009, 24, 233-250.	0.5	1
583	Light Hadron Physics. International Journal of Modern Physics A, 2009, 24, 169-172.	0.5	0
584	Experimental studies of $e^+ e^- \rightarrow \pi^+ \pi^-$ some charmless processes containing $K^+ S^0$ at $\sqrt{s} = 3.773$ GeV and 3.65 GeV. European Physical Journal C, 2009, 64, 243.	1.4	4
585	Study of J/ψ decaying into $\pi^+ \pi^- \rho^0$. European Physical Journal C, 2008, 53, 15-20.	1.4	39
586	Experimental studies of the $\pi^+ \pi^- \pi^+ \pi^- \pi^0$, $K^+ K^- \pi^+ \pi^- \pi^0$ and $\rho^+ \rho^- \pi^+ \pi^- \pi^0$ final states produced in $e^+ e^-$ annihilation at $\sqrt{s} = 3.773$ GeV and 3.650 GeV. European Physical Journal C, 2007, 52, 805-811.	1.4	11
587	Observation of X(1835) and Multiquark Candidates at BESII. AIP Conference Proceedings, 2006, , .	0.3	0
588	BESII Results on Hadron Spectroscopy. International Journal of Modern Physics A, 2006, 21, 613-619.	0.5	3
589	EXPERIMENTAL REVIEW OF NEW RESULTS ON HADRON SPECTROSCOPY. International Journal of Modern Physics A, 2005, 20, 5145-5155.	0.5	12
590	EXPERIMENTAL REVIEW OF NEW RESULTS ON HADRON SPECTROSCOPY. , 2005, , .		0
591	Observation of a Threshold Enhancement in the $\rho^+ \pi^-$ Invariant-Mass Spectrum. Physical Review Letters, 2004, 93, 112002.	2.9	48
592	Observation of a Near-Threshold Enhancement in the $\rho^+ \pi^-$ Mass Spectrum from Radiative $J/\psi \rightarrow \pi^+ \pi^- \rho^+ \pi^-$ Decays. Physical Review Letters, 2003, 91, 022001.	2.9	260
593	Partial wave analyses of $J/\psi \rightarrow \pi^+ \pi^- K^+ K^-$ and $J/\psi \rightarrow K^+ K^- S^0$. Physical Review D, 2003, 68, .	1.6	53
594	Glueball interpretation of $f_0(2230)$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 380, 189-192.	1.5	6