
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4827421/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An Elicitor of Plant Volatiles from Beet Armyworm Oral Secretion. Science, 1997, 276, 945-949.	12.6	872
2	How caterpillar-damaged plants protect themselves by attracting parasitic wasps Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 4169-4174.	7.1	645
3	Diurnal cycle of emission of induced volatile terpenoids by herbivore-injured cotton plant Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 11836-11840.	7.1	357
4	Volatiles emitted by different cotton varieties damaged by feeding beet armyworm larvae. Journal of Chemical Ecology, 1995, 21, 1217-1227.	1.8	258
5	Suppression of a P450 hydroxylase gene in plant trichome glands enhances natural-product-based aphid resistance. Nature Biotechnology, 2001, 19, 371-374.	17.5	194
6	The chemistry of eavesdropping, alarm, and deceit Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 23-28.	7.1	150
7	Volatile compounds induced by herbivory act as aggregation kairomones for the Japanese beetle (Popillia japonica Newman). Journal of Chemical Ecology, 1995, 21, 1457-1467.	1.8	147
8	Herbivore-induced volatile emissions from cotton (Gossypium hirsutum L.) seedlings. Journal of Chemical Ecology, 1994, 20, 3039-3050.	1.8	146
9	Title is missing!. Journal of Chemical Ecology, 2000, 26, 189-202.	1.8	139
10	Effects of some natural volatile compounds on the pathogenic fungiAlternaria alternata andBotrytis cinerea. Journal of Chemical Ecology, 1992, 18, 1083-1091.	1.8	128
11	Volatiles from flowers of Nicotiana sylvestris, N. otophora and Malus × domestica: headspace components and day/night changes in their relative concentrations. Phytochemistry, 1990, 29, 2473-2477.	2.9	106
12	Role of Feeding–Induced Plant Volatiles in Aggregative Behavior of the Japanese Beetle (Coleoptera:) Tj ETQqO	0 0 rgBT / 1.4	Overlock 10
13	Headspace compounds from flowers of Nicotiana tabacum and related species. Journal of Agricultural and Food Chemistry, 1990, 38, 455-460.	5.2	92
14	Light Reflected from Colored Mulches Affects Aroma and Phenol Content of Sweet Basil (Ocimum) Tj ETQq0 0 0	rg <u>B</u> T_/Ove	erlo <u>ck</u> 10 Tf 5

15	Development of a second-generation environmentally superior technology for treatment of swine manure in the USA. Bioresource Technology, 2009, 100, 5406-5416.	9.6	85
16	Circadian rhythm of volatile emission from flowers of Nicotiana sylvestris and N. suaveolens. Physiologia Plantarum, 1991, 83, 492-496.	5.2	74
17	Glycosidically bound volatile components of Nicotiana sylvestris and N. Suaveolens flowers. Phytochemistry, 1992, 31, 1537-1540.	2.9	52
18	Heat Treatment Temporarily Inhibits Aroma Volatile Compound Emission from Golden Delicious Apples. Journal of Agricultural and Food Chemistry, 1997, 45, 4038-4041.	5.2	52

#	Article	IF	CITATIONS
19	Metabolism of Natural Volatile Compounds by Strawberry Fruit. Journal of Agricultural and Food Chemistry, 1996, 44, 2802-2805.	5.2	47
20	Diurnal emission of volatile compounds by Japanese beetle-damaged grape leaves. Phytochemistry, 1997, 45, 919-923.	2.9	44
21	Spatial and temporal changes in the microbial community in an anaerobic swine waste treatment lagoon. Anaerobe, 2010, 16, 74-82.	2.1	42
22	Aroma Content of Fresh Basil (Ocimum basilicumL.) Leaves Is Affected by Light Reflected from Colored Mulches. Journal of Agricultural and Food Chemistry, 2003, 51, 2272-2276.	5.2	39
23	Strawberry foliage headspace vapor components at periods of susceptibility and resistance toTetranychus urticae Koch. Journal of Chemical Ecology, 1988, 14, 789-796.	1.8	38
24	Aroma of Fresh Strawberries Is Enhanced by Ripening over Red versus Black Mulch. Journal of Agricultural and Food Chemistry, 2002, 50, 161-165.	5.2	38
25	Comparison of Solid-Phase Microextraction and Stir Bar Sorptive Extraction for the Quantification of Malodors in Wastewater. Journal of Agricultural and Food Chemistry, 2006, 54, 3237-3241.	5.2	38
26	Light Reflected from Red Mulch to Ripening Strawberries Affects Aroma, Sugar and Organic Acid Concentrations¶. Photochemistry and Photobiology, 2001, 74, 103.	2.5	36
27	Volatile compounds from crabapple (Malus spp.) cultivars differing in susceptibility to the Japanese beetle (Popillia japonica Newman). Journal of Chemical Ecology, 1996, 22, 1295-1305.	1.8	33
28	Response of Japanese Beetles (Coleoptera: Scarabaeidae) to Leaf Volatiles of Susceptible and Resistant Maple Species. Environmental Entomology, 1997, 26, 334-342.	1.4	32
29	The effect of stratification and seasonal variability on the profile of an anaerobic swine waste treatment lagoon. Bioresource Technology, 2009, 100, 3706-3712.	9.6	32
30	Lipoxygenase 3 reduces hexanal production from soybean seed homogenates. Journal of Agricultural and Food Chemistry, 1990, 38, 1934-1936.	5.2	30
31	Attraction of Japanese Beetles (Coleoptera: Scarabaeidae) to Host Plant Volatiles in Field Trapping Experiments. Environmental Entomology, 1998, 27, 395-400.	1.4	30
32	Reduction of Malodorous Compounds from a Treated Swine Anaerobic Lagoon. Journal of Environmental Quality, 2006, 35, 194-199.	2.0	30
33	Green leaf headspace volatiles from Nicotiana tabacum lines of different trichome morphology. Journal of Agricultural and Food Chemistry, 1988, 36, 295-299.	5.2	29
34	Effect of turning frequency and season on composting materials from swine high-rise facilities. Waste Management, 2015, 39, 86-95.	7.4	28
35	Abundances of Tetracycline Resistance Genes and Tetracycline Antibiotics during Anaerobic Digestion of Swine Waste. Journal of Environmental Quality, 2019, 48, 171-178.	2.0	28
36	Equilibrium Sampling Used to Monitor Malodors in a Swine Waste Lagoon. Journal of Environmental Quality, 2008, 37, 1-6.	2.0	27

#	Article	IF	CITATIONS
37	Characterization of skatole-producing microbial populations in enriched swine lagoon slurry. FEMS Microbiology Ecology, 2007, 60, 329-340.	2.7	25
38	Anaerobic digestion of livestock and poultry manures spiked with tetracycline antibiotics. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2020, 55, 135-147.	1.5	25
39	Inhibition of pollen germination by volatile compounds including 2-hexenal and 3-hexenal. Journal of Agricultural and Food Chemistry, 1991, 39, 952-956.	5.2	21
40	A Coupled MM5-NOAH Land Surface Model-based Assessment of Sensitivity of Planetary Boundary Layer Variables to Anomalous Soil Moisture Conditions. Physical Geography, 2008, 29, 54-78.	1.4	21
41	Identification of some volatile compounds from strawberry flowers. Phytochemistry, 1990, 29, 2847-2848.	2.9	20
42	Effect of diurnal sampling on the headspace composition of detached Nicotiana suaveolens flowers. Phytochemistry, 1993, 32, 1417-1419.	2.9	20
43	Strawberry resistance toTetranychus urticae Koch: Effects of flower, fruit, and foliage removal?comparisons of air- vs. nitrogen-entrained volatile compounds. Journal of Chemical Ecology, 1989, 15, 1465-1473.	1.8	19
44	Lagoon, Anaerobic Digestion, and Composting of Animal Manure Treatments Impact on Tetracycline Resistance Genes. Antibiotics, 2022, 11, 391.	3.7	19
45	Reduction of Malodorous Compounds from Liquid Swine Manure by a Multi-Stage Treatment System. Applied Engineering in Agriculture, 2006, 22, 867-873.	0.7	17
46	Simulation of boundary layer trajectory dispersion sensitivity to soil moisture conditions: MM5 and Noah-based investigation. Atmospheric Environment, 2009, 43, 3774-3785.	4.1	16
47	Anaerobic Digestion of Tetracycline Spiked Livestock Manure and Poultry Litter Increased the Abundances of Antibiotic and Heavy Metal Resistance Genes. Frontiers in Microbiology, 2020, 11, 614424.	3.5	16
48	Circadian rhythm of volatile emission from flowers of Nicotiana sylvestris and N. suaveolens. Physiologia Plantarum, 1991, 83, 492-496.	5.2	16
49	High-Rate Solid-Liquid Separation Coupled With Nitrogen and Phosphorus Treatment of Swine Manure: Effect on Water Quality. Frontiers in Sustainable Food Systems, 2018, 2, .	3.9	15
50	Evaluation of Secondâ€Generation Multistage Wastewater Treatment System for the Removal of Malodors from Liquid Swine Waste. Journal of Environmental Quality, 2009, 38, 1739-1748.	2.0	11
51	Aeration to Improve Biogas Production by Recalcitrant Feedstock. Environments - MDPI, 2019, 6, 44.	3.3	10
52	Free Fatty Acids and Sterols in Swine Manure. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2006, 41, 31-42.	1.5	9
53	Why do Japanese beetles defoliate trees from the top down?. Entomologia Experimentalis Et Applicata, 1996, 80, 209-212.	1.4	8
54	Butterbean Seed Yield, Color, and Protein Content Are Affected by Photomorphogenesis. Crop Science, 2004, 44, 2123-2126.	1.8	8

#	Article	IF	CITATIONS
55	Heat Flux Measurements and Modeling of Malodorous Compounds above an Anaerobic Swine Lagoon. Water, Air, and Soil Pollution, 2011, 217, 463-471.	2.4	7
56	A Gas Chromatographic Method for the Determination of Bicarbonate and Dissolved Gases. Frontiers in Environmental Science, 2017, 5, .	3.3	7
57	Effects of lipoxygenase inhibitors on the formation of volatile compounds in wheat. Phytochemistry, 1987, 26, 1273-1277.	2.9	6
58	Light Reflected from Red Mulch to Ripening Strawberries Affects Aroma, Sugar and Organic Acid Concentrations¶. Photochemistry and Photobiology, 2001, 74, 103-107.	2.5	6
59	Fe(III) stimulates 3-methylindole and 4-methylphenol production in swine lagoon enrichments and <i>Clostridium scatologenes</i> ATCC 25775. Letters in Applied Microbiology, 2009, 48, 118-124.	2.2	6
60	Seasonal Variation in Heat Fluxes, Predicted Emissions of Malodorants, and Wastewater Quality of an Anaerobic Swine Waste Lagoon. Water, Air, and Soil Pollution, 2012, 223, 3611-3618.	2.4	6
61	Evaluation of Microaeration and Sound to Increase Biogas Production from Poultry Litter. Environments - MDPI, 2020, 7, 62.	3.3	6
62	In Situ Acoustic Treatment of Anaerobic Digesters to Improve Biogas Yields. Environments - MDPI, 2020, 7, 11.	3.3	6
63	Morphogenic Light Reflected to Developing Cotton Leaves Affects Insectâ€Attracting Terpene Concentrations. Crop Science, 2004, 44, 198-203.	1.8	5
64	Recirculating Swine Waste through a Silicone Membrane in an Aerobic Chamber Improves Biogas Quality and Wastewater Malodors. Transactions of the ASABE, 2012, 55, 1929-1937.	1.1	4
65	Sound enhances wastewater degradation and improves anaerobic digester performance. SN Applied Sciences, 2019, 1, 1.	2.9	4
66	AN EQUILIBRIUM SAMPLER FOR MALODORS IN WASTEWATER. Transactions of the ASABE, 2006, 49, 1167-1172.	1.1	3
67	A System for Estimating Bowen Ratio and Evaporation from Waste Lagoons. Applied Engineering in Agriculture, 2009, 25, 923-932.	0.7	3
68	Improvement of Anaerobic Digester Performance by Wastewater Recirculation through an Aerated Membrane. Transactions of the ASABE, 2013, , 1675-1681.	1.1	3
69	The effect of aged litter materials on polyatomic ion concentrations in fractionated suspended particulate matter from a broiler house. Journal of the Air and Waste Management Association, 2016, 66, 707-714.	1.9	3
70	Improved water quality and reduction of odorous compounds in anaerobic lagoon columns receiving pre-treated pig wastewater. Environmental Technology (United Kingdom), 2018, 39, 2613-2621.	2.2	3
71	Improving Anaerobic Digestion of Brewery and Distillery Spent Grains through Aeration across a Silicone Membrane. Sustainability, 2022, 14, 2755.	3.2	3
72	A Simple Device for the Collection of Water and Dissolved Gases at Defined Depths. Applied Engineering in Agriculture, 2010, 26, 559-564.	0.7	2

#	Article	IF	CITATIONS
73	Sampling of Malodorous Compounds in Air Using Stir Bar Sorbtive Extraction. Transactions of the ASABE, 2008, 51, 1747-1752.	1.1	1
74	High-Rate Solid-Liquid Separation Coupled With Nitrogen and Phosphorous Treatment of Swine Manure: Effect on Ammonia Emission. Frontiers in Sustainable Food Systems, 2018, 2, .	3.9	1
75	<i>Enzymatic pre-treatment of high content cellulosic feedstock improves biogas production</i> . , 2018, , .		1
76	In Situ Sonification of Anaerobic Digestion: Extended Evaluation of Performance in a Temperate Climate. Energies, 2020, 13, 5349.	3.1	1
77	Plant Volatiles Inhibit Pollen Germination of Apple and Other Species. Hortscience: A Publication of the American Society for Hortcultural Science, 1992, 27, 267.	1.0	1
78	In Situ Measurements of Malodors of a Swine Waste Lagoon. , 2007, , .		0
79	Reduction of Malodors from Swine Lagoons through Influent Pre-treatment. , 2010, , .		0
80	Estimating Greenhouse Gas Emissions from a Waste Lagoon. Applied Engineering in Agriculture, 2013, , .	0.7	0
81	A model-based exploratory study of sulfur dioxide dispersions from concentrated animal feeding operations in the Southeastern United States. Physical Geography, 0, , 1-31.	1.4	Ο
82	Why do Japanese beetles defoliate trees from the top down?. , 1996, , 209-212.		0