

JosÃ© M. Igual

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4827771/publications.pdf>

Version: 2024-02-01

89
papers

3,735
citations

136950

32
h-index

144013

57
g-index

90
all docs

90
docs citations

90
times ranked

4079
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of nutritional impairment in carbon-water balance of silver fir drought-induced dieback. <i>Global Change Biology</i> , 2022, 28, 4439-4458.	9.5	13
2	<i>Rhizobium croatiense</i> sp. nov. and <i>Rhizobium redzepovicii</i> sp. nov., two new species isolated from nodules of <i>Phaseolus vulgaris</i> in Croatia. <i>Systematic and Applied Microbiology</i> , 2022, 45, 126317.	2.8	5
3	Silver fir growth responses to drought depend on interactions between tree characteristics, soil and neighbourhood features. <i>Forest Ecology and Management</i> , 2021, 480, 118625.	3.2	6
4	Draft genome sequence of <i>Promicromonospora panici</i> sp. nov., a novel ionizing-radiation-resistant actinobacterium isolated from roots of the desert plant <i>Panicum turgidum</i> . <i>Extremophiles</i> , 2021, 25, 25-38.	2.3	5
5	The enduring effects of sowing legume-rich mixtures on the soil microbial community and soil carbon in semi-arid wood pastures. <i>Plant and Soil</i> , 2021, 465, 563-582.	3.7	21
6	Effects of Windthrows on Forest Cover, Tree Growth and Soil Characteristics in Drought-Prone Pine Plantations. <i>Forests</i> , 2021, 12, 817.	2.1	7
7	Identification of Canola Roots Endophytic Bacteria and Analysis of Their Potential as Biofertilizers for Canola Crops with Special Emphasis on Sporulating Bacteria. <i>Agronomy</i> , 2021, 11, 1796.	3.0	15
8	<i>Rossellomorea arthrocnemi</i> sp. nov., a novel plant growth-promoting bacterium used in heavy metal polluted soils as a phytoremediation tool. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	9
9	<i>Micromonospora orduensis</i> sp. nov., isolated from deep marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 397-405.	1.7	16
10	<i>Modestobacter excelsi</i> sp. nov., a novel actinobacterium isolated from a high altitude Atacama Desert soil. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126051.	2.8	21
11	Genome Analysis of <i>Endobacterium cerealis</i> , a Novel Genus and Species Isolated from <i>Zea mays</i> Roots in North Spain. <i>Microorganisms</i> , 2020, 8, 939.	3.6	17
12	<i>Halomonas radices</i> sp. nov., isolated from <i>Arthrocnemum macrostachyum</i> growing in the Odiel marshes(Spain) and emended descriptions of <i>Halomonas xinjiangensis</i> and <i>Halomonas zincidurans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 220-227.	1.7	15
13	<i>Pseudoalteromonas rhizosphaerae</i> sp. nov., a novel plant growth-promoting bacterium with potential use in phytoremediation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3287-3294.	1.7	15
14	<i>Modestobacter altitudinis</i> sp. nov., a novel actinobacterium isolated from Atacama Desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3513-3527.	1.7	11
15	Strain ATCC 4720T is the authentic type strain of <i>Agrobacterium tumefaciens</i> , which is not a later heterotypic synonym of <i>Agrobacterium radiobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5172-5176.	1.7	9
16	Hierarchical drivers of soil microbial community structure variability in "Monte Perdido" Massif (Central Pyrenees). <i>Scientific Reports</i> , 2019, 9, 8768.	3.3	15
17	Genome Insights into the Novel Species <i>Microvirga brassicacearum</i> , a Rapeseed Endophyte with Biotechnological Potential. <i>Microorganisms</i> , 2019, 7, 354.	3.6	30
18	Uncovering the potential of novel micromonosporae isolated from an extreme hyper-arid Atacama Desert soil. <i>Scientific Reports</i> , 2019, 9, 4678.	3.3	34

#	ARTICLE	IF	CITATIONS
19	<i>Jiangella anatolica</i> sp. nov. isolated from coastal lake soil. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 887-895.	1.7	6
20	A study of three bacteria isolated from marine sediment and description of <i>Micromonospora globispora</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2019, 42, 190-197.	2.8	8
21	<i>Streptacidiphilus bronchialis</i> sp. nov., a ciprofloxacin-resistant bacterium from a human clinical specimen; reclassification of <i>Streptomyces griseoplanus</i> as <i>Streptacidiphilus griseoplanus</i> comb. nov. and emended description of the genus <i>Streptacidiphilus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1047-1056.	1.7	20
22	<i>Modestobacter italicus</i> sp. nov., isolated from Carrara marble quarry and emended descriptions of the genus <i>Modestobacter</i> and the species <i>Modestobacter marinus</i> , <i>Modestobacter multiseptatus</i> , <i>Modestobacter roseus</i> and <i>Modestobacter versicolor</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1537-1545.	1.7	19
23	<i>Pseudomonas edaphica</i> sp. nov., isolated from rhizospheric soil of <i>Cistus ladanifer</i> L. in Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3141-3147.	1.7	13
24	<i>Micromonospora acroterricola</i> sp. nov., a novel actinobacterium isolated from a high altitude Atacama Desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3426-3436.	1.7	16
25	<i>Mycolicibacterium stellerae</i> sp. nov., a rapidly growing scotochromogenic strain isolated from <i>Stellera chamaejasme</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3465-3471.	1.7	14
26	Simultaneous application of two herbicides and green compost in a field experiment: Implications on soil microbial community. <i>Applied Soil Ecology</i> , 2018, 127, 30-40.	4.3	25
27	Beneath the canopy: Linking drought-induced forest die off and changes in soil properties. <i>Forest Ecology and Management</i> , 2018, 422, 294-302.	3.2	25
28	Formal description of <i>Mycobacterium neglectum</i> sp. nov. and <i>Mycobacterium palauense</i> sp. nov., rapidly growing actinobacteria. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1209-1223.	1.7	12
29	Complete Genome Sequence of <i>Streptacidiphilus</i> sp. Strain 15-057A, Obtained from Bronchial Lavage Fluid. <i>Microbiology Resource Announcements</i> , 2018, 7, .	0.6	3
30	Discovery of Phloeophagus Beetles as a Source of <i>Pseudomonas</i> Strains That Produce Potentially New Bioactive Substances and Description of <i>Pseudomonas bohémica</i> sp. nov.. <i>Frontiers in Microbiology</i> , 2018, 9, 913.	3.5	35
31	<i>Phyllobacterium salinisoli</i> sp. nov., isolated from a <i>Lotus lancerottensis</i> root nodule in saline soil from Lanzarote. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1085-1089.	1.7	20
32	<i>Kushneria phyllosphaerae</i> sp. nov. and <i>Kushneria endophytica</i> sp. nov., plant growth promoting endophytes isolated from the halophyte plant <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2800-2806.	1.7	18
33	<i>Actinomadura alkaliterrae</i> sp. nov., isolated from an alkaline soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 787-794.	1.7	12
34	Culturable bacterial diversity from the chestnut (<i>Castanea sativa</i> Mill.) phyllosphere and antagonism against the fungi causing the chestnut blight and ink diseases. <i>AIMS Microbiology</i> , 2017, 3, 293-314.	2.2	11
35	Influence of Herbicide Triasulfuron on Soil Microbial Community in an Unamended Soil and a Soil Amended with Organic Residues. <i>Frontiers in Microbiology</i> , 2017, 8, 378.	3.5	44
36	<i>Bradyrhizobium cajani</i> sp. nov. isolated from nodules of <i>Cajanus cajan</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2236-2241.	1.7	25

#	ARTICLE	IF	CITATIONS
37	<i>Rhizobium zeae</i> sp. nov., isolated from maize (<i>Zea mays</i> L.) roots. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2306-2311.	1.7	22
38	<i>Mycobacterium eburneum</i> sp. nov., a non-chromogenic, fast-growing strain isolated from sputum. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3174-3181.	1.7	13
39	<i>Pseudonocardia nigra</i> sp. nov., isolated from Atacama Desert rock. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2980-2985.	1.7	23
40	Two novel species of rapidly growing mycobacteria: <i>Mycobacterium lehmannii</i> sp. nov. and <i>Mycobacterium neumannii</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4948-4955.	1.7	12
41	<i>Erwinia endophytica</i> sp. nov., isolated from potato (<i>Solanum tuberosum</i> L.) stems. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 975-981.	1.7	12
42	<i>Pseudomonas turukhanskensis</i> sp. nov., isolated from oil-contaminated soils. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4657-4664.	1.7	14
43	Reclassification of strains MAFF 303099T and R7A into <i>Mesorhizobium japonicum</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4936-4941.	1.7	52
44	<i>Massilia violacea</i> sp. nov., isolated from riverbank soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 707-711.	1.7	11
45	<i>Pseudomonas coleopterorum</i> sp. nov., a cellulase-producing bacterium isolated from the bark beetle <i>Hylesinus fraxini</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2852-2858.	1.7	50
46	Revision of the taxonomic status of the species <i>Rhizobium lupini</i> and reclassification as <i>Bradyrhizobium lupini</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1213-1219.	1.7	52
47	<i>Pseudorhizobium pelagicum</i> gen. nov., sp. nov. isolated from a pelagic Mediterranean zone. Systematic and Applied Microbiology, 2015, 38, 293-299.	2.8	37
48	<i>Fontibacillus solani</i> sp. nov. isolated from potato (<i>Solanum tuberosum</i> L.) root. Antonie Van Leeuwenhoek, 2015, 107, 1315-1321.	1.7	11
49	<i>Pseudomonas endophytica</i> sp. nov., isolated from stem tissue of <i>Solanum tuberosum</i> L. in Spain. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2110-2117.	1.7	17
50	Revision of the taxonomic status of type strains of <i>Mesorhizobium loti</i> and reclassification of strain USDA 3471T as the type strain of <i>Mesorhizobium erdmanii</i> sp. nov. and ATCC 33669T as the type strain of <i>Mesorhizobium jarvisii</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1703-1708.	1.7	47
51	<i>Micromonospora</i> from nitrogen fixing nodules of alfalfa (<i>Medicago sativa</i> L.). A new promising Plant Probiotic Bacteria.. Scientific Reports, 2014, 4, 6389.	3.3	69
52	<i>Cohnella lupini</i> sp. nov., an endophytic bacterium isolated from root nodules of <i>Lupinus albus</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 83-87.	1.7	34
53	<i>Paenibacillus lupini</i> sp. nov., isolated from nodules of <i>Lupinus albus</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3028-3033.	1.7	32
54	<i>Microbacterium endophyticum</i> sp. nov. and <i>Microbacterium halimionae</i> sp. nov., endophytes isolated from the salt-marsh plant <i>Halimione portulacoides</i> and emended description of the genus <i>Microbacterium</i> . Systematic and Applied Microbiology, 2014, 37, 474-479.	2.8	46

#	ARTICLE	IF	CITATIONS
55	<i>Paenibacillus endophyticus</i> sp. nov., isolated from nodules of <i>Cicer arietinum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4433-4438.	1.7	37
56	Rapid adaptation of microalgae to bodies of water with extreme pollution from uranium mining: An explanation of how mesophilic organisms can rapidly colonise extremely toxic environments. <i>Aquatic Toxicology</i> , 2013, 144-145, 116-123.	4.0	44
57	Abundance, diversity and prospecting of culturable phosphate solubilizing bacteria on soils under crop-pasture rotations in a no-tillage regime in Uruguay. <i>Applied Soil Ecology</i> , 2012, 61, 320-326.	4.3	80
58	<i>Rhizobium</i> Promotes Non-Legumes Growth and Quality in Several Production Steps: Towards a Biofertilization of Edible Raw Vegetables Healthy for Humans. <i>PLoS ONE</i> , 2012, 7, e38122.	2.5	155
59	Diversity and community structure of culturable arsenic-resistant bacteria across a soil arsenic gradient at an abandoned tungsten-tin mining area. <i>Chemosphere</i> , 2011, 85, 129-134.	8.2	39
60	Correlation among soil enzyme activities under different forest system management practices. <i>Ecological Engineering</i> , 2011, 37, 1123-1131.	3.6	165
61	Evidence of an American Origin for Symbiosis-Related Genes in <i>Rhizobium lusitanum</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 5665-5670.	3.1	14
62	Strains nodulating <i>Lupinus albus</i> on different continents belong to several new chromosomal and symbiotic lineages within <i>Bradyrhizobium</i> . <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 363-376.	1.7	48
63	Mobilization of phosphorus from iron ore by the bacterium <i>Burkholderia caribensis</i> FeGLO3. <i>Minerals Engineering</i> , 2009, 22, 1-9.	4.3	74
64	Diversity and activity of phosphate bioleaching bacteria from a high-phosphorus iron ore. <i>Hydrometallurgy</i> , 2008, 92, 124-129.	4.3	97
65	Revision of the taxonomic status of the species <i>Rhizobium leguminosarum</i> (Frank 1879) Frank 1889AL, <i>Rhizobium phaseoli</i> Dangeard 1926AL and <i>Rhizobium trifolii</i> Dangeard 1926AL. <i>R. trifolii</i> is a later synonym of <i>R. leguminosarum</i> . Reclassification of the strain <i>R. leguminosarum</i> DSM 30132 (=NCIMB) Tj ETQq1 1 01784314 rgs1 /Oveldo 2008, 58, 2484-2490.	3.1	14
66	<i>Paenibacillus castaneae</i> sp. nov., isolated from the phyllosphere of <i>Castanea sativa</i> Miller. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2560-2564.	1.7	29
67	Long-term effectiveness of sowing high and low diversity seed mixtures to enhance plant community development on ex-arable fields. <i>Applied Vegetation Science</i> , 2007, 10, 97.	1.9	36
68	CLIMATE VS. SOIL FACTORS IN LOCAL ADAPTATION OF TWO COMMON PLANT SPECIES. <i>Ecology</i> , 2007, 88, 424-433.	3.2	125
69	Reclassification of <i>Pseudomonas aurantiaca</i> as a synonym of <i>Pseudomonas chlororaphis</i> and proposal of three subspecies, <i>P. chlororaphis</i> subsp. <i>chlororaphis</i> subsp. nov., <i>P. chlororaphis</i> subsp. <i>aureofaciens</i> subsp. nov., comb. nov. and <i>P. chlororaphis</i> subsp. <i>aurantiaca</i> subsp. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1286-1290.	1.7	99
70	<i>Rhizobium lusitanum</i> sp. nov. a bacterium that nodulates <i>Phaseolus vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2631-2637.	1.7	139
71	Carbon addition alters vegetation composition on ex-arable fields. <i>Journal of Applied Ecology</i> , 2006, 44, 95-104.	4.0	67
72	Plant species and functional group effects on abiotic and microbial soil properties and plant-soil feedback responses in two grasslands. <i>Journal of Ecology</i> , 2006, 94, 893-904.	4.0	311

#	ARTICLE	IF	CITATIONS
73	Natural Diversity of Nodular Microsymbionts of <i>Alnus glutinosa</i> in the Tormes River Basin. <i>Plant and Soil</i> , 2006, 280, 373-383.	3.7	12
74	Differential effects of coinoculations with <i>Pseudomonas jessenii</i> PS06 (a phosphate-solubilizing) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 greenhouse and field conditions. <i>Plant and Soil</i> , 2006, 287, 43-50.	3.7	102
75	Characterization of brushite as a re-crystallization product formed during bacterial solubilization of hydroxyapatite in batch cultures. <i>Soil Biology and Biochemistry</i> , 2006, 38, 2645-2654.	8.8	94
76	<i>Burkholderia ferrariae</i> sp. nov., isolated from an iron ore in Brazil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2421-2425.	1.7	45
77	<i>Phyllobacterium trifolii</i> sp. nov., nodulating <i>Trifolium</i> and <i>Lupinus</i> in Spanish soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1985-1989.	1.7	143
78	<i>Casuarina cunninghamiana</i> Tissue Extracts Stimulate the Growth of <i>Frankia</i> and Differentially Alter the Growth of Other Soil Microorganisms. <i>Journal of Chemical Ecology</i> , 2004, 30, 439-452.	1.8	15
79	Genomic fingerprinting of <i>Frankia</i> strains by PCR-based techniques. Assessment of a primer based on the sequence of 16S rRNA gene of <i>Escherichia coli</i> . <i>Plant and Soil</i> , 2003, 254, 115-123.	3.7	6
80	<i>Herbaspirillum lusitanum</i> sp. nov., a novel nitrogen-fixing bacterium associated with root nodules of <i>Phaseolus vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1979-1983.	1.7	121
81	Expression of cysteine proteinase mRNA in chickpea (<i>Cicer arietinum</i> L.) is localized to provascular cells in the developing root. <i>Journal of Plant Physiology</i> , 2001, 158, 1463-1469.	3.5	4
82	Cellulase isoenzyme profiles in <i>Frankia</i> strains belonging to different cross-inoculation groups. <i>Plant and Soil</i> , 2001, 229, 35-39.	3.7	15
83	<i>Mesorhizobium chacoense</i> sp. nov., a novel species that nodulates <i>Prosopis alba</i> in the Chaco Arido region (Argentina).. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1011-1021.	1.7	100
84	Phosphate-solubilizing bacteria as inoculants for agriculture: use of updated molecular techniques in their study. <i>Agronomy for Sustainable Development</i> , 2001, 21, 561-568.	0.8	154
85	Stimulatory effects of aluminum on in vitro growth of <i>Frankia</i> . <i>Canadian Journal of Botany</i> , 1999, 77, 1321-1326.	1.1	8
86	Analysis of LMW RNA Profiles of <i>Frankia</i> Strains by Staircase Electrophoresis. <i>Systematic and Applied Microbiology</i> , 1998, 21, 539-545.	2.8	17
87	Regulation of growth, water use efficiency and $\delta^{13}C$ by the nitrogen source in <i>Casuarina equisetifolia</i> Forst. & Forst.. <i>Plant, Cell and Environment</i> , 1998, 21, 531-534.	5.7	13
88	Title is missing!. <i>Plant and Soil</i> , 1997, 190, 41-46.	3.7	22
89	Mesotrione dissipation and response of soil microbial communities in a soil amended with organic residues. <i>Spanish Journal of Soil Science</i> , 0, 5, .	0.0	4