

Vanessa L Beesley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4828303/publications.pdf>

Version: 2024-02-01

69
papers

2,155
citations

236925

25
h-index

243625

44
g-index

70
all docs

70
docs citations

70
times ranked

2916
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluating patient-reported symptoms and late adverse effects following completion of first-line chemotherapy for ovarian cancer using the MOST (Measure of Ovarian Symptoms and Treatment) Tj ETQq1 1 0.784214 rgBT4 Overlook	1.5	3
2	Patient age and risk of recurrence of primary melanoma at high risk of spread. British Journal of Dermatology, 2021, 184, 566-568.	1.5	3
3	End-of-life care for Aboriginal and Torres Strait Islander people with cancer: an exploratory study of service utilisation and unmet supportive care needs. Supportive Care in Cancer, 2021, 29, 2073-2082.	2.2	3
4	Increased melanoma recurrence in patients with multiple primary invasive melanomas. Journal of the American Academy of Dermatology, 2021, , .	1.2	0
5	Patterns of, and barriers to supportive care needs assessment and provision for Australian women with gynecological cancer and their caregivers: a mixed-methods study of clinical practice. Palliative and Supportive Care, 2020, 18, 170-177.	1.0	15
6	Insomnia and its association with quality of life in women with ovarian cancer. Gynecologic Oncology, 2020, 158, 760-768.	1.4	17
7	Anxiety and depression after diagnosis of high-risk primary cutaneous melanoma: a 4-year longitudinal study. Journal of Cancer Survivorship, 2020, 14, 712-719.	2.9	12
8	When will I feel normal again? Trajectories and predictors of persistent symptoms and poor wellbeing after primary chemotherapy for ovarian cancer. Gynecologic Oncology, 2020, 159, 179-186.	1.4	20
9	Supporting patients and carers affected by pancreatic cancer: A feasibility study of a counselling intervention. European Journal of Oncology Nursing, 2020, 46, 101729.	2.1	7
10	Does social support reduce distress and worry among Aboriginal and Torres Strait Islander people with cancer?. Cancer Reports, 2019, 2, .	1.4	3
11	Unmet supportive care needs among people with cancer: A cross-cultural comparison between Indigenous and Non-Indigenous Australians. European Journal of Cancer Care, 2019, 28, e13080.	1.5	9
12	Risk of Melanoma Recurrence After Diagnosis of a High-Risk Primary Tumor. JAMA Dermatology, 2019, 155, 688.	4.1	74
13	A systematic literature review of trials of survivorship interventions for women with gynaecological cancer and their caregivers. European Journal of Cancer Care, 2019, 28, e13057.	1.5	34
14	Sun protection behavior after diagnosis of high-risk primary melanoma and risk of a subsequent primary. Journal of the American Academy of Dermatology, 2019, 80, 139-148.e4.	1.2	13
15	â€œI Wasn't Gonna Let It Stop Meâ€: Exploring Women's Experiences of Getting Through Chemotherapy for Ovarian Cancer. Cancer Nursing, 2019, 42, E31-E38.	1.5	10
16	Chemotherapy in patients with unresected pancreatic cancer in Australia: A population-based study of uptake and survival. Asia-Pacific Journal of Clinical Oncology, 2018, 14, 326-336.	1.1	15
17	Association between pancreatic cancer patients' perception of their care coordination and patient-reported and survival outcomes. Palliative and Supportive Care, 2018, 16, 534-543.	1.0	16
18	A systematic literature review of the prevalence of and risk factors for supportive care needs among women with gynaecological cancer and their caregivers. Supportive Care in Cancer, 2018, 26, 701-710.	2.2	47

#	ARTICLE	IF	CITATIONS
19	Biliary Stenting in Patients With Pancreatic Cancer. <i>Pancreas</i> , 2018, 47, 80-86.	1.1	7
20	The Imperative for a Triumph-Over-Tragedy Story in Women's Accounts of Undergoing Chemotherapy for Ovarian Cancer. <i>Qualitative Health Research</i> , 2018, 28, 1759-1768.	2.1	8
21	Perceptions of care and patient-reported outcomes in people living with neuroendocrine tumours. <i>Supportive Care in Cancer</i> , 2018, 26, 3153-3161.	2.2	12
22	Coping strategies, trajectories, and their associations with patient-reported outcomes among women with ovarian cancer. <i>Supportive Care in Cancer</i> , 2018, 26, 4133-4142.	2.2	29
23	The hidden burden of anxiety and depression in ovarian cancer: A prospective longitudinal study from diagnosis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 10081-10081.	1.6	4
24	The hidden burden of anxiety and depression in ovarian cancer: A prospective study from diagnosis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 155-155.	1.6	0
25	The Ovarian cancer Prognosis And Lifestyle (OPAL) study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 88-88.	1.6	2
26	When will I feel normal again? Quality of life trajectories after first-line chemotherapy for ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 172-172.	1.6	0
27	“Cancer Put My Life on Hold” <i>Cancer Nursing</i> , 2017, 40, 160-167.	1.5	25
28	Anxiety, depression and quality of life in people with pancreatic cancer and their carers. <i>Pancreatology</i> , 2017, 17, 321-327.	1.1	71
29	Unmet supportive care needs of Australian Aboriginal and Torres Strait Islanders with cancer: a prospective, longitudinal study. <i>Supportive Care in Cancer</i> , 2017, 25, 869-877.	2.2	11
30	Association between change in employment participation and quality of life in middle-aged colorectal cancer survivors compared with general population controls. <i>Psycho-Oncology</i> , 2017, 26, 1354-1360.	2.3	30
31	Use of support services in a sample of patients with high-risk primary melanomas in urban, regional and rural Queensland. <i>Australian and New Zealand Journal of Public Health</i> , 2017, 41, 315-319.	1.8	5
32	Reduced employment and financial hardship among middle-aged individuals with colorectal cancer. <i>European Journal of Cancer Care</i> , 2017, 26, e12744.	1.5	36
33	Variations in supportive care needs of patients after diagnosis of localised cutaneous melanoma: a 2-year follow-up study. <i>Supportive Care in Cancer</i> , 2017, 25, 93-102.	2.2	9
34	Factors associated with quality of care for patients with pancreatic cancer in Australia. <i>Medical Journal of Australia</i> , 2016, 205, 459-465.	1.7	20
35	A tsunami of unmet needs: pancreatic and ampullary cancer patients' supportive care needs and use of community and allied health services. <i>Psycho-Oncology</i> , 2016, 25, 150-157.	2.3	53
36	Determinants of survival and attempted resection in patients with non-metastatic pancreatic cancer: An Australian population-based study. <i>Pancreatology</i> , 2016, 16, 873-881.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Determinants of Outcomes Following Resection for Pancreatic Cancer—a Population-Based Study. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1471-1481.	1.7	24
38	Risk factors for current and future unmet supportive care needs of people with pancreatic cancer. A longitudinal study. <i>Supportive Care in Cancer</i> , 2016, 24, 3589-3599.	2.2	22
39	Using a Delphi process to determine optimal care for patients with pancreatic cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, 105-114.	1.1	9
40	Beyond survivorship? A discursive analysis of how people with pancreatic cancer negotiate identity transitions in their health. <i>Journal of Health Psychology</i> , 2016, 21, 3060-3071.	2.3	9
41	Associations of health behaviours with return to work outcomes after colorectal cancer. <i>Supportive Care in Cancer</i> , 2016, 24, 865-870.	2.2	10
42	Prospective study of patterns of surgical management in adults with primary cutaneous melanoma at high risk of spread, in Queensland, Australia. <i>Journal of Surgical Oncology</i> , 2015, 112, 359-365.	1.7	27
43	Supportive care needs, anxiety, depression and quality of life amongst newly diagnosed patients with localised invasive cutaneous melanoma in Queensland, Australia. <i>Psycho-Oncology</i> , 2015, 24, 763-770.	2.3	49
44	Psychometric properties of an Australian supportive care needs assessment tool for Indigenous patients with cancer. <i>Cancer</i> , 2015, 121, 3018-3026.	4.1	39
45	Describing Patterns of Care in Pancreatic Cancer. <i>Pancreas</i> , 2015, 44, 1259-1265.	1.1	30
46	Incidence, risk factors and estimates of a woman's risk of developing secondary lower limb lymphedema and lymphedema-specific supportive care needs in women treated for endometrial cancer. <i>Gynecologic Oncology</i> , 2015, 136, 87-93.	1.4	100
47	Prevalence, predictors, and correlates of supportive care needs among women 3–5 years after a diagnosis of endometrial cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 1205-1214.	2.2	39
48	Incidence, Risk Factors, and Estimates of a Woman's Risk for Developing Secondary Lower Limb Lymphedema and Lymphedema-Specific Supportive Care Needs in Women Treated for Endometrial Cancer. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 176-177.	0.4	3
49	Women's Perceptions of Their Lifestyle and Quality of Life Several Years After a Diagnosis of Endometrial Cancer. <i>Cancer Nursing</i> , 2015, 38, E21-E28.	1.5	10
50	Prevalence and correlates of unmet supportive care needs in patients with resected invasive cutaneous melanoma. <i>Annals of Oncology</i> , 2014, 25, 2052-2058.	1.2	53
51	The return to work experiences of middle-aged Australian workers diagnosed with colorectal cancer: a matched cohort study. <i>BMC Public Health</i> , 2014, 14, 963.	2.9	43
52	Quality of Life and Treatment Response Among Women With Platinum-Resistant Versus Platinum-Sensitive Ovarian Cancer Treated for Progression. <i>Obstetrical and Gynecological Survey</i> , 2014, 69, 257-259.	0.4	0
53	Quality of life of women with lower limb swelling or lymphedema 3–5 years following endometrial cancer. <i>Gynecologic Oncology</i> , 2014, 133, 314-318.	1.4	56
54	Quality of life and treatment response among women with platinum-resistant versus platinum-sensitive ovarian cancer treated for progression: A prospective analysis. <i>Gynecologic Oncology</i> , 2014, 132, 130-136.	1.4	11

#	ARTICLE	IF	CITATIONS
55	Predictors of sexual well-being after endometrial cancer: results of a national self-report survey. <i>Supportive Care in Cancer</i> , 2014, 22, 2715-2723.	2.2	22
56	Changes in supportive care needs after first-line treatment for ovarian cancer: identifying care priorities and risk factors for future unmet needs. <i>Psycho-Oncology</i> , 2013, 22, 1565-1571.	2.3	80
57	The development of a supportive care needs assessment tool for Indigenous people with cancer. <i>BMC Cancer</i> , 2012, 12, 300.	2.6	24
58	Navigating the cancer journey: A review of patient navigator programs for Indigenous cancer patients. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2012, 8, e89-96.	1.1	42
59	Evidence on the economic value of psychosocial interventions to alleviate anxiety and depression among cancer survivors: A systematic review. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2011, 7, 96-105.	1.1	44
60	Loss of lifestyle: health behaviour and weight changes after becoming a caregiver of a family member diagnosed with ovarian cancer. <i>Supportive Care in Cancer</i> , 2011, 19, 1949-1956.	2.2	98
61	Safety, feasibility and effects of an individualised walking intervention for women undergoing chemotherapy for ovarian cancer: a pilot study. <i>BMC Cancer</i> , 2011, 11, 389.	2.6	53
62	The Working After Cancer Study (WACS): a population-based study of middle-aged workers diagnosed with colorectal cancer and their return to work experiences. <i>BMC Public Health</i> , 2011, 11, 604.	2.9	17
63	Physical activity in women with ovarian cancer and its association with decreased distress and improved quality of life. <i>Psycho-Oncology</i> , 2011, 20, 1161-1169.	2.3	36
64	Medical Costs and Outcomes for Australian Women With Ovarian Cancer: A Patient-Level Analysis Over 2.5 Years. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 757-765.	2.5	19
65	Ranked importance of outcomes of first-line versus repeated chemotherapy among ovarian cancer patients. <i>Supportive Care in Cancer</i> , 2010, 18, 943-949.	2.2	8
66	Gynecological cancer survivors and community support services: referral, awareness, utilization and satisfaction. <i>Psycho-Oncology</i> , 2010, 19, 54-61.	2.3	23
67	Gynecological cancer survivors' health behaviors and their associations with quality of life. <i>Cancer Causes and Control</i> , 2008, 19, 775-782.	1.8	64
68	Unmet needs of gynaecological cancer survivors: implications for developing community support services. <i>Psycho-Oncology</i> , 2008, 17, 392-400.	2.3	139
69	Lymphedema after gynecological cancer treatment. <i>Cancer</i> , 2007, 109, 2607-2614.	4.1	303