

Robert N Luben

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4831885/publications.pdf>

Version: 2024-02-01

540
papers

58,555
citations

1377

111
h-index

1719

219
g-index

555
all docs

555
docs citations

555
times ranked

69602
citing authors

#	ARTICLE	IF	CITATIONS
1	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010, 466, 707-713.	13.7	3,249
2	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
3	Genome-wide association study identifies novel breast cancer susceptibility loci. <i>Nature</i> , 2007, 447, 1087-1093.	13.7	2,165
4	Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. <i>Nature Genetics</i> , 2009, 41, 25-34.	9.4	1,572
5	Common variants near MC4R are associated with fat mass, weight and risk of obesity. <i>Nature Genetics</i> , 2008, 40, 768-775.	9.4	1,179
6	Genome-wide association study identifies eight loci associated with blood pressure. <i>Nature Genetics</i> , 2009, 41, 666-676.	9.4	1,104
7	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. <i>Nature Genetics</i> , 2012, 44, 491-501.	9.4	1,100
8	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , 2003, 361, 1496-1501.	6.3	988
9	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	9.4	960
10	Association of Hemoglobin A _{1c} with Cardiovascular Disease and Mortality in Adults: The European Prospective Investigation into Cancer in Norfolk. <i>Annals of Internal Medicine</i> , 2004, 141, 413.	2.0	847
11	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	9.4	836
12	Glycated haemoglobin, diabetes, and mortality in men in Norfolk cohort of European Prospective Investigation of Cancer and Nutrition (EPIC-Norfolk). <i>BMJ: British Medical Journal</i> , 2001, 322, 15-15.	2.4	832
13	Endogenous Testosterone and Mortality Due to All Causes, Cardiovascular Disease, and Cancer in Men. <i>Circulation</i> , 2007, 116, 2694-2701.	1.6	695
14	Combined Impact of Health Behaviours and Mortality in Men and Women: The EPIC-Norfolk Prospective Population Study. <i>PLoS Medicine</i> , 2008, 5, e12.	3.9	630
15	Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , 2018, 559, 400-404.	13.7	617
16	Serum Myeloperoxidase Levels Are Associated With the Future Risk of Coronary Artery Disease in Apparently Healthy Individuals. <i>Journal of the American College of Cardiology</i> , 2007, 50, 159-165.	1.2	544
17	Relation between plasma ascorbic acid and mortality in men and women in EPIC-Norfolk prospective study: a prospective population study. <i>Lancet, The</i> , 2001, 357, 657-663.	6.3	508
18	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	9.4	493

#	ARTICLE	IF	CITATIONS
19	Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009, 41, 585-590.	9.4	434
20	Early Age at Menarche Associated with Cardiovascular Disease and Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4953-4960.	1.8	430
21	Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	428
22	Subclinical Hyperthyroidism and the Risk of Coronary Heart Disease and Mortality. <i>Archives of Internal Medicine</i> , 2012, 172, 799-809.	4.3	424
23	Subclinical Thyroid Dysfunction and the Risk of Heart Failure Events. <i>Circulation</i> , 2012, 126, 1040-1049.	1.6	410
24	Body Fat Distribution and Risk of Coronary Heart Disease in Men and Women in the European Prospective Investigation Into Cancer and Nutrition in Norfolk Cohort. <i>Circulation</i> , 2007, 116, 2933-2943.	1.6	407
25	Association of HDL cholesterol efflux capacity with incident coronary heart disease events: a prospective case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 507-513.	5.5	389
26	Are imprecise methods obscuring a relation between fat and breast cancer?. <i>Lancet</i> , 2003, 362, 212-214.	6.3	381
27	Genetic Variants Influencing Circulating Lipid Levels and Risk of Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2264-2276.	1.1	369
28	Nutritional methods in the European Prospective Investigation of Cancer in Norfolk. <i>Public Health Nutrition</i> , 2001, 4, 847-858.	1.1	332
29	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
30	LDL-cholesterol concentrations: a genome-wide association study. <i>Lancet</i> , 2008, 371, 483-491.	6.3	329
31	Increasing Prevalence of Myopia in Europe and the Impact of Education. <i>Ophthalmology</i> , 2015, 122, 1489-1497.	2.5	329
32	̳-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155.	2.6	326
33	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009, 58, 1606-1611.	6.1	318
34	Genetic variation in LIN28B is associated with the timing of puberty. <i>Nature Genetics</i> , 2009, 41, 729-733.	9.4	317
35	Polymorphisms Associated With Circulating Sex Hormone Levels in Postmenopausal Women. <i>Journal of the National Cancer Institute</i> , 2004, 96, 936-945.	3.0	308
36	Prevalence of refractive error in Europe: the European Eye Epidemiology (E3) Consortium. <i>European Journal of Epidemiology</i> , 2015, 30, 305-315.	2.5	306

#	ARTICLE	IF	CITATIONS
37	Genetic variation near <i>IRS1</i> associates with reduced adiposity and an impaired metabolic profile. <i>Nature Genetics</i> , 2011, 43, 753-760.	9.4	289
38	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	9.4	284
39	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013, 45, 621-631.	9.4	282
40	Television viewing and low participation in vigorous recreation are independently associated with obesity and markers of cardiovascular disease risk: EPIC-Norfolk population-based study. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1089-1096.	1.3	267
41	A transforming growth factor β 1 signal peptide variant increases secretion in vitro and is associated with increased incidence of invasive breast cancer. <i>Cancer Research</i> , 2003, 63, 2610-5.	0.4	265
42	Subclinical Thyroid Dysfunction and Fracture Risk. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 2055.	3.8	264
43	Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. <i>Lancet</i> , The, 2004, 363, 197-202.	6.3	257
44	Plasma Vitamin C Level, Fruit and Vegetable Consumption, and the Risk of New-Onset Type 2 Diabetes Mellitus; The European Prospective Investigation of Cancer-Norfolk Prospective Study. <i>Archives of Internal Medicine</i> , 2008, 168, 1493.	4.3	256
45	Cigarette Smoking and Fat Distribution in 21, 828 British Men and Women: A Population-based Study. <i>Obesity</i> , 2005, 13, 1466-1475.	4.0	247
46	Television viewing time independently predicts all-cause and cardiovascular mortality: the EPIC Norfolk Study. <i>International Journal of Epidemiology</i> , 2011, 40, 150-159.	0.9	246
47	Urinary Bisphenol A Concentration and Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation</i> , 2012, 125, 1482-1490.	1.6	242
48	Social Adversity, the Serotonin Transporter (5-HTTLPR) Polymorphism and Major Depressive Disorder. <i>Biological Psychiatry</i> , 2006, 59, 224-229.	0.7	235
49	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
50	Physical Activity Attenuates the Genetic Predisposition to Obesity in 20,000 Men and Women from EPIC-Norfolk Prospective Population Study. <i>PLoS Medicine</i> , 2010, 7, e1000332.	3.9	230
51	Variability of fish consumption within the 10 European countries participating in the European Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002, 5, 1273-1285.	1.1	228
52	Elevated serum ferritin levels predict new-onset type 2 diabetes: results from the EPIC-Norfolk prospective study. <i>Diabetologia</i> , 2007, 50, 949-956.	2.9	219
53	Plasma Phospholipid Fatty Acid Concentration and Incident Coronary Heart Disease in Men and Women: The EPIC-Norfolk Prospective Study. <i>PLoS Medicine</i> , 2012, 9, e1001255.	3.9	216
54	Circulating 25-hydroxyvitamin D concentration and the risk of type 2 diabetes: results from the European Prospective Investigation into Cancer (EPIC)-Norfolk cohort and updated meta-analysis of prospective studies. <i>Diabetologia</i> , 2012, 55, 2173-2182.	2.9	213

#	ARTICLE	IF	CITATIONS
55	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39 740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 965-974.	5.5	213
56	Plasma Levels of Cholesteryl Ester Transfer Protein and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation</i> , 2004, 110, 1418-1423.	1.6	210
57	Use of biological markers to validate self-reported dietary intake in a random sample of the European Prospective Investigation into Cancer United Kingdom Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 188-196.	2.2	208
58	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	0.9	207
59	Dietary Fiber and Colorectal Cancer Risk: A Nested Case-Control Study Using Food Diaries. <i>Journal of the National Cancer Institute</i> , 2010, 102, 614-626.	3.0	205
60	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436.	1.6	199
61	Sense of Coherence and Mortality in Men and Women in the EPIC-Norfolk United Kingdom Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2003, 158, 1202-1209.	1.6	198
62	Genome-wide meta-analysis identifies 127 open-angle glaucoma loci with consistent effect across ancestries. <i>Nature Communications</i> , 2021, 12, 1258.	5.8	196
63	Physical activity trajectories and mortality: population based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 365, l2323.	2.4	194
64	The Extent of Linkage Disequilibrium in Four Populations with Distinct Demographic Histories. <i>American Journal of Human Genetics</i> , 2000, 67, 1544-1554.	2.6	192
65	Sleep duration and risk of fatal and nonfatal stroke. <i>Neurology</i> , 2015, 84, 1072-1079.	1.5	192
66	Abdominal Obesity and Respiratory Function in Men and Women in the EPIC-Norfolk Study, United Kingdom. <i>American Journal of Epidemiology</i> , 2004, 159, 1140-1149.	1.6	191
67	Fatty acids measured in plasma and erythrocyte-membrane phospholipids and derived by food-frequency questionnaire and the risk of new-onset type 2 diabetes: a pilot study in the European Prospective Investigation into Cancer and Nutrition (EPIC) Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1214-1222.	2.2	190
68	Cumulative effects and predictive value of common obesity-susceptibility variants identified by genome-wide association studies. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 184-190.	2.2	185
69	IGF1 and IGFBP3 tagging polymorphisms are associated with circulating levels of IGF1, IGFBP3 and risk of breast cancer. <i>Human Molecular Genetics</i> , 2006, 15, 1-10.	1.4	181
70	A Prospective Study of the Association Between Quantity and Variety of Fruit and Vegetable Intake and Incident Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1293-1300.	4.3	181
71	Depression and Ischemic Heart Disease Mortality: Evidence From the EPIC-Norfolk United Kingdom Prospective Cohort Study. <i>American Journal of Psychiatry</i> , 2008, 165, 515-523.	4.0	177
72	N-nitroso compounds and cancer incidence: the European Prospective Investigation into Cancer and Nutrition (EPIC) Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1053-1061.	2.2	174

#	ARTICLE	IF	CITATIONS
73	IL-8 Plasma Concentrations and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1503-1508.	1.1	173
74	Microalbuminuria independently predicts all-cause and cardiovascular mortality in a British population: The European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population study. <i>International Journal of Epidemiology</i> , 2004, 33, 189-198.	0.9	172
75	Association between age at menarche and risk of diabetes in adults: results from the EPIC-Norfolk cohort study. <i>Diabetologia</i> , 2008, 51, 781-786.	2.9	169
76	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977.	5.8	169
77	Dietary n-3 polyunsaturated fatty acids and the aetiology of ulcerative colitis: a UK prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 602-606.	0.8	165
78	Association of C-reactive protein with type 2 diabetes: prospective analysis and meta-analysis. <i>Diabetologia</i> , 2009, 52, 1040-1047.	2.9	164
79	Subclinical Hypothyroidism and the Risk of Stroke Events and Fatal Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2181-2191.	1.8	164
80	Residential area deprivation predicts smoking habit independently of individual educational level and occupational social class. A cross sectional study in the Norfolk cohort of the European Investigation into Cancer (EPIC-Norfolk). <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 270-276.	2.0	162
81	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
82	Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. <i>Circulation</i> , 2017, 136, 2100-2116.	1.6	159
83	Genome-wide physical activity interactions in adiposity $\hat{\epsilon}$. A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	1.5	158
84	C-reactive protein levels and coronary artery disease incidence and mortality in apparently healthy men and women: The EPIC-Norfolk prospective population study 1993-2003. <i>Atherosclerosis</i> , 2006, 187, 415-422.	0.4	153
85	A new tool for converting food frequency questionnaire data into nutrient and food group values: FETA research methods and availability. <i>BMJ Open</i> , 2014, 4, e004503.	0.8	153
86	A common variant in BRCA2 is associated with both breast cancer risk and prenatal viability. <i>Nature Genetics</i> , 2000, 26, 362-364.	9.4	152
87	Dietary risk factors for the development of inflammatory polyarthritis: Evidence for a role of high level of red meat consumption. <i>Arthritis and Rheumatism</i> , 2004, 50, 3804-3812.	6.7	147
88	Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. <i>Nature Communications</i> , 2017, 8, 80.	5.8	147
89	Lipoprotein(a) and Risk of Coronary, Cerebrovascular, and Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 3058-3065.	1.1	146
90	Dietary dairy product intake and incident type 2 diabetes: a prospective study using dietary data from a 7-day food diary. <i>Diabetologia</i> , 2014, 57, 909-917.	2.9	145

#	ARTICLE	IF	CITATIONS
91	Psychological distress, major depressive disorder, and risk of stroke. <i>Neurology</i> , 2008, 70, 788-794.	1.5	144
92	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	1.4	143
93	Flavonoid Intake in European Adults (18 to 64 Years). <i>PLoS ONE</i> , 2015, 10, e0128132.	1.1	143
94	Telomere Length in Prospective and Retrospective Cancer Case-Control Studies. <i>Cancer Research</i> , 2010, 70, 3170-3176.	0.4	142
95	Work and leisure time physical activity assessed using a simple, pragmatic, validated questionnaire and incident cardiovascular disease and all-cause mortality in men and women: The European Prospective Investigation into Cancer in Norfolk prospective population study. <i>International Journal of Epidemiology</i> , 2006, 35, 1034-1043.	0.9	141
96	Healthy lifestyle choices: could sense of coherence aid health promotion?. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 871-876.	2.0	141
97	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013, 108, 575-582.	0.2	141
98	Role of the Apolipoprotein Bâ€“Apolipoprotein A-I Ratio in Cardiovascular Risk Assessment: A Caseâ€“Control Analysis in EPIC-Norfolk. <i>Annals of Internal Medicine</i> , 2007, 146, 640.	2.0	140
99	Initial thyroid status and cardiovascular risk factors: The EPICâ€“Norfolk prospective population study. <i>Clinical Endocrinology</i> , 2010, 72, 404-410.	1.2	140
100	Blood pressure and urinary sodium in men and women: the Norfolk Cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1397-1403.	2.2	136
101	Vitamin C and hyperglycemia in the European Prospective Investigation into Cancerâ€“Norfolk (EPIC-Norfolk) study: a population-based study. <i>Diabetes Care</i> , 2000, 23, 726-732.	4.3	133
102	The CAFE computer program for nutritional analysis of the EPIC-Norfolk food frequency questionnaire and identification of extreme nutrient values. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 99-116.	1.3	131
103	Combined effect of health behaviours and risk of first ever stroke in 20 040 men and women over 11 years' follow-up in Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): prospective population study. <i>BMJ: British Medical Journal</i> , 2009, 338, b349-b349.	2.4	130
104	A genome-wide association scan (GWAS) for mean telomere length within the COGS project: identified loci show little association with hormone-related cancer risk. <i>Human Molecular Genetics</i> , 2013, 22, 5056-5064.	1.4	130
105	Randomised trial of coconut oil, olive oil or butter on blood lipids and other cardiovascular risk factors in healthy men and women. <i>BMJ Open</i> , 2018, 8, e020167.	0.8	129
106	DINER (Data Into Nutrients for Epidemiological Research) â€“ a new data-entry program for nutritional analysis in the EPICâ€“Norfolk cohort and the 7-day diary method. <i>Public Health Nutrition</i> , 2001, 4, 1253-1265.	1.1	127
107	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. <i>Digestion</i> , 2008, 77, 57-64.	1.2	127
108	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016, 48, 374-386.	9.4	125

#	ARTICLE	IF	CITATIONS
109	Association Between Type of Dietary Fish and Seafood Intake and the Risk of Incident Type 2 Diabetes: The European Prospective Investigation of Cancer (EPIC)-Norfolk cohort study. <i>Diabetes Care</i> , 2009, 32, 1857-1863.	4.3	120
110	New insights into the genetics of primary open-angle glaucoma based on meta-analyses of intraocular pressure and optic disc characteristics.. <i>Human Molecular Genetics</i> , 2017, 26, ddw399.	1.4	120
111	The Effect of Age, Sex, and Education on Food Consumption of a Middle-Aged English Cohort—EPIC in East Anglia. <i>Preventive Medicine</i> , 2000, 30, 26-34.	1.6	119
112	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016, 13, e1002105.	3.9	118
113	Differential White Blood Cell Count and Type 2 Diabetes: Systematic Review and Meta-Analysis of Cross-Sectional and Prospective Studies. <i>PLoS ONE</i> , 2010, 5, e13405.	1.1	118
114	Smoking status and differential white cell count in men and women in the EPIC-Norfolk population. <i>Atherosclerosis</i> , 2003, 169, 331-337.	0.4	117
115	Cigarette smoking and glycaemia: the EPIC-Norfolk Study. <i>International Journal of Epidemiology</i> , 2001, 30, 547-554.	0.9	116
116	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002, 5, 1287-1296.	1.1	114
117	Plasma ascorbic acid concentrations and fat distribution in 19 068 British men and women in the European Prospective Investigation into Cancer and Nutrition Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1203-1209.	2.2	114
118	Fruit and vegetable intake and population glycosylated haemoglobin levels: the EPIC-Norfolk Study. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 342-348.	1.3	113
119	Residential area deprivation predicts fruit and vegetable consumption independently of individual educational level and occupational social class: a cross sectional population study in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 686-691.	2.0	111
120	Mastery, sense of coherence, and mortality: Evidence of independent associations from the epic-norfolk prospective cohort study.. <i>Health Psychology</i> , 2006, 25, 102-110.	1.3	110
121	FGFR2 variants and breast cancer risk: fine-scale mapping using African American studies and analysis of chromatin conformation. <i>Human Molecular Genetics</i> , 2009, 18, 1692-1703.	1.4	110
122	Fat distribution, body mass index and blood pressure in 22 090 men and women in the Norfolk cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Norfolk) study. <i>Journal of Hypertension</i> , 2004, 22, 2067-2074.	0.3	109
123	Genome-wide association study identifies multiple loci associated with both mammographic density and breast cancer risk. <i>Nature Communications</i> , 2014, 5, 5303.	5.8	109
124	Vitamin C and the risk of developing inflammatory polyarthritis: prospective nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 843-847.	0.5	106
125	Plasma levels of plant sterols and the risk of coronary artery disease: the prospective EPIC-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2007, 48, 139-144.	2.0	105
126	Body fat percentage, body mass index and waist-to-hip ratio as predictors of mortality and cardiovascular disease. <i>Heart</i> , 2014, 100, 1613-1619.	1.2	105

#	ARTICLE	IF	CITATIONS
127	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014, 5, 4999.	5.8	105
128	Dietary antioxidants and asthma in adults. <i>Thorax</i> , 2006, 61, 388-393.	2.7	104
129	Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancerâ€“Norfolk prospective population study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 64-69.	2.2	104
130	Seropositivity and Higher Immunoglobulin G Antibody Levels Against Cytomegalovirus Are Associated With Mortality in the Population-Based European Prospective Investigation of Cancerâ€“Norfolk Cohort. <i>Clinical Infectious Diseases</i> , 2013, 56, 1421-1427.	2.9	104
131	Meta-analysis of geneâ€“environment-wide association scans accounting for education level identifies additional loci for refractive error. <i>Nature Communications</i> , 2016, 7, 11008.	5.8	104
132	No association between androgen or vitamin D receptor gene polymorphisms and risk of breast cancer. <i>Carcinogenesis</i> , 1999, 20, 2131-2135.	1.3	103
133	Breast, colorectal, and prostate cancer risk in the European Prospective Investigation into Cancer and Nutritionâ€“Norfolk in relation to phytoestrogen intake derived from an improved database. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 440-448.	2.2	103
134	Daytime Napping and the Risk of All-Cause and Cause-Specific Mortality: A 13-Year Follow-up of a British Population. <i>American Journal of Epidemiology</i> , 2014, 179, 1115-1124.	1.6	103
135	Apolipoprotein A-II Is Inversely Associated With Risk of Future Coronary Artery Disease. <i>Circulation</i> , 2007, 116, 2029-2035.	1.6	101
136	Common Breast Cancer Susceptibility Variants in <i>LSP1</i> and <i>RAD51L1</i> Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1156-1166.	1.1	101
137	Physical Inactivity Is Associated with Lower Forced Expiratory Volume in 1 Second : European Prospective Investigation into Cancer-Norfolk Prospective Population Study. <i>American Journal of Epidemiology</i> , 2002, 156, 139-147.	1.6	100
138	Serum Levels of Type II Secretory Phospholipase A2 and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 839-846.	1.1	100
139	Circulating Secretory Phospholipase A2 Activity and Risk of Incident Coronary Events in Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1177-1183.	1.1	99
140	Life Stress, Emotional Health, and Mean Telomere Length in the European Prospective Investigation into Cancer (EPIC)-Norfolk Population Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 1152-1162.	1.7	99
141	Television Viewing and Incident Cardiovascular Disease: Prospective Associations and Mediation Analysis in the EPIC Norfolk Study. <i>PLoS ONE</i> , 2011, 6, e20058.	1.1	98
142	Energy Intake at Breakfast and Weight Change: Prospective Study of 6,764 Middle-aged Men and Women. <i>American Journal of Epidemiology</i> , 2007, 167, 188-192.	1.6	97
143	Family history of premature coronary heart disease and risk prediction in the EPIC-Norfolk prospective population study. <i>Heart</i> , 2010, 96, 1985-1989.	1.2	96
144	Assessment of the dietary intake of total flavan-3-ols, monomeric flavan-3-ols, proanthocyanidins and theaflavins in the European Union. <i>British Journal of Nutrition</i> , 2014, 111, 1463-1473.	1.2	96

#	ARTICLE	IF	CITATIONS
145	Common variants in the ATM, BRCA1, BRCA2, CHEK2 and TP53 cancer susceptibility genes are unlikely to increase breast cancer risk. <i>Breast Cancer Research</i> , 2007, 9, R27.	2.2	94
146	The descriptive epidemiology of accelerometer-measured physical activity in older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 2.	2.0	94
147	No evidence that protein truncating variants in <i>BRIP1</i> are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016, 53, 298-309.	1.5	94
148	Mammographic parenchymal patterns and mode of detection: implications for the breast screening programme. <i>Journal of Medical Screening</i> , 1998, 5, 207-212.	1.1	93
149	Dietary Fat and the Risk of Clinical Type 2 Diabetes: The European Prospective Investigation of Cancer-Norfolk Study. <i>American Journal of Epidemiology</i> , 2004, 159, 73-82.	1.6	92
150	Mendelian Randomization Study of B-Type Natriuretic Peptide and Type 2 Diabetes: Evidence of Causal Association from Population Studies. <i>PLoS Medicine</i> , 2011, 8, e1001112.	3.9	92
151	A Prospective Study of Microalbuminuria and Incident Coronary Heart Disease and Its Prognostic Significance in a British Population: The EPIC-Norfolk Study. <i>American Journal of Epidemiology</i> , 2004, 159, 284-293.	1.6	91
152	Microalbuminuria and stroke in a British population: the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population study. <i>Journal of Internal Medicine</i> , 2004, 255, 247-256.	2.7	91
153	How Predictive Is Breast Arterial Calcification of Cardiovascular Disease and Risk Factors When Found at Screening Mammography?. <i>American Journal of Roentgenology</i> , 2006, 187, 73-80.	1.0	90
154	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	1.2	90
155	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , 2014, 23, 3054-3068.	1.4	90
156	Refractive error, axial length and anterior chamber depth of the eye in British adults: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2010, 94, 827-830.	2.1	89
157	No evidence for a causal link between uric acid and type 2 diabetes: a Mendelian randomisation approach. <i>Diabetologia</i> , 2011, 54, 2561-2569.	2.9	89
158	Associations between dietary methods and biomarkers, and between fruits and vegetables and risk of ischaemic heart disease, in the EPIC Norfolk Cohort Study. <i>International Journal of Epidemiology</i> , 2008, 37, 978-987.	0.9	86
159	Frequency of eating and concentrations of serum cholesterol in the Norfolk population of the European prospective investigation into cancer (EPIC-Norfolk): cross sectional study. <i>BMJ: British Medical Journal</i> , 2001, 323, 1286-1286.	2.4	85
160	Genetic variants in epigenetic genes and breast cancer risk. <i>Carcinogenesis</i> , 2006, 27, 1661-1669.	1.3	85
161	Apolipoprotein A-V, triglycerides and risk of coronary artery disease: the prospective Epic-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2006, 47, 2064-2070.	2.0	84
162	Social inequalities in self-rated health by age: Cross-sectional study of 22 457 middle-aged men and women. <i>BMC Public Health</i> , 2008, 8, 230.	1.2	83

#	ARTICLE	IF	CITATIONS
163	Relationship between Subdomains of Total Physical Activity and Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1909-1915.	0.2	82
164	Glaucoma and intraocular pressure in EPIC-Norfolk Eye Study: cross sectional study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3889.	2.4	82
165	A common variant of the p16INK4a genetic region is associated with physical function in older people. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 370-377.	2.2	80
166	Plasma vitamin C predicts incident heart failure in men and women in European Prospective Investigation into Cancer and Nutritionâ€“Norfolk prospective study. <i>American Heart Journal</i> , 2011, 162, 246-253.	1.2	79
167	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015, 44, 219-225.	0.7	79
168	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	0.6	79
169	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2013-2021.	0.9	78
170	Estimated urinary sodium excretion and risk of heart failure in men and women in the EPIC-Norfolk study. <i>European Journal of Heart Failure</i> , 2014, 16, 394-402.	2.9	78
171	Macrophage migration inhibitory factor and the risk of myocardial infarction or death due to coronary artery disease in adults without prior myocardial infarction or stroke: The EPIC-Norfolk Prospective Population study. <i>American Journal of Medicine</i> , 2004, 117, 390-397.	0.6	77
172	Phytoestrogen concentrations in serum and spot urine as biomarkers for dietary phytoestrogen intake and their relation to breast cancer risk in European prospective investigation of cancer and nutrition-norfolk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 698-708.	1.1	77
173	Prospective cohort study of hostility and the risk of cardiovascular disease mortality. <i>International Journal of Cardiology</i> , 2005, 100, 155-161.	0.8	76
174	Associations among Mammographic Density, Circulating Sex Hormones, and Polymorphisms in Sex Hormone Metabolism Genes in Postmenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1502-1508.	1.1	76
175	Tagging Single-Nucleotide Polymorphisms in Antioxidant Defense Enzymes and Susceptibility to Breast Cancer. <i>Cancer Research</i> , 2006, 66, 1225-1233.	0.4	76
176	No association between the BDNF Val66Met polymorphism and mood status in a non-clinical community sample of 7389 older adults. <i>Journal of Psychiatric Research</i> , 2007, 41, 404-409.	1.5	76
177	Measurement of Fruit and Vegetable Consumption with Diet Questionnaires and Implications for Analyses and Interpretation. <i>American Journal of Epidemiology</i> , 2005, 161, 987-994.	1.6	75
178	Fruit and vegetable consumption and self-reported functional health in men and women in the European Prospective Investigation into Cancerâ€“Norfolk (EPICâ€“Norfolk): a population-based cross-sectional study. <i>Public Health Nutrition</i> , 2007, 10, 34-41.	1.1	75
179	Cigarette Smoking and Endogenous Sex Hormones in Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3184-3192.	1.8	75
180	Cohort Profile: A prospective cohort study of objective physical and cognitive capability and visual health in an ageing population of men and women in Norfolk (EPIC-Norfolk 3). <i>International Journal of Epidemiology</i> , 2014, 43, 1063-1072.	0.9	75

#	ARTICLE	IF	CITATIONS
181	Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	75
182	Greater accordance with the Dietary Approaches to Stop Hypertension dietary pattern is associated with lower diet-related greenhouse gas production but higher dietary costs in the United Kingdom. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 138-145.	2.2	75
183	Impact of physical activity on the risk of cardiovascular disease in middle-aged and older adults: EPIC Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 200-208.	0.8	75
184	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018, 74, 585-594.	0.9	75
185	Polymorphisms in the human aromatase cytochrome P450 gene (CYP19) and breast cancer risk. <i>Carcinogenesis</i> , 2000, 21, 189-193.	1.3	74
186	Polymorphisms in the Initiators of RET (Rearranged during Transfection) Signaling Pathway and Susceptibility to Sporadic Medullary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6268-6274.	1.8	74
187	Apolipoprotein E polymorphisms, dietary fat and fibre, and serum lipids: the EPIC Norfolk study. <i>European Heart Journal</i> , 2007, 28, 2930-2936.	1.0	74
188	Differential leucocyte count and the risk of future coronary artery disease in healthy men and women: the EPIC-Norfolk Prospective Population Study. <i>Journal of Internal Medicine</i> , 2007, 262, 678-689.	2.7	74
189	Systemic Medication and Intraocular Pressure in a British Population. <i>Ophthalmology</i> , 2014, 121, 1501-1507.	2.5	74
190	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
191	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1403-1411.	0.9	74
192	Epidemiologic Assessment of Sugars Consumption Using Biomarkers: Comparisons of Obese and Nonobese Individuals in the European Prospective Investigation of Cancer Norfolk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1651-1654.	1.1	73
193	Usual Physical Activity and Endogenous Sex Hormones in Postmenopausal Women: The European Prospective Investigation into Cancer-Norfolk Population Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 900-905.	1.1	73
194	Serum 25-hydroxyvitamin D, mortality, and incident cardiovascular disease, respiratory disease, cancers, and fractures: a 13-y prospective population study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1361-1370.	2.2	73
195	Cross-sectional associations between different measures of obesity and muscle strength in men and women in a British cohort study. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 3-11.	1.5	73
196	High-risk mammographic parenchymal patterns, hormone replacement therapy and other risk factors: a case-control study. <i>International Journal of Epidemiology</i> , 2000, 29, 629-636.	0.9	72
197	Adjusting for energy intake--what measure to use in nutritional epidemiological studies?. <i>International Journal of Epidemiology</i> , 2004, 33, 1382-1386.	0.9	72
198	Fat Consumption and HbA1c Levels: The EPIC-Norfolk Study. <i>Diabetes Care</i> , 2001, 24, 1911-1916.	4.3	71

#	ARTICLE	IF	CITATIONS
199	Correlated measurement error—implications for nutritional epidemiology. <i>International Journal of Epidemiology</i> , 2004, 33, 1373-1381.	0.9	71
200	APOE Genotype, Lipids, and Coronary Heart Disease Risk. <i>Archives of Internal Medicine</i> , 2009, 169, 1424.	4.3	71
201	Osteoprotegerin and Soluble Receptor Activator of Nuclear Factor- κ B Ligand and Risk for Coronary Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 975-980.	1.1	71
202	Allelic association of the human homologue of the mouse modifier Ptpmj with breast cancer. <i>Human Molecular Genetics</i> , 2005, 14, 2349-2356.	1.4	70
203	Does the association between self-rated health and mortality vary by social class?. <i>Social Science and Medicine</i> , 2009, 68, 275-280.	1.8	70
204	Association between high dietary intake of the $n-3$ polyunsaturated fatty acid docosahexaenoic acid and reduced risk of Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 834-842.	1.9	70
205	Dietary Energy Density Predicts the Risk of Incident Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2120-2125.	4.3	68
206	Fine scale mapping of the breast cancer 16q12 locus. <i>Human Molecular Genetics</i> , 2010, 19, 2507-2515.	1.4	68
207	Rare, protein-truncating variants in <i>ATM</i> , <i>CHEK2</i> and <i>PALB2</i> , but not <i>XRCC2</i> , are associated with increased breast cancer risks. <i>Journal of Medical Genetics</i> , 2017, 54, 732-741.	1.5	68
208	Serum Lipoprotein Lipase Concentration and Risk for Future Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 637-642.	1.1	67
209	Mendelian Randomisation Study of Childhood BMI and Early Menarche. <i>Journal of Obesity</i> , 2011, 2011, 1-6.	1.1	67
210	Seventeen year risk of all-cause and cause-specific mortality associated with C-reactive protein, fibrinogen and leukocyte count in men and women: the EPIC-Norfolk study. <i>European Journal of Epidemiology</i> , 2013, 28, 541-550.	2.5	67
211	Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. <i>Heart</i> , 2015, 101, 1279-1287.	1.2	67
212	Thyroid Function Within the Reference Range and the Risk of Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4270-4282.	1.8	67
213	Genetic modifiers of CHEK2*1100delC-associated breast cancer risk. <i>Genetics in Medicine</i> , 2017, 19, 599-603.	1.1	67
214	Relation Between Self-Reported Physical Functional Health and Chronic Disease Mortality in Men And Women in the European Prospective Investigation Into Cancer (EPIC—Norfolk): A Prospective Population Study. <i>Annals of Epidemiology</i> , 2006, 16, 492-500.	0.9	65
215	Breast cancer risk in relation to urinary and serum biomarkers of phytoestrogen exposure in the European Prospective into Cancer-Norfolk cohort study. <i>Breast Cancer Research</i> , 2008, 10, R32.	2.2	65
216	Is QUS or DXA Better for Predicting the 10-Year Absolute Risk of Fracture?. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1319-1325.	3.1	65

#	ARTICLE	IF	CITATIONS
217	Alterations in PTEN and PIK3CA in colorectal cancers in the EPIC Norfolk study: associations with clinicopathological and dietary factors. <i>BMC Cancer</i> , 2011, 11, 123.	1.1	65
218	Rat Mcs5a is a compound quantitative trait locus with orthologous human loci that associate with breast cancer risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 6299-6304.	3.3	64
219	Dietary arachidonic and oleic acid intake in ulcerative colitis etiology. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 11-18.	0.8	64
220	Size, node status and grade of breast tumours: association with mammographic parenchymal patterns. <i>European Radiology</i> , 2000, 10, 157-161.	2.3	63
221	Self-Rated Health and Cardiovascular Disease Incidence: Results from a Longitudinal Population-Based Cohort in Norfolk, UK. <i>PLoS ONE</i> , 2013, 8, e65290.	1.1	63
222	Ideal cardiovascular health and risk of cardiovascular events in the EPIC-Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 986-994.	0.8	63
223	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. <i>British Journal of Ophthalmology</i> , 2014, 98, 377-382.	2.1	62
224	CYP19A1 fine-mapping and Mendelian randomization: estradiol is causal for endometrial cancer. <i>Endocrine-Related Cancer</i> , 2016, 23, 77-91.	1.6	62
225	Serum Levels of Mannose-Binding Lectin and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2345-2350.	1.1	61
226	Glycated Hemoglobin and Risk of Stroke in People Without Known Diabetes in the European Prospective Investigation Into Cancer (EPIC)â€”Norfolk Prospective Population Study. <i>Stroke</i> , 2007, 38, 271-275.	1.0	61
227	Associations With Retinal Nerve Fiber Layer Measures in the EPIC-Norfolk Eye Study. , 2013, 54, 5028.		61
228	Dietary magnesium and potassium intakes and circulating magnesium are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the EPIC-Norfolk cohort study. , <i>American Journal of Clinical Nutrition</i> , 2015, 102, 376-384.	2.2	61
229	Occupational social class, educational level, smoking and body mass index, and cause-specific mortality in men and women: a prospective study in the European Prospective Investigation of Cancer and Nutrition in Norfolk (EPIC-Norfolk) cohort. <i>European Journal of Epidemiology</i> , 2008, 23, 511-522.	2.5	60
230	Incidence of Type 2 Diabetes Using Proposed HbA1c Diagnostic Criteria in the European Prospective Investigation of Cancerâ€”Norfolk Cohort. <i>Diabetes Care</i> , 2011, 34, 950-956.	4.3	60
231	Social Class, Risk Factors, and Stroke Incidence in Men and Women. <i>Stroke</i> , 2009, 40, 1070-1077.	1.0	59
232	Higher Immunoglobulin G Antibody Levels Against Cytomegalovirus Are Associated With Incident Ischemic Heart Disease in the Population-Based EPIC-Norfolk Cohort. <i>Journal of Infectious Diseases</i> , 2012, 206, 1897-1903.	1.9	59
233	Lack of Prospective Associations between Plasma and Urinary Phytoestrogens and Risk of Prostate or Colorectal Cancer in the European Prospective into Cancer-Norfolk Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2891-2894.	1.1	58
234	Area deprivation predicts lung function independently of education and social class. <i>European Respiratory Journal</i> , 2004, 24, 157-161.	3.1	57

#	ARTICLE	IF	CITATIONS
235	Cholesterol levels in small LDL particles predict the risk of coronary heart disease in the EPIC-Norfolk prospective population study. <i>European Heart Journal</i> , 2007, 28, 2770-2777.	1.0	57
236	Retinol-Binding Protein 4 and Prediction of Incident Coronary Events in Healthy Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 255-260.	1.8	57
237	Mastery is associated with cardiovascular disease mortality in men and women at apparently low risk.. <i>Health Psychology</i> , 2010, 29, 412-420.	1.3	57
238	Rate of weight gain predicts change in physical activity levels: a longitudinal analysis of the EPIC-Norfolk cohort. <i>International Journal of Obesity</i> , 2013, 37, 404-409.	1.6	57
239	Performance of the CHARGE-AF risk model for incident atrial fibrillation in the EPIC Norfolk cohort. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 932-939.	0.8	57
240	Aspirin in the aetiology of Crohn's disease and ulcerative colitis: a European prospective cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 649-655.	1.9	56
241	Genetic predisposition to obesity leads to increased risk of type 2 diabetes. <i>Diabetologia</i> , 2011, 54, 776-782.	2.9	56
242	Longitudinal Association of C-Reactive Protein and Lung Function Over 13 Years: The EPIC-Norfolk Study. <i>American Journal of Epidemiology</i> , 2014, 179, 48-56.	1.6	56
243	Phytoestrogen Exposure Is Associated with Circulating Sex Hormone Levels in Postmenopausal Women and Interact with ESR1 and NR1H2 Gene Variants. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1009-1016.	1.1	55
244	Daytime napping, sleep duration and serum C reactive protein: a population-based cohort study. <i>BMJ Open</i> , 2014, 4, e006071.	0.8	55
245	The relationship between dietary magnesium intake, stroke and its major risk factors, blood pressure and cholesterol, in the EPIC-Norfolk cohort. <i>International Journal of Cardiology</i> , 2015, 196, 108-114.	0.8	55
246	Novel Associations between Common Breast Cancer Susceptibility Variants and Risk-Predicting Mammographic Density Measures. <i>Cancer Research</i> , 2015, 75, 2457-2467.	0.4	55
247	Phytoestrogen Exposure, Polymorphisms in COMT, CYP19, ESR1, and SHBG Genes, and Their Associations With Prostate Cancer Risk. <i>Nutrition and Cancer</i> , 2006, 56, 31-39.	0.9	54
248	Mammographic Breast Density and Breast Cancer: Evidence of a Shared Genetic Basis. <i>Cancer Research</i> , 2012, 72, 1478-1484.	0.4	54
249	The aetiology of symptomatic gallstones quantification of the effects of obesity, alcohol and serum lipids on risk. Epidemiological and biomarker data from a UK prospective cohort study (EPIC-Norfolk). <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 733-740.	0.8	53
250	No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). <i>European Journal of Clinical Nutrition</i> , 2017, 71, 512-518.	1.3	53
251	Evaluation at scale of microbiome-derived metabolites as biomarker of flavan-3-ol intake in epidemiological studies. <i>Scientific Reports</i> , 2018, 8, 9859.	1.6	53
252	Habitual fish consumption and risk of incident stroke: the European Prospective Investigation into Cancer (EPIC)-Norfolk prospective population study. <i>Public Health Nutrition</i> , 2006, 9, 882-888.	1.1	52

#	ARTICLE	IF	CITATIONS
253	Adaptation to Social Adversity Is Associated With Stroke Incidence. <i>Stroke</i> , 2007, 38, 1447-1453.	1.0	52
254	Dietary, lifestyle and clinicopathological factors associated with BRAF and K-ras mutations arising in distinct subsets of colorectal cancers in the EPIC Norfolk study. <i>BMC Cancer</i> , 2010, 10, 99.	1.1	52
255	Intraocular Pressure and Corneal Biomechanics in an Adult British Population: The EPIC-Norfolk Eye Study. , 2011, 52, 8179.		52
256	Occupational social class, risk factors and cardiovascular disease incidence in men and women: a prospective study in the European Prospective Investigation of Cancer and Nutrition in Norfolk (EPIC-Norfolk) cohort. <i>European Journal of Epidemiology</i> , 2008, 23, 449-458.	2.5	51
257	Dietary, lifestyle and clinicopathological factors associated with APC mutations and promoter methylation in colorectal cancers from the EPIC-Norfolk study. <i>Journal of Pathology</i> , 2012, 228, 405-415.	2.1	51
258	The Effect of Correlated Measurement Error in Multivariate Models of Diet. <i>American Journal of Epidemiology</i> , 2004, 160, 59-67.	1.6	50
259	Sense of coherence, lifestyle choices and mortality. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 829-831.	2.0	50
260	Identification of Common Variants in the SHBG Gene Affecting Sex Hormone-Binding Globulin Levels and Breast Cancer Risk in Postmenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3490-3498.	1.1	50
261	Meat, poultry and fish and risk of colorectal cancer: pooled analysis of data from the UK dietary cohort consortium. <i>Cancer Causes and Control</i> , 2010, 21, 1417-1425.	0.8	49
262	MicroRNA Related Polymorphisms and Breast Cancer Risk. <i>PLoS ONE</i> , 2014, 9, e109973.	1.1	49
263	High-risk mammographic parenchymal patterns and anthropometric measures: A case-control study. <i>British Journal of Cancer</i> , 1999, 81, 1257-1261.	2.9	48
264	Polymorphisms in CYP1A1 and smoking: no association with breast cancer risk. <i>Carcinogenesis</i> , 2001, 22, 1797-1800.	1.3	48
265	Daytime napping, sleep duration and increased 8-year risk of type 2 diabetes in a British population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 996-1003.	1.1	48
266	Microalbuminuria, cardiovascular risk factors and cardiovascular morbidity in a British population: The EPIC-Norfolk Population-based Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 207-213.	3.1	47
267	Exposure to Ambient Air Pollution and the Risk of Inflammatory Bowel Disease: A European Nested Case-Control Study. <i>Digestive Diseases and Sciences</i> , 2016, 61, 2963-2971.	1.1	47
268	Polymorphisms in the CYP19 Gene May Affect the Positive Correlations between Serum and Urine Phytoestrogen Metabolites and Plasma Androgen Concentrations in Men. <i>Journal of Nutrition</i> , 2005, 135, 2680-2686.	1.3	46
269	Physical activity reduces the risk of symptomatic gallstones: a prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 983-988.	0.8	46
270	Dietary antioxidants and the aetiology of pancreatic cancer: a cohort study using data from food diaries and biomarkers. <i>Gut</i> , 2013, 62, 1489-1496.	6.1	46

#	ARTICLE	IF	CITATIONS
271	Association between sucrose intake and risk of overweight and obesity in a prospective sub-cohort of the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk). <i>Public Health Nutrition</i> , 2015, 18, 2815-2824.	1.1	46
272	Objective Sedentary Time, Moderate-to-Vigorous Physical Activity, and Physical Capability in a British Cohort. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 421-429.	0.2	46
273	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 122.	2.3	46
274	Serum lipid concentration in relation to anthropometric indices of central and peripheral fat distribution in 20,021 British men and women: Results from the EPIC-Norfolk population-based cohort study. <i>Atherosclerosis</i> , 2006, 189, 420-427.	0.4	45
275	Weather, day length and physical activity in older adults: Cross-sectional results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Norfolk Cohort. <i>PLoS ONE</i> , 2017, 12, e0177767.	1.1	45
276	Polyclonal human antibodies against glycans bearing red meat-derived non-human sialic acid N-glycolylneuraminic acid are stable, reproducible, complex and vary between individuals: Total antibody levels are associated with colorectal cancer risk. <i>PLoS ONE</i> , 2018, 13, e0197464.	1.1	45
277	Measured Height Loss Predicts Fractures in Middle-Aged and Older Men and Women: The EPIC-Norfolk Prospective Population Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 425-432.	3.1	44
278	Differential white blood cell count and incident heart failure in men and women in the EPIC-Norfolk study. <i>European Heart Journal</i> , 2012, 33, 523-530.	1.0	44
279	Self-reported sleep patterns in a British population cohort. <i>Sleep Medicine</i> , 2014, 15, 295-302.	0.8	44
280	Retinal Vasculometry Associations with Cardiometabolic Risk Factors in the European Prospective Investigation of Cancer Norfolk Study. <i>Ophthalmology</i> , 2019, 126, 96-106.	2.5	44
281	Plasma concentrations of ascorbic acid and C-reactive protein, and risk of future coronary artery disease, in apparently healthy men and women: the EPIC-Norfolk prospective population study. <i>British Journal of Nutrition</i> , 2006, 96, 516-22.	1.2	44
282	Further evidence for an HLA-related recessive mutation in nasopharyngeal carcinoma among the Chinese. <i>British Journal of Cancer</i> , 2005, 92, 967-970.	2.9	42
283	Effects of body size and sociodemographic characteristics on differences between self-reported and measured anthropometric data in middle-aged men and women: the EPIC-Norfolk study. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 357-367.	1.3	42
284	The association between a biomarker score for fruit and vegetable intake and incident type 2 diabetes: the EPIC-Norfolk study. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 449-454.	1.3	42
285	Patterns of physical activity and ultrasound attenuation by heel bone among Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): population based. <i>BMJ: British Medical Journal</i> , 2001, 322, 140-140.	2.4	41
286	Prospective association between emotional health and clinical evidence of Parkinson's disease. <i>European Journal of Neurology</i> , 2008, 15, 1148-1154.	1.7	41
287	No evidence that social stress is associated with breast cancer incidence. <i>Breast Cancer Research and Treatment</i> , 2010, 120, 169-174.	1.1	41
288	Body fat mass is a predictor of risk of osteoporotic fractures in women but not in men: a prospective population study. <i>Journal of Internal Medicine</i> , 2012, 271, 472-480.	2.7	41

#	ARTICLE	IF	CITATIONS
289	The EPIC-Norfolk Eye Study: rationale, methods and a cross-sectional analysis of visual impairment in a population-based cohort. <i>BMJ Open</i> , 2013, 3, e002684.	0.8	41
290	Thyroid Function Tests in the Reference Range and Fracture: Individual Participant Analysis of Prospective Cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2719-2728.	1.8	41
291	Carotenoid dietary intakes and plasma concentrations are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk cohort. <i>British Journal of Nutrition</i> , 2017, 117, 1439-1453.	1.2	41
292	Adverse experience in childhood as a developmental risk factor for altered immune status in adulthood. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 251-268.	0.8	40
293	Blood pressure and interactions between the angiotensin polymorphism AGT M235T and sodium intake: a cross-sectional population study. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 392-397.	2.2	40
294	Associations of endogenous testosterone and SHBG with glycated haemoglobin in middle-aged and older men. <i>Clinical Endocrinology</i> , 2011, 74, 572-578.	1.2	40
295	Combined Work and Leisure Physical Activity and Risk of Stroke in Men and Women in the European Prospective Investigation into Cancer-Norfolk Prospective Population Study. <i>Neuroepidemiology</i> , 2006, 27, 122-129.	1.1	39
296	Heterogeneous impact of classic atherosclerotic risk factors on different arterial territories: the EPIC-Norfolk prospective population study. <i>European Heart Journal</i> , 2016, 37, 880-889.	1.0	39
297	The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3658-3667.	1.8	39
298	Traditional cardiovascular risk factors measured prior to the onset of inflammatory polyarthritis. <i>Rheumatology</i> , 2004, 43, 731-736.	0.9	38
299	Accuracy of death certification and hospital record linkage for identification of incident stroke. <i>BMC Medical Research Methodology</i> , 2008, 8, 74.	1.4	38
300	Dietary intake measurement using 7-day diet diaries in British men and women in the European Prospective Investigation into Cancer-Norfolk study: a focus on methodological issues. <i>British Journal of Nutrition</i> , 2014, 111, 516-526.	1.2	38
301	Serum carbon and nitrogen stable isotopes as potential biomarkers of dietary intake and their relation with incident type 2 diabetes: the EPIC-Norfolk study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 708-718.	2.2	38
302	Body Mass Index, Smoking, and Alcohol and Risks of Barrett's Esophagus and Esophageal Adenocarcinoma: A UK Prospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2014, 59, 1552-1559.	1.1	38
303	Dog ownership supports the maintenance of physical activity during poor weather in older English adults: cross-sectional results from the EPIC Norfolk cohort. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 905-911.	2.0	38
304	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 633-640.	0.9	38
305	Disentangling the genetics of lean mass. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 276-287.	2.2	38
306	Changes in waist circumference and risk of all-cause and CVD mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 238.	0.7	38

#	ARTICLE	IF	CITATIONS
307	Prevalence and family history of colorectal cancer: implications for screening. <i>Journal of Medical Screening</i> , 2001, 8, 69-72.	1.1	37
308	Low Bone Mineral Density Predicts Incident Heart Failure in Men and Women. <i>JACC: Heart Failure</i> , 2014, 2, 380-389.	1.9	37
309	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015, 97, 22-34.	2.6	37
310	The associations of longitudinal changes in consumption of total and types of dairy products and markers of metabolic risk and adiposity: findings from the European Investigation into Cancer and Nutrition (EPIC)â€“Norfolk study, United Kingdom. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1018-1026.	2.2	37
311	A genome-wide copy number association study of osteoporotic fractures points to the 6p25.1 locus. <i>Journal of Medical Genetics</i> , 2014, 51, 122-131.	1.5	36
312	Respiratory function and self-reported functional health: EPIC-Norfolk population study. <i>European Respiratory Journal</i> , 2005, 26, 494-502.	3.1	35
313	HapMap-based study of the 17q21 ERBB2 amplicon in susceptibility to breast cancer. <i>British Journal of Cancer</i> , 2006, 95, 1689-1695.	2.9	35
314	Physical Activity and Ocular Perfusion Pressure: The EPIC-Norfolk Eye Study. , 2011, 52, 8186.		35
315	Lifestyle behaviours and quality-adjusted life years in middle and older age. <i>Age and Ageing</i> , 2011, 40, 589-595.	0.7	35
316	The association of cycling with all-cause, cardiovascular and cancer mortality: findings from the population-based EPIC-Norfolk cohort. <i>BMJ Open</i> , 2013, 3, e003797.	0.8	35
317	Associations between flavan-3-ol intake and CVD risk in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Free Radical Biology and Medicine</i> , 2015, 84, 1-10.	1.3	35
318	Dietary Polyphenols in the Aetiology of Crohnâ€™s Disease and Ulcerative Colitisâ€”A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017, 23, 2072-2082.	0.9	35
319	Obesity is Associated With Increased Risk of Crohnâ€™s disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1048-1058.	2.4	35
320	Study of Association between Common Variation in the Insulin-Like Growth Factor 2 Gene and Indices of Obesity and Body Size in Middle-Aged Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2734-2738.	1.8	34
321	Self-reported and measured anthropometric data and risk of colorectal cancer in the EPICâ€“Norfolk study. <i>International Journal of Obesity</i> , 2012, 36, 107-118.	1.6	34
322	Cross-sectional association between total level and type of alcohol consumption and glycosylated haemoglobin level: the EPIC-Norfolk Study. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 882-890.	1.3	33
323	Major Depression, C-Reactive Protein, and Incident Ischemic Heart Disease in Healthy Men and Women. <i>Psychosomatic Medicine</i> , 2008, 70, 850-855.	1.3	33
324	Baseline alcohol consumption, type of alcoholic beverage and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition-Norfolk study. <i>Cancer Epidemiology</i> , 2009, 33, 347-354.	0.8	33

#	ARTICLE	IF	CITATIONS
325	Bone Mineral Density and Incidence of Stroke. <i>Stroke</i> , 2014, 45, 373-382.	1.0	33
326	Thyroid dysfunction and anaemia in a large population-based study. <i>Clinical Endocrinology</i> , 2016, 84, 627-631.	1.2	33
327	Risk factors for first-ever stroke in the EPIC-Norfolk prospective population-based study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 663-669.	3.1	32
328	Implications of Gene-Environment Interaction in Studies of Gene Variants in Breast Cancer: An Example of Dietary Isoflavones and the D356N Polymorphism in the Sex Hormone-Binding Globulin Gene: Figure 1.. <i>Cancer Research</i> , 2006, 66, 8980-8983.	0.4	31
329	Dietary fat and breast cancer: comparison of results from food diaries and food-frequency questionnaires in the UK Dietary Cohort Consortium. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1043-1052.	2.2	31
330	Identification of a novel percent mammographic density locus at 12q24. <i>Human Molecular Genetics</i> , 2012, 21, 3299-3305.	1.4	31
331	Resting heart rate and incident heart failure in apparently healthy men and women in the EPIC-Norfolk study. <i>European Journal of Heart Failure</i> , 2012, 14, 1163-1170.	2.9	31
332	Dietary intake of carbohydrates and risk of type 2 diabetes: the European Prospective Investigation into Cancer-Norfolk study. <i>British Journal of Nutrition</i> , 2014, 111, 342-352.	1.2	31
333	Understanding the relationship between cognition and death: a within cohort examination of cognitive measures and mortality. <i>European Journal of Epidemiology</i> , 2018, 33, 1049-1062.	2.5	31
334	Joint association of mammographic density adjusted for age and body mass index and polygenic risk score with breast cancer risk. <i>Breast Cancer Research</i> , 2019, 21, 68.	2.2	31
335	Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 650-659.	0.4	31
336	Lower Dietary and Circulating Vitamin C in Middle- and Older-Aged Men and Women Are Associated with Lower Estimated Skeletal Muscle Mass. <i>Journal of Nutrition</i> , 2020, 150, 2789-2798.	1.3	31
337	Cross Sectional and Longitudinal Associations between Cardiovascular Risk Factors and Age Related Macular Degeneration in the EPIC-Norfolk Eye Study. <i>PLoS ONE</i> , 2015, 10, e0132565.	1.1	31
338	Physical health-related quality of life predicts stroke in the EPIC-Norfolk. <i>Neurology</i> , 2007, 69, 2243-2248.	1.5	30
339	MLH1 Promoter Methylation, Diet, and Lifestyle Factors in Mismatch Repair Deficient Colorectal Cancer Patients From EPIC-Norfolk. <i>Nutrition and Cancer</i> , 2011, 63, 1000-1010.	0.9	30
340	Association Between Plasma Vitamin C Concentrations and Blood Pressure in the European Prospective Investigation Into Cancer-Norfolk Population-Based Study. <i>Hypertension</i> , 2011, 58, 372-379.	1.3	30
341	Distribution and determinants of C-reactive protein in the older adult population: European Prospective Investigation into Cancer-Norfolk study. <i>European Journal of Clinical Investigation</i> , 2013, 43, 899-911.	1.7	30
342	Biomarker-estimated flavan-3-ol intake is associated with lower blood pressure in cross-sectional analysis in EPIC Norfolk. <i>Scientific Reports</i> , 2020, 10, 17964.	1.6	30

#	ARTICLE	IF	CITATIONS
343	Occupational social class, educational level and area deprivation independently predict plasma ascorbic acid concentration: a cross-sectional population based study in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>European Journal of Clinical Nutrition</i> , 2004, 58, 1432-1435.	1.3	29
344	The effect of including quantitative heel ultrasound in models for estimation of 10-year absolute risk of fracture. <i>Bone</i> , 2009, 45, 180-184.	1.4	29
345	Genome-wide association study of intraocular pressure identifies the GLCCI1/ICA1 region as a glaucoma susceptibility locus. <i>Human Molecular Genetics</i> , 2013, 22, 4653-4660.	1.4	29
346	Area deprivation, individual socioeconomic status and low vision in the EPIC-Norfolk Eye Study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 204-210.	2.0	29
347	Corneal Biomechanical Properties and Glaucoma-Related Quantitative Traits in the EPIC-Norfolk Eye Study. , 2014, 55, 117.		29
348	Retinal Nerve Fiber Layer Measures and Cognitive Function in the EPIC-Norfolk Cohort Study. , 2016, 57, 1921.		29
349	Plasma Vitamin C Levels: Risk Factors for Deficiency and Association with Self-Reported Functional Health in the European Prospective Investigation into Cancer-Norfolk. <i>Nutrients</i> , 2019, 11, 1552.	1.7	29
350	The association between physical activity in different domains of life and risk of osteoporotic fractures. <i>Bone</i> , 2010, 47, 693-700.	1.4	28
351	No evidence of an increased mortality risk associated with low levels of glycated haemoglobin in a non-diabetic UK population. <i>Diabetologia</i> , 2011, 54, 2025-2032.	2.9	28
352	The physical capability of community-based men and women from a British cohort: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>BMC Geriatrics</i> , 2013, 13, 93.	1.1	28
353	Distribution of lipid parameters according to different socio-economic indicators- the EPIC-Norfolk prospective population study. <i>BMC Public Health</i> , 2014, 14, 782.	1.2	28
354	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019, 5, 38.	2.3	28
355	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. <i>Atherosclerosis</i> , 2014, 237, 5-12.	0.4	27
356	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. <i>International Journal of Cancer</i> , 2018, 143, 2677-2686.	2.3	27
357	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort Study. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 1187-1196.	0.6	27
358	Uncorrected refractive error in older British adults: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2012, 96, 991-996.	2.1	26
359	Educational attainment and mean leukocyte telomere length in women in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 414-418.	2.0	26
360	Cognitive function in a general population of men and women: a cross sectional study in the European Investigation of Cancer-Norfolk cohort (EPIC-Norfolk). <i>BMC Geriatrics</i> , 2014, 14, 142.	1.1	26

#	ARTICLE	IF	CITATIONS
361	Associations with intraocular pressure across Europe: The European Eye Epidemiology (E3) Consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 1101-1111.	2.5	26
362	Individual and combined impact of lifestyle factors on atrial fibrillation in apparently healthy men and women: The EPIC-Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1374-1383.	0.8	26
363	Cross-sectional associations of dietary and circulating magnesium with skeletal muscle mass in the EPIC-Norfolk cohort. <i>Clinical Nutrition</i> , 2019, 38, 317-323.	2.3	26
364	RAD51B in Familial Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0153788.	1.1	26
365	Childhood smoking is an independent risk factor for obstructive airways disease in women. <i>Thorax</i> , 2004, 59, 682-686.	2.7	25
366	Modifiable lifestyle behaviors and functional health in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Preventive Medicine</i> , 2007, 44, 109-116.	1.6	25
367	Genotype-phenotype analysis of SNPs associated with primary angle closure glaucoma (rs1015213, Tj ETQq1 1 0.784314 rgBT /Omer). <i>Ophthalmology</i> , 2013, 97, 704-707.	2.1	25
368	Weight change and 15-year mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>European Journal of Epidemiology</i> , 2018, 33, 37-53.	2.5	25
369	Physical capability predicts mortality in late mid-life as well as in old age: Findings from a large British cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2018, 74, 77-82.	1.4	25
370	Association between intake of less-healthy foods defined by the United Kingdom's nutrient profile model and cardiovascular disease: A population-based cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002484.	3.9	25
371	Association of depression with peripheral leukocyte counts in EPIC-Norfolk - role of sex and cigarette smoking. <i>Journal of Psychosomatic Research</i> , 2003, 54, 303-306.	1.2	24
372	Hormone Replacement Therapy and Symptomatic Gallstones - A Prospective Population Study in the EPIC-Norfolk Cohort. <i>Digestion</i> , 2008, 77, 4-9.	1.2	24
373	Past oral contraceptive and hormone therapy use and endogenous hormone concentrations in postmenopausal women. <i>Menopause</i> , 2007, PAP, 332-9.	0.8	24
374	STK15 polymorphisms and association with risk of invasive ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1589-94.	1.1	24
375	Intake of dietary fats and colorectal cancer risk: Prospective findings from the UK Dietary Cohort Consortium. <i>Cancer Epidemiology</i> , 2010, 34, 562-567.	0.8	23
376	MGMT Ile143Val polymorphism, dietary factors and the risk of breast, colorectal and prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk study. <i>DNA Repair</i> , 2010, 9, 421-428.	1.3	23
377	Alcohol intake and risk of colorectal cancer: Results from the UK Dietary Cohort Consortium. <i>British Journal of Cancer</i> , 2010, 103, 747-756.	2.9	23
378	Self-Reported Mental Health-Related Quality of Life and Mortality in Men and Women in the European Prospective Investigation into Cancer (EPIC-Norfolk): A Prospective Population Study. <i>Psychosomatic Medicine</i> , 2007, 69, 410-414.	1.3	22

#	ARTICLE	IF	CITATIONS
379	C-reactive protein and fracture risk: European Prospective Investigation into Cancer Norfolk Study. <i>Bone</i> , 2013, 56, 67-72.	1.4	22
380	Calcium intake, calcium supplementation and cardiovascular disease and mortality in the British population: EPIC-norfolk prospective cohort study and meta-analysis. <i>European Journal of Epidemiology</i> , 2021, 36, 669-683.	2.5	22
381	Fibrinogen plasma levels modify the association between the factor XIII Val34Leu variant and risk of coronary artery disease: the EPIC-Norfolk prospective population study. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2204-2209.	1.9	21
382	Physical activity, C-reactive protein levels and the risk of future coronary artery disease in apparently healthy men and women: the EPIC-Norfolk prospective population study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 970-976.	3.1	21
383	Is bowel habit linked to colorectal cancer? Results from the EPIC-Norfolk study. <i>European Journal of Cancer</i> , 2009, 45, 139-145.	1.3	21
384	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016, 27, 679-693.	0.8	21
385	Evaluation of (âˆ-)epicatechin metabolites as recovery biomarker of dietary flavan-3-ol intake. <i>Scientific Reports</i> , 2019, 9, 13108.	1.6	21
386	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015, 17, 18.	2.2	20
387	Baseline anticholinergic burden from medications predicts incident fatal and non-fatal stroke in the EPIC-Norfolk general population. <i>International Journal of Epidemiology</i> , 2018, 47, 625-633.	0.9	20
388	FEV1 and total Cardiovascular mortality and morbidity over an 18 years follow-up Population-Based Prospective EPIC-NORFOLK Study. <i>BMC Public Health</i> , 2019, 19, 501.	1.2	20
389	A Mediterranean Diet Is Positively Associated with Bone and Muscle Health in a Non-Mediterranean Region in 25,450 Men and Women from EPIC-Norfolk. <i>Nutrients</i> , 2020, 12, 1154.	1.7	20
390	Phytoestrogen exposure correlation with plasma estradiol in postmenopausal women in European Prospective Investigation of Cancer and Nutrition-Norfolk may involve diet-gene interactions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 213-20.	1.1	20
391	Self reported non-insulin dependent diabetes, family history, and risk of prevalent colorectal cancer: population based, cross sectional study. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 804-805.	2.0	19
392	Habitual fish consumption and glycated haemoglobin: The EPIC-Norfolk Study. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 277-284.	1.3	19
393	Individual and cumulative effect of type 2 diabetes genetic susceptibility variants on risk of coronary heart disease. <i>Diabetologia</i> , 2011, 54, 2283-2287.	2.9	19
394	A comprehensive evaluation of interaction between genetic variants and use of menopausal hormone therapy on mammographic density. <i>Breast Cancer Research</i> , 2015, 17, 110.	2.2	19
395	Alcohol, Intraocular Pressure, and Open-Angle Glaucoma. <i>Ophthalmology</i> , 2022, 129, 637-652.	2.5	19
396	Smoking predicts long-term mortality in stroke: The European Prospective Investigation into Cancer (EPIC)-Norfolk prospective population study. <i>Preventive Medicine</i> , 2006, 42, 128-131.	1.6	18

#	ARTICLE	IF	CITATIONS
397	Physical Activity and Mammographic Breast Density in the EPIC-Norfolk Cohort Study. <i>American Journal of Epidemiology</i> , 2007, 167, 579-585.	1.6	18
398	Socioeconomic position and risk of short-term weight gain: Prospective study of 14,619 middle-aged men and women. <i>BMC Public Health</i> , 2008, 8, 112.	1.2	18
399	Estimated dietary intakes and sources of flavanols in the German population (German National) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	18
400	Television Viewing, Walking Speed, and Grip Strength in a Prospective Cohort Study. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 735-742.	0.2	18
401	Daytime napping and increased risk of incident respiratory diseases: symptom, marker, or risk factor?. <i>Sleep Medicine</i> , 2016, 23, 12-15.	0.8	18
402	Dietary oleic acid is inversely associated with pancreatic cancer – Data from food diaries in a cohort study. <i>Pancreatology</i> , 2018, 18, 655-660.	0.5	18
403	Alcohol Consumption and Incident Cataract Surgery in Two Large UK Cohorts. <i>Ophthalmology</i> , 2021, 128, 837-847.	2.5	18
404	Cross-sectional Association Between Fish Consumption and Albuminuria: The European Prospective Investigation of Cancer – Norfolk Study. <i>American Journal of Kidney Diseases</i> , 2008, 52, 876-886.	2.1	17
405	No association between APOE and major depressive disorder in a community sample of 17,507 adults. <i>Journal of Psychiatric Research</i> , 2009, 43, 843-847.	1.5	17
406	Estimation of absolute fracture risk among middle-aged and older men and women: the EPIC-Norfolk population cohort study. <i>European Journal of Epidemiology</i> , 2009, 24, 259-266.	2.5	17
407	Full-scale scores of the Mini Mental State Examination can be generated from an abbreviated version. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1005-1013.	2.4	17
408	SMAD7 and MGMT genotype variants and cancer incidence in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk Study. <i>Cancer Epidemiology</i> , 2011, 35, 369-374.	0.8	17
409	Association between dietary phyto-oestrogens and bone density in men and postmenopausal women. <i>British Journal of Nutrition</i> , 2011, 106, 1063-1069.	1.2	17
410	The association between Mediterranean Diet Score and glucokinase regulatory protein gene variation on the markers of cardiometabolic risk: an analysis in the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>British Journal of Nutrition</i> , 2014, 112, 122-131.	1.2	17
411	Area deprivation and age related macular degeneration in the EPIC-Norfolk Eye Study. <i>Public Health</i> , 2015, 129, 103-109.	1.4	17
412	Long-term mortality of hospitalized pneumonia in the EPIC-Norfolk cohort. <i>Epidemiology and Infection</i> , 2016, 144, 803-809.	1.0	17
413	Changes in plasma phospholipid fatty acid profiles over 13 years and correlates of change: European Prospective Investigation into Cancer and Nutrition-Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1527-1534.	2.2	17
414	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 144-150.	3.1	17

#	ARTICLE	IF	CITATIONS
415	Long-term Cryoconservation and Stability of Vitamin C in Serum Samples of the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1837-1840.	1.1	16
416	2q36.3 is associated with prognosis for oestrogen receptor-negative breast cancer patients treated with chemotherapy. <i>Nature Communications</i> , 2014, 5, 4051.	5.8	16
417	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015, 15, 331-338.	0.8	16
418	Cross-sectional and prospective associations between dietary and plasma vitamin C, heel bone ultrasound, and fracture risk in men and women in the European Prospective Investigation into Cancer in Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1416-1424.	2.2	16
419	Higher Meat Intake Is Positively Associated With Higher Risk of Developing Pancreatic Cancer in an Age-Dependent Manner and Are Modified by Plasma Antioxidants. <i>Pancreas</i> , 2017, 46, 672-678.	0.5	16
420	Descriptive epidemiology of changes in objectively measured sedentary behaviour and physical activity: six-year follow-up of the EPIC-Norfolk cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 122.	2.0	16
421	Plasma vitamin C concentrations and risk of incident respiratory diseases and mortality in the European Prospective Investigation into Cancer-Norfolk population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1492-1500.	1.3	16
422	Smoking and high-risk mammographic parenchymal patterns: a case-control study. <i>Breast Cancer Research</i> , 1999, 2, 59-63.	2.2	15
423	Effect of Age on the Relationship of Occupational Social Class with Prevalence of Modifiable Cardiovascular Risk Factors and Cardiovascular Diseases. <i>Gerontology</i> , 2006, 52, 51-58.	1.4	15
424	Physical activity and fibrinogen concentrations in 23,201 men and women in the EPIC-Norfolk population-based study. <i>Atherosclerosis</i> , 2008, 198, 419-425.	0.4	15
425	Physical functional health predicts the incidence of coronary heart disease in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>International Journal of Epidemiology</i> , 2010, 39, 996-1003.	0.9	15
426	Testosterone, SHBG and differential white blood cell count in middle-aged and older men. <i>Maturitas</i> , 2012, 71, 274-278.	1.0	15
427	The association between social stress and global cognitive function in a population-based study: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>Psychological Medicine</i> , 2013, 43, 655-666.	2.7	15
428	Predicting admissions and time spent in hospital over a decade in a population-based record linkage study: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2016, 6, e009461.	0.8	15
429	Risk factors for herpes simplex virus type-1 infection and reactivation: Cross-sectional studies among EPIC-Norfolk participants. <i>PLoS ONE</i> , 2019, 14, e0215553.	1.1	15
430	Mammographic Parenchymal Patterns and Breast Cancer Natural History—A Case-Control Study. <i>Acta Oncologica</i> , 2001, 40, 461-465.	0.8	15
431	The SNP rs6500843 in 16p13.3 is associated with survival specifically among chemotherapy-treated breast cancer patients. <i>Oncotarget</i> , 2015, 6, 7390-7407.	0.8	15
432	Common variation in EMSY and risk of breast and ovarian cancer: a case-control study using HapMap tagging SNPs. <i>BMC Cancer</i> , 2005, 5, 81.	1.1	14

#	ARTICLE	IF	CITATIONS
433	INS VNTR Class Genotype and Indexes of Body Size and Obesity: Population-Based Studies of 7,999 Middle-Aged Men and Women. <i>Diabetes</i> , 2005, 54, 2812-2815.	0.3	14
434	Obesity Indices and Self-Reported Functional Health in Men and Women in the EPIC-Norfolk. <i>Obesity</i> , 2006, 14, 884-893.	1.5	14
435	The brain-derived neurotrophic factor Val66Met polymorphism is associated with sense of coherence in a non-clinical community sample of 7335 adults. <i>Journal of Psychiatric Research</i> , 2007, 41, 707-710.	1.5	14
436	How far can we explain the social class differential in respiratory function? A cross-sectional population study of 21,991 men and women from EPIC-Norfolk. <i>European Journal of Epidemiology</i> , 2009, 24, 193-201.	2.5	14
437	Different measures of social class in women and mortality. <i>European Journal of Epidemiology</i> , 2009, 24, 231-236.	2.5	14
438	Lifestyle factors and p53 mutation patterns in colorectal cancer patients in the EPIC-Norfolk study. <i>Mutagenesis</i> , 2010, 25, 351-358.	1.0	14
439	Plasma vitamin C and risk of hospitalisation with diagnosis of atrial fibrillation in men and women in EPIC-Norfolk prospective study. <i>International Journal of Cardiology</i> , 2014, 177, 830-835.	0.8	14
440	Inflammatory dispositions: a population-based study of the association between hostility and peripheral leukocyte counts. <i>Personality and Individual Differences</i> , 2003, 35, 1271-1284.	1.6	13
441	Fibre intake in relation to serum total cholesterol levels and CHD risk: a comparison of dietary assessment methods. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 296-304.	1.3	13
442	Prediction of measured weight from self-reported weight was not improved after stratification by body mass index. <i>Obesity</i> , 2013, 21, E137-42.	1.5	13
443	Does ICD-10 hospital discharge code I50 identify people with heart failure? A validation study within the EPIC-Norfolk study. <i>International Journal of Cardiology</i> , 2013, 168, 4413-4414.	0.8	13
444	The small eye phenotype in the EPIC-Norfolk eye study: prevalence and visual impairment in microphthalmos and nanophthalmos. <i>BMJ Open</i> , 2013, 3, e003280.	0.8	13
445	Cod Liver Oil Supplement Consumption and Health: Cross-sectional Results from the EPIC-Norfolk Cohort Study. <i>Nutrients</i> , 2014, 6, 4320-4337.	1.7	13
446	Contribution of cod liver oil-related nutrients (vitamins A, D, E and eicosapentaenoic acid) to the EPIC-Norfolk cohort. <i>Journal of Human Nutrition and Dietetics</i> , 2015, 28, 568-582.	1.3	13
447	Habitual chocolate consumption and the risk of incident heart failure among healthy men and women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 722-734.	1.1	13
448	Sulfate, nitrate and blood pressure: An EPIC interaction between sulfur and nitrogen. <i>Pharmacological Research</i> , 2017, 122, 127-129.	3.1	13
449	A Common Glaucoma-risk Variant of SIX6 Alters Retinal Nerve Fiber Layer and Optic Disc Measures in a European Population: The EPIC-Norfolk Eye Study. <i>Journal of Glaucoma</i> , 2018, 27, 743-749.	0.8	13
450	Development and Validation of Lifestyle-Based Models to Predict Incidence of the Most Common Potentially Preventable Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 67-75.	1.1	13

#	ARTICLE	IF	CITATIONS
451	Self-reported parkinsonian symptoms in the EPIC-Norfolk cohort. <i>BMC Neurology</i> , 2005, 5, 15.	0.8	12
452	Tissue factor serum levels and the risk of future coronary artery disease in apparently healthy men and women: the EPIC-Norfolk prospective population study. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2391-2396.	1.9	12
453	Combined Impact of Health Behaviours and Mortality in Men and Women: The EPIC-Norfolk Prospective Population Study. <i>Obstetrical and Gynecological Survey</i> , 2008, 63, 376-377.	0.2	12
454	Laser Scanning Tomography in the EPIC-Norfolk Eye Study: Principal Components and Associations. , 2013, 54, 6638.		12
455	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 144-150.	3.1	11
456	A Latent Variable Partial Least Squares Path Modeling Approach to Regional Association and Polygenic Effect with Applications to a Human Obesity Study. <i>PLoS ONE</i> , 2012, 7, e31927.	1.1	11
457	Inverse association between bone mineral density and risk of aortic stenosis in men and women in EPIC-Norfolk prospective study. <i>International Journal of Cardiology</i> , 2015, 178, 29-30.	0.8	11
458	Investigating Physical Activity in the Etiology of Pancreatic Cancer. <i>Pancreas</i> , 2016, 45, 388-393.	0.5	11
459	Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2020, 37, 105-114.	1.3	11
460	Positive Associations of Dietary Intake and Plasma Concentrations of Vitamin E with Skeletal Muscle Mass, Heel Bone Ultrasound Attenuation and Fracture Risk in the EPIC-Norfolk Cohort. <i>Antioxidants</i> , 2021, 10, 159.	2.2	11
461	The Association between Serum Lipids and Intraocular Pressure in 2 Large United Kingdom Cohorts. <i>Ophthalmology</i> , 2022, 129, 986-996.	2.5	11
462	Single-nucleotide polymorphisms in the RB1 gene and association with breast cancer in the British population. <i>British Journal of Cancer</i> , 2006, 94, 1921-1926.	2.9	10
463	Respiratory Function as a Marker of Bone Health and Fracture Risk in an Older Population. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 956-963.	3.1	10
464	Common genetic variants of the natriuretic peptide gene locus are not associated with heart failure risk in participants in the EPIC-Norfolk study. <i>European Journal of Heart Failure</i> , 2013, 15, 624-627.	2.9	10
465	Longitudinal association of C-reactive protein and Haemoglobin A1c over 13 years: the European Prospective Investigation into Cancer - Norfolk study. <i>Cardiovascular Diabetology</i> , 2015, 14, 61.	2.7	10
466	Fracture Risk in Relation to Serum 25-Hydroxyvitamin D and Physical Activity: Results from the EPIC-Norfolk Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164160.	1.1	10
467	Longitudinal associations between marine omega-3 supplement users and coronary heart disease in a UK population-based cohort. <i>BMJ Open</i> , 2017, 7, e017471.	0.8	10
468	Dietary acid-base load and its association with risk of osteoporotic fractures and low estimated skeletal muscle mass. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 33-42.	1.3	10

#	ARTICLE	IF	CITATIONS
469	Usual physical activity and subsequent hospital usage over 20 years in a general population: the EPIC-Norfolk cohort. <i>BMC Geriatrics</i> , 2020, 20, 165.	1.1	10
470	Self-rated health does not explain the socioeconomic differential in mortality: a prospective study in the EPIC-Norfolk cohort. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 329-331.	2.0	9
471	<i>HMGCR</i> gene polymorphism is associated with stroke risk in the EPIC-Norfolk study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 89-93.	3.1	9
472	Changes in physical activity following total hip or knee arthroplasty: a matched case-control study from the EPIC-Norfolk cohort. <i>Clinical Rehabilitation</i> , 2017, 31, 1548-1557.	1.0	9
473	Dietary Fiber and the Risk of Pancreatic Cancer. <i>Pancreas</i> , 2019, 48, 121-125.	0.5	9
474	Long Term Prognostic Impact of Sex-specific Longitudinal Changes in Blood Pressure. The EPIC-Norfolk Prospective Population Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 180-191.	0.8	9
475	Cross Sectional Associations between Socio-Demographic Factors and Cognitive Performance in an Older British Population: The European Investigation of Cancer in Norfolk (EPIC-Norfolk) Study. <i>PLoS ONE</i> , 2016, 11, e0166779.	1.1	9
476	Factor VII, blood lipids and fat intake: gene-nutrient interaction and risk of coronary heart disease with the factor VII R353Q polymorphism. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 771-777.	1.3	8
477	A <i>HMGCR</i> polymorphism is associated with relations between blood pressure and urinary sodium and potassium ratio in the Epic-Norfolk Study. <i>Journal of the American Society of Hypertension</i> , 2009, 3, 238-244.	2.3	8
478	Differences in Dietary Supplement Use and Secular and Seasonal Trends Assessed Using Three Different Instruments in the EPIC-Norfolk Population Study. <i>Journal of Dietary Supplements</i> , 2013, 10, 142-151.	1.4	8
479	Opposites don't attract: high spouse concordance for dietary supplement use in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>Public Health Nutrition</i> , 2015, 18, 1060-1066.	1.1	8
480	The association between physical activity and the risk of symptomatic Barrett's oesophagus: a UK prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 71-75.	0.8	8
481	Sociodemographic and lifestyle predictors of incident hospital admissions with multimorbidity in a general population, 1999-2019: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2020, 10, e042115.	0.8	8
482	Long-term effects of gestational diabetes on bone mineral density and fracture risk: Analysis of the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk) population-based study. <i>Maturitas</i> , 2021, 144, 68-73.	1.0	8
483	Estimation of disease progression parameters from case-control data: application to mammographic patterns and breast cancer natural history. <i>Journal of Epidemiology and Biostatistics</i> , 2001, 6, 235-242.	0.4	8
484	Visual Impairment and Risk of Dementia in 2 Population-Based Prospective Cohorts: UK Biobank and EPIC-Norfolk. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 697-704.	1.7	8
485	Prospective study of insulin-like growth factor-1, insulin-like growth factor-binding protein 3, genetic variants in the IGF1 and IGFBP3 genes and risk of coronary artery disease. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 261-85.	0.4	8
486	RESPONSE: Re: Polymorphisms Associated With Circulating Sex Hormone Levels in Postmenopausal Women. <i>Journal of the National Cancer Institute</i> , 2005, 97, 153-154.	3.0	7

#	ARTICLE	IF	CITATIONS
487	A single nucleotide polymorphism in the 3-hydroxy-3-methylglutaryl-coenzyme A reductase gene (HMGCR) influences the serum triacylglycerol relationship with dietary fat and fibre in the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. <i>British Journal of Nutrition</i> , 2010, 104, 765-772.	1.2	7
488	Dietary antioxidant intake and the risk of developing Barrett's oesophagus and oesophageal adenocarcinoma. <i>British Journal of Cancer</i> , 2018, 118, 1658-1661.	2.9	7
489	Residential area deprivation and risk of subsequent hospital admission in a British population: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2019, 9, e031251.	0.8	7
490	Targeted Resequencing of the Coding Sequence of 38 Genes Near Breast Cancer GWAS Loci in a Large Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 822-825.	1.1	7
491	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , 2021, 23, 86.	2.2	7
492	RE: "SENSE OF COHERENCE AND MORTALITY IN MEN AND WOMEN IN THE EPIC-NORFOLK UNITED KINGDOM PROSPECTIVE COHORT STUDY". <i>American Journal of Epidemiology</i> , 2004, 159, 1202-1203.	1.6	6
493	The Short-Form Six-Dimension utility index predicted mortality in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 192-198.	2.4	6
494	Relationship between plasma fibrinogen and fiber intake in the EPIC-Norfolk cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 443-451.	1.3	6
495	Anticholinergic medication exposure predicts poor physical capability: Findings from a large prospective cohort study in England. <i>Maturitas</i> , 2020, 142, 55-63.	1.0	6
496	The relationship between alcohol intake and falls hospitalization: Results from the EPIC-Norfolk. <i>Geriatrics and Gerontology International</i> , 2021, 21, 657-663.	0.7	6
497	Demographic and disease-related predictors of abnormal lung function in patients with established inflammatory polyarthritis and a comparison with the general population. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1517-1523.	0.5	5
498	Genome-wide association reveals that common genetic variation in the kallikrein-kinin system is associated with serum L-arginine levels. <i>Thrombosis and Haemostasis</i> , 2016, 116, 1041-1049.	1.8	5
499	Topical Beta-Blockers and Cardiovascular Mortality: Systematic Review and Meta-Analysis with Data from the EPIC-Norfolk Cohort Study. <i>Ophthalmic Epidemiology</i> , 2016, 23, 277-284.	0.8	5
500	Retinal Vasculometry Associations With Glaucoma: Findings From the European Prospective Investigation of Cancer-Norfolk Eye Study. <i>American Journal of Ophthalmology</i> , 2020, 220, 140-151.	1.7	5
501	Effect of Age and Sex on the Relationship Between Different Socioeconomic Indices and Self-Reported Functional Health in the EPIC-Norfolk Population-Based Study. <i>Annals of Epidemiology</i> , 2009, 19, 289-297.	0.9	4
502	CHD risk in relation to alcohol intake from categorical and open-ended dietary instruments. <i>Public Health Nutrition</i> , 2011, 14, 402-409.	1.1	4
503	Baseline anticholinergic burden from medications predicts poorer baseline and long-term health-related quality of life in 16% of 675 men and women of EPIC-Norfolk prospective population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 135-143.	0.9	4
504	The Relationship Between Cognitive Performance Using Tests Assessing a Range of Cognitive Domains and Future Dementia Diagnosis in a British Cohort: A Ten-Year Prospective Study. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 123-135.	1.2	4

#	ARTICLE	IF	CITATIONS
505	Evaluation of routinely collected records for dementia outcomes in UK: a prospective cohort study. <i>BMJ Open</i> , 2022, 12, e060931.	0.8	4
506	The association between prior infection with five serotypes of Coxsackievirus B and incident type 2 diabetes mellitus in the EPIC-Norfolk study. <i>Diabetologia</i> , 2012, 55, 967-970.	2.9	3
507	Effect of Long-Term Low Lipoproteins on Neurocognitive Function. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1176-1177.	1.2	3
508	Cross-sectional and prospective associations between active living environments and accelerometer-assessed physical activity in the EPIC-Norfolk cohort. <i>Health and Place</i> , 2021, 67, 102490.	1.5	3
509	Is there a dose-response relationship between musical instrument playing and later-life cognition? A cohort study using EPIC-Norfolk data. <i>Age and Ageing</i> , 2021, 50, 220-226.	0.7	3
510	Do Oleic Acid and N-3 Fatty Acids Prevent Pancreatic Cancer? Data From a UK Prospective Cohort Study Using 7-Day Food Diaries. <i>Gastroenterology</i> , 2011, 140, S-712.	0.6	2
511	Prediagnostic Serum Vitamin D Levels and Risk of Inflammatory Bowel Disease: A Pan-European, Nested Case-control Study. <i>Gastroenterology</i> , 2017, 152, S59.	0.6	2
512	Alcohol consumption and future hospital usage: The EPIC-Norfolk prospective population study. <i>PLoS ONE</i> , 2018, 13, e0200747.	1.1	2
513	Incidence of inflammatory polyarthritis in polymyalgia rheumatica: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 704-705.	0.5	2
514	Hypertensive Disorders of Pregnancy (HDP) and the Risk of Common Cancers in Women: Evidence from the European Prospective Investigation into Cancer (EPIC)-Norfolk Prospective Population-Based Study. <i>Cancers</i> , 2020, 12, 3100.	1.7	2
515	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	1.6	2
516	Risk factors for previously undiagnosed primary open-angle glaucoma: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2022, 106, 1684-1688.	2.1	2
517	Association between serum secretory phospholipase A2 and risk of ischaemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 3650-3655.	1.7	2
518	Abstract 19753: Hdl Cholesterol Efflux Capacity is Inversely Associated With Incident Chd Events Independent of Hdl-c and Apo-a-i Concentrations. <i>Circulation</i> , 2014, 130, .	1.6	2
519	Germline variants and breast cancer survival in patients with distant metastases at primary breast cancer diagnosis. <i>Scientific Reports</i> , 2021, 11, 19787.	1.6	2
520	Intake of Selected Vitamins and Bioflavonoids from Vitamin and Mineral Supplements by Subjects in the EPIC-NORFOLK Study, UK. , 2000, , 25-26.		1
521	Author's Response: Associations between dietary methods and biomarkers, and between fruits and vegetables and risk of ischaemic heart disease, in the EPIC Norfolk Cohort Study: response to letter by McNeill et al.. <i>International Journal of Epidemiology</i> , 2009, 38, 885-885.	0.9	1
522	Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 133.	0.8	1

#	ARTICLE	IF	CITATIONS
523	Low-dose methotrexate: potential clinical impact on haematological and constitutional symptoms in myeloproliferative neoplasms. <i>British Journal of Haematology</i> , 2019, 187, e69-e72.	1.2	1
524	Cross-sectional and prospective relationship between occupational and leisure-time inactivity and cognitive function in an ageing population: the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. <i>International Journal of Epidemiology</i> , 2020, 49, 1338-1352.	0.9	1
525	Cloud-based genomics pipelines for ophthalmology: reviewed from research to clinical practice. <i>Modeling and Artificial Intelligence in Ophthalmology</i> , 2021, 3, 101-140.	0.1	1
526	Is physical activity protective against gallstones? A prospective cohort study. <i>Gastroenterology</i> , 2003, 124, A247.	0.6	0
527	The role of diet in the aetiology of ulcerative colitis A pilot study in a european prospective cohort study. <i>Gastroenterology</i> , 2003, 124, A37.	0.6	0
528	The Role of Dietary Cholesterol and Transfatty Acids in the Aetiology of Gallstones. A UK Prospective Cohort Study (EPIC-Norfolk) Using 7-Day Food Diaries. <i>Gastroenterology</i> , 2011, 140, S-447.	0.6	0
529	Development of a Combined Flavonoid Database for the Assessment of Flavonoid Intake in Europe using the EFSA Comprehensive European Food Consumption Database. <i>Free Radical Biology and Medicine</i> , 2012, 53, S89.	1.3	0
530	607 DIETARY SELENIUM AND LOWER RISK OF DEVELOPING RENAL CANCER A PROSPECTIVE COHORT STUDY USING FOOD DIARIES IN EPIC NORFOLK. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
531	Social Adversity Experience and Blood Pressure Control Following Antihypertensive Medication Use in a Community Sample of Older Adults. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 456-463.	0.8	0
532	Reply. <i>JACC: Heart Failure</i> , 2015, 3, 95-96.	1.9	0
533	Reply to WB Grant. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 230-231.	2.2	0
534	Reply to W Lin and R Wang. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 290-291.	2.2	0
535	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancer Norfolk cohort: a population-based cross-sectional study. <i>British Journal of Pain</i> , 2018, 12, 35-46.	0.7	0
536	Cardiovascular risk factors are associated with the onset of polymyalgia rheumatica (PMR) and giant cell arteritis (GCA) in a prospective cohort: EPIC-Norfolk study. <i>Rheumatology</i> , 2018, 57, .	0.9	0
537	Pro-inflammatory diets are associated with increased C-reactive protein and subsequent rheumatoid arthritis in the European Investigation of Cancer: Norfolk Arthritis Register cohort. <i>Rheumatology</i> , 2019, 58, .	0.9	0
538	FRI0657 METABOLIC SYNDROME PRECEDES THE ONSET OF HIP AND KNEE PAIN AND THE RISK IS NOT MODIFIED BY DIET OR CHANGES IN BMI. , 2019, , .		0
539	Retinal vasculometric characteristics and their associations with polymyalgia rheumatica and giant cell arteritis in a prospective cohort: EPIC-Norfolk Eye Study. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 547-549.	0.5	0
540	Abstract 3132: Paraoxonase-1 Activity Is not Independently Related with the Risk of Future Coronary Artery Disease. <i>Circulation</i> , 2008, 118, .	1.6	0