

# Robert N Luben

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4831885/publications.pdf>

Version: 2024-02-01

540  
papers

58,555  
citations

1377

111  
h-index

1719

219  
g-index

555  
all docs

555  
docs citations

555  
times ranked

69602  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk factors for previously undiagnosed primary open-angle glaucoma: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2022, 106, 1684-1688.	2.1	2
2	Long Term Prognostic Impact of Sex-specific Longitudinal Changes in Blood Pressure. The EPIC-Norfolk Prospective Population Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 180-191.	0.8	9
3	Obesity is Associated With Increased Risk of Crohn's disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1048-1058.	2.4	35
4	Visual Impairment and Risk of Dementia in 2 Population-Based Prospective Cohorts: UK Biobank and EPIC-Norfolk. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 697-704.	1.7	8
5	Alcohol, Intraocular Pressure, and Open-Angle Glaucoma. <i>Ophthalmology</i> , 2022, 129, 637-652.	2.5	19
6	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort Study. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 1187-1196.	0.6	27
7	The Association between Serum Lipids and Intraocular Pressure in 2 Large United Kingdom Cohorts. <i>Ophthalmology</i> , 2022, 129, 986-996.	2.5	11
8	Evaluation of routinely collected records for dementia outcomes in UK: a prospective cohort study. <i>BMJ Open</i> , 2022, 12, e060931.	0.8	4
9	Baseline anticholinergic burden from medications predicts poorer baseline and long-term health-related quality of life in 16% of 675 men and women of EPIC-Norfolk prospective population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 135-143.	0.9	4
10	Long-term effects of gestational diabetes on bone mineral density and fracture risk: Analysis of the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk) population-based study. <i>Maturitas</i> , 2021, 144, 68-73.	1.0	8
11	Cross-sectional and prospective associations between active living environments and accelerometer-assessed physical activity in the EPIC-Norfolk cohort. <i>Health and Place</i> , 2021, 67, 102490.	1.5	3
12	Positive Associations of Dietary Intake and Plasma Concentrations of Vitamin E with Skeletal Muscle Mass, Heel Bone Ultrasound Attenuation and Fracture Risk in the EPIC-Norfolk Cohort. <i>Antioxidants</i> , 2021, 10, 159.	2.2	11
13	Genome-wide meta-analysis identifies 127 open-angle glaucoma loci with consistent effect across ancestries. <i>Nature Communications</i> , 2021, 12, 1258.	5.8	196
14	The Relationship Between Cognitive Performance Using Tests Assessing a Range of Cognitive Domains and Future Dementia Diagnosis in a British Cohort: A Ten-Year Prospective Study. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 123-135.	1.2	4
15	Alcohol Consumption and Incident Cataract Surgery in Two Large UK Cohorts. <i>Ophthalmology</i> , 2021, 128, 837-847.	2.5	18
16	The relationship between alcohol intake and falls hospitalization: Results from the EPIC-Norfolk. <i>Geriatrics and Gerontology International</i> , 2021, 21, 657-663.	0.7	6
17	Association between serum secretory phospholipase A2 and risk of ischaemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 3650-3655.	1.7	2
18	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , 2021, 23, 86.	2.2	7

#	ARTICLE	IF	CITATIONS
19	Cloud-based genomics pipelines for ophthalmology: reviewed from research to clinical practice. <i>Modeling and Artificial Intelligence in Ophthalmology</i> , 2021, 3, 101-140.	0.1	1
20	Calcium intake, calcium supplementation and cardiovascular disease and mortality in the British population: EPIC-norfolk prospective cohort study and meta-analysis. <i>European Journal of Epidemiology</i> , 2021, 36, 669-683.	2.5	22
21	Germline variants and breast cancer survival in patients with distant metastases at primary breast cancer diagnosis. <i>Scientific Reports</i> , 2021, 11, 19787.	1.6	2
22	Is there a dose-response relationship between musical instrument playing and later-life cognition? A cohort study using EPIC-Norfolk data. <i>Age and Ageing</i> , 2021, 50, 220-226.	0.7	3
23	The associations of longitudinal changes in consumption of total and types of dairy products and markers of metabolic risk and adiposity: findings from the European Investigation into Cancer and Nutrition (EPIC)-Norfolk study, United Kingdom. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1018-1026.	2.2	37
24	Retinal vasculometric characteristics and their associations with polymyalgia rheumatica and giant cell arteritis in a prospective cohort: EPIC-Norfolk Eye Study. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 547-549.	0.5	0
25	Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2020, 37, 105-114.	1.3	11
26	Biomarker-estimated flavan-3-ol intake is associated with lower blood pressure in cross-sectional analysis in EPIC Norfolk. <i>Scientific Reports</i> , 2020, 10, 17964.	1.6	30
27	Anticholinergic medication exposure predicts poor physical capability: Findings from a large prospective cohort study in England. <i>Maturitas</i> , 2020, 142, 55-63.	1.0	6
28	Retinal Vasculometry Associations With Glaucoma: Findings From the European Prospective Investigation of Cancer-Norfolk Eye Study. <i>American Journal of Ophthalmology</i> , 2020, 220, 140-151.	1.7	5
29	Hypertensive Disorders of Pregnancy (HDP) and the Risk of Common Cancers in Women: Evidence from the European Prospective Investigation into Cancer (EPIC)-Norfolk Prospective Population-Based Study. <i>Cancers</i> , 2020, 12, 3100.	1.7	2
30	Lower Dietary and Circulating Vitamin C in Middle- and Older-Aged Men and Women Are Associated with Lower Estimated Skeletal Muscle Mass. <i>Journal of Nutrition</i> , 2020, 150, 2789-2798.	1.3	31
31	Sociodemographic and lifestyle predictors of incident hospital admissions with multimorbidity in a general population, 1999-2019: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2020, 10, e042115.	0.8	8
32	Dietary acid-base load and its association with risk of osteoporotic fractures and low estimated skeletal muscle mass. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 33-42.	1.3	10
33	Usual physical activity and subsequent hospital usage over 20 years in a general population: the EPIC-Norfolk cohort. <i>BMC Geriatrics</i> , 2020, 20, 165.	1.1	10
34	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	1.6	2
35	Cross-sectional and prospective relationship between occupational and leisure-time inactivity and cognitive function in an ageing population: the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. <i>International Journal of Epidemiology</i> , 2020, 49, 1338-1352.	0.9	1
36	A Mediterranean Diet Is Positively Associated with Bone and Muscle Health in a Non-Mediterranean Region in 25,450 Men and Women from EPIC-Norfolk. <i>Nutrients</i> , 2020, 12, 1154.	1.7	20

#	ARTICLE	IF	CITATIONS
37	Plasma Vitamin C Levels: Risk Factors for Deficiency and Association with Self-Reported Functional Health in the European Prospective Investigation into Cancer-Norfolk. <i>Nutrients</i> , 2019, 11, 1552.	1.7	29
38	Physical activity trajectories and mortality: population based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 365, l2323.	2.4	194
39	Disentangling the genetics of lean mass. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 276-287.	2.2	38
40	Changes in waist circumference and risk of all-cause and CVD mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 238.	0.7	38
41	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019, 5, 38.	2.3	28
42	Low-dose methotrexate: potential clinical impact on haematological and constitutional symptoms in myeloproliferative neoplasms. <i>British Journal of Haematology</i> , 2019, 187, e69-e72.	1.2	1
43	Pro-inflammatory diets are associated with increased C-reactive protein and subsequent rheumatoid arthritis in the European Investigation of Cancer: Norfolk Arthritis Register cohort. <i>Rheumatology</i> , 2019, 58, .	0.9	0
44	Evaluation of (âˆ’)-epicatechin metabolites as recovery biomarker of dietary flavan-3-ol intake. <i>Scientific Reports</i> , 2019, 9, 13108.	1.6	21
45	Plasma vitamin C concentrations and risk of incident respiratory diseases and mortality in the European Prospective Investigation into Cancer-Norfolk population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1492-1500.	1.3	16
46	Joint association of mammographic density adjusted for age and body mass index and polygenic risk score with breast cancer risk. <i>Breast Cancer Research</i> , 2019, 21, 68.	2.2	31
47	FEV1 and total Cardiovascular mortality and morbidity over an 18 years follow-up Population-Based Prospective EPIC-NORFOLK Study. <i>BMC Public Health</i> , 2019, 19, 501.	1.2	20
48	Risk factors for herpes simplex virus type-1 infection and reactivation: Cross-sectional studies among EPIC-Norfolk participants. <i>PLoS ONE</i> , 2019, 14, e0215553.	1.1	15
49	Changes in plasma phospholipid fatty acid profiles over 13 years and correlates of change: European Prospective Investigation into Cancer and Nutrition-Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1527-1534.	2.2	17
50	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436.	1.6	199
51	FRI0657â€¦METABOLIC SYNDROME PRECEDES THE ONSET OF HIP AND KNEE PAIN AND THE RISK IS NOT MODIFIED BY DIET OR CHANGES IN BMI. , 2019, , .		0
52	Residential area deprivation and risk of subsequent hospital admission in a British population: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2019, 9, e031251.	0.8	7
53	Development and Validation of Lifestyle-Based Models to Predict Incidence of the Most Common Potentially Preventable Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 67-75.	1.1	13
54	Retinal Vasculometry Associations with Cardiometabolic Risk Factors in the European Prospective Investigation of Cancerâ€™Norfolk Study. <i>Ophthalmology</i> , 2019, 126, 96-106.	2.5	44

#	ARTICLE	IF	CITATIONS
55	Dietary Fiber and the Risk of Pancreatic Cancer. <i>Pancreas</i> , 2019, 48, 121-125.	0.5	9
56	Targeted Resequencing of the Coding Sequence of 38 Genes Near Breast Cancer GWAS Loci in a Large Caseâ€“Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 822-825.	1.1	7
57	Incidence of inflammatory polyarthritis in polymyalgia rheumatica: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 704-705.	0.5	2
58	Cross-sectional associations of dietary and circulating magnesium with skeletal muscle mass in the EPIC-Norfolk cohort. <i>Clinical Nutrition</i> , 2019, 38, 317-323.	2.3	26
59	Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 650-659.	0.4	31
60	Baseline anticholinergic burden from medications predicts incident fatal and non-fatal stroke in the EPIC-Norfolk general population. <i>International Journal of Epidemiology</i> , 2018, 47, 625-633.	0.9	20
61	Randomised trial of coconut oil, olive oil or butter on blood lipids and other cardiovascular risk factors in healthy men and women. <i>BMJ Open</i> , 2018, 8, e020167.	0.8	129
62	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	0.6	79
63	Weight change and 15-year mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>European Journal of Epidemiology</i> , 2018, 33, 37-53.	2.5	25
64	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 633-640.	0.9	38
65	Physical capability predicts mortality in late mid-life as well as in old age: Findings from a large British cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2018, 74, 77-82.	1.4	25
66	The association between physical activity and the risk of symptomatic Barrett's oesophagus: a UK prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 71-75.	0.8	8
67	Impact of physical activity on the risk of cardiovascular disease in middle-aged and older adults: EPIC Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 200-208.	0.8	75
68	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancerâ€“Norfolk cohort: a population-based cross-sectional study. <i>British Journal of Pain</i> , 2018, 12, 35-46.	0.7	0
69	A Common Glaucoma-risk Variant of SIX6 Alters Retinal Nerve Fiber Layer and Optic Disc Measures in a European Population: The EPIC-Norfolk Eye Study. <i>Journal of Glaucoma</i> , 2018, 27, 743-749.	0.8	13
70	Descriptive epidemiology of changes in objectively measured sedentary behaviour and physical activity: six-year follow-up of the EPIC-Norfolk cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 122.	2.0	16
71	The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3658-3667.	1.8	39
72	Understanding the relationship between cognition and death: a within cohort examination of cognitive measures and mortality. <i>European Journal of Epidemiology</i> , 2018, 33, 1049-1062.	2.5	31

#	ARTICLE	IF	CITATIONS
73	Alcohol consumption and future hospital usage: The EPIC-Norfolk prospective population study. PLoS ONE, 2018, 13, e0200747.	1.1	2
74	Cardiovascular risk factors are associated with the onset of polymyalgia rheumatica (PMR) and giant cell arteritis (GCA) in a prospective cohort: EPIC-Norfolk study. Rheumatology, 2018, 57, .	0.9	0
75	Dietary antioxidant intake and the risk of developing Barrett's oesophagus and oesophageal adenocarcinoma. British Journal of Cancer, 2018, 118, 1658-1661.	2.9	7
76	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. International Journal of Cancer, 2018, 143, 2677-2686.	2.3	27
77	Evaluation at scale of microbiome-derived metabolites as biomarker of flavan-3-ol intake in epidemiological studies. Scientific Reports, 2018, 8, 9859.	1.6	53
78	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. European Urology, 2018, 74, 585-594.	0.9	75
79	Dietary oleic acid is inversely associated with pancreatic cancer – Data from food diaries in a cohort study. Pancreatology, 2018, 18, 655-660.	0.5	18
80	Prediction of acute myeloid leukaemia risk in healthy individuals. Nature, 2018, 559, 400-404.	13.7	617
81	Effect of Long-Term Low Lipoproteins on Neurocognitive Function. Journal of the American College of Cardiology, 2018, 72, 1176-1177.	1.2	3
82	Individual and combined impact of lifestyle factors on atrial fibrillation in apparently healthy men and women: The EPIC-Norfolk prospective population study. European Journal of Preventive Cardiology, 2018, 25, 1374-1383.	0.8	26
83	Polyclonal human antibodies against glycans bearing red meat-derived non-human sialic acid N-glycolylneuraminic acid are stable, reproducible, complex and vary between individuals: Total antibody levels are associated with colorectal cancer risk. PLoS ONE, 2018, 13, e0197464.	1.1	45
84	Association between intake of less-healthy foods defined by the United Kingdom's nutrient profile model and cardiovascular disease: A population-based cohort study. PLoS Medicine, 2018, 15, e1002484.	3.9	25
85	New insights into the genetics of primary open-angle glaucoma based on meta-analyses of intraocular pressure and optic disc characteristics.. Human Molecular Genetics, 2017, 26, ddw399.	1.4	120
86	No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). European Journal of Clinical Nutrition, 2017, 71, 512-518.	1.3	53
87	Thyroid Function Tests in the Reference Range and Fracture: Individual Participant Analysis of Prospective Cohorts. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2719-2728.	1.8	41
88	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977.	5.8	169
89	Higher Meat Intake Is Positively Associated With Higher Risk of Developing Pancreatic Cancer in an Age-Dependent Manner and Are Modified by Plasma Antioxidants. Pancreas, 2017, 46, 672-678.	0.5	16
90	Changes in physical activity following total hip or knee arthroplasty: a matched case-control study from the EPIC-Norfolk cohort. Clinical Rehabilitation, 2017, 31, 1548-1557.	1.0	9

#	ARTICLE	IF	CITATIONS
91	Carotenoid dietary intakes and plasma concentrations are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk cohort. <i>British Journal of Nutrition</i> , 2017, 117, 1439-1453.	1.2	41
92	Sulfate, nitrate and blood pressure – An EPIC interaction between sulfur and nitrogen. <i>Pharmacological Research</i> , 2017, 122, 127-129.	3.1	13
93	Longitudinal associations between marine omega-3 supplement users and coronary heart disease in a UK population-based cohort. <i>BMJ Open</i> , 2017, 7, e017471.	0.8	10
94	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39 740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 965-974.	5.5	213
95	Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. <i>Circulation</i> , 2017, 136, 2100-2116.	1.6	159
96	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis – A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017, 23, 2072-2082.	0.9	35
97	Dog ownership supports the maintenance of physical activity during poor weather in older English adults: cross-sectional results from the EPIC Norfolk cohort. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 905-911.	2.0	38
98	Prediagnostic Serum Vitamin D Levels and Risk of Inflammatory Bowel Disease: A Pan-European, Nested Case-control Study. <i>Gastroenterology</i> , 2017, 152, S59.	0.6	2
99	Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. <i>Nature Communications</i> , 2017, 8, 80.	5.8	147
100	Rare, protein-truncating variants in <i>ATM</i> , <i>CHEK2</i> and <i>PALB2</i> , but not <i>XRCC2</i> , are associated with increased breast cancer risks. <i>Journal of Medical Genetics</i> , 2017, 54, 732-741.	1.5	68
101	Genetic modifiers of CHEK2*1100delC-associated breast cancer risk. <i>Genetics in Medicine</i> , 2017, 19, 599-603.	1.1	67
102	Glaucoma and intraocular pressure in EPIC-Norfolk Eye Study: cross sectional study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3889.	2.4	82
103	Weather, day length and physical activity in older adults: Cross-sectional results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Norfolk Cohort. <i>PLoS ONE</i> , 2017, 12, e0177767.	1.1	45
104	Genome-wide physical activity interactions in adiposity – A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	1.5	158
105	Genome-wide association reveals that common genetic variation in the kallikrein-kinin system is associated with serum L-arginine levels. <i>Thrombosis and Haemostasis</i> , 2016, 116, 1041-1049.	1.8	5
106	Retinal Nerve Fiber Layer Measures and Cognitive Function in the EPIC-Norfolk Cohort Study. , 2016, 57, 1921.		29
107	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016, 13, e1002105.	3.9	118
108	Fracture Risk in Relation to Serum 25-Hydroxyvitamin D and Physical Activity: Results from the EPIC-Norfolk Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164160.	1.1	10

#	ARTICLE	IF	CITATIONS
109	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	0.9	207
110	Objective Sedentary Time, Moderate-to-Vigorous Physical Activity, and Physical Capability in a British Cohort. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 421-429.	0.2	46
111	Thyroid dysfunction and anaemia in a large population-based study. <i>Clinical Endocrinology</i> , 2016, 84, 627-631.	1.2	33
112	Associations with intraocular pressure across Europe: The European Eye Epidemiology (E3) Consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 1101-1111.	2.5	26
113	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016, 27, 679-693.	0.8	21
114	Daytime napping and increased risk of incident respiratory diseases: symptom, marker, or risk factor?. <i>Sleep Medicine</i> , 2016, 23, 12-15.	0.8	18
115	Thyroid Function Within the Reference Range and the Risk of Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4270-4282.	1.8	67
116	Topical Beta-Blockers and Cardiovascular Mortality: Systematic Review and Meta-Analysis with Data from the EPIC-Norfolk Cohort Study. <i>Ophthalmic Epidemiology</i> , 2016, 23, 277-284.	0.8	5
117	Exposure to Ambient Air Pollution and the Risk of Inflammatory Bowel Disease: A European Nested Case-control Study. <i>Digestive Diseases and Sciences</i> , 2016, 61, 2963-2971.	1.1	47
118	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
119	Long-term mortality of hospitalized pneumonia in the EPIC-Norfolk cohort. <i>Epidemiology and Infection</i> , 2016, 144, 803-809.	1.0	17
120	Daytime napping, sleep duration and increased 8-year risk of type 2 diabetes in a British population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 996-1003.	1.1	48
121	Meta-analysis of genome-wide association scans accounting for education level identifies additional loci for refractive error. <i>Nature Communications</i> , 2016, 7, 11008.	5.8	104
122	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	9.4	284
123	Predicting admissions and time spent in hospital over a decade in a population-based record linkage study: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2016, 6, e009461.	0.8	15
124	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 122.	2.3	46
125	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1403-1411.	0.9	74
126	The descriptive epidemiology of accelerometer-measured physical activity in older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 2.	2.0	94



#	ARTICLE	IF	CITATIONS
127	̑-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. JAMA Internal Medicine, 2016, 176, 1155.	2.6	326
128	Investigating Physical Activity in the Etiology of Pancreatic Cancer. Pancreas, 2016, 45, 388-393.	0.5	11
129	CYP19A1 fine-mapping and Mendelian randomization: estradiol is causal for endometrial cancer. Endocrine-Related Cancer, 2016, 23, 77-91.	1.6	62
130	Reply to W Lin and R Wang. American Journal of Clinical Nutrition, 2016, 103, 290-291.	2.2	0
131	Habitual chocolate consumption and the risk of incident heart failure among healthy men and women. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 722-734.	1.1	13
132	No evidence that protein truncating variants in <i>BRIP1</i> are associated with breast cancer risk: implications for gene panel testing. Journal of Medical Genetics, 2016, 53, 298-309.	1.5	94
133	Breast cancer risk variants at 6q25 display different phenotype associations and regulate <i>ESR1</i> , <i>RMND1</i> and <i>CCDC170</i> . Nature Genetics, 2016, 48, 374-386.	9.4	125
134	Heterogeneous impact of classic atherosclerotic risk factors on different arterial territories: the EPIC-Norfolk prospective population study. European Heart Journal, 2016, 37, 880-889.	1.0	39
135	Ideal cardiovascular health and risk of cardiovascular events in the EPIC-Norfolk prospective population study. European Journal of Preventive Cardiology, 2016, 23, 986-994.	0.8	63
136	<i>RAD51B</i> in Familial Breast Cancer. PLoS ONE, 2016, 11, e0153788.	1.1	26
137	Cross Sectional Associations between Socio-Demographic Factors and Cognitive Performance in an Older British Population: The European Investigation of Cancer in Norfolk (EPIC-Norfolk) Study. PLoS ONE, 2016, 11, e0166779.	1.1	9
138	Association between sucrose intake and risk of overweight and obesity in a prospective sub-cohort of the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk). Public Health Nutrition, 2015, 18, 2815-2824.	1.1	46
139	Longitudinal association of C-reactive protein and Haemoglobin A1c over 13 years: the European Prospective Investigation into Cancer - Norfolk study. Cardiovascular Diabetology, 2015, 14, 61.	2.7	10
140	A comprehensive evaluation of interaction between genetic variants and use of menopausal hormone therapy on mammographic density. Breast Cancer Research, 2015, 17, 110.	2.2	19
141	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	1.5	331
142	Opposites don't attract: high spouse concordance for dietary supplement use in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. Public Health Nutrition, 2015, 18, 1060-1066.	1.1	8
143	The association between a biomarker score for fruit and vegetable intake and incident type 2 diabetes: the EPIC-Norfolk study. European Journal of Clinical Nutrition, 2015, 69, 449-454.	1.3	42
144	Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. Journal of the National Cancer Institute, 2015, 107, .	3.0	428

#	ARTICLE	IF	CITATIONS
145	The relationship between dietary magnesium intake, stroke and its major risk factors, blood pressure and cholesterol, in the EPIC-Norfolk cohort. <i>International Journal of Cardiology</i> , 2015, 196, 108-114.	0.8	55
146	Television Viewing, Walking Speed, and Grip Strength in a Prospective Cohort Study. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 735-742.	0.2	18
147	Subclinical Thyroid Dysfunction and Fracture Risk. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 2055.	3.8	264
148	Association of HDL cholesterol efflux capacity with incident coronary heart disease events: a prospective case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 507-513.	5.5	389
149	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015, 15, 331-338.	0.8	16
150	Cross-sectional and prospective associations between dietary and plasma vitamin C, heel bone ultrasound, and fracture risk in men and women in the European Prospective Investigation into Cancer in Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1416-1424.	2.2	16
151	Greater accordance with the Dietary Approaches to Stop Hypertension dietary pattern is associated with lower diet-related greenhouse gas production but higher dietary costs in the United Kingdom. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 138-145.	2.2	75
152	Reply. <i>JACC: Heart Failure</i> , 2015, 3, 95-96.	1.9	0
153	Contribution of cod liver oil-related nutrients (vitamins A, D, E and eicosapentaenoic acid and) to the EPIC-Norfolk cohort. <i>Journal of Human Nutrition and Dietetics</i> , 2015, 28, 568-582.	1.3	13
154	Cross-sectional associations between different measures of obesity and muscle strength in men and women in a British cohort study. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 3-11.	1.5	73
155	Sleep duration and risk of fatal and nonfatal stroke. <i>Neurology</i> , 2015, 84, 1072-1079.	1.5	192
156	Area deprivation and age related macular degeneration in the EPIC-Norfolk Eye Study. <i>Public Health</i> , 2015, 129, 103-109.	1.4	17
157	Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. <i>Heart</i> , 2015, 101, 1279-1287.	1.2	67
158	Associations between flavan-3-ol intake and CVD risk in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Free Radical Biology and Medicine</i> , 2015, 84, 1-10.	1.3	35
159	Subclinical Hypothyroidism and the Risk of Stroke Events and Fatal Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2181-2191.	1.8	164
160	Increasing Prevalence of Myopia in Europe and the Impact of Education. <i>Ophthalmology</i> , 2015, 122, 1489-1497.	2.5	329
161	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015, 97, 22-34.	2.6	37
162	Prevalence of refractive error in Europe: the European Eye Epidemiology (E3) Consortium. <i>European Journal of Epidemiology</i> , 2015, 30, 305-315.	2.5	306

#	ARTICLE	IF	CITATIONS
163	Performance of the CHARGE-AF risk model for incident atrial fibrillation in the EPIC Norfolk cohort. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 932-939.	0.8	57
164	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015, 17, 18.	2.2	20
165	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015, 44, 219-225.	0.7	79
166	Novel Associations between Common Breast Cancer Susceptibility Variants and Risk-Predicting Mammographic Density Measures. <i>Cancer Research</i> , 2015, 75, 2457-2467.	0.4	55
167	Dietary magnesium and potassium intakes and circulating magnesium are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the EPIC-Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 376-384.	2.2	61
168	Reply to WB Grant. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 230-231.	2.2	0
169	Inverse association between bone mineral density and risk of aortic stenosis in men and women in EPIC-Norfolk prospective study. <i>International Journal of Cardiology</i> , 2015, 178, 29-30.	0.8	11
170	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
171	Flavonoid Intake in European Adults (18 to 64 Years). <i>PLoS ONE</i> , 2015, 10, e0128132.	1.1	143
172	Cross Sectional and Longitudinal Associations between Cardiovascular Risk Factors and Age Related Macular Degeneration in the EPIC-Norfolk Eye Study. <i>PLoS ONE</i> , 2015, 10, e0132565.	1.1	31
173	The SNP rs6500843 in 16p13.3 is associated with survival specifically among chemotherapy-treated breast cancer patients. <i>Oncotarget</i> , 2015, 6, 7390-7407.	0.8	15
174	MicroRNA Related Polymorphisms and Breast Cancer Risk. <i>PLoS ONE</i> , 2014, 9, e109973.	1.1	49
175	Cod Liver Oil Supplement Consumption and Health: Cross-sectional Results from the EPIC-Norfolk Cohort Study. <i>Nutrients</i> , 2014, 6, 4320-4337.	1.7	13
176	Daytime napping, sleep duration and serum C reactive protein: a population-based cohort study. <i>BMJ Open</i> , 2014, 4, e006071.	0.8	55
177	A genome-wide copy number association study of osteoporotic fractures points to the 6p25.1 locus. <i>Journal of Medical Genetics</i> , 2014, 51, 122-131.	1.5	36
178	Dietary intake measurement using 7-day diet diaries in British men and women in the European Prospective Investigation into Cancer-Norfolk study: a focus on methodological issues. <i>British Journal of Nutrition</i> , 2014, 111, 516-526.	1.2	38
179	Cohort Profile: A prospective cohort study of objective physical and cognitive capability and visual health in an ageing population of men and women in Norfolk (EPIC-Norfolk 3). <i>International Journal of Epidemiology</i> , 2014, 43, 1063-1072.	0.9	75
180	Area deprivation, individual socioeconomic status and low vision in the EPIC-Norfolk Eye Study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 204-210.	2.0	29

#	ARTICLE	IF	CITATIONS
181	Serum 25-hydroxyvitamin D, mortality, and incident cardiovascular disease, respiratory disease, cancers, and fractures: a 13-y prospective population study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1361-1370.	2.2	73
182	A new tool for converting food frequency questionnaire data into nutrient and food group values: FETA research methods and availability. <i>BMJ Open</i> , 2014, 4, e004503.	0.8	153
183	Longitudinal Association of C-Reactive Protein and Lung Function Over 13 Years: The EPIC-Norfolk Study. <i>American Journal of Epidemiology</i> , 2014, 179, 48-56.	1.6	56
184	2q36.3 is associated with prognosis for oestrogen receptor-negative breast cancer patients treated with chemotherapy. <i>Nature Communications</i> , 2014, 5, 4051.	5.8	16
185	Serum carbon and nitrogen stable isotopes as potential biomarkers of dietary intake and their relation with incident type 2 diabetes: the EPIC-Norfolk study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 708-718.	2.2	38
186	Association between high dietary intake of the $\alpha$ -3 polyunsaturated fatty acid docosahexaenoic acid and reduced risk of Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 834-842.	1.9	70
187	Plasma vitamin C and risk of hospitalisation with diagnosis of atrial fibrillation in men and women in EPIC-Norfolk prospective study. <i>International Journal of Cardiology</i> , 2014, 177, 830-835.	0.8	14
188	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	1.4	143
189	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , 2014, 23, 3054-3068.	1.4	90
190	Dietary intake of carbohydrates and risk of type 2 diabetes: the European Prospective Investigation into Cancer-Norfolk study. <i>British Journal of Nutrition</i> , 2014, 111, 342-352.	1.2	31
191	Cognitive function in a general population of men and women: a cross sectional study in the European Investigation of Cancer-Norfolk cohort (EPIC-Norfolk). <i>BMC Geriatrics</i> , 2014, 14, 142.	1.1	26
192	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2013-2021.	0.9	78
193	Dietary arachidonic and oleic acid intake in ulcerative colitis etiology. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 11-18.	0.8	64
194	The association between Mediterranean Diet Score and glucokinase regulatory protein gene variation on the markers of cardiometabolic risk: an analysis in the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>British Journal of Nutrition</i> , 2014, 112, 122-131.	1.2	17
195	Corneal Biomechanical Properties and Glaucoma-Related Quantitative Traits in the EPIC-Norfolk Eye Study. <i>Investigative Ophthalmology and Visual Science</i> , 2014, 55, 117.		29
196	Self-reported sleep patterns in a British population cohort. <i>Sleep Medicine</i> , 2014, 15, 295-302.	0.8	44
197	Social Adversity Experience and Blood Pressure Control Following Antihypertensive Medication Use in a Community Sample of Older Adults. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 456-463.	0.8	0
198	Estimated dietary intakes and sources of flavanols in the German population (German National Nutrition Survey). <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1018-1024.	1.8	18

#	ARTICLE	IF	CITATIONS
199	Dietary dairy product intake and incident type 2 diabetes: a prospective study using dietary data from a 7-day food diary. <i>Diabetologia</i> , 2014, 57, 909-917.	2.9	145
200	Body Mass Index, Smoking, and Alcohol and Risks of Barrett's Esophagus and Esophageal Adenocarcinoma: A UK Prospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2014, 59, 1552-1559.	1.1	38
201	Daytime Napping and the Risk of All-Cause and Cause-Specific Mortality: A 13-Year Follow-up of a British Population. <i>American Journal of Epidemiology</i> , 2014, 179, 1115-1124.	1.6	103
202	Assessment of the dietary intake of total flavan-3-ols, monomeric flavan-3-ols, proanthocyanidins and theaflavins in the European Union. <i>British Journal of Nutrition</i> , 2014, 111, 1463-1473.	1.2	96
203	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. <i>British Journal of Ophthalmology</i> , 2014, 98, 377-382.	2.1	62
204	Body fat percentage, body mass index and waist-to-hip ratio as predictors of mortality and cardiovascular disease. <i>Heart</i> , 2014, 100, 1613-1619.	1.2	105
205	Genome-wide association study identifies multiple loci associated with both mammographic density and breast cancer risk. <i>Nature Communications</i> , 2014, 5, 5303.	5.8	109
206	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. <i>Atherosclerosis</i> , 2014, 237, 5-12.	0.4	27
207	Estimated urinary sodium excretion and risk of heart failure in men and women in the EPIC-Norfolk study. <i>European Journal of Heart Failure</i> , 2014, 16, 394-402.	2.9	78
208	Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38</i>	0.5	75
209	Low Bone Mineral Density Predicts Incident Heart Failure in Men and Women. <i>JACC: Heart Failure</i> , 2014, 2, 380-389.	1.9	37
210	Distribution of lipid parameters according to different socio-economic indicators- the EPIC-Norfolk prospective population study. <i>BMC Public Health</i> , 2014, 14, 782.	1.2	28
211	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014, 5, 4999.	5.8	105
212	Bone Mineral Density and Incidence of Stroke. <i>Stroke</i> , 2014, 45, 373-382.	1.0	33
213	Systemic Medication and Intraocular Pressure in a British Population. <i>Ophthalmology</i> , 2014, 121, 1501-1507.	2.5	74
214	Abstract 19753: Hdl Cholesterol Efflux Capacity is Inversely Associated With Incident Chd Events Independent of Hdl-c and Apo-a-i Concentrations. <i>Circulation</i> , 2014, 130, .	1.6	2
215	Seventeen year risk of all-cause and cause-specific mortality associated with C-reactive protein, fibrinogen and leukocyte count in men and women: the EPIC-Norfolk study. <i>European Journal of Epidemiology</i> , 2013, 28, 541-550.	2.5	67
216	607 DIETARY SELENIUM AND LOWER RISK OF DEVELOPING RENAL CANCER—A PROSPECTIVE COHORT STUDY USING FOOD DIARIES IN EPIC NORFOLK. <i>Journal of Urology</i> , 2013, 189, .	0.2	0

#	ARTICLE	IF	CITATIONS
217	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	9.4	493
218	The physical capability of community-based men and women from a British cohort: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>BMC Geriatrics</i> , 2013, 13, 93.	1.1	28
219	Prediction of measured weight from self-reported weight was not improved after stratification by body mass index. <i>Obesity</i> , 2013, 21, E137-42.	1.5	13
220	C-reactive protein and fracture risk: European Prospective Investigation into Cancer Norfolk Study. <i>Bone</i> , 2013, 56, 67-72.	1.4	22
221	Does ICD-10 hospital discharge code I50 identify people with heart failure? A validation study within the EPIC-Norfolk study. <i>International Journal of Cardiology</i> , 2013, 168, 4413-4414.	0.8	13
222	Rate of weight gain predicts change in physical activity levels: a longitudinal analysis of the EPIC-Norfolk cohort. <i>International Journal of Obesity</i> , 2013, 37, 404-409.	1.6	57
223	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	9.4	960
224	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013, 108, 575-582.	0.2	141
225	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013, 45, 621-631.	9.4	282
226	Dietary antioxidants and the aetiology of pancreatic cancer: a cohort study using data from food diaries and biomarkers. <i>Gut</i> , 2013, 62, 1489-1496.	6.1	46
227	Demographic and disease-related predictors of abnormal lung function in patients with established inflammatory polyarthritis and a comparison with the general population. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1517-1523.	0.5	5
228	The small eye phenotype in the EPIC-Norfolk eye study: prevalence and visual impairment in microphthalmos and nanophthalmos. <i>BMJ Open</i> , 2013, 3, e003280.	0.8	13
229	Genome-wide association study of intraocular pressure identifies the GLCC1/ICA1 region as a glaucoma susceptibility locus. <i>Human Molecular Genetics</i> , 2013, 22, 4653-4660.	1.4	29
230	A genome-wide association scan (GWAS) for mean telomere length within the COGS project: identified loci show little association with hormone-related cancer risk. <i>Human Molecular Genetics</i> , 2013, 22, 5056-5064.	1.4	130
231	Seropositivity and Higher Immunoglobulin G Antibody Levels Against Cytomegalovirus Are Associated With Mortality in the Population-Based European Prospective Investigation of Cancer-Norfolk Cohort. <i>Clinical Infectious Diseases</i> , 2013, 56, 1421-1427.	2.9	104
232	Laser Scanning Tomography in the EPIC-Norfolk Eye Study: Principal Components and Associations. , 2013, 54, 6638.		12
233	Genotype-phenotype analysis of SNPs associated with primary angle closure glaucoma (rs1015213,) Tj ETQq1 1 0.784314 rgBT /Ophthalmology, 2013, 97, 704-707.	2.1	25
234	The association between social stress and global cognitive function in a population-based study: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>Psychological Medicine</i> , 2013, 43, 655-666.	2.7	15

#	ARTICLE	IF	CITATIONS
235	Differences in Dietary Supplement Use and Secular and Seasonal Trends Assessed Using Three Different Instruments in the EPIC-Norfolk Population Study. <i>Journal of Dietary Supplements</i> , 2013, 10, 142-151.	1.4	8
236	Common genetic variants of the natriuretic peptide gene locus are not associated with heart failure risk in participants in the EPIC-Norfolk study. <i>European Journal of Heart Failure</i> , 2013, 15, 624-627.	2.9	10
237	Distribution and determinants of C-reactive protein in the older adult population: European Prospective Investigation into Cancer-Norfolk study. <i>European Journal of Clinical Investigation</i> , 2013, 43, 899-911.	1.7	30
238	The association of cycling with all-cause, cardiovascular and cancer mortality: findings from the population-based EPIC-Norfolk cohort. <i>BMJ Open</i> , 2013, 3, e003797.	0.8	35
239	The EPIC-Norfolk Eye Study: rationale, methods and a cross-sectional analysis of visual impairment in a population-based cohort. <i>BMJ Open</i> , 2013, 3, e002684.	0.8	41
240	Associations With Retinal Nerve Fiber Layer Measures in the EPIC-Norfolk Eye Study. , 2013, 54, 5028.		61
241	Self-Rated Health and Cardiovascular Disease Incidence: Results from a Longitudinal Population-Based Cohort in Norfolk, UK. <i>PLoS ONE</i> , 2013, 8, e65290.	1.1	63
242	Plasma Phospholipid Fatty Acid Concentration and Incident Coronary Heart Disease in Men and Women: The EPIC-Norfolk Prospective Study. <i>PLoS Medicine</i> , 2012, 9, e1001255.	3.9	216
243	Urinary Bisphenol A Concentration and Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation</i> , 2012, 125, 1482-1490.	1.6	242
244	Lipoprotein(a) and Risk of Coronary, Cerebrovascular, and Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 3058-3065.	1.1	146
245	Uncorrected refractive error in older British adults: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2012, 96, 991-996.	2.1	26
246	A Prospective Study of the Association Between Quantity and Variety of Fruit and Vegetable Intake and Incident Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1293-1300.	4.3	181
247	Common Breast Cancer Susceptibility Variants in <i>LSP1</i> and <i>RAD51L1</i> Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1156-1166.	1.1	101
248	Identification of a novel percent mammographic density locus at 12q24. <i>Human Molecular Genetics</i> , 2012, 21, 3299-3305.	1.4	31
249	Higher Immunoglobulin G Antibody Levels Against Cytomegalovirus Are Associated With Incident Ischemic Heart Disease in the Population-Based EPIC-Norfolk Cohort. <i>Journal of Infectious Diseases</i> , 2012, 206, 1897-1903.	1.9	59
250	Mammographic Breast Density and Breast Cancer: Evidence of a Shared Genetic Basis. <i>Cancer Research</i> , 2012, 72, 1478-1484.	0.4	54
251	Relationship between plasma fibrinogen and fiber intake in the EPIC-Norfolk cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 443-451.	1.3	6
252	Fibre intake in relation to serum total cholesterol levels and CHD risk: a comparison of dietary assessment methods. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 296-304.	1.3	13

#	ARTICLE	IF	CITATIONS
253	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	1.2	90
254	Subclinical Hyperthyroidism and the Risk of Coronary Heart Disease and Mortality. <i>Archives of Internal Medicine</i> , 2012, 172, 799-809.	4.3	424
255	Differential white blood cell count and incident heart failure in men and women in the EPIC-Norfolk study. <i>European Heart Journal</i> , 2012, 33, 523-530.	1.0	44
256	Dietary, lifestyle and clinicopathological factors associated with APC mutations and promoter methylation in colorectal cancers from the EPIC-Norfolk study. <i>Journal of Pathology</i> , 2012, 228, 405-415.	2.1	51
257	Development of a Combined Flavonoid Database for the Assessment of Flavonoid Intake in Europe using the EFSA Comprehensive European Food Consumption Database. <i>Free Radical Biology and Medicine</i> , 2012, 53, S89.	1.3	0
258	Resting heart rate and incident heart failure in apparently healthy men and women in the EPIC-Norfolk study. <i>European Journal of Heart Failure</i> , 2012, 14, 1163-1170.	2.9	31
259	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. <i>Nature Genetics</i> , 2012, 44, 491-501.	9.4	1,100
260	Testosterone, SHBG and differential white blood cell count in middle-aged and older men. <i>Maturitas</i> , 2012, 71, 274-278.	1.0	15
261	Educational attainment and mean leukocyte telomere length in women in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 414-418.	2.0	26
262	Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 133.	0.8	1
263	A Latent Variable Partial Least Squares Path Modeling Approach to Regional Association and Polygenic Effect with Applications to a Human Obesity Study. <i>PLoS ONE</i> , 2012, 7, e31927.	1.1	11
264	Subclinical Thyroid Dysfunction and the Risk of Heart Failure Events. <i>Circulation</i> , 2012, 126, 1040-1049.	1.6	410
265	Circulating 25-hydroxyvitamin D concentration and the risk of type 2 diabetes: results from the European Prospective Investigation into Cancer (EPIC)-Norfolk cohort and updated meta-analysis of prospective studies. <i>Diabetologia</i> , 2012, 55, 2173-2182.	2.9	213
266	Self-reported and measured anthropometric data and risk of colorectal cancer in the EPIC-Norfolk study. <i>International Journal of Obesity</i> , 2012, 36, 107-118.	1.6	34
267	Body fat mass is a predictor of risk of osteoporotic fractures in women but not in men: a prospective population study. <i>Journal of Internal Medicine</i> , 2012, 271, 472-480.	2.7	41
268	The association between prior infection with five serotypes of Coxsackievirus B and incident type 2 diabetes mellitus in the EPIC-Norfolk study. <i>Diabetologia</i> , 2012, 55, 967-970.	2.9	3
269	The Role of Dietary Cholesterol and Transfatty Acids in the Aetiology of Gallstones. A UK Prospective Cohort Study (EPIC-Norfolk) Using 7-Day Food Diaries. <i>Gastroenterology</i> , 2011, 140, S-447.	0.6	0
270	Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. <i>Nature Genetics</i> , 2011, 43, 753-760.	9.4	289



#	ARTICLE	IF	CITATIONS
271	Do Oleic Acid and N-3 Fatty Acids Prevent Pancreatic Cancer? Data From a UK Prospective Cohort Study Using 7-Day Food Diaries. <i>Gastroenterology</i> , 2011, 140, S-712.	0.6	2
272	Plasma vitamin C predicts incident heart failure in men and women in European Prospective Investigation into Cancer and Nutrition—Norfolk prospective study. <i>American Heart Journal</i> , 2011, 162, 246-253.	1.2	79
273	Full-scale scores of the Mini Mental State Examination can be generated from an abbreviated version. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1005-1013.	2.4	17
274	Intraocular Pressure and Corneal Biomechanics in an Adult British Population: The EPIC-Norfolk Eye Study. , 2011, 52, 8179.		52
275	Mendelian Randomisation Study of Childhood BMI and Early Menarche. <i>Journal of Obesity</i> , 2011, 2011, 1-6.	1.1	67
276	Physical Activity and Ocular Perfusion Pressure: The EPIC-Norfolk Eye Study. , 2011, 52, 8186.		35
277	The aetiology of symptomatic gallstones quantification of the effects of obesity, alcohol and serum lipids on risk. Epidemiological and biomarker data from a UK prospective cohort study (EPIC-Norfolk). <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 733-740.	0.8	53
278	Aspirin in the aetiology of Crohn's disease and ulcerative colitis: a European prospective cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 649-655.	1.9	56
279	Associations of endogenous testosterone and SHBG with glycated haemoglobin in middle-aged and older men. <i>Clinical Endocrinology</i> , 2011, 74, 572-578.	1.2	40
280	Effects of body size and sociodemographic characteristics on differences between self-reported and measured anthropometric data in middle-aged men and women: the EPIC-Norfolk study. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 357-367.	1.3	42
281	MLH1 Promoter Methylation, Diet, and Lifestyle Factors in Mismatch Repair Deficient Colorectal Cancer Patients From EPIC-Norfolk. <i>Nutrition and Cancer</i> , 2011, 63, 1000-1010.	0.9	30
282	Genetic predisposition to obesity leads to increased risk of type 2 diabetes. <i>Diabetologia</i> , 2011, 54, 776-782.	2.9	56
283	No evidence of an increased mortality risk associated with low levels of glycated haemoglobin in a non-diabetic UK population. <i>Diabetologia</i> , 2011, 54, 2025-2032.	2.9	28
284	Individual and cumulative effect of type 2 diabetes genetic susceptibility variants on risk of coronary heart disease. <i>Diabetologia</i> , 2011, 54, 2283-2287.	2.9	19
285	No evidence for a causal link between uric acid and type 2 diabetes: a Mendelian randomisation approach. <i>Diabetologia</i> , 2011, 54, 2561-2569.	2.9	89
286	Alterations in PTEN and PIK3CA in colorectal cancers in the EPIC Norfolk study: associations with clinicopathological and dietary factors. <i>BMC Cancer</i> , 2011, 11, 123.	1.1	65
287	SMAD7 and MGMT genotype variants and cancer incidence in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk Study. <i>Cancer Epidemiology</i> , 2011, 35, 369-374.	0.8	17
288	Cigarette Smoking and Endogenous Sex Hormones in Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3184-3192.	1.8	75

#	ARTICLE	IF	CITATIONS
289	Association between dietary phyto-oestrogens and bone density in men and postmenopausal women. <i>British Journal of Nutrition</i> , 2011, 106, 1063-1069.	1.2	17
290	N-nitroso compounds and cancer incidence: the European Prospective Investigation into Cancer and Nutrition (EPIC)â€“Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1053-1061.	2.2	174
291	Television viewing time independently predicts all-cause and cardiovascular mortality: the EPIC Norfolk Study. <i>International Journal of Epidemiology</i> , 2011, 40, 150-159.	0.9	246
292	Association Between Plasma Vitamin C Concentrations and Blood Pressure in the European Prospective Investigation Into Cancer-Norfolk Population-Based Study. <i>Hypertension</i> , 2011, 58, 372-379.	1.3	30
293	Dietary fat and breast cancer: comparison of results from food diaries and food-frequency questionnaires in the UK Dietary Cohort Consortium. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1043-1052.	2.2	31
294	CHD risk in relation to alcohol intake from categorical and open-ended dietary instruments. <i>Public Health Nutrition</i> , 2011, 14, 402-409.	1.1	4
295	Incidence of Type 2 Diabetes Using Proposed HbA1c Diagnostic Criteria in the European Prospective Investigation of Cancerâ€“Norfolk Cohort. <i>Diabetes Care</i> , 2011, 34, 950-956.	4.3	60
296	Lifestyle behaviours and quality-adjusted life years in middle and older age. <i>Age and Ageing</i> , 2011, 40, 589-595.	0.7	35
297	Life Stress, Emotional Health, and Mean Telomere Length in the European Prospective Investigation into Cancer (EPIC)-Norfolk Population Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 1152-1162.	1.7	99
298	Mendelian Randomization Study of B-Type Natriuretic Peptide and Type 2 Diabetes: Evidence of Causal Association from Population Studies. <i>PLoS Medicine</i> , 2011, 8, e1001112.	3.9	92
299	Television Viewing and Incident Cardiovascular Disease: Prospective Associations and Mediation Analysis in the EPIC Norfolk Study. <i>PLoS ONE</i> , 2011, 6, e20058.	1.1	98
300	Prospective study of insulin-like growth factor-I, insulin-like growth factor-binding protein 3, genetic variants in the IGF1 and IGFBP3 genes and risk of coronary artery disease. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 261-85.	0.4	8
301	Physical activity reduces the risk of symptomatic gallstones: a prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 983-988.	0.8	46
302	Dietary n-3 polyunsaturated fatty acids and the aetiology of ulcerative colitis: a UK prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 602-606.	0.8	165
303	Mastery is associated with cardiovascular disease mortality in men and women at apparently low risk.. <i>Health Psychology</i> , 2010, 29, 412-420.	1.3	57
304	Intake of dietary fats and colorectal cancer risk: Prospective findings from the UK Dietary Cohort Consortium. <i>Cancer Epidemiology</i> , 2010, 34, 562-567.	0.8	23
305	No evidence that social stress is associated with breast cancer incidence. <i>Breast Cancer Research and Treatment</i> , 2010, 120, 169-174.	1.1	41
306	Meat, poultry and fish and risk of colorectal cancer: pooled analysis of data from the UK dietary cohort consortium. <i>Cancer Causes and Control</i> , 2010, 21, 1417-1425.	0.8	49

#	ARTICLE	IF	CITATIONS
307	Dietary, lifestyle and clinicopathological factors associated with BRAF and K-ras mutations arising in distinct subsets of colorectal cancers in the EPIC Norfolk study. <i>BMC Cancer</i> , 2010, 10, 99.	1.1	52
308	MGMT Ile143Val polymorphism, dietary factors and the risk of breast, colorectal and prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk study. <i>DNA Repair</i> , 2010, 9, 421-428.	1.3	23
309	Initial thyroid status and cardiovascular risk factors: The EPIC-Norfolk prospective population study. <i>Clinical Endocrinology</i> , 2010, 72, 404-410.	1.2	140
310	Alcohol intake and risk of colorectal cancer: Results from the UK Dietary Cohort Consortium. <i>British Journal of Cancer</i> , 2010, 103, 747-756.	2.9	23
311	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010, 466, 707-713.	13.7	3,249
312	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	9.4	836
313	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
314	A single nucleotide polymorphism in the 3-hydroxy-3-methylglutaryl-coenzyme A reductase gene (HMGCR) influences the serum triacylglycerol relationship with dietary fat and fibre in the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. <i>British Journal of Nutrition</i> , 2010, 104, 765-772.	1.2	7
315	Dietary Fiber and Colorectal Cancer Risk: A Nested Case-Control Study Using Food Diaries. <i>Journal of the National Cancer Institute</i> , 2010, 102, 614-626.	3.0	205
316	Physical functional health predicts the incidence of coronary heart disease in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>International Journal of Epidemiology</i> , 2010, 39, 996-1003.	0.9	15
317	Genetic Variants Influencing Circulating Lipid Levels and Risk of Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2264-2276.	1.1	369
318	Breast, colorectal, and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition-Norfolk in relation to phytoestrogen intake derived from an improved database. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 440-448.	2.2	103
319	Cumulative effects and predictive value of common obesity-susceptibility variants identified by genome-wide association studies. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 184-190.	2.2	185
320	Telomere Length in Prospective and Retrospective Cancer Case-Control Studies. <i>Cancer Research</i> , 2010, 70, 3170-3176.	0.4	142
321	Refractive error, axial length and anterior chamber depth of the eye in British adults: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2010, 94, 827-830.	2.1	89
322	Fatty acids measured in plasma and erythrocyte-membrane phospholipids and derived by food-frequency questionnaire and the risk of new-onset type 2 diabetes: a pilot study in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1214-1222.	2.2	190
323	Lifestyle factors and p53 mutation patterns in colorectal cancer patients in the EPIC-Norfolk study. <i>Mutagenesis</i> , 2010, 25, 351-358.	1.0	14
324	Physical Activity Attenuates the Genetic Predisposition to Obesity in 20,000 Men and Women from EPIC-Norfolk Prospective Population Study. <i>PLoS Medicine</i> , 2010, 7, e1000332.	3.9	230

#	ARTICLE	IF	CITATIONS
325	Fine scale mapping of the breast cancer 16q12 locus. <i>Human Molecular Genetics</i> , 2010, 19, 2507-2515.	1.4	68
326	The Short-Form Six-Dimension utility index predicted mortality in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 192-198.	2.4	6
327	The association between physical activity in different domains of life and risk of osteoporotic fractures. <i>Bone</i> , 2010, 47, 693-700.	1.4	28
328	<i>HMGR</i> gene polymorphism is associated with stroke risk in the EPIC-Norfolk study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 89-93.	3.1	9
329	Family history of premature coronary heart disease and risk prediction in the EPIC-Norfolk prospective population study. <i>Heart</i> , 2010, 96, 1985-1989.	1.2	96
330	Differential White Blood Cell Count and Type 2 Diabetes: Systematic Review and Meta-Analysis of Cross-Sectional and Prospective Studies. <i>PLoS ONE</i> , 2010, 5, e13405.	1.1	118
331	APOE Genotype, Lipids, and Coronary Heart Disease Risk. <i>Archives of Internal Medicine</i> , 2009, 169, 1424.	4.3	71
332	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009, 58, 1606-1611.	6.1	318
333	Social Class, Risk Factors, and Stroke Incidence in Men and Women. <i>Stroke</i> , 2009, 40, 1070-1077.	1.0	59
334	Association Between Type of Dietary Fish and Seafood Intake and the Risk of Incident Type 2 Diabetes: The European Prospective Investigation of Cancer (EPIC)-Norfolk cohort study. <i>Diabetes Care</i> , 2009, 32, 1857-1863.	4.3	120
335	Self-rated health does not explain the socioeconomic differential in mortality: a prospective study in the EPIC-Norfolk cohort. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 329-331.	2.0	9
336	Author's Response: Associations between dietary methods and biomarkers, and between fruits and vegetables and risk of ischaemic heart disease, in the EPIC Norfolk Cohort Study: response to letter by McNeill et al.. <i>International Journal of Epidemiology</i> , 2009, 38, 885-885.	0.9	1
337	Retinol-Binding Protein 4 and Prediction of Incident Coronary Events in Healthy Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 255-260.	1.8	57
338	Osteoprotegerin and Soluble Receptor Activator of Nuclear Factor- $\kappa$ B Ligand and Risk for Coronary Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 975-980.	1.1	71
339	Early Age at Menarche Associated with Cardiovascular Disease and Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4953-4960.	1.8	430
340	FGFR2 variants and breast cancer risk: fine-scale mapping using African American studies and analysis of chromatin conformation. <i>Human Molecular Genetics</i> , 2009, 18, 1692-1703.	1.4	110
341	No association between APOE and major depressive disorder in a community sample of 17,507 adults. <i>Journal of Psychiatric Research</i> , 2009, 43, 843-847.	1.5	17
342	Does the association between self-rated health and mortality vary by social class?. <i>Social Science and Medicine</i> , 2009, 68, 275-280.	1.8	70

#	ARTICLE	IF	CITATIONS
343	How far can we explain the social class differential in respiratory function? A cross-sectional population study of 21,991 men and women from EPIC-Norfolk. <i>European Journal of Epidemiology</i> , 2009, 24, 193-201.	2.5	14
344	Different measures of social class in women and mortality. <i>European Journal of Epidemiology</i> , 2009, 24, 231-236.	2.5	14
345	Estimation of absolute fracture risk among middle-aged and older men and women: the EPIC-Norfolk population cohort study. <i>European Journal of Epidemiology</i> , 2009, 24, 259-266.	2.5	17
346	Association of C-reactive protein with type 2 diabetes: prospective analysis and meta-analysis. <i>Diabetologia</i> , 2009, 52, 1040-1047.	2.9	164
347	Factor VII, blood lipids and fat intake: gene-nutrient interaction and risk of coronary heart disease with the factor VII R353Q polymorphism. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 771-777.	1.3	8
348	Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. <i>Nature Genetics</i> , 2009, 41, 25-34.	9.4	1,572
349	Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009, 41, 585-590.	9.4	434
350	Genome-wide association study identifies eight loci associated with blood pressure. <i>Nature Genetics</i> , 2009, 41, 666-676.	9.4	1,104
351	Genetic variation in LIN28B is associated with the timing of puberty. <i>Nature Genetics</i> , 2009, 41, 729-733.	9.4	317
352	Baseline alcohol consumption, type of alcoholic beverage and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition-Norfolk study. <i>Cancer Epidemiology</i> , 2009, 33, 347-354.	0.8	33
353	Respiratory Function as a Marker of Bone Health and Fracture Risk in an Older Population. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 956-963.	3.1	10
354	Is QUS or DXA Better for Predicting the 10-Year Absolute Risk of Fracture?. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1319-1325.	3.1	65
355	Is bowel habit linked to colorectal cancer? Results from the EPIC-Norfolk study. <i>European Journal of Cancer</i> , 2009, 45, 139-145.	1.3	21
356	The effect of including quantitative heel ultrasound in models for estimation of 10-year absolute risk of fracture. <i>Bone</i> , 2009, 45, 180-184.	1.4	29
357	Effect of Age and Sex on the Relationship Between Different Socioeconomic Indices and Self-Reported Functional Health in the EPIC-Norfolk Population-Based Study. <i>Annals of Epidemiology</i> , 2009, 19, 289-297.	0.9	4
358	A HMGR polymorphism is associated with relations between blood pressure and urinary sodium and potassium ratio in the Epic-Norfolk Study. <i>Journal of the American Society of Hypertension</i> , 2009, 3, 238-244.	2.3	8
359	Combined effect of health behaviours and risk of first ever stroke in 20 040 men and women over 11 years' follow-up in Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): prospective population study. <i>BMJ: British Medical Journal</i> , 2009, 338, b349-b349.	2.4	130
360	Measured Height Loss Predicts Fractures in Middle-Aged and Older Men and Women: The EPIC-Norfolk Prospective Population Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 425-432.	3.1	44

#	ARTICLE	IF	CITATIONS
361	Occupational social class, risk factors and cardiovascular disease incidence in men and women: a prospective study in the European Prospective Investigation of Cancer and Nutrition in Norfolk (EPIC-Norfolk) cohort. <i>European Journal of Epidemiology</i> , 2008, 23, 449-458.	2.5	51
362	Occupational social class, educational level, smoking and body mass index, and cause-specific mortality in men and women: a prospective study in the European Prospective Investigation of Cancer and Nutrition in Norfolk (EPIC-Norfolk) cohort. <i>European Journal of Epidemiology</i> , 2008, 23, 511-522.	2.5	60
363	Association between age at menarche and risk of diabetes in adults: results from the EPIC-Norfolk cohort study. <i>Diabetologia</i> , 2008, 51, 781-786.	2.9	169
364	Common variants near MC4R are associated with fat mass, weight and risk of obesity. <i>Nature Genetics</i> , 2008, 40, 768-775.	9.4	1,179
365	Prospective association between emotional health and clinical evidence of Parkinson's disease. <i>European Journal of Neurology</i> , 2008, 15, 1148-1154.	1.7	41
366	Accuracy of death certification and hospital record linkage for identification of incident stroke. <i>BMC Medical Research Methodology</i> , 2008, 8, 74.	1.4	38
367	Socioeconomic position and risk of short-term weight gain: Prospective study of 14,619 middle-aged men and women. <i>BMC Public Health</i> , 2008, 8, 112.	1.2	18
368	Social inequalities in self-rated health by age: Cross-sectional study of 22 457 middle-aged men and women. <i>BMC Public Health</i> , 2008, 8, 230.	1.2	83
369	Cross-sectional Association Between Fish Consumption and Albuminuria: The European Prospective Investigation of Cancer's Norfolk Study. <i>American Journal of Kidney Diseases</i> , 2008, 52, 876-886.	2.1	17
370	Breast cancer risk in relation to urinary and serum biomarkers of phytoestrogen exposure in the European Prospective into Cancer-Norfolk cohort study. <i>Breast Cancer Research</i> , 2008, 10, R32.	2.2	65
371	Physical activity and fibrinogen concentrations in 23,201 men and women in the EPIC-Norfolk population-based study. <i>Atherosclerosis</i> , 2008, 198, 419-425.	0.4	15
372	LDL-cholesterol concentrations: a genome-wide association study. <i>Lancet</i> , The, 2008, 371, 483-491.	6.3	329
373	Sense of coherence, lifestyle choices and mortality. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 829-831.	2.0	50
374	Risk factors for first-ever stroke in the EPIC-Norfolk prospective population-based study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 663-669.	3.1	32
375	Plasma Vitamin C Level, Fruit and Vegetable Consumption, and the Risk of New-Onset Type 2 Diabetes Mellitus; The European Prospective Investigation of Cancer's Norfolk Prospective Study. <i>Archives of Internal Medicine</i> , 2008, 168, 1493.	4.3	256
376	Dietary Energy Density Predicts the Risk of Incident Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2120-2125.	4.3	68
377	Hormone Replacement Therapy and Symptomatic Gallstones - A Prospective Population Study in the EPIC-Norfolk Cohort. <i>Digestion</i> , 2008, 77, 4-9.	1.2	24
378	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. <i>Digestion</i> , 2008, 77, 57-64.	1.2	127

#	ARTICLE	IF	CITATIONS
379	Identification of Common Variants in the SHBG Gene Affecting Sex Hormone-Binding Globulin Levels and Breast Cancer Risk in Postmenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3490-3498.	1.1	50
380	Lack of Prospective Associations between Plasma and Urinary Phytoestrogens and Risk of Prostate or Colorectal Cancer in the European Prospective into Cancer-Norfolk Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2891-2894.	1.1	58
381	Associations between dietary methods and biomarkers, and between fruits and vegetables and risk of ischaemic heart disease, in the EPIC Norfolk Cohort Study. <i>International Journal of Epidemiology</i> , 2008, 37, 978-987.	0.9	86
382	Psychological distress, major depressive disorder, and risk of stroke. <i>Neurology</i> , 2008, 70, 788-794.	1.5	144
383	Depression and Ischemic Heart Disease Mortality: Evidence From the EPIC-Norfolk United Kingdom Prospective Cohort Study. <i>American Journal of Psychiatry</i> , 2008, 165, 515-523.	4.0	177
384	Relationship between Subdomains of Total Physical Activity and Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1909-1915.	0.2	82
385	Combined Impact of Health Behaviours and Mortality in Men and Women: The EPIC-Norfolk Prospective Population Study. <i>Obstetrical and Gynecological Survey</i> , 2008, 63, 376-377.	0.2	12
386	Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancerâ€“Norfolk prospective population study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 64-69.	2.2	104
387	Blood pressure and interactions between the angiotensin polymorphism AGT M235T and sodium intake: a cross-sectional population study. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 392-397.	2.2	40
388	Major Depression, C-Reactive Protein, and Incident Ischemic Heart Disease in Healthy Men and Women. <i>Psychosomatic Medicine</i> , 2008, 70, 850-855.	1.3	33
389	Combined Impact of Health Behaviours and Mortality in Men and Women: The EPIC-Norfolk Prospective Population Study. <i>PLoS Medicine</i> , 2008, 5, e12.	3.9	630
390	Abstract 3132: Paraoxonase-1 Activity Is not Independently Related with the Risk of Future Coronary Artery Disease. <i>Circulation</i> , 2008, 118, .	1.6	0
391	Apolipoprotein A-II Is Inversely Associated With Risk of Future Coronary Artery Disease. <i>Circulation</i> , 2007, 116, 2029-2035.	1.6	101
392	Circulating Secretory Phospholipase A2 Activity and Risk of Incident Coronary Events in Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1177-1183.	1.1	99
393	Physical health-related quality of life predicts stroke in the EPIC-Norfolk. <i>Neurology</i> , 2007, 69, 2243-2248.	1.5	30
394	Cholesterol levels in small LDL particles predict the risk of coronary heart disease in the EPIC-Norfolk prospective population study. <i>European Heart Journal</i> , 2007, 28, 2770-2777.	1.0	57
395	Glycated Hemoglobin and Risk of Stroke in People Without Known Diabetes in the European Prospective Investigation Into Cancer (EPIC)â€“Norfolk Prospective Population Study. <i>Stroke</i> , 2007, 38, 271-275.	1.0	61
396	Adaptation to Social Adversity Is Associated With Stroke Incidence. <i>Stroke</i> , 2007, 38, 1447-1453.	1.0	52

#	ARTICLE	IF	CITATIONS
397	Apolipoprotein E polymorphisms, dietary fat and fibre, and serum lipids: the EPIC Norfolk study. <i>European Heart Journal</i> , 2007, 28, 2930-2936.	1.0	74
398	Study of Association between Common Variation in the Insulin-Like Growth Factor 2 Gene and Indices of Obesity and Body Size in Middle-Aged Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2734-2738.	1.8	34
399	Energy Intake at Breakfast and Weight Change: Prospective Study of 6,764 Middle-aged Men and Women. <i>American Journal of Epidemiology</i> , 2007, 167, 188-192.	1.6	97
400	Plasma levels of plant sterols and the risk of coronary artery disease: the prospective EPIC-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2007, 48, 139-144.	2.0	105
401	Epidemiologic Assessment of Sugars Consumption Using Biomarkers: Comparisons of Obese and Nonobese Individuals in the European Prospective Investigation of Cancer Norfolk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1651-1654.	1.1	73
402	Body Fat Distribution and Risk of Coronary Heart Disease in Men and Women in the European Prospective Investigation into Cancer and Nutrition in Norfolk Cohort. <i>Circulation</i> , 2007, 116, 2933-2943.	1.6	407
403	Physical Activity and Mammographic Breast Density in the EPIC-Norfolk Cohort Study. <i>American Journal of Epidemiology</i> , 2007, 167, 579-585.	1.6	18
404	Usual Physical Activity and Endogenous Sex Hormones in Postmenopausal Women: The European Prospective Investigation into Cancer-Norfolk Population Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 900-905.	1.1	73
405	Phytoestrogen Exposure Is Associated with Circulating Sex Hormone Levels in Postmenopausal Women and Interact with ESR1 and NR1H2 Gene Variants. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1009-1016.	1.1	55
406	Endogenous Testosterone and Mortality Due to All Causes, Cardiovascular Disease, and Cancer in Men. <i>Circulation</i> , 2007, 116, 2694-2701.	1.6	695
407	Rat Mcs5a is a compound quantitative trait locus with orthologous human loci that associate with breast cancer risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 6299-6304.	3.3	64
408	Role of the Apolipoprotein Bâ€“Apolipoprotein A-I Ratio in Cardiovascular Risk Assessment: A Caseâ€“Control Analysis in EPIC-Norfolk. <i>Annals of Internal Medicine</i> , 2007, 146, 640.	2.0	140
409	Self-Reported Mental Health-Related Quality of Life and Mortality in Men and Women in the European Prospective Investigation into Cancer (EPIC-Norfolk): A Prospective Population Study. <i>Psychosomatic Medicine</i> , 2007, 69, 410-414.	1.3	22
410	Fruit and vegetable consumption and self-reported functional health in men and women in the European Prospective Investigation into Cancerâ€“Norfolk (EPICâ€“Norfolk): a population-based cross-sectional study. <i>Public Health Nutrition</i> , 2007, 10, 34-41.	1.1	75
411	Modifiable lifestyle behaviors and functional health in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Preventive Medicine</i> , 2007, 44, 109-116.	1.6	25
412	Common variants in the ATM, BRCA1, BRCA2, CHEK2 and TP53 cancer susceptibility genes are unlikely to increase breast cancer risk. <i>Breast Cancer Research</i> , 2007, 9, R27.	2.2	94
413	Healthy lifestyle choices: could sense of coherence aid health promotion?. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 871-876.	2.0	141
414	Serum Myeloperoxidase Levels Are Associated With the Future Risk of Coronary Artery Disease in Apparently Healthy Individuals. <i>Journal of the American College of Cardiology</i> , 2007, 50, 159-165.	1.2	544



#	ARTICLE	IF	CITATIONS
415	Genome-wide association study identifies novel breast cancer susceptibility loci. <i>Nature</i> , 2007, 447, 1087-1093.	13.7	2,165
416	Differential leucocyte count and the risk of future coronary artery disease in healthy men and women: the EPIC-Norfolk Prospective Population Study. <i>Journal of Internal Medicine</i> , 2007, 262, 678-689.	2.7	74
417	A common variant of the p16INK4a genetic region is associated with physical function in older people. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 370-377.	2.2	80
418	No association between the BDNF Val66Met polymorphism and mood status in a non-clinical community sample of 7389 older adults. <i>Journal of Psychiatric Research</i> , 2007, 41, 404-409.	1.5	76
419	The brain-derived neurotrophic factor Val66Met polymorphism is associated with sense of coherence in a non-clinical community sample of 7335 adults. <i>Journal of Psychiatric Research</i> , 2007, 41, 707-710.	1.5	14
420	Elevated serum ferritin levels predict new-onset type 2 diabetes: results from the EPIC-Norfolk prospective study. <i>Diabetologia</i> , 2007, 50, 949-956.	2.9	219
421	Past oral contraceptive and hormone therapy use and endogenous hormone concentrations in postmenopausal women. <i>Menopause</i> , 2007, PAP, 332-9.	0.8	24
422	C-reactive protein levels and coronary artery disease incidence and mortality in apparently healthy men and women: The EPIC-Norfolk prospective population study 1993-2003. <i>Atherosclerosis</i> , 2006, 187, 415-422.	0.4	153
423	Serum lipid concentration in relation to anthropometric indices of central and peripheral fat distribution in 20,021 British men and women: Results from the EPIC-Norfolk population-based cohort study. <i>Atherosclerosis</i> , 2006, 189, 420-427.	0.4	45
424	Social Adversity, the Serotonin Transporter (5-HTTLPR) Polymorphism and Major Depressive Disorder. <i>Biological Psychiatry</i> , 2006, 59, 224-229.	0.7	235
425	Relation Between Self-Reported Physical Functional Health and Chronic Disease Mortality in Men And Women in the European Prospective Investigation Into Cancer (EPIC-Norfolk): A Prospective Population Study. <i>Annals of Epidemiology</i> , 2006, 16, 492-500.	0.9	65
426	Smoking predicts long-term mortality in stroke: The European Prospective Investigation into Cancer (EPIC)-Norfolk prospective population study. <i>Preventive Medicine</i> , 2006, 42, 128-131.	1.6	18
427	Mastery, sense of coherence, and mortality: Evidence of independent associations from the epic-norfolk prospective cohort study.. <i>Health Psychology</i> , 2006, 25, 102-110.	1.3	110
428	Habitual fish consumption and risk of incident stroke: the European Prospective Investigation into Cancer (EPIC)-Norfolk prospective population study. <i>Public Health Nutrition</i> , 2006, 9, 882-888.	1.1	52
429	Associations among Mammographic Density, Circulating Sex Hormones, and Polymorphisms in Sex Hormone Metabolism Genes in Postmenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1502-1508.	1.1	76
430	Fibrinogen plasma levels modify the association between the factor XIII Val34Leu variant and risk of coronary artery disease: the EPIC-Norfolk prospective population study. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2204-2209.	1.9	21
431	Tissue factor serum levels and the risk of future coronary artery disease in apparently healthy men and women: the EPIC-Norfolk prospective population study. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2391-2396.	1.9	12
432	Obesity Indices and Self-Reported Functional Health in Men and Women in the EPIC-Norfolk. <i>Obesity</i> , 2006, 14, 884-893.	1.5	14

#	ARTICLE	IF	CITATIONS
433	HapMap-based study of the 17q21 ERBB2 amplicon in susceptibility to breast cancer. <i>British Journal of Cancer</i> , 2006, 95, 1689-1695.	2.9	35
434	Effect of Age on the Relationship of Occupational Social Class with Prevalence of Modifiable Cardiovascular Risk Factors and Cardiovascular Diseases. <i>Gerontology</i> , 2006, 52, 51-58.	1.4	15
435	Combined Work and Leisure Physical Activity and Risk of Stroke in Men and Women in the European Prospective Investigation into Cancer-Norfolk Prospective Population Study. <i>Neuroepidemiology</i> , 2006, 27, 122-129.	1.1	39
436	How Predictive Is Breast Arterial Calcification of Cardiovascular Disease and Risk Factors When Found at Screening Mammography?. <i>American Journal of Roentgenology</i> , 2006, 187, 73-80.	1.0	90
437	IGF1 and IGFBP3 tagging polymorphisms are associated with circulating levels of IGF1, IGFBP3 and risk of breast cancer. <i>Human Molecular Genetics</i> , 2006, 15, 1-10.	1.4	181
438	Dietary antioxidants and asthma in adults. <i>Thorax</i> , 2006, 61, 388-393.	2.7	104
439	Apolipoprotein A-V, triglycerides and risk of coronary artery disease: the prospective Epic-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2006, 47, 2064-2070.	2.0	84
440	Serum Levels of Mannose-Binding Lectin and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2345-2350.	1.1	61
441	Phytoestrogen Exposure, Polymorphisms in COMT, CYP19, ESR1, and SHBG Genes, and Their Associations With Prostate Cancer Risk. <i>Nutrition and Cancer</i> , 2006, 56, 31-39.	0.9	54
442	Physical activity, C-reactive protein levels and the risk of future coronary artery disease in apparently healthy men and women: the EPIC-Norfolk prospective population study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 970-976.	3.1	21
443	Serum Lipoprotein Lipase Concentration and Risk for Future Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 637-642.	1.1	67
444	Implications of Gene-Environment Interaction in Studies of Gene Variants in Breast Cancer: An Example of Dietary Isoflavones and the D356N Polymorphism in the Sex Hormone-Binding Globulin Gene: Figure 1.. <i>Cancer Research</i> , 2006, 66, 8980-8983.	0.4	31
445	Work and leisure time physical activity assessed using a simple, pragmatic, validated questionnaire and incident cardiovascular disease and all-cause mortality in men and women: The European Prospective Investigation into Cancer in Norfolk prospective population study. <i>International Journal of Epidemiology</i> , 2006, 35, 1034-1043.	0.9	141
446	Single-nucleotide polymorphisms in the RB1 gene and association with breast cancer in the British population. <i>British Journal of Cancer</i> , 2006, 94, 1921-1926.	2.9	10
447	Genetic variants in epigenetic genes and breast cancer risk. <i>Carcinogenesis</i> , 2006, 27, 1661-1669.	1.3	85
448	Tagging Single-Nucleotide Polymorphisms in Antioxidant Defense Enzymes and Susceptibility to Breast Cancer. <i>Cancer Research</i> , 2006, 66, 1225-1233.	0.4	76
449	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
450	Plasma concentrations of ascorbic acid and C-reactive protein, and risk of future coronary artery disease, in apparently healthy men and women: the EPIC-Norfolk prospective population study. <i>British Journal of Nutrition</i> , 2006, 96, 516-22.	1.2	44

#	ARTICLE	IF	CITATIONS
451	The CAFE computer program for nutritional analysis of the EPIC-Norfolk food frequency questionnaire and identification of extreme nutrient values. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 99-116.	1.3	131
452	Cigarette Smoking and Fat Distribution in 21, 828 British Men and Women: A Population-based Study. <i>Obesity</i> , 2005, 13, 1466-1475.	4.0	247
453	Self-reported parkinsonian symptoms in the EPIC-Norfolk cohort. <i>BMC Neurology</i> , 2005, 5, 15.	0.8	12
454	Common variation in EMSY and risk of breast and ovarian cancer: a case-control study using HapMap tagging SNPs. <i>BMC Cancer</i> , 2005, 5, 81.	1.1	14
455	Polymorphisms in the CYP19 Gene May Affect the Positive Correlations between Serum and Urine Phytoestrogen Metabolites and Plasma Androgen Concentrations in Men. <i>Journal of Nutrition</i> , 2005, 135, 2680-2686.	1.3	46
456	Plasma ascorbic acid concentrations and fat distribution in 19 068 British men and women in the European Prospective Investigation into Cancer and Nutrition Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1203-1209.	2.2	114
457	Respiratory function and self-reported functional health: EPIC-Norfolk population study. <i>European Respiratory Journal</i> , 2005, 26, 494-502.	3.1	35
458	RESPONSE: Re: Polymorphisms Associated With Circulating Sex Hormone Levels in Postmenopausal Women. <i>Journal of the National Cancer Institute</i> , 2005, 97, 153-154.	3.0	7
459	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 144-150.	3.1	11
460	Allelic association of the human homologue of the mouse modifier Ptpmj with breast cancer. <i>Human Molecular Genetics</i> , 2005, 14, 2349-2356.	1.4	70
461	Polymorphisms in the Initiators of RET (Rearranged during Transfection) Signaling Pathway and Susceptibility to Sporadic Medullary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6268-6274.	1.8	74
462	Further evidence for an HLA-related recessive mutation in nasopharyngeal carcinoma among the Chinese. <i>British Journal of Cancer</i> , 2005, 92, 967-970.	2.9	42
463	INS VNTR Class Genotype and Indexes of Body Size and Obesity: Population-Based Studies of 7,999 Middle-Aged Men and Women. <i>Diabetes</i> , 2005, 54, 2812-2815.	0.3	14
464	Measurement of Fruit and Vegetable Consumption with Diet Questionnaires and Implications for Analyses and Interpretation. <i>American Journal of Epidemiology</i> , 2005, 161, 987-994.	1.6	75
465	Serum Levels of Type II Secretory Phospholipase A2 and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 839-846.	1.1	100
466	Long-term Cryoconservation and Stability of Vitamin C in Serum Samples of the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1837-1840.	1.1	16
467	Prospective cohort study of hostility and the risk of cardiovascular disease mortality. <i>International Journal of Cardiology</i> , 2005, 100, 155-161.	0.8	76
468	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 144-150.	3.1	17

#	ARTICLE	IF	CITATIONS
469	Phytoestrogen exposure correlation with plasma estradiol in postmenopausal women in European Prospective Investigation of Cancer and Nutrition-Norfolk may involve diet-gene interactions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 213-20.	1.1	20
470	Blood pressure and urinary sodium in men and women: the Norfolk Cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1397-1403.	2.2	136
471	Adjusting for energy intake—what measure to use in nutritional epidemiological studies?. <i>International Journal of Epidemiology</i> , 2004, 33, 1382-1386.	0.9	72
472	Dietary Fat and the Risk of Clinical Type 2 Diabetes: The European Prospective Investigation of Cancer-Norfolk Study. <i>American Journal of Epidemiology</i> , 2004, 159, 73-82.	1.6	92
473	Abdominal Obesity and Respiratory Function in Men and Women in the EPIC-Norfolk Study, United Kingdom. <i>American Journal of Epidemiology</i> , 2004, 159, 1140-1149.	1.6	191
474	RE: "SENSE OF COHERENCE AND MORTALITY IN MEN AND WOMEN IN THE EPIC-NORFOLK UNITED KINGDOM PROSPECTIVE COHORT STUDY". <i>American Journal of Epidemiology</i> , 2004, 159, 1202-1203.	1.6	6
475	Correlated measurement error—implications for nutritional epidemiology. <i>International Journal of Epidemiology</i> , 2004, 33, 1373-1381.	0.9	71
476	Childhood smoking is an independent risk factor for obstructive airways disease in women. <i>Thorax</i> , 2004, 59, 682-686.	2.7	25
477	Traditional cardiovascular risk factors measured prior to the onset of inflammatory polyarthritis. <i>Rheumatology</i> , 2004, 43, 731-736.	0.9	38
478	Microalbuminuria independently predicts all-cause and cardiovascular mortality in a British population: The European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population study. <i>International Journal of Epidemiology</i> , 2004, 33, 189-198.	0.9	172
479	Microalbuminuria, cardiovascular risk factors and cardiovascular morbidity in a British population: The EPIC-Norfolk Population-based Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 207-213.	3.1	47
480	Plasma Levels of Cholesteryl Ester Transfer Protein and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation</i> , 2004, 110, 1418-1423.	1.6	210
481	Residential area deprivation predicts fruit and vegetable consumption independently of individual educational level and occupational social class: a cross sectional population study in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 686-691.	2.0	111
482	A Prospective Study of Microalbuminuria and Incident Coronary Heart Disease and Its Prognostic Significance in a British Population: The EPIC-Norfolk Study. <i>American Journal of Epidemiology</i> , 2004, 159, 284-293.	1.6	91
483	Vitamin C and the risk of developing inflammatory polyarthritis: prospective nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 843-847.	0.5	106
484	The Effect of Correlated Measurement Error in Multivariate Models of Diet. <i>American Journal of Epidemiology</i> , 2004, 160, 59-67.	1.6	50
485	Polymorphisms Associated With Circulating Sex Hormone Levels in Postmenopausal Women. <i>Journal of the National Cancer Institute</i> , 2004, 96, 936-945.	3.0	308
486	IL-8 Plasma Concentrations and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1503-1508.	1.1	173

#	ARTICLE	IF	CITATIONS
487	Habitual fish consumption and glycated haemoglobin: The EPIC-Norfolk Study. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 277-284.	1.3	19
488	Occupational social class, educational level and area deprivation independently predict plasma ascorbic acid concentration: a cross-sectional population based study in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>European Journal of Clinical Nutrition</i> , 2004, 58, 1432-1435.	1.3	29
489	Microalbuminuria and stroke in a British population: the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population study. <i>Journal of Internal Medicine</i> , 2004, 255, 247-256.	2.7	91
490	Dietary risk factors for the development of inflammatory polyarthritis: Evidence for a role of high level of red meat consumption. <i>Arthritis and Rheumatism</i> , 2004, 50, 3804-3812.	6.7	147
491	Macrophage migration inhibitory factor and the risk of myocardial infarction or death due to coronary artery disease in adults without prior myocardial infarction or stroke: The EPIC-Norfolk Prospective Population study. <i>American Journal of Medicine</i> , 2004, 117, 390-397.	0.6	77
492	Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. <i>Lancet</i> , The, 2004, 363, 197-202.	6.3	257
493	Area deprivation predicts lung function independently of education and social class. <i>European Respiratory Journal</i> , 2004, 24, 157-161.	3.1	57
494	Fat distribution, body mass index and blood pressure in 22 090 men and women in the Norfolk cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Norfolk) study. <i>Journal of Hypertension</i> , 2004, 22, 2067-2074.	0.3	109
495	Association of Hemoglobin A <sub>1c</sub> with Cardiovascular Disease and Mortality in Adults: The European Prospective Investigation into Cancer in Norfolk. <i>Annals of Internal Medicine</i> , 2004, 141, 413.	2.0	847
496	Phytoestrogen concentrations in serum and spot urine as biomarkers for dietary phytoestrogen intake and their relation to breast cancer risk in European prospective investigation of cancer and nutrition-norfolk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 698-708.	1.1	77
497	STK15 polymorphisms and association with risk of invasive ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1589-94.	1.1	24
498	Adverse experience in childhood as a developmental risk factor for altered immune status in adulthood. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 251-268.	0.8	40
499	Inflammatory dispositions: a population-based study of the association between hostility and peripheral leukocyte counts. <i>Personality and Individual Differences</i> , 2003, 35, 1271-1284.	1.6	13
500	Television viewing and low participation in vigorous recreation are independently associated with obesity and markers of cardiovascular disease risk: EPIC-Norfolk population-based study. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1089-1096.	1.3	267
501	Is physical activity protective against gallstones? A prospective cohort study. <i>Gastroenterology</i> , 2003, 124, A247.	0.6	0
502	The role of diet in the aetiology of ulcerative colitis A pilot study in a european prospective cohort study. <i>Gastroenterology</i> , 2003, 124, A37.	0.6	0
503	Smoking status and differential white cell count in men and women in the EPIC-Norfolk population. <i>Atherosclerosis</i> , 2003, 169, 331-337.	0.4	117
504	Association of depression with peripheral leukocyte counts in EPIC-Norfolk role of sex and cigarette smoking. <i>Journal of Psychosomatic Research</i> , 2003, 54, 303-306.	1.2	24

#	ARTICLE	IF	CITATIONS
505	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , 2003, 361, 1496-1501.	6.3	988
506	Are imprecise methods obscuring a relation between fat and breast cancer?. <i>Lancet, The</i> , 2003, 362, 212-214.	6.3	381
507	Sense of Coherence and Mortality in Men and Women in the EPIC-Norfolk United Kingdom Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2003, 158, 1202-1209.	1.6	198
508	Residential area deprivation predicts smoking habit independently of individual educational level and occupational social class. A cross sectional study in the Norfolk cohort of the European Investigation into Cancer (EPIC-Norfolk). <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 270-276.	2.0	162
509	A transforming growth factorbeta1 signal peptide variant increases secretion in vitro and is associated with increased incidence of invasive breast cancer. <i>Cancer Research</i> , 2003, 63, 2610-5.	0.4	265
510	Physical Inactivity Is Associated with Lower Forced Expiratory Volume in 1 Second : European Prospective Investigation into Cancer-Norfolk Prospective Population Study. <i>American Journal of Epidemiology</i> , 2002, 156, 139-147.	1.6	100
511	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002, 5, 1287-1296.	1.1	114
512	Variability of fish consumption within the 10 European countries participating in the European Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002, 5, 1273-1285.	1.1	228
513	Cross-sectional association between total level and type of alcohol consumption and glycosylated haemoglobin level: the EPIC-Norfolk Study. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 882-890.	1.3	33
514	Relation between plasma ascorbic acid and mortality in men and women in EPIC-Norfolk prospective study: a prospective population study. <i>Lancet, The</i> , 2001, 357, 657-663.	6.3	508
515	Use of biological markers to validate self-reported dietary intake in a random sample of the European Prospective Investigation into Cancer United Kingdom Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 188-196.	2.2	208
516	Nutritional methods in the European Prospective Investigation of Cancer in Norfolk. <i>Public Health Nutrition</i> , 2001, 4, 847-858.	1.1	332
517	DINER (Data Into Nutrients for Epidemiological Research) â€” a new data-entry program for nutritional analysis in the EPICâ€™Norfolk cohort and the 7-day diary method. <i>Public Health Nutrition</i> , 2001, 4, 1253-1265.	1.1	127
518	Frequency of eating and concentrations of serum cholesterol in the Norfolk population of the European prospective investigation into cancer (EPIC-Norfolk): cross sectional study. <i>BMJ: British Medical Journal</i> , 2001, 323, 1286-1286.	2.4	85
519	Patterns of physical activity and ultrasound attenuation by heel bone among Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): population based. <i>BMJ: British Medical Journal</i> , 2001, 322, 140-140.	2.4	41
520	Fruit and vegetable intake and population glycosylated haemoglobin levels: the EPIC-Norfolk Study. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 342-348.	1.3	113
521	Polymorphisms in CYP1A1 and smoking: no association with breast cancer risk. <i>Carcinogenesis</i> , 2001, 22, 1797-1800.	1.3	48
522	Prevalence and family history of colorectal cancer: implications for screening. <i>Journal of Medical Screening</i> , 2001, 8, 69-72.	1.1	37

#	ARTICLE	IF	CITATIONS
523	Glycated haemoglobin, diabetes, and mortality in men in Norfolk cohort of European Prospective Investigation of Cancer and Nutrition (EPIC-Norfolk). <i>BMJ: British Medical Journal</i> , 2001, 322, 15-15.	2.4	832
524	Fat Consumption and HbA1c Levels: The EPIC-Norfolk Study. <i>Diabetes Care</i> , 2001, 24, 1911-1916.	4.3	71
525	Cigarette smoking and glycaemia: the EPIC-Norfolk Study. <i>International Journal of Epidemiology</i> , 2001, 30, 547-554.	0.9	116
526	Self reported non-insulin dependent diabetes, family history, and risk of prevalent colorectal cancer: population based, cross sectional study. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 804-805.	2.0	19
527	Mammographic Parenchymal Patterns and Breast Cancer Natural History—A Case-Control Study. <i>Acta Oncologica</i> , 2001, 40, 461-465.	0.8	15
528	Estimation of disease progression parameters from case-control data: application to mammographic patterns and breast cancer natural history. <i>Journal of Epidemiology and Biostatistics</i> , 2001, 6, 235-242.	0.4	8
529	A common variant in BRCA2 is associated with both breast cancer risk and prenatal viability. <i>Nature Genetics</i> , 2000, 26, 362-364.	9.4	152
530	Size, node status and grade of breast tumours: association with mammographic parenchymal patterns. <i>European Radiology</i> , 2000, 10, 157-161.	2.3	63
531	Intake of Selected Vitamins and Bioflavonoids from Vitamin and Mineral Supplements by Subjects in the EPIC-NORFOLK Study, UK. , 2000, , 25-26.		1
532	Polymorphisms in the human aromatase cytochrome P450 gene (CYP19) and breast cancer risk. <i>Carcinogenesis</i> , 2000, 21, 189-193.	1.3	74
533	Vitamin C and hyperglycemia in the European Prospective Investigation into Cancer–Norfolk (EPIC-Norfolk) study: a population-based study. <i>Diabetes Care</i> , 2000, 23, 726-732.	4.3	133
534	High-risk mammographic parenchymal patterns, hormone replacement therapy and other risk factors: a case-control study. <i>International Journal of Epidemiology</i> , 2000, 29, 629-636.	0.9	72
535	The Effect of Age, Sex, and Education on Food Consumption of a Middle-Aged English Cohort—EPIC in East Anglia. <i>Preventive Medicine</i> , 2000, 30, 26-34.	1.6	119
536	The Extent of Linkage Disequilibrium in Four Populations with Distinct Demographic Histories. <i>American Journal of Human Genetics</i> , 2000, 67, 1544-1554.	2.6	192
537	No association between androgen or vitamin D receptor gene polymorphisms and risk of breast cancer. <i>Carcinogenesis</i> , 1999, 20, 2131-2135.	1.3	103
538	High-risk mammographic parenchymal patterns and anthropometric measures: A case–control study. <i>British Journal of Cancer</i> , 1999, 81, 1257-1261.	2.9	48
539	Smoking and high-risk mammographic parenchymal patterns: a case-control study. <i>Breast Cancer Research</i> , 1999, 2, 59-63.	2.2	15
540	Mammographic parenchymal patterns and mode of detection: implications for the breast screening programme. <i>Journal of Medical Screening</i> , 1998, 5, 207-212.	1.1	93