

Jeffery E Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/483480/publications.pdf>

Version: 2024-02-01

263
papers

18,252
citations

31976

53
h-index

15732

125
g-index

268
all docs

268
docs citations

268
times ranked

22919
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative analysis of opioid use between robotic and open pancreatoduodenectomy. Journal of Hepato-Biliary-Pancreatic Sciences, 2023, 30, 523-531.	2.6	5
2	Recurrence after successful parathyroidectomy—Who should we worry about?. Surgery, 2022, 171, 40-46.	1.9	5
3	ASO Author Reflections: Accelerating the Learning Curve of Robotic Pancreatectomy and Gastrectomy Through a Composite Robotic Foregut Surgical Oncology Program. Annals of Surgical Oncology, 2022, 29, 286-287.	1.5	1
4	Early Experience of a Robotic Foregut Surgery Program at a Cancer Center: Video of Shared Steps in Robotic Pancreatoduodenectomy and Gastrectomy. Annals of Surgical Oncology, 2022, 29, 285-285.	1.5	3
5	Neither Surgical Margin Status nor Somatic Mutation Predicts Local Recurrence After R0-intent Resection for Colorectal Liver Metastases. Journal of Gastrointestinal Surgery, 2022, 26, 791-801.	1.7	13
6	Cytoreductive Surgery of the Primary Tumor in Metastatic Adrenocortical Carcinoma: Impact on Patients' Survival. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 964-971.	3.6	16
7	AJCC 8th edition pathologic nodal staging of resected pancreatic adenocarcinoma predicts survival regardless of treatment sequencing. Surgical Oncology, 2022, 40, 101673.	1.6	1
8	Iterative Changes in Risk-Stratified Pancreatectomy Clinical Pathways and Accelerated Discharge After Pancreaticoduodenectomy. Journal of Gastrointestinal Surgery, 2022, 26, 1054-1062.	1.7	13
9	Contemporary Assessment of Need for Palliative Bypass After Aborted Pancreatoduodenectomy Following Neoadjuvant Therapy. Journal of Gastrointestinal Surgery, 2022, 26, 352-359.	1.7	3
10	Temporal Trends in Outcomes in Patients With Adrenocortical Carcinoma: A Multidisciplinary Referral-center Experience. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 1239-1246.	3.6	9
11	Interplay between soluble CD74 and macrophage-migration inhibitory factor drives tumor growth and influences patient survival in melanoma. Cell Death and Disease, 2022, 13, 117.	6.3	21
12	Association of Patient Controlled Analgesia and Total Inpatient Opioid Use After Pancreatectomy. Journal of Surgical Research, 2022, 275, 244-251.	1.6	3
13	Utilization and evolving prescribing practice of opioid and non-opioid analgesics in patients undergoing lymphadenectomy for cutaneous malignancy. Journal of Surgical Oncology, 2022, 125, 719-729.	1.7	1
14	Evaluation of Plasma IL-6 in Patients with Melanoma as a Prognostic and Checkpoint Immunotherapy Predictive Biomarker. Journal of Investigative Dermatology, 2022, 142, 2046-2049.e3.	0.7	8
15	Differences in Clinicopathologic Behavior of Oncocytic Adrenocortical Neoplasms and Conventional Adrenocortical Carcinomas. Annals of Surgical Oncology, 2022, , 1.	1.5	2
16	A prospective feasibility study evaluating the 5x-multiplier to standardize discharge prescriptions in cancer surgery patients. Surgery Open Science, 2022, 9, 51-57.	1.2	3
17	ASO Visual Abstract: Differences in the Clinicopathologic Behavior of Oncocytic Adrenocortical Neoplasms and Conventional Adrenocortical Carcinomas. Annals of Surgical Oncology, 2022, , .	1.5	0
18	Opioid Discharge Prescriptions After Inpatient Surgery: Risks of Rebound Refills by Length of Stay. Journal of Surgical Research, 2022, 278, 111-118.	1.6	3

#	ARTICLE	IF	CITATIONS
19	Androgen receptor blockade promotes response to BRAF/MEK-targeted therapy. <i>Nature</i> , 2022, 606, 797-803.	27.8	54
20	Risk-Stratified Pancreatectomy Clinical Pathway Implementation and Delayed Gastric Emptying. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 2221-2230.	1.7	17
21	Factors Influencing Exercise Following Pancreatic Tumor Resection. <i>Annals of Surgical Oncology</i> , 2021, 28, 2299-2309.	1.5	15
22	Clinicopathological correlation of radiologic measurement of post-therapy tumor size and tumor volume for pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2021, 21, 200-207.	1.1	4
23	Impact of Intraoperative Dexamethasone on Surgical and Oncologic Outcomes for Patients with Resected Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 1563-1569.	1.5	8
24	Radiographic and Serologic Predictors of Pathologic Major Response to Preoperative Therapy for Pancreatic Cancer. <i>Annals of Surgery</i> , 2021, 273, 806-813.	4.2	61
25	Measurement of Portal Vein Blood Circulating Tumor Cells is Safe and May Correlate With Outcomes in Resected Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 4615-4622.	1.5	14
26	Association of genetic variants of TMEM135 and PEX5 in the peroxisome pathway with cutaneous melanoma-specific survival. <i>Annals of Translational Medicine</i> , 2021, 9, 396-396.	1.7	3
27	Sustained reduction in discharge opioid volumes through provider education: Results of 1168 cancer surgery patients over 2 years. <i>Journal of Surgical Oncology</i> , 2021, 124, 143-151.	1.7	10
28	History of preoperative therapy for pancreatic cancer and the MD Anderson experience. <i>Journal of Surgical Oncology</i> , 2021, 123, 1414-1422.	1.7	3
29	Developing a Value Framework: Utilizing Administrative Data to Assess an Enhanced Care Initiative. <i>Journal of Surgical Research</i> , 2021, 262, 115-120.	1.6	10
30	GRP78 expression and prognostic significance in patients with pancreatic ductal adenocarcinoma treated with neoadjuvant therapy versus surgery first. <i>Pancreatology</i> , 2021, 21, 1378-1385.	1.1	3
31	Genetic variants of SDCCAG8 and MAGI2 in mitosis-related pathway genes are independent predictors of cutaneous melanoma-specific survival. <i>Cancer Science</i> , 2021, 112, 4355-4364.	3.9	1
32	Overexpression of CD73 in pancreatic ductal adenocarcinoma is associated with immunosuppressive tumor microenvironment and poor survival. <i>Pancreatology</i> , 2021, 21, 942-949.	1.1	16
33	Genomic Sequencing and Insight into Clinical Heterogeneity and Prognostic Pathway Genes in Patients with Metastatic Colorectal Cancer. <i>Journal of the American College of Surgeons</i> , 2021, 233, 272-284e13.	0.5	18
34	Perioperative blood transfusions and survival in resected pancreatic adenocarcinoma patients given multimodality therapy. <i>Journal of Surgical Oncology</i> , 2021, 124, 1381-1389.	1.7	4
35	Incidence of Lymph Node Metastases and Impact of Radical Surgery for Duodenal Neuroendocrine Tumors. <i>Journal of Surgical Research</i> , 2021, 268, 419-431.	1.6	3
36	Genetic variants of and in myeloid cell-related pathway genes independently predict cutaneous melanoma-specific survival. <i>American Journal of Cancer Research</i> , 2021, 11, 3252-3262.	1.4	0

#	ARTICLE	IF	CITATIONS
37	Dietary fiber and probiotics influence the gut microbiome and melanoma immunotherapy response. <i>Science</i> , 2021, 374, 1632-1640.	12.6	369
38	Clinical Factors Associated With Practice Variation in Discharge Opioid Prescriptions After Pancreatectomy. <i>Annals of Surgery</i> , 2020, 272, 163-169.	4.2	21
39	Significance of Cancer Cells at the Vein Edge in Patients with Pancreatic Adenocarcinoma Following Pancreatectomy with Vein Resection. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 368-379.	1.7	14
40	Comparative Performance of the 7th and 8th Editions of the American Joint Committee on Cancer Staging Manual for Adrenocortical Carcinoma. <i>World Journal of Surgery</i> , 2020, 44, 544-551.	1.6	1
41	Early postoperative drain fluid amylase in risk-stratified patients promotes tailored post-pancreatectomy drain management and potential for accelerated discharge. <i>Surgery</i> , 2020, 167, 442-447.	1.9	29
42	Risks of Hypoparathyroidism After Total Thyroidectomy in Children: A 21-Year Experience in a High-Volume Cancer Center. <i>World Journal of Surgery</i> , 2020, 44, 442-451.	1.6	27
43	Novel use of a Clinical Laboratory Improvements Amendments (CLIA)-certified Cyclin-Dependent Kinase N2C (CDKN2C) loss assay in Sporadic medullary thyroid carcinoma. <i>Surgery</i> , 2020, 167, 80-86.	1.9	8
44	Functional annotation of melanoma risk loci identifies novel susceptibility genes. <i>Carcinogenesis</i> , 2020, 41, 452-457.	2.8	15
45	The North American Neuroendocrine Tumor Society Consensus Paper on the Surgical Management of Pancreatic Neuroendocrine Tumors. <i>Pancreas</i> , 2020, 49, 1-33.	1.1	226
46	Opioid-prescribing Practices After Oncologic Surgery. <i>Annals of Surgery</i> , 2020, 271, e9-e10.	4.2	13
47	Diagnostic performance of adrenal CT in the differentiation of adenoma and pheochromocytoma. <i>Acta Radiologica</i> , 2020, 61, 1080-1086.	1.1	15
48	Postoperative pancreatic fistula after distal pancreatectomy for non-pancreas retroperitoneal tumor resection. <i>American Journal of Surgery</i> , 2020, 220, 140-146.	1.8	9
49	Postoperative Chemotherapy Benefits Patients Who Received Preoperative Therapy and Pancreatectomy for Pancreatic Adenocarcinoma. <i>Annals of Surgery</i> , 2020, 271, 996-1002.	4.2	34
50	Genetic variants in TKT and DERA in the nicotinamide adenine dinucleotide phosphate pathway predict melanoma survival. <i>European Journal of Cancer</i> , 2020, 136, 84-94.	2.8	3
51	Response and Survival Associated With First-line FOLFIRINOX vs Gemcitabine and nab-Paclitaxel Chemotherapy for Localized Pancreatic Ductal Adenocarcinoma. <i>JAMA Surgery</i> , 2020, 155, 832.	4.3	105
52	Educating surgical oncology providers on perioperative opioid use: A departmental survey 1 year after the intervention. <i>Journal of Surgical Oncology</i> , 2020, 122, 547-554.	1.7	11
53	Characterization of novel neutralizing mouse monoclonal antibody JM1-24-3 developed against MUC18 in metastatic melanoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 273.	8.6	5
54	External Retraction Technique for Robotic Pancreatoduodenectomy. <i>Journal of the American College of Surgeons</i> , 2020, 231, e8-e10.	0.5	5

#	ARTICLE	IF	CITATIONS
55	Surgical decision-making and prioritization for cancer patients at the onset of the COVID-19 pandemic: A multidisciplinary approach. <i>Surgical Oncology</i> , 2020, 34, 182-185.	1.6	19
56	Anatomic Resection Is Not Required for Colorectal Liver Metastases with RAS Mutation. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1033-1039.	1.7	18
57	Perceptions of opioid use and prescribing habits in oncologic surgery: A survey of the society of surgical oncology membership. <i>Journal of Surgical Oncology</i> , 2020, 122, 1066-1073.	1.7	5
58	B cells and tertiary lymphoid structures promote immunotherapy response. <i>Nature</i> , 2020, 577, 549-555.	27.8	1,421
59	Cumulative Incidence and Predictors of CNS Metastasis for Patients With American Joint Committee on Cancer 8th Edition Stage III Melanoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 1429-1441.	1.6	23
60	Novel Genetic Variants of ALG6 and GALNTL4 of the Glycosylation Pathway Predict Cutaneous Melanoma-Specific Survival. <i>Cancers</i> , 2020, 12, 288.	3.7	7
61	Genetic variants in the folate metabolic pathway genes predict cutaneous melanoma-specific survival. <i>British Journal of Dermatology</i> , 2020, 183, 719-728.	1.5	4
62	Genetic variants in <i>PDSS1</i> and <i>SLC16A6</i> of the ketone body metabolic pathway predict cutaneous melanoma-specific survival. <i>Molecular Carcinogenesis</i> , 2020, 59, 640-650.	2.7	9
63	The Sequential Radiographic Effects of Preoperative Chemotherapy and (Chemo)Radiation on Tumor Anatomy in Patients with Localized Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 3939-3947.	1.5	12
64	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.	21.4	138
65	Natural history and prognostic factors for localised small bowel adenocarcinoma. <i>ESMO Open</i> , 2020, 5, e000960.	4.5	20
66	Circulating Tumor Cells and Early Relapse in Node-positive Melanoma. <i>Clinical Cancer Research</i> , 2020, 26, 1886-1895.	7.0	42
67	Novel genetic variants of and of the endosome-related pathway predict cutaneous melanoma-specific survival. <i>American Journal of Cancer Research</i> , 2020, 10, 3382-3394.	1.4	0
68	Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. <i>Lancet Oncology</i> , The, 2019, 20, e378-e389.	10.7	155
69	Inpatient Opioid Use After Pancreatectomy: Opportunities for Reducing Initial Opioid Exposure in Cancer Surgery Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 3428-3435.	1.5	15
70	Using a Novel Diagnostic Nomogram to Differentiate Malignant from Benign Parathyroid Neoplasms. <i>Endocrine Pathology</i> , 2019, 30, 285-296.	9.0	18
71	Genetic variants in glutamine metabolic pathway genes predict cutaneous melanoma-specific survival. <i>Molecular Carcinogenesis</i> , 2019, 58, 2091-2103.	2.7	5
72	Phase II clinical trial of pembrolizumab efficacy and safety in advanced adrenocortical carcinoma. , 2019, 7, 253.		103

#	ARTICLE	IF	CITATIONS
73	Positive cystic duct margin at index cholecystectomy in incidental gallbladder cancer is an important negative prognosticator. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1061-1068.	1.0	13
74	Perioperative blood transfusions for vein resection during pancreaticoduodenectomy for pancreatic adenocarcinoma: Identification of clinical targets for optimization. <i>Hpb</i> , 2019, 21, 841-848.	0.3	4
75	Role of Immune Response, Inflammation, and Tumor Immune Response-Related Cytokines/Chemokines in Melanoma Progression. <i>Journal of Investigative Dermatology</i> , 2019, 139, 2352-2358.e3.	0.7	23
76	Circulating Tumor Cells and Transforming Growth Factor Beta in Resected Pancreatic Adenocarcinoma. <i>Journal of Surgical Research</i> , 2019, 243, 90-99.	1.6	9
77	Complex General Surgical Oncology Fellowship Applicants: Trends over Time and the Impact of Board Certification Eligibility. <i>Annals of Surgical Oncology</i> , 2019, 26, 2667-2674.	1.5	4
78	Risk of Distant Metastasis in Parathyroid Carcinoma and Its Effect on Survival: A Retrospective Review from a High-Volume Center. <i>Annals of Surgical Oncology</i> , 2019, 26, 3593-3599.	1.5	29
79	Is early-stage pancreatic adenocarcinoma truly early: stage migration on final pathology with surgery-first versus neoadjuvant therapy sequencing. <i>Hpb</i> , 2019, 21, 1203-1210.	0.3	16
80	ASO Author Reflections: Temporary Mesocaval Shunt: Indications and Technique for Safe Resection of Pancreatic Tumors With Mesenteric Venous Occlusion. <i>Annals of Surgical Oncology</i> , 2019, 26, 579-580.	1.5	1
81	Educating Surgical Oncology Providers on Perioperative Opioid Use: Results of a Departmental Survey on Perceptions of Opioid Needs and Prescribing Habits. <i>Annals of Surgical Oncology</i> , 2019, 26, 2011-2018.	1.5	36
82	Genetic variants in <i>ELOVL2</i> and <i>HSD17B12</i> predict melanoma-specific survival. <i>International Journal of Cancer</i> , 2019, 145, 2619-2628.	5.1	11
83	Comprehensive Genomic Characterization of Parathyroid Cancer Identifies Novel Candidate Driver Mutations and Core Pathways. <i>Journal of the Endocrine Society</i> , 2019, 3, 544-559.	0.2	40
84	The role of preoperative therapy prior to pancreatoduodenectomy for distal cholangiocarcinoma. <i>American Journal of Surgery</i> , 2019, 218, 145-150.	1.8	14
85	Loss of muscle mass during preoperative chemotherapy as a prognosticator for poor survival in patients with colorectal liver metastases. <i>Surgery</i> , 2019, 165, 329-336.	1.9	26
86	Contemporary analysis of complications associated with biliary stents during neoadjuvant therapy for pancreatic adenocarcinoma. <i>Hpb</i> , 2019, 21, 662-668.	0.3	12
87	Genetic variants in the calcium signaling pathway genes are associated with cutaneous melanoma-specific survival. <i>Carcinogenesis</i> , 2019, 40, 279-288.	2.8	6
88	Genetic characterization of medullary thyroid cancer in childhood survivors of the Chernobyl accident. <i>Surgery</i> , 2019, 165, 58-63.	1.9	5
89	Middle Hepatic Vein Roadmap for a Safe Laparoscopic Right Hepatectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 296-296.	1.5	4
90	Operation duration and adrenal gland size, but not BMI, are correlated with complication rate for posterior retroperitoneoscopic adrenalectomy for benign diseases. <i>Surgery</i> , 2019, 165, 637-643.	1.9	12

#	ARTICLE	IF	CITATIONS
91	First-Line Gemcitabine and Nab-Paclitaxel Chemotherapy for Localized Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 619-627.	1.5	8
92	Physical activity and exercise during preoperative pancreatic cancer treatment. <i>Supportive Care in Cancer</i> , 2019, 27, 2275-2284.	2.2	45
93	Pancreaticoduodenectomy with Mesocaval Shunt for Locally Advanced Pancreatic Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 652-652.	1.5	8
94	Conceptual framework of middle hepatic vein anatomy as a roadmap for safe right hepatectomy. <i>Hpb</i> , 2019, 21, 43-50.	0.3	13
95	Incidental versus non-incidental gallbladder cancer: index cholecystectomy before oncologic re-resection negatively impacts survival in T2b tumors. <i>Hpb</i> , 2019, 21, 1046-1056.	0.3	22
96	Prognostic impact of perihepatic lymph node metastases in patients with resectable colorectal liver metastases. <i>British Journal of Surgery</i> , 2018, 105, 1200-1209.	0.3	16
97	Preoperative Fluorouracil, Doxorubicin, and Streptozocin for the Treatment of Pancreatic Neuroendocrine Liver Metastases. <i>Annals of Surgical Oncology</i> , 2018, 25, 1709-1715.	1.5	32
98	Combining Washout and Noncontrast Data From Adrenal Protocol CT. <i>Academic Radiology</i> , 2018, 25, 861-868.	2.5	6
99	Imaging-based biomarkers: Changes in the tumor interface of pancreatic ductal adenocarcinoma on computed tomography scans indicate response to cytotoxic therapy. <i>Cancer</i> , 2018, 124, 1701-1709.	4.1	35
100	Neoadjuvant plus adjuvant dabrafenib and trametinib versus standard of care in patients with high-risk, surgically resectable melanoma: a single-centre, open-label, randomised, phase 2 trial. <i>Lancet Oncology</i> , The, 2018, 19, 181-193.	10.7	233
101	Differentiation of Malignant and Benign Adrenal Lesions With Delayed CT: Multivariate Analysis and Predictive Models. <i>American Journal of Roentgenology</i> , 2018, 210, W156-W163.	2.2	7
102	Association of body-mass index and outcomes in patients with metastatic melanoma treated with targeted therapy, immunotherapy, or chemotherapy: a retrospective, multicohort analysis. <i>Lancet Oncology</i> , The, 2018, 19, 310-322.	10.7	486
103	Association of the Affordable Care Act Medicaid Expansion With Access to and Quality of Care for Surgical Conditions. <i>JAMA Surgery</i> , 2018, 153, e175568.	4.3	90
104	Enhancing surgical performance by adopting expert musicians' practice and performance strategies. <i>Surgery</i> , 2018, 163, 894-900.	1.9	19
105	Surgeon symptoms, strain, and selections: Systematic review and meta-analysis of surgical ergonomics. <i>Annals of Medicine and Surgery</i> , 2018, 27, 1-8.	1.1	147
106	Genetic variants in <i>RORA</i> and <i>DNMT1</i> associated with cutaneous melanoma survival. <i>International Journal of Cancer</i> , 2018, 142, 2303-2312.	5.1	13
107	Vein resection during pancreaticoduodenectomy for pancreatic adenocarcinoma: Patency rates and outcomes associated with thrombosis. <i>Journal of Surgical Oncology</i> , 2018, 117, 1648-1654.	1.7	18
108	Inverse Relationship between Vitiligo-Related Genes and Skin Cancer Risk. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2072-2075.	0.7	20

#	ARTICLE	IF	CITATIONS
109	Extended Lymphadenectomy Is Required for Incidental Gallbladder Cancer Independent of Cystic Duct Lymph Node Status. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 43-51.	1.7	28
110	Tips and tricks of splenic vessel preservation during laparoscopic distal pancreatectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2149-2150.	2.4	2
111	Gut microbiome modulates response to anti-PD-1 immunotherapy in melanoma patients. <i>Science</i> , 2018, 359, 97-103.	12.6	3,126
112	Pathological diaphragmatic invasion by colorectal liver metastases is associated with RAS mutation, peritoneal recurrence and worse survival. <i>Hpb</i> , 2018, 20, 57-63.	0.3	4
113	Operative and short-term oncologic outcomes of laparoscopic versus open liver resection for colorectal liver metastases located in the posterosuperior liver: a propensity score matching analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1776-1786.	2.4	46
114	Anthropometric Changes in Patients with Pancreatic Cancer Undergoing Preoperative Therapy and Pancreatoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 703-712.	1.7	39
115	Genotype-phenotype pancreatic neuroendocrine tumor relationship in multiple endocrine neoplasia type 1 patients: A 23-year experience at a single institution. <i>Surgery</i> , 2018, 163, 212-217.	1.9	28
116	Genetic variants in the metzincin metallopeptidase family genes predict melanoma survival. <i>Molecular Carcinogenesis</i> , 2018, 57, 22-31.	2.7	5
117	Neoadjuvant immune checkpoint blockade in high-risk resectable melanoma. <i>Nature Medicine</i> , 2018, 24, 1649-1654.	30.7	592
118	Suppression of stromal-derived Dickkopf-3 (DKK3) inhibits tumor progression and prolongs survival in pancreatic ductal adenocarcinoma. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	33
119	Risk-stratified clinical pathways decrease the duration of hospitalization and costs of perioperative care after pancreatectomy. <i>Surgery</i> , 2018, 164, 424-431.	1.9	41
120	Prospective Analysis of Adoptive TIL Therapy in Patients with Metastatic Melanoma: Response, Impact of Anti-CTLA4, and Biomarkers to Predict Clinical Outcome. <i>Clinical Cancer Research</i> , 2018, 24, 4416-4428.	7.0	89
121	Validation of American Joint Committee on Cancer eighth staging system for gallbladder cancer and its lymphadenectomy guidelines. <i>Journal of Surgical Research</i> , 2018, 230, 148-154.	1.6	35
122	Utility of Intermediate-Delay Washout CT Images for Differentiation of Malignant and Benign Adrenal Lesions: A Multivariate Analysis. <i>American Journal of Roentgenology</i> , 2018, 211, W109-W115.	2.2	12
123	Reviewing the review: a qualitative assessment of the peer review process in surgical journals. <i>Research Integrity and Peer Review</i> , 2018, 3, 4.	5.2	13
124	Characterizing parathyroid carcinomas and atypical neoplasms based on the expression of programmed death-ligand 1 expression and the presence of tumor-infiltrating lymphocytes and macrophages. <i>Surgery</i> , 2018, 164, 960-964.	1.9	15
125	A Visually Apparent and Quantifiable CT Imaging Feature Identifies Biophysical Subtypes of Pancreatic Ductal Adenocarcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 5883-5894.	7.0	76
126	Reply to: Genotype-Phenotype Pancreatic Neuroendocrine Tumor Relationship in Multiple Endocrine Neoplasia Type 1 Patients: A 23 Year Experience at a Single Institution. <i>Surgery</i> , 2018, 163, 1325-1329.	1.9	3

#	ARTICLE	IF	CITATIONS
127	Open Pancreaticoduodenectomy Case Volume Predicts Outcome of Laparoscopic Approach. <i>Annals of Surgery</i> , 2018, 267, 552-560.	4.2	71
128	Loss of DPC4/SMAD4 expression in primary gastrointestinal neuroendocrine tumors is associated with cancer-related death after resection. <i>Surgery</i> , 2017, 161, 753-759.	1.9	10
129	Laparoscopic Partial Splenectomy for Unknown Primary Cancer: A Stepwise Approach. <i>Annals of Surgical Oncology</i> , 2017, 24, 1134-1134.	1.5	6
130	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. <i>JAMA Oncology</i> , 2017, 3, 636.	7.1	376
131	Effective Laparoscopic Management Lymph Node Dissection for Gallbladder Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1852-1852.	1.5	18
132	Prognostic Scoring System to Risk Stratify Parathyroid Carcinoma. <i>Journal of the American College of Surgeons</i> , 2017, 224, 980-987.	0.5	31
133	Incidental Gallbladder Cancer: Residual Cancer Discovered at Oncologic Extended Resection Determines Outcome: A Report from High- and Low-Incidence Countries. <i>Annals of Surgical Oncology</i> , 2017, 24, 2334-2343.	1.5	31
134	Genetic Variants in WNT2B and BTRC Predict Melanoma Survival. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1749-1756.	0.7	5
135	Medullary Thyroid Carcinoma in MEN2A: ATA Moderate- or High-Risk RET Mutations Do Not Predict Disease Aggressiveness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2807-2813.	3.6	53
136	Association between Body Mass Index, C-Reactive Protein Levels, and Melanoma Patient Outcomes. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1792-1795.	0.7	40
137	Implementation of a standardized electronic tool improves compliance, accuracy, and efficiency of trainee-to-trainee patient care handoffs after complex general surgical oncology procedures. <i>Surgery</i> , 2017, 161, 869-875.	1.9	14
138	Genetic variants in the integrin signaling pathway genes predict cutaneous melanoma survival. <i>International Journal of Cancer</i> , 2017, 140, 1270-1279.	5.1	4
139	Prognostic Significance of New AJCC Tumor Stage in Patients With Pancreatic Ductal Adenocarcinoma Treated With Neoadjuvant Therapy. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1097-1104.	3.7	62
140	Genetic variants in the genes encoding rho GTPases and related regulators predict cutaneous melanoma-specific survival. <i>International Journal of Cancer</i> , 2017, 141, 721-730.	5.1	8
141	Total Laparoscopic Management for Stage IV Colorectal Cancer Requiring Multivisceral Resection. <i>Annals of Surgical Oncology</i> , 2017, 24, 2595-2595.	1.5	3
142	A <i>PGC1β</i> genetic variant associated with nevus count and melanoma mortality. <i>International Journal of Cancer</i> , 2017, 141, 1066-1067.	5.1	5
143	Genomic and immune heterogeneity are associated with differential responses to therapy in melanoma. <i>Npj Genomic Medicine</i> , 2017, 2, .	3.8	120
144	Is estrogen exposure a protective factor for pancreatic neuroendocrine tumours in female patients with multiple endocrine neoplasia syndrome type 1?. <i>Clinical Endocrinology</i> , 2017, 86, 791-797.	2.4	10

#	ARTICLE	IF	CITATIONS
145	Global methylation of blood leukocyte DNA and risk of melanoma. <i>International Journal of Cancer</i> , 2017, 140, 1503-1509.	5.1	12
146	Prognostic value of carbohydrate antigen 19-9 in patients undergoing resection of biliary tract cancer. <i>British Journal of Surgery</i> , 2017, 104, 267-277.	0.3	41
147	Selective Perioperative Administration of Pasireotide is More Cost-Effective Than Routine Administration for Pancreatic Fistula Prophylaxis. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 636-646.	1.7	39
148	Laparoscopic Glissonean Pedicle Transection (Takasaki) for Negative Fluorescent Counterstaining of Segment 6. <i>Annals of Surgical Oncology</i> , 2017, 24, 1046-1047.	1.5	20
149	Pathologic Response to Preoperative Therapy as a Novel Prognosticator for Ampullary and Duodenal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 3954-3963.	1.5	9
150	Remnant Liver Ischemia as a Prognostic Factor for Cancer-Specific Survival After Resection of Colorectal Liver Metastases. <i>JAMA Surgery</i> , 2017, 152, e172986.	4.3	39
151	Home-based exercise during preoperative therapy for pancreatic cancer. <i>Langenbeck's Archives of Surgery</i> , 2017, 402, 1175-1185.	1.9	52
152	Postoperative local-regional radiation therapy in the treatment of parathyroid carcinoma: The MD Anderson experience of 35 years. <i>Practical Radiation Oncology</i> , 2017, 7, e463-e470.	2.1	15
153	Biliary Obstruction: Endoscopic Approaches. <i>Seminars in Interventional Radiology</i> , 2017, 34, 369-375.	0.8	6
154	Association of Clinical Factors With a Major Pathologic Response Following Preoperative Therapy for Pancreatic Ductal Adenocarcinoma. <i>JAMA Surgery</i> , 2017, 152, 1048.	4.3	82
155	Influence of Preoperative Therapy on Short- and Long-Term Outcomes of Patients with Adenocarcinoma of the Ampulla of Vater. <i>Annals of Surgical Oncology</i> , 2017, 24, 2031-2039.	1.5	30
156	Impact of pancreatectomy on long-term patient-reported symptoms and quality of life in recurrence-free survivors of pancreatic and periampullary neoplasms. <i>Journal of Surgical Oncology</i> , 2017, 115, 144-150.	1.7	28
157	All in the family? Analyzing the impact of family history in addition to genotype on medullary thyroid carcinoma aggressiveness in MEN2A patients. <i>Familial Cancer</i> , 2017, 16, 283-289.	1.9	14
158	Operative intervention for primary hyperparathyroidism offers greater bone recovery in patients with sporadic disease than in those with multiple endocrine neoplasia type 1-related hyperparathyroidism. <i>Surgery</i> , 2017, 161, 107-115.	1.9	16
159	Preoperative Therapy and Pancreatoduodenectomy for Pancreatic Ductal Adenocarcinoma: a 25-Year Single-Institution Experience. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 164-174.	1.7	124
160	Melanoma Expression Genes Identified through Genome-Wide Association Study of Breslow Tumor Thickness. <i>Journal of Investigative Dermatology</i> , 2017, 137, 253-257.	0.7	2
161	Diagnostic performance of 18-F-FDG-PET/CT in adrenal lesions using histopathology as reference standard. <i>Abdominal Radiology</i> , 2017, 42, 577-584.	2.1	11
162	Do No Harm, Except to Ourselves? A Survey of Symptoms and Injuries in Oncologic Surgeons and Pilot Study of an Intraoperative Ergonomic Intervention. <i>Journal of the American College of Surgeons</i> , 2017, 224, 16-25e1.	0.5	57

#	ARTICLE	IF	CITATIONS
163	Total Transthoracic Approach Facilitates Laparoscopic Hepatic Resection in Patients with Significant Prior Abdominal Surgery. <i>Annals of Surgical Oncology</i> , 2017, 24, 1376-1377.	1.5	10
164	Role of Fluorouracil, Doxorubicin, and Streptozocin Therapy in the Preoperative Treatment of Localized Pancreatic Neuroendocrine Tumors. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 155-163.	1.7	34
165	Genetic variants of PDGF signaling pathway genes predict cutaneous melanoma survival. <i>Oncotarget</i> , 2017, 8, 74595-74606.	1.8	3
166	Two-stage genome-wide association study identifies a novel susceptibility locus associated with melanoma. <i>Oncotarget</i> , 2017, 8, 17586-17592.	1.8	61
167	Reduced expression of argininosuccinate synthetase 1 has a negative prognostic impact in patients with pancreatic ductal adenocarcinoma. <i>PLoS ONE</i> , 2017, 12, e0171985.	2.5	25
168	No prognostic value added by vitamin D pathway SNPs to current prognostic system for melanoma survival. <i>PLoS ONE</i> , 2017, 12, e0174234.	2.5	7
169	Component-wise gradient boosting and false discovery control in survival analysis with high-dimensional covariates. <i>Bioinformatics</i> , 2016, 32, 50-57.	4.1	26
170	Utility of chromogranin A, pancreatic polypeptide, glucagon and gastrin in the diagnosis and follow-up of pancreatic neuroendocrine tumours in multiple endocrine neoplasia type 1 patients. <i>Clinical Endocrinology</i> , 2016, 85, 400-407.	2.4	45
171	Impact of hypofractionated and standard fractionated chemoradiation before pancreatoduodenectomy for pancreatic ductal adenocarcinoma. <i>Cancer</i> , 2016, 122, 2671-2679.	4.1	49
172	Genetic variants in the vitamin D pathway genes <i>VDBP</i> and <i>RXRA</i> modulate cutaneous melanoma disease-specific survival. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 176-185.	3.3	19
173	The number and ratio of positive lymph nodes affect pancreatic cancer patient survival after neoadjuvant therapy and pancreaticoduodenectomy. <i>Histopathology</i> , 2016, 68, 210-220.	2.9	46
174	Mitochondrial DNA 4977 base pair common deletion in blood leukocytes and melanoma risk. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 372-378.	3.3	7
175	Cervical hematoma following an endocrine surgical procedure: The MD Anderson experience. <i>Surgery</i> , 2016, 160, 377-383.	1.9	1
176	Parathyroid carcinoma and atypical parathyroid neoplasms in MEN1 patients; A clinico-pathologic challenge. The MD Anderson case series and review of the literature. <i>International Journal of Surgery</i> , 2016, 31, 10-16.	2.7	41
177	Endocrine incidentalomas. <i>Current Problems in Surgery</i> , 2016, 53, 219-246.	1.1	6
178	Differentiating Atypical Parathyroid Neoplasm from Parathyroid Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 2889-2897.	1.5	40
179	Genetic variants in the PIWI/piRNA pathway gene <i>DCP1A</i> predict melanoma disease-specific survival. <i>International Journal of Cancer</i> , 2016, 139, 2730-2737.	5.1	21
180	Laparoscopic Management of Gallbladder Cancer: A Stepwise Approach. <i>Annals of Surgical Oncology</i> , 2016, 23, 892-893.	1.5	12

#	ARTICLE	IF	CITATIONS
181	Role of <i>CDKN2C</i> Copy Number in Sporadic Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 1553-1562.	4.5	38
182	A comprehensive genome-wide analysis of melanoma Breslow thickness identifies interaction between <i>CDC42</i> and <i>SCIN</i> genetic variants. <i>International Journal of Cancer</i> , 2016, 139, 2012-2020.	5.1	8
183	Preoperative Chemoradiation for Pancreatic Adenocarcinoma Does Not Increase 90-Day Postoperative Morbidity or Mortality. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1975-1985.	1.7	42
184	Oncologic progress for the treatment of parathyroid carcinoma is needed. <i>Journal of Surgical Oncology</i> , 2016, 114, 708-713.	1.7	27
185	Prognostic Value of Lymph Node Status and Extent of Lymphadenectomy in Pancreatic Neuroendocrine Tumors Confined To and Extending Beyond the Pancreas. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1966-1974.	1.7	60
186	Validation of a Proposed Tumor Regression Grading Scheme for Pancreatic Ductal Adenocarcinoma After Neoadjuvant Therapy as a Prognostic Indicator for Survival. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1653-1660.	3.7	91
187	Clinical Features, Treatments, and Outcomes of Patients with Thymic Carcinoids and Multiple Endocrine Neoplasia Type 1 Syndrome at MD Anderson Cancer Center. <i>Hormones and Cancer</i> , 2016, 7, 279-287.	4.9	38
188	Outpatient virtual clinical encounters after complex surgery for cancer: a prospective pilot study of "TeleDischarge". <i>Journal of Surgical Research</i> , 2016, 202, 196-203.	1.6	20
189	Correlates of Sun Protection and Sunburn in Children of Melanoma Survivors. <i>American Journal of Preventive Medicine</i> , 2016, 51, e77-e85.	3.0	20
190	Laparoscopic Insulinoma Enucleation from the Retro-Pancreatic Neck: A Stepwise Approach. <i>Annals of Surgical Oncology</i> , 2016, 23, 2001-2001.	1.5	6
191	Association of Vitamin D Levels With Outcome in Patients With Melanoma After Adjustment For C-Reactive Protein. <i>Journal of Clinical Oncology</i> , 2016, 34, 1741-1747.	1.6	64
192	Spleen and splenic vessel preserving distal pancreatectomy for bifocal PNET in a young patient with MEN1. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4619-4619.	2.4	3
193	Musical preference correlates closely to professional roles and specialties in operating room: A multicenter cross-sectional cohort study with 672 participants. <i>Surgery</i> , 2016, 159, 1260-1268.	1.9	21
194	Advances in hepatectomy technique: Toward zero transfusions in the modern era of liver surgery. <i>Surgery</i> , 2016, 159, 793-801.	1.9	26
195	Preexisting adrenal masses in patients with adrenocortical carcinoma: clinical and radiological factors contributing to delayed diagnosis. <i>Endocrine</i> , 2016, 51, 351-359.	2.3	27
196	Rapid assessment of technical competency: the 8-min suture test. <i>Journal of Surgical Research</i> , 2016, 200, 46-52.	1.6	3
197	Prognostic and Functional Significance of MAP4K5 in Pancreatic Cancer. <i>PLoS ONE</i> , 2016, 11, e0152300.	2.5	20
198	The relationship between blood <i>IL-12p40</i> level and melanoma progression. <i>International Journal of Cancer</i> , 2015, 136, 1874-1880.	5.1	5

#	ARTICLE	IF	CITATIONS
199	The Addition of Postoperative Chemotherapy is Associated with Improved Survival in Patients with Pancreatic Cancer Treated with Preoperative Therapy. <i>Annals of Surgical Oncology</i> , 2015, 22, 1221-1228.	1.5	44
200	Integrated pathway and epistasis analysis reveals interactive effect of genetic variants at <scp><i>TERF1</i></scp> and <scp><i>AFAP1L2</i></scp> loci on melanoma risk. <i>International Journal of Cancer</i> , 2015, 137, 1901-1909.	5.1	16
201	Is surviving enough? Coping and impact on activities of daily living among melanoma patients with lymphoedema. <i>European Journal of Cancer Care</i> , 2015, 24, 724-733.	1.5	31
202	Superior Mesenteric Artery Margin of Posttherapy Pancreaticoduodenectomy and Prognosis in Patients With Pancreatic Ductal Adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1395-1403.	3.7	58
203	The long-term risk of upper-extremity lymphedema is two-fold higher in breast cancer patients than in melanoma patients. <i>Journal of Surgical Oncology</i> , 2015, 112, 834-840.	1.7	24
204	Genetic variants in Hippo pathway genes <i>YAP</i><i>1</i>, <i>TEAD</i><i>1</i> and <i>TEAD</i><i>4</i> are associated with melanoma-specific survival. <i>International Journal of Cancer</i> , 2015, 137, 638-645.	5.1	48
205	Identification of DRG-1 As a Melanoma-Associated Antigen Recognized by CD4+ Th1 Cells. <i>PLoS ONE</i> , 2015, 10, e0124094.	2.5	9
206	Cell Surface CD74-MIF Interactions Drive Melanoma Survival in Response to Interferon- β . <i>Journal of Investigative Dermatology</i> , 2015, 135, 2775-2784.	0.7	64
207	C-Reactive Protein As a Marker of Melanoma Progression. <i>Journal of Clinical Oncology</i> , 2015, 33, 1389-1396.	1.6	71
208	Functional Variants in Notch Pathway Genes <i>NCOR2</i>, <i>NCSTN</i>, and <i>MAML2</i> Predict Survival of Patients with Cutaneous Melanoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1101-1110.	2.5	20
209	Reply to Z. Li et al. <i>Journal of Clinical Oncology</i> , 2015, 33, 3674-3675.	1.6	1
210	Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. <i>Nature Genetics</i> , 2015, 47, 987-995.	21.4	218
211	Association of Common Genetic Polymorphisms with Melanoma Patient IL-12p40 Blood Levels, Risk, and Outcomes. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2266-2272.	0.7	7
212	Neoadjuvant Therapy is Associated with a Reduced Lymph Node Ratio in Patients with Potentially Resectable Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1168-1175.	1.5	108
213	Active Surveillance for Adverse Events Within 90 Days: The Standard for Reporting Surgical Outcomes After Pancreatectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 3522-3529.	1.5	58
214	Role and Operative Technique of Portal Venous Tumor Thrombectomy in Patients with Pancreatic Neuroendocrine Tumors. <i>Journal of Gastrointestinal Surgery</i> , 2015, 19, 2011-2018.	1.7	26
215	Expression and clinical significance of epidermal growth factor receptor and insulin-like growth factor receptor 1 in patients with ampullary adenocarcinoma. <i>Human Pathology</i> , 2015, 46, 1315-1322.	2.0	7
216	Genetic Variants in Fanconi Anemia Pathway Genes BRCA2 and FANCA Predict Melanoma Survival. <i>Journal of Investigative Dermatology</i> , 2015, 135, 542-550.	0.7	28

#	ARTICLE	IF	CITATIONS
217	Mitochondrial DNA Copy Number in Peripheral Blood and Melanoma Risk. <i>PLoS ONE</i> , 2015, 10, e0131649.	2.5	29
218	Identification of a melanoma susceptibility locus and somatic mutation in <i>TET2</i> . <i>Carcinogenesis</i> , 2014, 35, 2097-2101.	2.8	41
219	Measuring the Extent of Total Thyroidectomy for Differentiated Thyroid Carcinoma Using Radioactive Iodine Imaging. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014, 140, 410.	2.2	18
220	Role of Neoadjuvant Therapy in the Multimodality Treatment of Older Patients with Pancreatic Cancer. <i>Journal of the American College of Surgeons</i> , 2014, 219, 111-120.	0.5	36
221	Treatment Sequencing for Resectable Pancreatic Cancer: Influence of Early Metastases and Surgical Complications on Multimodality Therapy Completion and Survival. <i>Journal of Gastrointestinal Surgery</i> , 2014, 18, 16-25.	1.7	172
222	Preliminary whole-exome sequencing reveals mutations that imply common tumorigenicity pathways in multiple endocrine neoplasia type 1 patients. <i>Surgery</i> , 2014, 156, 1351-1358.	1.9	8
223	Streamlining variability in hospital charges for standard thyroidectomy: Developing a strategy to decrease waste. <i>Surgery</i> , 2014, 156, 1441-1449.	1.9	31
224	Borderline Resectable Adrenal Cortical Carcinoma: A Potential Role for Preoperative Chemotherapy. <i>World Journal of Surgery</i> , 2014, 38, 1318-1327.	1.6	52
225	Serum carbohydrate antigen 19-9 represents a marker of response to neoadjuvant therapy in patients with borderline resectable pancreatic cancer. <i>Hpb</i> , 2014, 16, 430-438.	0.3	151
226	Does laparoscopic adrenalectomy jeopardize oncologic outcomes for patients with adrenocortical carcinoma?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 4026-4032.	2.4	101
227	Joint Effect of Multiple Common SNPs Predicts Melanoma Susceptibility. <i>PLoS ONE</i> , 2013, 8, e85642.	2.5	40
228	Robotic-Assisted Retroperitoneoscopic Adrenalectomy: Making a Good Procedure Even Better. <i>American Surgeon</i> , 2013, 79, 84-89.	0.8	34
229	Perineural and Intra-neural Invasion in Posttherapy Pancreaticoduodenectomy Specimens Predicts Poor Prognosis in Patients With Pancreatic Ductal Adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2012, 36, 409-417.	3.7	158
230	Tumor Invasion of Muscular Vessels Predicts Poor Prognosis in Patients With Pancreatic Ductal Adenocarcinoma Who Have Received Neoadjuvant Therapy and Pancreaticoduodenectomy. <i>American Journal of Surgical Pathology</i> , 2012, 36, 552-559.	3.7	53
231	Retroperitoneal Dissection in Patients with Borderline Resectable Pancreatic Cancer: Operative Principles and Techniques. <i>Journal of the American College of Surgeons</i> , 2012, 215, e11-e18.	0.5	59
232	Yield of clinical and radiographic surveillance in patients with resected pancreatic adenocarcinoma following multimodal therapy. <i>Hpb</i> , 2012, 14, 365-372.	0.3	77
233	Defined Clinical Classifications Are Associated with Outcome of Patients with Anatomically Resectable Pancreatic Adenocarcinoma Treated with Neoadjuvant Therapy. <i>Annals of Surgical Oncology</i> , 2012, 19, 2045-2053.	1.5	96
234	Recurrence of Adrenal Cortical Carcinoma Following Resection: Surgery Alone Can Achieve Results Equal to Surgery Plus Mitotane. <i>Annals of Surgical Oncology</i> , 2010, 17, 263-270.	1.5	140

#	ARTICLE	IF	CITATIONS
235	Serum CA 19-9 as a Marker of Resectability and Survival in Patients with Potentially Resectable Pancreatic Cancer Treated with Neoadjuvant Chemoradiation. <i>Annals of Surgical Oncology</i> , 2010, 17, 1794-1801.	1.5	129
236	Long-Term Survival After Multidisciplinary Management of Resected Pancreatic Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2009, 16, 836-47.	1.5	435
237	Walz Aldosteronoma. <i>World Journal of Surgery</i> , 2008, 32, 854-855.	1.6	1
238	Borderline Resectable Pancreatic Cancer: The Importance of This Emerging Stage of Disease. <i>Journal of the American College of Surgeons</i> , 2008, 206, 833-846.	0.5	740
239	Predicting the Presence of Parathyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2005, 12, 513-514.	1.5	5
240	Unusual functioning endocrine tumors. <i>Current Treatment Options in Oncology</i> , 2004, 5, 327-334.	3.0	1
241	Pheochromocytoma. <i>Current Treatment Options in Oncology</i> , 2003, 4, 329-337.	3.0	23
242	Diagnostic Accuracy of Endoscopic Ultrasound-Guided Fine-Needle Aspiration in Patients With Presumed Pancreatic Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2003, 7, 118-128.	1.7	248
243	Presence of the human leukocyte antigen class II gene DRB1*1101 predicts interferon γ levels and disease recurrence in melanoma patients. <i>Annals of Surgical Oncology</i> , 2002, 9, 587-593.	1.5	21
244	Limitations of size as a criterion in evaluating adrenal tumours. <i>British Journal of Surgery</i> , 2002, 87, 1270-1270.	0.3	0
245	Significance of Plasma Cytokine Levels in Melanoma Patients With Histologically Negative Sentinel Lymph Nodes. <i>Annals of Surgical Oncology</i> , 2001, 8, 116-122.	1.5	28
246	Neoadjuvant Chemoradiotherapy for Adenocarcinoma of the Pancreas: Treatment Variables and Survival Duration. <i>Annals of Surgical Oncology</i> , 2001, 8, 123-132.	1.5	326
247	Adrenal cortical carcinoma. <i>World Journal of Surgery</i> , 2001, 25, 914-926.	1.6	295
248	Significance of Plasma Cytokine Levels in Melanoma Patients With Histologically Negative Sentinel Lymph Nodes. <i>Annals of Surgical Oncology</i> , 2001, 8, 116-122.	1.5	1
249	Neoadjuvant Chemoradiotherapy for Adenocarcinoma of the Pancreas: Treatment Variables and Survival Duration. <i>Annals of Surgical Oncology</i> , 2001, 8, 123-132.	1.5	94
250	Regional Nodal basin control is not compromised by previous sentinel lymph node biopsy in patients with melanoma. <i>Annals of Surgical Oncology</i> , 2000, 7, 226-231.	1.5	49
251	Role for Lymphatic Mapping and Sentinel Lymph Node Biopsy in Patients With Thick (\geq 4 mm) Primary Melanoma. <i>Annals of Surgical Oncology</i> , 2000, 7, 160-165.	1.5	225
252	Significance of Multiple Nodal Basin Drainage in Truncal Melanoma Patients Undergoing Sentinel Lymph Node Biopsy. <i>Annals of Surgical Oncology</i> , 2000, 7, 256-261.	1.5	80

#	ARTICLE	IF	CITATIONS
253	Cost and Utilization Impact of a Clinical Pathway for Patients Undergoing Pancreaticoduodenectomy. <i>Annals of Surgical Oncology</i> , 2000, 7, 484-489.	1.5	178
254	Antibiotic Treatment of Gastric Lymphoma of Mucosa-Associated Lymphoid Tissue: An Uncontrolled Trial. <i>Annals of Internal Medicine</i> , 1999, 131, 88.	3.9	206
255	Multi-Institutional Melanoma Lymphatic Mapping Experience: The Prognostic Value of Sentinel Lymph Node Status in 612 Stage I or II Melanoma Patients. <i>Journal of Clinical Oncology</i> , 1999, 17, 976-976.	1.6	1,166
256	Preoperative chemoradiation strategies for localized adenocarcinoma of the pancreas. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 1998, 5, 242-250.	2.0	37
257	Surgical margins and prognostic factors in patients with thick (>4 mm) primary melanoma. <i>Annals of Surgical Oncology</i> , 1998, 5, 322-328.	1.5	192
258	Association of gastric adenocarcinoma with the HLA class II gene DQB10301. <i>Gastroenterology</i> , 1996, 111, 426-432.	1.3	74
259	The human leukocyte antigen <i>TAP2</i> gene defines the centromeric limit of melanoma susceptibility on chromosome 6p. <i>Tissue Antigens</i> , 1996, 47, 117-121.	1.0	9
260	Malignant melanoma: relationship of the human leukocyte antigen Class II gene DQB1*0301 to disease recurrence in American Joint Committee on Cancer Stage I or II. , 1996, 78, 758-763.		30
261	Malignant melanoma: relationship of the human leukocyte antigen Class II gene DQB1*0301 to disease recurrence in American Joint Committee on Cancer Stage I or II. <i>Cancer</i> , 1996, 78, 758-763.	4.1	5
262	Preoperative chemoradiation for adenocarcinoma of the pancreas: M.D. Anderson experience. <i>Journal of Surgical Oncology</i> , 1995, 11, 132-140.	1.4	6
263	Surgical management, DNA content, and patient survival in adrenal cortical carcinoma. <i>Surgery</i> , 1995, 118, 1090-1098.	1.9	111