Anatole Harrois

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4836595/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Outcomes of extubation failure in medical intensive care unit patients*. Critical Care Medicine, 2011, 39, 2612-2618. | 0.9 | 391 |
| 2 | Microcirculatory Alterations in Traumatic Hemorrhagic Shock*. Critical Care Medicine, 2014, 42, 1433-1441. | 0.9 | 152 |
| 3 | Intra-Aortic Balloon Pump Effects on Macrocirculation and Microcirculation in Cardiogenic Shock Patients Supported by Venoarterial Extracorporeal Membrane Oxygenation*. Critical Care Medicine, 2014, 42, 2075-2082. | 0.9 | 146 |
| 4 | Association of Prehospital Time to In-Hospital Trauma Mortality in a Physician-Staffed Emergency Medicine System. JAMA Surgery, 2019, 154, 1117. | 4.3 | 127 |
| 5 | Prevalence and risk factors for acute kidney injury among trauma patients: a multicenter cohort study. Critical Care, 2018, 22, 344. | 5.8 | 93 |
| 6 | Characteristics and outcomes of asthmatic patients with COVID-19 pneumonia who require hospitalisation. European Respiratory Journal, 2020, 56, 2001875. | 6.7 | 90 |
| 7 | Renal Resistive Index Better Predicts the Occurrence of Acute Kidney Injury Than Cystatin C. Shock, 2012, 38, 592-597. | 2.1 | 82 |
| 8 | Evaluation of the performance of French physician-staffed emergency medical service in the triage of major trauma patients. Journal of Trauma and Acute Care Surgery, 2014, 76, 1476-1483. | 2.1 | 79 |
| 9 | Acute kidney injury in trauma patients. Current Opinion in Critical Care, 2017, 23, 447-456. | 3.2 | 70 |
| 10 | Acute kidney injury is associated with a decrease in cortical renal perfusion during septic shock. Critical Care, 2018, 22, 161. | 5.8 | 65 |
| 11 | Postresuscitation syndrome: Potential role of hydroxyl radical-induced endothelial cell damage*. Critical Care Medicine, 2011, 39, 1712-1720. | 0.9 | 57 |
| 12 | Qualitative real-time analysis by nurses of sublingual microcirculation in intensive care unit: the MICRONURSE study. Critical Care, 2015, 19, 388. | 5.8 | 54 |
| 13 | Development and validation of a pre-hospital "Red Flag―alert for activation of intra-hospital haemorrhage control response in blunt trauma. Critical Care, 2018, 22, 113. | 5.8 | 50 |
| 14 | Targeting the microcirculation in resuscitation of acutely unwell patients. Current Opinion in Critical Care, 2011, 17, 303-307. | 3.2 | 45 |
| 15 | Skeletal muscle oxygenation in severe trauma patients during haemorrhagic shock resuscitation. Critical Care, 2015, 19, 141. | 5.8 | 33 |
| 16 | Effect of RBC Transfusion on Sublingual Microcirculation in Hemorrhagic Shock Patients: A Pilot Study. Critical Care Medicine, 2017, 45, e154-e160. | 0.9 | 33 |
| 17 | Integrating eFAST in the initial management of stable trauma patients: the end of plain film radiography. Annals of Intensive Care, 2016, 6, 62. | 4.6 | 28 |
| 18 | Synergistic Deleterious Effect of Hypoxemia and Hypovolemia on Microcirculation in Intestinal Villi*. Critical Care Medicine, 2013, 41, e376-e384. | 0.9 | 23 |

ANATOLE HARROIS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Haemodynamic coherence in haemorrhagic shock. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2016, 30, 429-435. | 4.0 | 18 |
| 20 | Contrast-enhanced ultrasound: a new vision of microcirculation in the intensive care unit. Critical Care, 2013, 17, 449. | 5.8 | 17 |
| 21 | Diabetes Insipidus and Syndrome of Inappropriate Antidiuretic Hormone in Critically III Patients. Critical Care Clinics, 2019, 35, 187-200. | 2.6 | 17 |
| 22 | Respiratory symptoms and radiological findings in post-acute COVID-19 syndrome. ERJ Open Research, 2022, 8, 00479-2021. | 2.6 | 16 |
| 23 | Early Osmotherapy in Severe Traumatic Brain Injury: An International Multicenter Study. Journal of Neurotrauma, 2020, 37, 178-184. | 3.4 | 12 |
| 24 | Clinical decision support for severe trauma patients: Machine learning based definition of a bundle of care for hemorrhagic shock and traumatic brain injury. Journal of Trauma and Acute Care Surgery, 2022, 92, 135-143. | 2.1 | 10 |
| 25 | Admission serum myoglobin and the development of acute kidney injury after major trauma. Annals of Intensive Care, 2021, 11, 140. | 4.6 | 10 |
| 26 | Variability in Serum Sodium Concentration and Prognostic Significance in Severe Traumatic Brain Injury: A Multicenter Observational Study. Neurocritical Care, 2021, 34, 899-907. | 2.4 | 9 |
| 27 | Intestinal microcirculation and mucosal oxygenation during hemorrhagic shock and resuscitation at different inspired oxygen concentrations. Journal of Trauma and Acute Care Surgery, 2017, 83, 476-484. | 2.1 | 7 |
| 28 | Serum sodium and intracranial pressure changes after desmopressin therapy in severe traumatic brain injury patients: a multi-centre cohort study. Annals of Intensive Care, 2019, 9, 99. | 4.6 | 7 |
| 29 | Leukodepleted versus nonleukodepleted red blood cell transfusion in septic patients: a microcirculatory vision. Critical Care, 2014, 18, 128. | 5.8 | 6 |
| 30 | Hemodynamic Response to Fluid Boluses for Hypotension in Children in a Cardiac ICU. Pediatric Critical Care Medicine, 2021, 22, 79-89. | 0.5 | 5 |
| 31 | Urinary and renal oxygenation during dexmedetomidine infusion in critically ill adults with mechanistic insights from an ovine model. Journal of Critical Care, 2021, 64, 74-81. | 2.2 | 4 |
| 32 | Acute kidney injury: Clear the kidney of apoptotic debris!*. Critical Care Medicine, 2011, 39, 2180-2181. | 0.9 | 3 |
| 33 | Effects of Routine Position Changes and Tracheal Suctioning on Intracranial Pressure in Traumatic Brain Injury Patients. Journal of Neurotrauma, 2020, 37, 2227-2233. | 3.4 | 3 |
| 34 | Mild increases in plasma creatinine after intermediate to high-risk abdominal surgery are associated with long-term renal injury. BMC Anesthesiology, 2021, 21, 135. | 1.8 | 2 |
| 35 | Impact of Alteration of Iron Homeostasis in ICU Patients*. Critical Care Medicine, 2016, 44, 1231-1232. | 0.9 | 1 |
| 36 | Deserved attention for acute kidney injury after major trauma. Intensive Care Medicine, 2019, 45, 907-908 | 8.2 | 1 |

ANATOLE HARROIS

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Comparison Between Transcranial Color-Coded Duplex Doppler and Contrast Enhanced Transcranial Color-Coded Duplex Doppler After Subarachnoid Aneurysmal Hemorrhage. Neurocritical Care, 2021, , 1. | 2.4 | 1 |
| 38 | The authors reply. Critical Care Medicine, 2014, 42, e242-e243. | 0.9 | 0 |
| 39 | The authors reply. Critical Care Medicine, 2017, 45, e459-e460. | 0.9 | 0 |
| 40 | Response to "Are fluids resuscitation the "Keyser Soze―of acute kidney injury in trauma patients?― Critical Care, 2019, 23, 59. | 5.8 | 0 |
| 41 | Airway management in patients with COVID-19: Beyond the first endotracheal intubation. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100797. | 1.4 | Ο |
| 42 | Terror in Paris: Incidence and risk factors for infections related to high-energy ammunition injuries. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100908. | 1.4 | 0 |
| 43 | Vital Microscopy. , 2021, , 181-186. | | 0 |