List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4843330/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genome sequencing and analysis of Aspergillus oryzae. Nature, 2005, 438, 1157-1161.	27.8	1,128
2	Aspergillus fumigatus and Related Species. Cold Spring Harbor Perspectives in Medicine, 2015, 5, a019786-a019786.	6.2	180
3	Development of a novel quadruple auxotrophic host transformation system byargBgene disruption usingadeAgene and exploiting adenine auxotrophy inAspergillus oryzae. FEMS Microbiology Letters, 2004, 239, 79-85.	1.8	172
4	Genomics of <i>Aspergillus oryzae</i> . Bioscience, Biotechnology and Biochemistry, 2007, 71, 646-670.	1.3	163
5	Transcriptional Regulation of Chitin Synthases by Calcineurin Controls Paradoxical Growth of <>Aspergillus fumigatus in Response to Caspofungin. Antimicrobial Agents and Chemotherapy, 2010, 54, 1555-1563.	3.2	146
6	Differential Effects of Inhibiting Chitin and 1,3-β- <scp>d</scp> -Glucan Synthesis in Ras and Calcineurin Mutants of <i>Aspergillus fumigatus</i> . Antimicrobial Agents and Chemotherapy, 2009, 53, 476-482.	3.2	132
7	Calcineurin in fungal virulence and drug resistance: Prospects for harnessing targeted inhibition of calcineurin for an antifungal therapeutic approach. Virulence, 2017, 8, 186-197.	4.4	130
8	Heat Shock Protein 90 Is Required for Conidiation and Cell Wall Integrity in Aspergillus fumigatus. Eukaryotic Cell, 2012, 11, 1324-1332.	3.4	122
9	Calcineurin as a multifunctional regulator: Unraveling novel functions in fungal stress responses, hyphal growth, drug resistance, and pathogenesis. Fungal Biology Reviews, 2014, 28, 56-69.	4.7	113
10	Discovery of a novel superfamily of type III polyketide synthases in Aspergillus oryzae. Biochemical and Biophysical Research Communications, 2005, 331, 253-260.	2.1	104
11	Localization and activity of the calcineurin catalytic and regulatory subunit complex at the septum is essential for hyphal elongation and proper septation in <i>Aspergillus fumigatus</i> . Molecular Microbiology, 2011, 82, 1235-1259.	2.5	82
12	Harnessing calcineurin-FK506-FKBP12 crystal structures from invasive fungal pathogens to develop antifungal agents. Nature Communications, 2019, 10, 4275.	12.8	80
13	<i>In Vitro</i> Activity of Calcineurin and Heat Shock Protein 90 Inhibitors against Aspergillus fumigatus Azole- and Echinocandin-Resistant Strains. Antimicrobial Agents and Chemotherapy, 2013, 57, 1035-1039.	3.2	74
14	Analysis of Expressed Sequence Tags from the Fungus Aspergillus oryzae Cultured Under Different Conditions. DNA Research, 2007, 14, 47-57.	3.4	73
15	Adenine Auxotrophic Mutants ofAspergillus oryzae: Development of a Novel Transformation System with Triple Auxotrophic Hosts. Bioscience, Biotechnology and Biochemistry, 2004, 68, 656-662.	1.3	72
16	Identification of a Key Lysine Residue in Heat Shock Protein 90 Required for Azole and Echinocandin Resistance in Aspergillus fumigatus. Antimicrobial Agents and Chemotherapy, 2014, 58, 1889-1896.	3.2	68
17	Three-dimensional image analysis of plugging at the septal pore by Woronin body during hypotonic shock inducing hyphal tip bursting in the filamentous fungus Aspergillus oryzae. Biochemical and Biophysical Research Communications, 2005, 331, 1081-1088.	2.1	66
18	Double disruption of the proteinase genes, tppA and pepE, increases the production level of human lysozyme by Aspergillus oryzae. Applied Microbiology and Biotechnology, 2007, 76, 1059-1068.	3.6	65

#	Article	IF	CITATIONS
19	Scanning Quadrupole Data-Independent Acquisition, Part A: Qualitative and Quantitative Characterization. Journal of Proteome Research, 2018, 17, 770-779.	3.7	62
20	Histone deacetylase inhibition as an alternative strategy against invasive aspergillosis. Frontiers in Microbiology, 2015, 6, 96.	3.5	61
21	Disruption of the Ao <i>pex11-1</i> Gene Involved in Peroxisome Proliferation Leads to Impaired Woronin Body Formation in <i>Aspergillus oryzae</i> . Eukaryotic Cell, 2009, 8, 296-305.	3.4	60
22	Phosphorylation of Calcineurin at a Novel Serine-Proline Rich Region Orchestrates Hyphal Growth and Virulence in Aspergillus fumigatus. PLoS Pathogens, 2013, 9, e1003564.	4.7	60
23	Transcriptional Activation of Heat Shock Protein 90 Mediated Via a Proximal Promoter Region as Trigger of Caspofungin Resistance in Aspergillus fumigatus. Journal of Infectious Diseases, 2014, 209, 473-481.	4.0	57
24	Plasma Membrane Localization Is Required for RasA-Mediated Polarized Morphogenesis and Virulence of Aspergillus fumigatus. Eukaryotic Cell, 2012, 11, 966-977.	3.4	54
25	Identification of csypyrone B1 as the novel product of Aspergillus oryzae type III polyketide synthase CsyB. Bioorganic and Medicinal Chemistry, 2010, 18, 4542-4546.	3.0	53
26	Potential Microbiological Effects of Higher Dosing of Echinocandins. Clinical Infectious Diseases, 2015, 61, S669-S677.	5.8	53
27	Heat shock protein 90 (Hsp90): A novel antifungal target againstAspergillus fumigatus. Critical Reviews in Microbiology, 2014, 42, 1-12.	6.1	52
28	Functional expression of the Aspergillus flavus PKS–NRPS hybrid CpaA involved in the biosynthesis of cyclopiazonic acid. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 3288-3292.	2.2	50
29	Caspofungin-Mediated Growth Inhibition and Paradoxical Growth in Aspergillus fumigatus Involve Fungicidal Hyphal Tip Lysis Coupled with Regenerative Intrahyphal Growth and Dynamic Changes in β-1,3-Glucan Synthase Localization. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	49
30	Functional analysis of the calcineurin-encoding gene cnaA from Aspergillus oryzae: evidence for its putative role in stress adaptation. Archives of Microbiology, 2003, 179, 416-422.	2.2	41
31	<i>Aspergillus fumigatus</i> Calcipressin CbpA Is Involved in Hyphal Growth and Calcium Homeostasis. Eukaryotic Cell, 2009, 8, 511-519.	3.4	41
32	The Aspergillus fumigatus P-Type Golgi Apparatus Ca ²⁺ /Mn ²⁺ ATPase PmrA Is Involved in Cation Homeostasis and Cell Wall Integrity but Is Not Essential for Pathogenesis. Eukaryotic Cell, 2010, 9, 472-476.	3.4	41
33	Regulation of expression, activity and localization of fungal chitin synthases. Medical Mycology, 2012, 50, 2-17.	0.7	41
34	Aspergillus oryzae type III polyketide synthase CsyA is involved in the biosynthesis of 3,5-dihydroxybenzoic acid. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 4785-4788.	2.2	40
35	Calcineurin Localizes to the Hyphal Septum in Aspergillus fumigatus : Implications for Septum Formation and Conidiophore Development. Eukaryotic Cell, 2008, 7, 1606-1610.	3.4	39
36	Calcium-Mediated Induction of Paradoxical Growth following Caspofungin Treatment Is Associated with Calcineurin Activation and Phosphorylation in Aspergillus fumigatus. Antimicrobial Agents and Chemotherapy, 2015, 59, 4946-4955.	3.2	39

#	Article	IF	CITATIONS
37	Functional heterogeneity of alveolar macrophage population based on expression of CXCL2. Science Immunology, 2020, 5, .	11.9	39
38	Antifungal activity of compounds targeting the Hsp90-calcineurin pathway against various mould species. Journal of Antimicrobial Chemotherapy, 2015, 70, 1408-1411.	3.0	37
39	Calcineurin-Mediated Regulation of Hyphal Growth, Septation, and Virulence in Aspergillus fumigatus. Mycopathologia, 2014, 178, 341-348.	3.1	35
40	The Aspergillus fumigatus septins play pleiotropic roles in septation, conidiation, and cell wall stress, but are dispensable for virulence. Fungal Genetics and Biology, 2015, 81, 41-51.	2.1	35
41	Structures of Pathogenic Fungal FKBP12s Reveal Possible Self-Catalysis Function. MBio, 2016, 7, e00492-16.	4.1	29
42	Distinct Roles of Myosins in Aspergillus fumigatus Hyphal Growth and Pathogenesis. Infection and Immunity, 2016, 84, 1556-1564.	2.2	29
43	Newer combination antifungal therapies for invasive aspergillosis. Medical Mycology, 2011, 49, S77-S81.	0.7	27
44	Hsp70 and the Cochaperone StiA (Hop) Orchestrate Hsp90-Mediated Caspofungin Tolerance in Aspergillus fumigatus. Antimicrobial Agents and Chemotherapy, 2015, 59, 4727-4733.	3.2	25
45	Genomic evidences for the existence of a phenylpropanoid metabolic pathway in Aspergillus oryzae. Biochemical and Biophysical Research Communications, 2005, 337, 747-751.	2.1	24
46	Calcineurin Orchestrates Hyphal Growth, Septation, Drug Resistance and Pathogenesis of Aspergillus fumigatus: Where Do We Go from Here?. Pathogens, 2015, 4, 883-893.	2.8	24
47	Phosphorylation of the Aspergillus oryzae Woronin body protein, AoHex1, by protein kinase C: evidence for its role in the multimerization and proper localization of the Woronin body protein. Biochemical Journal, 2007, 405, 533-540.	3.7	23
48	Calmodulin mediated activation of acetyl-CoA carboxylase during aflatoxin production by Aspergillus parasiticus. Letters in Applied Microbiology, 2000, 30, 277-281.	2.2	22
49	Filamentous fungal-specific septin AspE is phosphorylated in vivo and interacts with actin, tubulin and other septins in the human pathogen Aspergillus fumigatus. Biochemical and Biophysical Research Communications, 2013, 431, 547-553.	2.1	22
50	Visualizing Nuclear Migration during Conidiophore Development inAspergillus nidulansandAspergillus oryzae: Multinucleation of Conidia Occurs through Direct Migration of Plural Nuclei from Phialides and Confers Greater Viability and Early Germination inAspergillus oryzae. Bioscience, Biotechnology and Biochemistry, 2005, 69, 747-754.	1.3	21
51	The chitin synthase genes chsA and chsC are not required for cell wall stress responses in the human pathogen Aspergillus fumigatus. Biochemical and Biophysical Research Communications, 2011, 411, 549-554.	2.1	21
52	Characterization of the FKBP12-Encoding Genes in Aspergillus fumigatus. PLoS ONE, 2015, 10, e0137869.	2.5	20
53	Differential localization patterns of septins during growth of the human fungal pathogen Aspergillus fumigatus reveal novel functions. Biochemical and Biophysical Research Communications, 2011, 405, 238-243.	2.1	19
54	Regulatable Ras Activity Is Critical for Proper Establishment and Maintenance of Polarity in Aspergillus fumigatus. Eukaryotic Cell, 2011, 10, 611-615.	3.4	19

4

#	Article	IF	CITATIONS
55	Dephosphorylation of the Core Septin, AspB, in a Protein Phosphatase 2A-Dependent Manner Impacts Its Localization and Function in the Fungal Pathogen Aspergillus fumigatus. Frontiers in Microbiology, 2016, 7, 997.	3.5	17
56	Scanning Quadrupole Data-Independent Acquisition, Part B: Application to the Analysis of the Calcineurin-Interacting Proteins during Treatment of <i>Aspergillus fumigatus</i> with Azole and Echinocandin Antifungal Drugs. Journal of Proteome Research, 2018, 17, 780-793.	3.7	17
57	Calcineurinâ€dependent dephosphorylation of the transcription factor CrzA at specific sites controls conidiation, stress tolerance, and virulence of Aspergillus fumigatus. Molecular Microbiology, 2019, 112, 62-80.	2.5	17
58	Putative Calmodulin-Binding Domains in Aflatoxin Biosynthesis–Regulatory Proteins. Current Microbiology, 2006, 52, 493-496.	2.2	15
59	Calmodulin-dependent protein phosphorylation during conidial germination and growth of Neurospora crassa. Mycological Research, 1997, 101, 1484-1488.	2.5	14
60	Requirement of Ca2+for aflatoxin production: inhibitory effect of Ca2+channel blockers on aflatoxin production byAspergillus parasiticusNRRL 2999. Letters in Applied Microbiology, 1999, 28, 85-88.	2.2	14
61	Identification and mutational analyses of phosphorylation sites of the calcineurin-binding protein CbpA and the identification of domains required for calcineurin binding in Aspergillus fumigatus. Frontiers in Microbiology, 2015, 6, 175.	3.5	14
62	Aspergillus fumigatus Cyp51A and Cyp51B Proteins Are Compensatory in Function and Localize Differentially in Response to Antifungals and Cell Wall Inhibitors. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	14
63	Leveraging Fungal and Human Calcineurin-Inhibitor Structures, Biophysical Data, and Dynamics To Design Selective and Nonimmunosuppressive FK506 Analogs. MBio, 2021, 12, e0300021.	4.1	14
64	Cloning and sequence analysis ofcnaAgene encoding the catalytic subunit of calcineurin fromAspergillus oryzae. FEMS Microbiology Letters, 2001, 204, 169-174.	1.8	12
65	Development of a Modified Positive Selection Medium That Allows to IsolateAspergillus oryzaeStrains Cured of the IntegratedniaD-Based Plasmid. Bioscience, Biotechnology and Biochemistry, 2005, 69, 2463-2465.	1.3	11
66	Cloning and characterization ofvmaA, the gene encoding a 69-kDa catalytic subunit of the vacuolar H+-ATPase during alkaline pH mediated growth ofAspergillus oryzae. FEMS Microbiology Letters, 2002, 209, 277-282.	1.8	10
67	Novel motif in calcineurin catalytic subunit is required for septal localization of calcineurin in <i>AspergillusÂfumigatus</i> . FEBS Letters, 2016, 590, 501-508.	2.8	9
68	A Novel Phosphoregulatory Switch Controls the Activity and Function of the Major Catalytic Subunit of Protein Kinase A in <i>Aspergillus fumigatus</i> . MBio, 2017, 8, .	4.1	9
69	Heat Shock Protein 90 (Hsp90) in Fungal Growth and Pathogenesis. Current Fungal Infection Reports, 2014, 8, 296-301.	2.6	8
70	Structure-Guided Synthesis of FK506 and FK520 Analogs with Increased Selectivity Exhibit <i>In Vivo</i> Therapeutic Efficacy against Cryptococcus. MBio, 2022, 13, .	4.1	8
71	Kin1 kinase localizes at the hyphal septum and is dephosphorylated by calcineurin but is dispensable for septation and virulence in the human pathogen Aspergillus fumigatus. Biochemical and Biophysical Research Communications, 2018, 505, 740-746.	2.1	6
72	Identification and characterization of mutation in the RNase T1 expression-sensitive strain of : Evidence for altered ambient response resulting in transportation of the secretory protein to vacuoles. FEMS Yeast Research, 2005, 5, 801-812.	2.3	5

#	Article	IF	CITATIONS
73	Editorial: Advances in Aspergillus fumigatus Pathobiology. Frontiers in Microbiology, 2016, 7, 43.	3.5	5
74	Caspofungin exposure alters the core septin AspB interactome of Aspergillus fumigatus. Biochemical and Biophysical Research Communications, 2017, 485, 221-226.	2.1	5
75	Phosphorylation of <i>Aspergillus fumigatus</i> PkaR impacts growth and cell wall integrity through novel mechanisms. FEBS Letters, 2017, 591, 3730-3744.	2.8	5
76	Tail domain of the <i>Aspergillus fumigatus</i> class V myosin orchestrates septal localization and hyphal growth. Journal of Cell Science, 2018, 131, .	2.0	5
77	FKBP12 dimerization mutations effect FK506 binding and differentially alter calcineurin inhibition in the human pathogen Aspergillus fumigatus. Biochemical and Biophysical Research Communications, 2020, 526, 48-54.	2.1	5
78	<i>In Vitro</i> Activity of APX2041, a New Gwt1 Inhibitor, and <i>In Vivo</i> Efficacy of the Prodrug APX2104 against Aspergillus fumigatus. Antimicrobial Agents and Chemotherapy, 2021, 65, e0068221.	3.2	5
79	The class V myosin interactome of the human pathogen Aspergillus fumigatus reveals novel interactions with COPII vesicle transport proteins. Biochemical and Biophysical Research Communications, 2020, 527, 232-237.	2.1	5
80	Forging the ring: from fungal septins' divergent roles in morphology, septation and virulence to factors contributing to their assembly into higher order structures. Microbiology (United Kingdom), 2016, 162, 1527-1534.	1.8	5
81	The Protein Kinase A-Dependent Phosphoproteome of the Human Pathogen Aspergillus fumigatus Reveals Diverse Virulence-Associated Kinase Targets. MBio, 2020, 11, .	4.1	3
82	Balancing iron and calcium: Flavin carrier family proteins in Aspergillus fumigatus virulence. Virulence, 2017, 8, 621-624.	4.4	1
83	Protein Kinase A Regulates Autophagy-Associated Proteins Impacting Growth and Virulence of Aspergillus fumigatus. Journal of Fungi (Basel, Switzerland), 2022, 8, 354.	3.5	1
84	1614. Gwt1 Inhibitor, APX2104, Protects Against Invasive Aspergillosis in Neutropenic Mouse Model. Open Forum Infectious Diseases, 2020, 7, S800-S801.	0.9	0