

# Sun Och Yoon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4844503/publications.pdf>

Version: 2024-02-01

86  
papers

2,012  
citations

279798

23  
h-index

276875

41  
g-index

90  
all docs

90  
docs citations

90  
times ranked

3980  
citing authors

#	ARTICLE	IF	CITATIONS
1	Overexpression of poliovirus receptor is associated with poor prognosis in head and neck squamous cell carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2741-2750.	2.5	4
2	Comprehensive Analysis of Clinicopathologic Factors Predictive of an Unfavorable Prognosis in Patients With Acinic Cell Carcinoma of the Parotid Gland. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021, 14, 108-115.	2.1	5
3	Primary Gastrointestinal T/NK Cell Lymphoma. <i>Cancers</i> , 2021, 13, 2679.	3.7	7
4	Characterization of novel genetic alterations in salivary gland secretory carcinoma. <i>Modern Pathology</i> , 2020, 33, 541-550.	5.5	18
5	Upfront autologous hematopoietic stem cell transplantation for high-risk patients with double-expressor diffuse large B cell lymphoma. <i>Annals of Hematology</i> , 2020, 99, 2149-2157.	1.8	4
6	Molecular subtypes of oropharyngeal cancer show distinct immune microenvironment related with immune checkpoint blockade response. <i>British Journal of Cancer</i> , 2020, 122, 1649-1660.	6.4	17
7	Clinical-pathological prognostic factors and treatment failure patterns in T1-2 high-grade parotid gland cancer. <i>Oral Oncology</i> , 2020, 110, 104884.	1.5	6
8	Rare case of CD8+ CD56+ cytotoxic variant of mycosis fungoides clinically presenting with a combination of hypopigmentation and poikiloderma. <i>International Journal of Dermatology</i> , 2020, 59, e374-e376.	1.0	2
9	Practical Approach to the Histologic Diagnosis of Gastrointestinal Lymphomas Through the First-line Marker Battery of CD20, CD3, CD30, and Epstein-Barr Virus-encoded RNAs. <i>Advances in Anatomic Pathology</i> , 2020, 27, 75-86.	4.3	0
10	Prognostic implications of Fibroblast growth factor receptor 1 (FGFR1) gene amplification and protein overexpression in hypopharyngeal and laryngeal squamous cell carcinoma. <i>BMC Cancer</i> , 2020, 20, 348.	2.6	13
11	Establishment and characterization of patient-derived xenografts as preclinical models for head and neck cancer. <i>BMC Cancer</i> , 2020, 20, 316.	2.6	14
12	Descriptive Analysis of Histiocytic and Dendritic Cell Neoplasms: A Single-Institution Experience. <i>Yonsei Medical Journal</i> , 2020, 61, 774.	2.2	1
13	Forkhead Box C1 (FOXC1) Expression in Stromal Cells within the Microenvironment of T and NK Cell Lymphomas: Association with Tumor Dormancy and Activation. <i>Cancer Research and Treatment</i> , 2020, 52, 1273-1282.	3.0	1
14	Human herpesvirus 8-negative effusion-based lymphoma with indolent clinical behavior in an elderly patient: A case report and literature review. <i>Oncology Letters</i> , 2020, 20, 343.	1.8	3
15	Characterization of head and neck squamous cell carcinoma arising in young patients: Particular focus on molecular alteration and tumor immunity. <i>Head and Neck</i> , 2019, 41, 198-207.	2.0	18
16	NOVA1 induction by inflammation and NOVA1 suppression by epigenetic regulation in head and neck squamous cell carcinoma. <i>Scientific Reports</i> , 2019, 9, 11231.	3.3	4
17	Twist and Snail/Slug Expression in Oropharyngeal Squamous Cell Carcinoma in Correlation With Lymph Node Metastasis. <i>Anticancer Research</i> , 2019, 39, 6307-6316.	1.1	13
18	Classification of malignant lymphoma subtypes in Korean patients: a report of the 4th nationwide study. <i>Journal of Hematopathology</i> , 2019, 12, 173-181.	0.4	9

#	ARTICLE	IF	CITATIONS
19	Characteristic gene alterations in primary gastrointestinal T- and NK-cell lymphomas. <i>Leukemia</i> , 2019, 33, 1797-1832.	7.2	9
20	Clinicopathological and Preclinical Findings of NUT Carcinoma: A Multicenter Study. <i>Oncologist</i> , 2019, 24, e740-e748.	3.7	38
21	Investigating Trk Protein Expression between Oropharyngeal and Non-oropharyngeal Squamous Cell Carcinoma: Clinical Implications and Possible Roles of Human Papillomavirus Infection. <i>Cancer Research and Treatment</i> , 2019, 51, 1052-1063.	3.0	9
22	Analysis of PD-L1 expression in salivary duct carcinoma with its efficacy as a tumor marker. <i>Korean Society for Head and Neck Oncology</i> , 2019, 35, 13-20.	0.1	0
23	Efficacy and safety of vinorelbine plus cisplatin chemotherapy for patients with recurrent and/or metastatic salivary gland cancer of the head and neck. <i>Head and Neck</i> , 2018, 40, 55-62.	2.0	26
24	Diagnostic Approaches for Salivary Gland Tumors with Secretory and Microcystic Features. <i>Head and Neck Pathology</i> , 2018, 12, 237-243.	2.6	5
25	Expression of EpCAM in adenoid cystic carcinoma. <i>Pathology</i> , 2018, 50, 737-741.	0.6	8
26	The implications of TrkA and MET aberrations in de novo salivary duct carcinoma. <i>Human Pathology</i> , 2018, 81, 18-25.	2.0	8
27	Implications of NOVA1 suppression within the microenvironment of gastric cancer: association with immune cell dysregulation. <i>Gastric Cancer</i> , 2017, 20, 438-447.	5.3	63
28	Implications of infiltrating immune cells within bone marrow of patients with diffuse large B-cell lymphoma. <i>Human Pathology</i> , 2017, 64, 222-231.	2.0	11
29	Architectural patterns of p16 immunohistochemical expression associated with cancer immunity and prognosis of head and neck squamous cell carcinoma. <i>Apmis</i> , 2017, 125, 974-984.	2.0	17
30	Association of the long non-coding RNA MALAT1 with the polycomb repressive complex pathway in T and NK cell lymphoma. <i>Oncotarget</i> , 2017, 8, 31305-31317.	1.8	45
31	Acquired resistance to BRAF inhibition induces epithelial-to-mesenchymal transition in BRAF (V600E) mutant thyroid cancer by c-Met-mediated AKT activation. <i>Oncotarget</i> , 2017, 8, 596-609.	1.8	26
32	Molecular Testing of Lymphoproliferative Disorders: Current Status and Perspectives. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 224-241.	1.1	12
33	Clinical Utility of Bone Marrow Study in Gaucher Disease: A Case Report of Gaucher Disease Type 3 With Intractable Myoclonic Seizures. <i>Annals of Laboratory Medicine</i> , 2016, 36, 177-179.	2.5	1
34	Alteration status and prognostic value of MET in head and neck squamous cell carcinoma. <i>Journal of Cancer</i> , 2016, 7, 2197-2206.	2.5	20
35	The long noncoding RNA <i>HOXA11</i> antisense induces tumor progression and stemness maintenance in cervical cancer. <i>Oncotarget</i> , 2016, 7, 83001-83016.	1.8	78
36	The prognostic significance of monoclonal immunoglobulin gene rearrangement in conjunction with histologic cell aggregates in the bone marrow of patients with diffuse large cell lymphoma. <i>Cancer Medicine</i> , 2016, 5, 1066-1073.	2.8	7

#	ARTICLE	IF	CITATIONS
37	PD-L1 expression on immune cells, but not on tumor cells, is a favorable prognostic factor for head and neck cancer patients. <i>Scientific Reports</i> , 2016, 6, 36956.	3.3	196
38	Can galectin-3 be a useful marker for conventional papillary thyroid microcarcinoma?. <i>Diagnostic Cytopathology</i> , 2016, 44, 103-107.	1.0	9
39	Activation of the polycomb repressive complex pathway in the bone marrow resident cells of diffuse large B-cell lymphoma patients. <i>Leukemia and Lymphoma</i> , 2016, 57, 1921-1932.	1.3	4
40	The role of the polycomb repressive complex pathway in T and NK cell lymphoma: biological and prognostic implications. <i>Tumor Biology</i> , 2016, 37, 2037-2047.	1.8	18
41	NOVA1 inhibition by miR-146b-5p in the remnant tissue microenvironment defines occult residual disease after gastric cancer removal. <i>Oncotarget</i> , 2016, 7, 2475-2495.	1.8	36
42	Upregulated Neuro-oncological Ventral Antigen 1 (NOVA1) Expression Is Specific to Mature and Immature T- and NK-Cell Lymphomas. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 104-112.	1.1	15
43	Long Non-coding RNA HOTAIR Expression in Diffuse Large B-Cell Lymphoma: In Relation to Polycomb Repressive Complex Pathway Proteins and H3K27 Trimethylation. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 369-376.	1.1	25
44	Overexpression of Endoplasmic Reticulum Oxidoreductin 1- $\alpha$ (ERO1L) Is Associated with Poor Prognosis of Gastric Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1196-1209.	3.0	37
45	Defining the immunologic phenotypes and their prognostic impacts on head and neck squamous cell cancer (HNSCC).. <i>Journal of Clinical Oncology</i> , 2016, 34, 6055-6055.	1.6	0
46	The Role of MYC and BCL-2 Double Expression the in DLBCL Patients with Advanced Stage and Elevated LDH Who Received Upfront ASCT after R-CHOP. <i>Blood</i> , 2016, 128, 4219-4219.	1.4	0
47	Proposal of an Appropriate Decalcification Method of Bone Marrow Biopsy Specimens in the Era of Expanding Genetic Molecular Study. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 236-242.	1.1	50
48	Analysis of the Roles of Glucose Transporter 1 and Hexokinase 2 in the Metabolism of Glucose by Extrahepatic Bile Duct Cancer Cells. <i>Clinical Nuclear Medicine</i> , 2015, 40, e178-e182.	1.3	13
49	Poorly Differentiated Carcinoma Component in Submucosal Layer Should be Considered as an Additional Criterion for Curative Endoscopic Resection of Early Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 772-777.	1.5	40
50	Effects of a Levonorgestrel-Releasing Intrauterine System on the Expression of Steroid Receptor Coregulators in Adenomyosis. <i>Reproductive Sciences</i> , 2015, 22, 1539-1548.	2.5	8
51	Prognostic Significance of Defining L-Cell Type on the Biologic Behavior of Rectal Neuroendocrine Tumors in Relation with Pathological Parameters. <i>Cancer Research and Treatment</i> , 2015, 47, 813-822.	3.0	24
52	Incidence and Malignancy Rates of Diagnoses in the Bethesda System for Reporting Thyroid Aspiration Cytology: An Institutional Experience. <i>Korean Journal of Pathology</i> , 2014, 48, 133.	1.3	43
53	Usefulness of Nuclear Protein in Testis (NUT) Immunohistochemistry in the Cytodiagnosis of NUT Midline Carcinoma: A Brief Case Report. <i>Korean Journal of Pathology</i> , 2014, 48, 335.	1.3	16
54	The Limitations of Endoscopic Ultrasound-Guided Fine Needle Aspiration Cytology in the Diagnosis of Pancreatic Serous Cystadenoma: A Brief Case Report. <i>Korean Journal of Pathology</i> , 2014, 48, 405-408.	1.3	2

#	ARTICLE	IF	CITATIONS
55	Inflammatory myofibroblastic tumor of the appendix arising after treatment of gastric cancer: a case report and review of the literature. <i>Apmis</i> , 2014, 122, 657-659.	2.0	4
56	Lysyl-tRNA Synthetase (KRS) Expression in Gastric Carcinoma and Tumor-Associated Inflammation. <i>Annals of Surgical Oncology</i> , 2014, 21, 2020-2027.	1.5	20
57	Oncologic Safety of Pylorus-preserving Gastrectomy in the Aspect of Micrometastasis in Lymph Nodes at Stations 5 and 6. <i>Annals of Surgical Oncology</i> , 2014, 21, 533-538.	1.5	22
58	The Chronicity of Tonsillitis Is Significantly Correlated with an Increase in an LT $\alpha$ Cell Portion. <i>Inflammation</i> , 2014, 37, 132-141.	3.8	2
59	The diagnostic approach to fine-needle aspiration of malignant lymphoma: Using cytomorphology and immunocytochemistry with cell transfer method. <i>Diagnostic Cytopathology</i> , 2014, 42, 671-679.	1.0	9
60	A testing algorithm for detection of the B-type Raf kinase V600E mutation in papillary thyroid carcinoma. <i>Human Pathology</i> , 2014, 45, 1483-1488.	2.0	17
61	Diffuse large B-cell lymphoma with histone H3 trimethylation at lysine 27: another poor prognostic phenotype independent of c-Myc/Bcl2 coexpression. <i>Human Pathology</i> , 2014, 45, 2043-2050.	2.0	20
62	An Extragastrintestinal Stromal Tumor in the Omentum With Peritoneal Seeding Mimicking an Appendiceal Mucinous Cancer With Carcinomatosis. <i>Annals of Coloproctology</i> , 2014, 30, 93.	2.0	5
63	Usefulness of Ki-67 (MIB-1) immunostaining in the diagnosis of pulmonary sclerosing hemangiomas. <i>Apmis</i> , 2013, 121, 105-110.	2.0	9
64	Undifferentiated early gastric cancer diagnosed as differentiated histology based on forceps biopsy. <i>Pathology Research and Practice</i> , 2013, 209, 314-318.	2.3	25
65	Signet ring cell mixed histology may show more aggressive behavior than other histologies in early gastric cancer. <i>Journal of Surgical Oncology</i> , 2013, 107, 124-129.	1.7	66
66	Prognostic implications for high expression of oncogenic microRNAs in advanced gastric carcinoma. <i>Journal of Surgical Oncology</i> , 2013, 107, 505-510.	1.7	101
67	Overexpression of miR-196b and HOXA10 characterize a poor-prognosis gastric cancer subtype. <i>World Journal of Gastroenterology</i> , 2013, 19, 7078.	3.3	66
68	Leptin, MUC2 and mTOR in Appendiceal Mucinous Neoplasms. <i>Pathobiology</i> , 2012, 79, 45-53.	3.8	25
69	BRAFV600E mutation analysis of liquid-based preparation-processed fine needle aspiration sample improves the diagnostic rate of papillary thyroid carcinoma. <i>Human Pathology</i> , 2012, 43, 89-95.	2.0	35
70	Immunohistochemical analysis of polycomb group protein expression in advanced gastric cancer. <i>Human Pathology</i> , 2012, 43, 1704-1710.	2.0	20
71	Additive Lymph Node Dissection may be Necessary in Minute Submucosal Cancer of the Stomach after Endoscopic Resection. <i>Annals of Surgical Oncology</i> , 2012, 19, 779-785.	1.5	22
72	HETEROTOPIC GASTRIC MUCOSA WITH FOCAL INTESTINAL METAPLASIA AND SQUAMOUS EPITHELIUM IN THE RECTUM. <i>Digestive Endoscopy</i> , 2012, 24, 46-48.	2.3	9

#	ARTICLE	IF	CITATIONS
73	Pulmonary sclerosing haemangioma with metastatic spread to stomach. <i>Histopathology</i> , 2012, 60, 1162-1164.	2.9	16
74	ALK-positive anaplastic large cell lymphoma with TPM3-ALK translocation. <i>Leukemia Research</i> , 2012, 36, e143-e145.	0.8	8
75	Post-transplant lymphoproliferative disorders: clinicopathological analysis of 43 cases in a single center, 1990-2009. <i>Clinical Transplantation</i> , 2012, 26, 67-73.	1.6	24
76	Overexpression of the M2 isoform of pyruvate kinase is an adverse prognostic factor for signet ring cell gastric cancer. <i>World Journal of Gastroenterology</i> , 2012, 18, 4037.	3.3	76
77	Thioredoxin and thioredoxin-interacting protein as prognostic markers for gastric cancer recurrence. <i>World Journal of Gastroenterology</i> , 2012, 18, 5581.	3.3	52
78	Cytologic Features of Giant Cell Ependymoma: A Case Report and Review of the Literature. <i>Korean Journal of Pathology</i> , 2012, 46, 507.	1.3	7
79	TTF-1 mRNA-positive circulating tumor cells in the peripheral blood predict poor prognosis in surgically resected non-small cell lung cancer patients. <i>Lung Cancer</i> , 2011, 71, 209-216.	2.0	70
80	Deregulated expression of microRNA-221 with the potential for prognostic biomarkers in surgically resected hepatocellular carcinoma. <i>Human Pathology</i> , 2011, 42, 1391-1400.	2.0	60
81	Prognostic Factors of Second and Third Line Chemotherapy Using 5-FU with Platinum, Irinotecan, and Taxane for Advanced Gastric Cancer. <i>Cancer Research and Treatment</i> , 2011, 43, 236-243.	3.0	15
82	A Case of Cranial Nerve Palsy as a Paraneoplastic Syndrome in Non-Small Cell Lung Cancer. <i>Tuberculosis and Respiratory Diseases</i> , 2011, 70, 160.	1.8	1
83	Class III $\beta$ -Tubulin Shows Unique Expression Patterns in a Variety of Neoplastic and Non-neoplastic Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2010, 34, 645-655.	3.7	14
84	Distribution of lymphoid neoplasms in the Republic of Korea: Analysis of 5318 cases according to the World Health Organization classification. <i>American Journal of Hematology</i> , 2010, 85, 760-764.	4.1	109
85	Differential protein immunoexpression profiles in appendiceal mucinous neoplasms: a special reference to classification and predictive factors. <i>Modern Pathology</i> , 2009, 22, 1102-1112.	5.5	19
86	Abnormal fragile histidine triad (Fhit) expression in invasive cervical adenocarcinoma: association with tumor aggressiveness. <i>Human Pathology</i> , 2007, 38, 326-331.	2.0	4